THE VITAL STATISTICS SYSTEM IN CALIFORNIA

STATE REGISTRAR:	DIRECTOR OF CALIFORNIA STATE DEPARTMENT OF HEALTH SERVICES
OFFICE OF STATE REGISTRAR:	The State Registrar's functions are performed by the Office of State Registrar, which:

- Maintains a permanent public record of each birth, death, marriage, and marriage dissolution which has occurred in California since 1905.

- Provides certified copies of California vital records or searches the permanent central registry to verify the occurrence of vital events in California.

- Prepares and maintains computer files of state birth, death, marriage, and divorce data and monitors these files for data quality.

- Offers tables and computer tapes from the state vital statistics files to public and private organizations and to individuals requesting the data for research and planning and provides consultation to the users of these data.

- Prepares and periodically publishes statistical analyses and summaries of vital statistics for use by the Department of Health Services, other agencies, and the public. The data are used in medical and social sciences, public health and health demographics, human services planning, population estimation and projection, and economic forecasting.

- Builds and continues cooperative relationships with federal, state, and local agencies including the National Center for Health Statistics, which collect, maintain, and use vital records/statistics.

- Develops forms, standards, and guidelines for registration of all vital events occurring in the State of California.

- Directs and monitors the state-delegated functions of approximately 180 local offices which register California's vital events in order to assure statewide compliance with the statutory mandate for uniform application of registration laws, policies, and procedures.

VITAL STATISTICS
OF
CALIFORNIA

1982

David B. Swoap, Secretary
Health and Welfare Agency

Department of Health Services
Health and Welfare Agency
State of California

Date: March 1985

Gwendolyn Doebbert, Chief

Health Demographics Unit
Office of State Registrar
Center for Health Statistics

This report was prepared by Vince Torres-Gil. Inquiries regarding this report should be directed to Vince Torres-Gil, Center for Health Statistics, Department of Health Services, 714 P Street, Sacramento, CA 95814, or by calling (916) 445-1010.

The production of this report was made possible through the combined efforts of the following support staff:

EDITING

Penny Rasmussen
Jenna Seehafer
Martin Green

DATA PROCESSING

Ann Berner
Leora Ton

GRAPHICS

Winnie Dysle
Karen Mitchell

TABLES

Phyllis Barnhouse
Dorothy Dendorfer
Pauline Hawck
Karen Mitchell
Sandy Ficenec
Kathy King

TYPING/PROOFING

Jo Anne Bland
L. Delvonnee Moore
Yvonne Kinkade
Jeanne Kochanski
Rebecca Williams
Marie Jungkeit

COMPOSING

Erika Loutzenhiser
Karen Miyagawa
Cynthia L. Schmidt
Sandra Henderson

Additionally, the Health Demographics Unit gratefully acknowledges the cooperation and assistance of: Clarence Brown, Maria Cheung, Anthony Oreglia, Roger Smith, Michiko Tashiro, Evelyn Yip, and the Population Research Unit, Department of Finance.

PREFACE

The purpose of this annual vital statistics report is to present information which can be used as a basis for health policy decisions, planning, and epidemiologic research; it is also designed to provide California's governmental agencies, businesses, industries, and citizens with information on the vital statistics of their State.

The sources of the data included in this report are certificates of live birth, death, and fetal death which occurred during 1982 and which were registered with the Department of Health Services. Data on marriages, legal separations, judgments of nullity, and dissolutions of marriage are not included in this report. These data will be made available as they are released from the Office of State Registrar.

Chapter 6, entitled "Sources, Quality, and Limitations of Data," gives information needed for correct interpretation and analysis of the data and provides a description of the vital statistics registration system in California. Chapter 7 includes definitions used to calculate the rates and ratios used throughout the report.

NOTE: Population data used as denominators for calculating rates of vital events in this publication were prepared by the Population Research Unit of the California Department of Finance. The data employed include the resident military and civilian populations, as of July 1, for each year. For your convenience this publication provides state and county populations so that rates can be calculated when desired.

All vital rates in this publication with population as a denominator used the latest population data available at the time. Consequently, they may differ from rates previously published.

SYMBOLS USED IN TABLES

Data not available	– – –
Category not applicable	. . .
Quantity zero	–
Quantity more than zero but less than 0.05	0.0

CONTENTS

Page

ACKNOWLEDGMENTS ii
PREFACE iii
HIGHLIGHTS vi

1. REVIEW OF VITAL STATISTICS OF CALIFORNIA 1

VITAL AND POPULATION STATISTICS: TABLES AND FIGURES 1, 12–20

VITAL STATISTICS OF CALIFORNIA, 1982: DISCUSSION 2

POPULATION 2
  Age and Sex 2

LIVE BIRTHS 2
  Number and Rate 2
  General Fertility Rates for California and the United States 3
  Age-Specific Live Birth Rates 3
  Age-Specific Live Birth Rates for the United States and California 4
  Birth Order 4
  Age of Mother and Live Birth Order 5
  Birth by Estimated Marital Status of Mother 5

FETAL DEATHS 6
  Number and Ratio 6
  Age of Mother, Race, and Spanish/Hispanic Origin 6

INFANT DEATHS 7
  Number and Rate 7
  Age and Sex 7
  Age-Adjusted Death Rates by Race of Child 8
  Selected Causes of Infant Deaths 8

DEATHS 9
  Number and Rate 9
  Sex and Age 9
  Sex and Age-Specific Death Rate 9
  Ten Leading Causes of Death 10
  Leading Causes of Death by Sex and Age 10

Page

2. **LIVE BIRTH TABLES AND FIGURES** 21

3. **FETAL DEATH TABLES** 229

4. **INFANT DEATH TABLES AND FIGURES** 245

5. **DEATH TABLES AND FIGURES** 253

6. **SOURCES, QUALITY, AND LIMITATIONS OF DATA** 289

VITAL STATISTICS REGISTRATION 290
History of Vital Statistics Registration 290
Registration System at Present 290

SOURCES AND QUALITY OF VITAL STATISTICS DATA 292
Records 292
Births, Deaths, and Fetal Deaths 292
California Birth Cohort File 293
Quality Control Procedures 293
Population 294

LIMITATIONS OF DATA 294
Cause of Death 294
Tabulations of Cause of Death 295
Variability of Rates 295
Sampling Error and Vital Statistics 296
Time Periods and Geographic Bases 297
Race and Ethnicity 298
Age 299
Length of Gestation 300

7. **APPENDIX** 301

DEFINITIONS 304
RATES AND RATIOS 306
CERTIFICATES AND LISTS OF VARIABLES 308
RACE/ETHNICITY COMPARABILITY TABLES 318–319

HIGHLIGHTS

LIVE BIRTHS

California had 429,631 resident live births in 1982; 9,213 (2.2 percent) more than in 1981.

The crude birth rate of 17.4 live births per 1,000 population was the same as in 1981.

Since 1978, the annual rate of increase for both the total number of live births and the crude birth rate in California has slowed perceptibly. Despite this, the 1982 California birth rate was higher than the United States birth rate of 16.0 per 1,000.

- General fertility rate

In 1982, California's general fertility rate was 72.2 live births per 1,000 women ages 15–44, an increase of only 0.3 percent over 1981. California's general fertility rate remained well above the United States general fertility rate of 67.8.

- Age-specific birth rates

In general, California birth rates in 1982 increased for older women and decreased for younger women. The birth rate for women ages 35–39 increased from 26.0 to 27.6 per 1,000, up 6.2 percent and the rate for women ages 30–34 increased from 68.9 to 71.1 per 1,000 up 3.2 percent. In contrast, the birth rate for women under age 15 remained unchanged while the birth rate for women ages 15–19 fell from 53.1 in 1981, to 52.0 in 1982.

By 1981, all of California's age-specific birth rates (with the exception of females under the age of 15) were higher than their respective U. S. rates.

- Birth order

California birth rates by live birth order changed very little from 1981 to 1982. Birth rates for the second, third, and fourth live birth orders showed small increases of 1.3, 2.9, and 2.4 percent respectively while rates for the first and fifth or higher live birth orders decreased by 1.6 and 2.9 percent respectively.

Women ages 35–39 and 40–44 showed notable increases in their first, second, and third live birth orders rates. Percent increases for women 35–39 were, in order, 13.6, 13.1, and 7.1; for women 40–44 they were, in order, 16.7, 14.3, and 12.5.

- Births by estimated marital status . . .

An estimated 21.7 percent (93,285) of all 1982 live births in California were to unmarried women. This percentage was almost the same as in 1981 (21.8).

Females under age 15 had the highest proportions of nonmarital live births, 85.9 percent, followed by females 15–19 with 52.0 percent. Since 1970, women of all age groups in California have experienced a much more rapid increase in unmarried births than in total live births.

Of all live births to unmarried women in 1982, 40.1 percent were to unmarried White-Hispanic women and 21.7 percent to unmarried Black women. Over one-half of all live births to Black women and over one-quarter to White-Hispanic women were nonmarital.

FETAL DEATHS . . . .

There were 3,333 fetal deaths in 1982 compared to 3,481 during 1981. The number of fetal deaths has decreased for the second year in a row despite increases in the number of fetal deaths from 1977 to 1980.

The 1982 fetal death ratio was the lowest ratio recorded: 7.8 down from 8.3 in 1981.

Over one-half of all 1982 fetal deaths were to women 20–29; women 15–19 had 3.2 percent while women 30–34 had 18.1 percent. The proportions of the total fetal deaths experienced by very young mothers 15–19 and older mothers 30–34 were higher than their respective proportions of total live births.

Whites had 2,515 of all fetal deaths and Blacks 472; mothers of Hispanic origin (regardless of race) had 949 fetal deaths.

INFANT DEATHS . . . .

In 1982, infant deaths in California fell for the second successive year. The number of infant deaths, 4,218, was 1.4 percent less than in 1981.The infant death rate also fell, by 3.9 percent.

• Sex and age	In 1982, 56.8 percent of all infant deaths were male and 43.2 percent female. Almost two-thirds of all infant deaths (2,686) occurred during the first 27 days of life, with over half (2,165) occurring during the first 6 days.
• Race	Despite a substantial decline of 24.6 percent in the Black infant death rate (from 20.3 in 1975 to 15.3 in 1981) it continues to be about 75 percent higher than the White-Spanish and White non-Spanish rates of 8.8 and 8.6.
• Cause of Death	"Certain Conditions Originating in the Perinatal Period" were responsible for 43.5 percent of all infant deaths; this percentage was almost unchanged from the 43.7 percent of 1981. "Causes Not Specific to Perinatal Period" increased its percentage of postneonatal deaths in 1982, moving up from 72.9 percent in 1981 to 74.3 percent. The number of deaths due to "Sudden Infant Death Syndrome" (SIDS) reached 636 in 1982, 26 more than the 610 deaths of 1981. Almost all of the SIDS deaths, 91.8 percent, occurred in the postneonatal period. In 1982, the SIDS death rate was 148.0 per 100,000 live births, up 2.0 percent from 145.1 in 1981.
DEATHS	The number of 1982 California resident deaths was 188,255, an increase of 3,523 from 1981. The crude death rate remained at 7.6 per 1,000 population. Since 1976, the death rate has fluctuated within the narrow range of 7.6 to 7.8 per 1,000.
• Sex and age	Almost 70 percent of all 1982 deaths were to residents 65 years old and over. The number of male deaths was greater than the number of female deaths in all age groups except 80 and over.
• Sex and age-specific rates	In 1982, the age-specific death rates for males were greater than for females in all age groups. Between 1981 and 1982, death rates fell for females 5–14 and 65–74 and for males 75 and over.

- Leading causes of death . . . .

"Diseases of the Heart," the number one cause of death, accounted for 67,255 deaths in 1982, up 3.0 percent from 1981. Deaths from "Malignant Neoplasms," the second leading cause, also rose, to 42,774, up 4.4 percent. Deaths from "Cerebrovascular Disease," the number three cause, were down to 15,605, a drop of 1.6 percent.

The largest decrease in any of the leading causes of death was the 10.4 percent drop in "Homicides"; "Suicides," in contrast, went up by 5.6 percent.

As in 1981, "Accidents and Adverse Effects" was the leading cause of death for males 1–44 and for females 1–34. "Malignant Neoplasms" was the leading cause of death for women 35–64; "Diseases of the Heart" was the leading cause for males 45 and over and for females 65 and over. SIDS was the third ranking cause of death for infants, accounting for 390 male and 246 female infant deaths.

1. REVIEW OF VITAL STATISTICS OF CALIFORNIA

Page

Vital Statistics of California, 1982: Discussion 2

Table 1–1. Population, deaths, live births, infant deaths, fetal deaths, and maternal deaths: California 1950–1982 13
1–2. Deaths, live births, fetal deaths, maternal deaths, and infant deaths by age: California counties, 1982 15
1–3. Total population and population density: California counties, July 1, 1970 and 1982 16
1–4. Intercensal estimates of total population: California counties, 1970, 1973–1982 19

Figure 1–A. 1982 vital events in California 12
1–B. Vital statistics rates/ratio: California, 1970–1982 14
1–C. Population density: California counties, July 1, 1982 17
1–D. Percent change in population density in California counties between July 1, 1970 and July 1, 1982 18

VITAL STATISTICS OF CALIFORNIA: 1982

POPULATION

Age and Sex

- California's median age in 1982 was 30.4 years. A reflection of the State's aging population, it was 1.7 percent higher than the median age of the 1980 Census (29.9) a[illegible] 8.2 percent higher than the 1970 Census (28.1). The median age of California's women i[illegible] was two years higher than of men, 31.4 versus 29.4.

  Another indication of the aging California population was the sharp decrease between 1970 and 1982 in the proportion of the population that was under 20 years. In 1970, persons under 20 comprised 36.8 percent of the population; but by 1982, only 30.3 percent of the population were under 20 years of age. Conversely, the proportion of 20–39-year-olds increased from 27.9 percent in 1970 to 34.9 percent in 1982.

  In 1982, California's population included almost as many males (49.3 percent) as females (50.7 percent). Comparable U. S. figures[1] show proportionately more females (51.4 percent) than males (48.6 percent) in the nation's population. California women outnumbered men in each of the five-year-age groups 40 and over, while men outnumbered women in the five-year-age groups under 40 years.

LIVE BIRTHS

Number and Rate

- California registered 429,631 live births to California residents in 1982 (Table 1–1), a gain of 9,213 births over 1981 and an annual growth rate of 2.2 percent. This increase in the number of live births from 1981 to 1982 was just over half of the increase that occurred from 1980 to 1981. The annual percent increase in total live births has been declining since 1978.

- California's 1982 crude birth rate (total live births per 1,000 population) (Table 1–1) remained at its 1981 level of 17.4. This is the highest crude birth rate since the 1970 rate of 18.1. The growth of the crude birth rate has been decelerating since 1978.

- California's 1982 crude birth rate was 8.8 percent higher than the U. S. crude birth rate of 16.0 despite a small increase in the U. S. rate and the lack of activity in the California rate. California's crude birth rates have been higher than the U. S. rate since 1975 when the crude birth rates were almost identical at 14.7 and 14.6 respectively. During this eight-year period, the California rate grew by 18.4 percent while the U. S. rate grew by only 9.6 percent. This disparity in birth rate increases is due in part to the greater increase in the number of women of childbearing age

---

[1] Department of Commerce, Bureau of Census, *Current Population Reports*, Estimates of the Population of the United States, by Age, Sex, and Race: 1980 to 1983, Series P–25, No. 949, May 1984.

(15–44) in California relative to that of the entire United States. National statistics[2,3] show that from 1975 to 1982 the number of women ages 15–44 for the U. S. grew by 16.0 percent while in California the increase was 22.1 percent. More important, however, is the fact that California women ages 15–44 are having more births per woman than are all women in the U. S.

As shown in Table 2–2 and as discussed in the following sections, from 1975–1982, the number of births per 1,000 women for all age groups in California not only increased, but increased at a much faster rate than women across the U. S.

General Fertility Rates for California and the United States

- In 1982, the general fertility rate for California was 72.2 live births per 1,000 women of childbearing age (15–44) (Table 2–2), a slight increase from the 1981 rate of 72.0. This 1982 general fertility rate was the highest since 1971 when the rate was 75.4. During the early to mid-1970s, California's general fertility rate dropped rapidly, falling to a low of 64.8 in 1973. Since 1973, the general fertility rate increased every year except 1975 and 1978.

- The California general fertility rate was 6.5 percent higher than the U. S. rate (72.2 compared to 67.8) in 1982. The U. S. rate, like the California rate, increased only slightly between 1981 and 1982 (from 67.4 to 67.8). However, the similarity ends there. While California's rate has shown a definite upward trend since 1973, the U. S. rate has fluctuated between 65.0 and 68.8, reaching 1982 with a net decrease of 1.5 percent. Moreover, by 1982, California's rate had increased by 11.4 percent from its 1973 low of 64.8 while the United States rate increased by only 4.3 percent from its low of 65.0 in 1976. Interestingly enough, California's general fertility rate has been higher than the United States rate only since 1976. Prior to that year the situation was reversed.

Age-Specific Live Birth Rates

- Between 1981 and 1982, the age-specific live birth rates for California women in the five-year age groups from 20–39 and 45 and over increased. The rates for females under 15 years and ages 40–44 remained the same, and the rate for the 15–19-year-olds fell.

- Age-specific birth rates to women ages 35–39 rose from 26.0 to 27.6, an annual growth rate of 6.2 percent. Right behind were the 30–34-year-olds whose live birth rate moved up to 71.1 for an annual increase of 3.2 percent. In 1981, it appeared that the growth in the live birth rates for these two age groups was slowing down. However, their annual percentage increases in 1982, higher than their annual rate increases since 1980, have turned this trend around. In fact, the 1982 live birth rate for women 30–34 grew enough to surpass the previous high of 70.8 in 1970 while the live birth rate for women 35–39 is at its highest level since the 1970 high of 29.5. For more information on the birth activity of these age groups, please refer to the *Vital Statistics of California, 1981.*[4]

---

[2] Department of Commerce, Bureau of Census, ***Current Population Reports***, Estimates of the Population of the United States, by Age, Sex, and Race: 1980 to 1983, Series P–25, No. 949, May 1984.

[3] Department of Commerce, Bureau of Census, ***Current Population Reports***, Estimates of the Population of the United States by Age, Race, and Sex: July 1, 1970 to July 1, 1981, Series P–25, No. 917, July 1982.

[4] Department of Health Services, Center for Health Statistics, November 1983.

- Live birth rates for women ages 20–24 and 25–29 in 1982 changed very little from 1981. Women 20–24 experienced an increase to 118.7 from 118.4; the rate for women 25–29 went up to 117.1 from 115.8. The percent increases were, in order, 0.3 and 1.1.

  Live birth rates for females under age 15 and ages 40–44, at 1.0 and 5.5 respectively, remained unchanged from their 1981 levels while the live birth rate for women ages 45 and over increased from 0.3 in 1981 to 0.4.

  Females ages 15–19 had the only live birth rate that decreased between 1981 and 1982. Their rate fell by 2.1 percent to 52.0 from 53.1.

Age-Specific Live Birth Rates for California and the United States

- In 1981, birth rates for women in all of the five-year age groups except those under 15 were greater for California than for the United States (Table 2–2). (Note: 1982 age-specific birth rates for the United States were not available for publication in this report.) Table 2–2 also shows that the U. S. birth rates for females under 15 years of age have been greater than the California rates since 1970. California's 1981 rates for women ages 15–19 and 25–29 surpassed the rates for their respective U. S. age groups for the first time since the early 1970's. The most significant percentage differences between the state and U. S. age-specific birth rates were for the age groups 30–34, 35–39, and 40–44. The California rates were greater by 12.2, 30.0, and 44.7 percent respectively. As recently as 1975, the differences were, in order, 7.1, 4.6, and 4.3 percent. In other words, while the U. S. birth rates for these three age groups have increased slowly or even declined, the same rates for California have increased dramatically.

Birth Order

- California birth rates by live birth order changed very little from 1981 to 1982. Table 2–3 shows that birth rates for second, third, and fourth live birth orders increased by only 1.3, 2.9, and 2.4 percent respectively; nevertheless, this was the fourth annual increase for each of these live birth orders. The 1982 rates for each of the three live birth orders mentioned are at their highest since the early 1970's. The birth rate for the second live birth order at 22.7 is at its highest point since 1970 when it was 23.8. The third and fourth live birth order rates at 10.8 and 4.3 are at their highest since 1971 and 1972 when their rates were, in order, 11.4 and 5.4. Birth rates for first and fifth or higher live birth orders decreased slightly in 1982 (Table 2–3). The live first order birth rate fell to 30.9 from 31.4, its first decrease since 1975 while the fifth or higher order live birth rate fell from 3.5 to 3.4.

  Birth rates for the first, second, and third live birth orders all had reached a low point in 1973 before beginning their slow but persistent upward trends. The fourth live birth order did not show this pattern of gradual increase until 1977; the fifth or higher live birth order has shown very little activity since 1977.

- In 1981, the most recent year for which U. S. data are available, California's birth rates were higher than U. S. rates for all live birth orders (Table 2–3). The greatest difference in rates was for the fifth or higher birth order: California's rate of 3.5 was 25 percent higher than the U. S. rate of 2.8. By 1981, all of California's live birth order rates had become greater than their comparable U. S. rates. The California birth rates for the first, fourth, and fifth or higher live birth orders had surpassed their respective U. S. rates in 1975, 1979, and 1976. The birth rates for the second and third live birth orders both surpassed their comparable U. S. rates in 1981. For further discussion on live births by live birth order, refer to *Vital Statistics of California, 1981.*[5]

Age of Mother and Live Birth Order

- The most dramatic increases in 1982 age-specific birth rates by live birth order over 1981 were for first, second, and third order births to women in the 35–39 and 40–44-year age brackets (Table 2–4). For women 35–39, the first order birth rate increased by 13.6 percent, second order births by 13.1 percent, and third order births by 7.1 percent. The birth rate for women ages 40–44 who became first-time mothers in 1982 rose by 16.7 percent, while second and third order birth rates for this age group increased over 1981 rates by 14.3 percent and 12.5 percent respectively. The 1982 birth rate for first-time mothers ages 30–34 was 6.5 percent higher than in 1981, while second and third order birth rates to women in this age group rose by 3.1 percent and 2.7 percent, respectively.

- For teenaged women ages 15–19 the first order birth rate dropped by 3.3 percent from 1981, while the rate for second order births rose by 3.2 percent. Third order birth rates for women in this age group remained at the 1981 level of 1.4. The 1982 birth rates by birth order for 20–24 and 25–29-year-olds changed very little from their 1981 rates.

Births by Estimated Marital Status of Mother

- In 1982, there were an estimated 93,285 live births to unmarried[6] women in California (Table 2–23), 1,759 more than the 91,526 in 1981. Live births to unmarried women in 1982 were 21.7 percent of the total live births (429,631) in the State. In 1971, 12.1 percent of all live births were to unmarried women.

- The proportion of nonmarital live births to total live births within each age group remained fairly stable between 1981 and 1982 (Tables 2–24 and 2–25). All of the age groups, with the exception of women under 15, had only slight increases in their proportions of all births which were nonmarital. Historically, these proportions have changed very little from year to year and, with a few exceptions, the changes have been generally upward. The highest proportion of nonmarital live births per total live births was in the younger age group. Of all live births to women under 15, 85.9 percent were to unmarried women. In second place were women 15–19 with 52.0 percent. Women 30–34 were the lowest ranking with 11.8 percent.

- Of the total estimated live births to unmarried women, 33,346 (35.7 percent) were to women 20–24 (Table 2–23); women 15–19 accounted for 27,667 (29.7 percent) and women 25–29 for 18,758 (20.1 percent). Together these age groups represented 85.5 percent of the estimated live births to unmarried women in 1982.

---

[5] California Department of Health Services, Center for Health Statistics, November 1983.

[6] For statistical purposes, marital status is estimated by an inferential method. For details of the inferential method, see Berkov, Beth, "An Evaluation of California's Inferred Nonmarital Birth Statistics." National Center for Health Statistics, *Vital and Health Statistics*, Series 2 (1985 in press).

- The increasing number and proportion of nonmarital births described in this report reflect two trends: (1) an increasing number and proportion of unmarried women in the population; and (2) the fact that births to unmarried women have been increasing, while for married women they have either declined or have been increasing more slowly than births for unmarried women. These trends are important elements in the suprising birth activity that occurred to married and unmarried women between 1970 and 1982. During this period the number of live births to unmarried women grew by 104.6 percent while to married women the growth was 6.1 percent. Even greater disparities in growth are found among older and younger married and unmarried women. The number of live births to unmarried women under age 24 increased by 75.9 percent while live births to their married counterparts fell by 21.5 percent. Unmarried women 25 and over increased their number of live births by 201.3 percent; married women in this age group, by only 35.7 percent.

- Table 2–27 shows that of the total 93,285 nonmarital live births, 20,247 (21.7 percent) were to unmarried Black women, 37,445 (40.1 percent) to unmarried White-Hispanic women, and 30,588 (32.8 percent) to unmarried White-non-Hispanic women. This distribution of nonmarital live births by race differs significantly from the distribution of total live births to all women by race. Among total live births, we find that 35,964 (8.4 percent) were delivered to Black women, 130,714 (30.4 percent) to White-Hispanic women, and 217,939 (50.7 percent) to White-non-Hispanic women.

  Reviewing Table 2–27 in another way reveals that 56.3 percent of total Black live births were to unmarried Black women compared with the 28.6 percent of all live births to White-Hispanic women that were nonmarital and 14.0 percent of total live births to White-non-Hispanic women that were nonmarital.

FETAL DEATHS

Number and Ratio

- In 1982, there was a 4.3 percent drop in the number of reported fetal deaths (20 weeks or more gestation) and a 6.0 percent drop in the fetal death ratio (number of fetal deaths per 1,000 live births) (Table 1–1). The number of fetal deaths fell to 3,333 from 3,481 while the fetal death ratio went down to 7.8 from 8.3. The decrease in the fetal death ratio was greater than the decrease in the number of fetal deaths because there was a simultaneous increase in the number of live births. As a result, there were fewer fetal deaths per 1,000 live births.

Age of Mother, Race, and Spanish/Hispanic Origin

- Of the 3,333 fetal deaths in 1982, 27.5 percent occurred to women ages 25–29, 27.3 percent to women ages 20–24, 18.1 percent to women ages 30–34, and 13.2 percent to 15–19-year-olds (Table 3–1). Women 35–39 had 8.9 percent of all fetal deaths while women 40–44 had 2.1 percent.

- The distribution of fetal deaths by age of mother was very similar to that of live births. However, a comparison of the age distributions between live births and fetal deaths reveals that very young mothers, 15–19, and older mothers, ages 30–44, had higher proportions of fetal deaths than of live births. The reverse was true for women 20–29. Specifically, mothers 15–19, 30–34, 35–39, and 40–44 had in order, 12.4, 17.7, 5.6, and 0.9 percent of total live births. Their share of fetal deaths were, in order, 13.2, 18.1, 8.9, and 2.1 percent. Women 20–24 and 25–29 had 31.7 and 31.4 percent of live births and 27.3 and 27.5 percent of fetal deaths respectively.

- Table 3–1 shows that in 1982, of the 3,333 fetal deaths, 2,515 (75.5 percent) were White and 472 (14.2 percent) were Black. There were 280 (8.4 percent) fetal deaths to all other race groups. Mothers of Spanish/Hispanic origin (persons of Spanish/Hispanic origin can be of any race) had 949 (28.5 percent) fetal deaths.

- Certain dissimilarities were found when fetal deaths were distributed across five-year age groups for White, Black, and Spanish/Hispanic origin. For example, 19.3 percent of all Black fetal deaths were to Blacks 15–19, while only 12.9 percent of all White fetal deaths were to Whites 15–19. For women 20–24, Blacks had 30.9 percent of all Black fetal deaths, a higher proportion of fetal deaths than women of Spanish/Hispanic origin who had 25.5 percent of all Spanish/Hispanic fetal deaths for this age group. However, in the age group 25–29, women of Spanish/Hispanic origin accounted for a higher proportion of fetal deaths than did Blacks, 28.5 percent versus 23.0 percent. In the age groups 30–44, Whites and women of Spanish/Hispanic origin at 29.1 and 29.4 percent respectively, had higher proportions of fetal deaths than did Blacks at 23.7 percent. (Note: Caution should be taken when evaluating the incidence of fetal deaths because it appears that registration of fetal deaths that have advanced to or beyond the 20th week of gestation is not complete).

INFANT DEATHS

Number and Rate

- There were 4,218 infant deaths in 1982, 58 fewer than the 4,276 of 1981 (Table 1–1). The number of infant deaths has fallen for two years in a row since the previous high of 4,451 in 1980. Infant deaths had experienced four continuous years of increases prior to 1980 after falling to an all-time low of 4,134 in 1976.

- Infant deaths during 1982 consisted of 2,686 neonatal deaths (under 28 days of age) and 1,532 postneonatal deaths (28 days to one year of age) (Table 4–2). The numbers of neonatal and postneonatal deaths fell from 1981 with neonatal deaths falling by 25 and postneonatal deaths by 33, neonatal deaths in 1982 were at an all-time low. Table 4–2 also shows that since 1970, neonatal deaths consistently have been reduced as a proportion of infant deaths. In 1982, infant deaths were composed of 63.7 percent neonatal deaths and 36.3 percent postneonatal deaths. In 1970, the distribution was 73.6 and 26.4 percent respectively.

  While the number of infant deaths in 1982 fell by only 1.4 percent from 1981, the infant death rate (number of infant deaths per 1,000 live births) fell by 3.9 percent. This was less than half of the decline of the previous year, when the rate fell by 8.1 percent. The neonatal death rate fell by 1.6 percent to 6.3 deaths per 1,000 live births, and postneonatal deaths fell by 2.7 percent to 3.6 deaths per 1,000 live births.

Age and Sex

- Table 4–1 shows that in 1982, 56.8 percent of all infant deaths were male and 43.2 percent were female. This was similar to the sex distribution of neonatal deaths where 55.5 percent were males and 44.5 percent were females. Postneonatal deaths however, were weighted more heavily towards males with a distribution of 59.1 percent males and 40.9 percent females. Overall, male neonatal deaths comprised 35.3 percent and female neonatal deaths 28.4 percent of all infant deaths.

- Almost two-thirds of all infant deaths occurred during the first 27 days of life (neonatal period); over half of all infant deaths occurred during the first six days.

Age-Adjusted Death Rates by Race of Child

- The infant and perinatal death rates in Table 4–3 have been adjusted for age of mother and were calculated for single births only using the California Birth Cohort File. The age adjustment and restriction to single births enable more accurate mortality comparisons to be made over time. Due to these and other technicalities, rates in Table 4–3 do not match those in Table 1–1 or 4–2 and are lower. Postneonatal and infant rates for 1982 were not available from the Birth Cohort File for this report. Refer to Chapter 6 for more detail on the Birth Cohort File and the age-adjusted death rates.

- The 1982 age-adjusted neonatal death rate of 5.6 neonatal deaths per 1,000 total single live births, down from 5.7 in 1981, was the lowest rate since 1960.

- Age-adjusted perinatal deaths (the number of fetal deaths of 20 or more weeks gestation plus neonatal deaths) per 1,000 total single births fell by 5.1 percent to a rate of 12.9. This is the largest decrease since the 6.6 percent drop of 1977.

- Infant death rates adjusted by age for White Spanish, White non-Spanish, and Blacks fell in 1981 (1982 age-adjusted infant and postneonatal death rates were not available for this publication). Black rates showed the greatest decline, down 13.1 percent to 15.3 per 1,000 total single Black births.

- Despite substantial declines in the age-adjusted Black infant death rate, it continues to be about 75.0 percent higher than the age-adjusted White Spanish and White non-Spanish infant death rates.

Selected Causes of Infant Deaths

- Table 4–4 shows that in 1982, 43.5 percent of infant deaths and 64.5 percent of neonatal deaths were associated with "Certain Conditions Originating in the Perinatal Period." Within this category, the highest concentrations of infant and neonatal deaths resulted from conditions that originated during early infancy. Prominent during this period was "Respiratory Distress Syndrome" (ICD-769, Ninth Revision), which was responsible for 9.1 percent of infant deaths and 12.9 percent of neonatal deaths. "Other Respiratory Conditions of Fetus and Newborn" (ICD-770, Ninth Revision) accounted for 7.5 percent of infant deaths and 10.3 percent of neonatal deaths.

- Among the causes of death that were specific to the perinatal period, congenital anomalies of the "Heart/Circulatory System" (ICD-745–747, Ninth Revision) caused 9.8 percent of all infant deaths and 10.5 percent of postneonatal deaths.

- Almost three-quarters of all postneonatal deaths (1,139) were due to "Causes Not Specific to the Perinatal Period." The largest single cause of death within this group was "Sudden Infant Death Syndrome" (SIDS-9th Rev. ICD 798). There were 584 postneonatal deaths, and 52 neonatal deaths due to SIDS in 1982.

DEATHS

Number and Rate

- The number of resident deaths in 1982 was 188,255, an increase of 3,523 from 1981. This followed a decrease of 1,696 deaths from 1980 to 1981. As shown in Table 1–1, 1982 had the greatest number of deaths for any one year since 1950.

- The crude death rate remained constant from 1981 to 1982 at 7.6 deaths per 1,000 population (Table 1–1). Since 1976, the crude death rate has stabilized within the narrow range of 7.6 to 7.8 per 1,000.

Sex and Age

- Of all 1982 deaths, 66.9 percent were to residents 65 years old and over; deaths to residents 55 and over accounted for 81.4 percent (Table 5–4). Female deaths were more heavily concentrated in the older age groups than male deaths. Female residents 55 and over accounted for 86.4 percent of all female deaths while deaths to males 55 and over were only 77.0 percent of all male deaths.

- The number of male deaths was greater than female deaths in all of the five-year age groups shown in Table 5–4 through age 79. Deaths to females outnumbered those to males in only the last two age groups: 80–84 and 85 and over. Comparing deaths by sex and age reveals an interesting trend in the ratio of male to female deaths by ascending age groups. The ratio was 1.4 male deaths to every female death in the age group 1–4 years; it then increased rapidly to 3.3 to 1 for the 20–24 age group, after which it declined slowly to 0.5 male deaths to every female death in the 85 and over age group.

Sex and Age-Specific Death Rates

- In 1982, the male death rate was 823.1 per 100,000 population while the female death rate was 703.0 (Table 5–3). Both rates changed very little from the respective 1981 rates of 824.8 and 702.4. Since 1980, the male death rate has fallen by 3.3 percent and the female death rate by 2.3 percent.

- The 5–14-year-old age group with 26.2 deaths per 100,000 population had the lowest age-specific death rate of any of the age groups (Table 5–3). The highest age-specific death rates were for 75–84-year-olds (6,140.9 per 100,000 population) and for persons 85 and over (15,177.4 per 100,000 population).

- With exception of decedents 75–84, age-specific death rates for all age groups declined from 1981. The largest decrease was 11.9 percent for children ages 1–4 (62.3 to 54.9 deaths per 100,000 population) a notable change from the 1.6 percent increase the previous year. The 0.2 percent age-specific death rate increase for adults ages 75–84 was from 6,129.2 to 6,140.9.

- Age-specific death rates for males decreased in all age groups except 75–84 and 85 and over. The largest decrease was 12.2 percent for 1–4-year-olds (71.2 to 62.5); 5–14-year-olds also had a substantial decrease of 8.3 percent from 34.9 in 1981 to 32.0 in 1982. The age-specific rate increases for males 75–84 and 85 and over were 1.1 and 1.0 percent respectively. Males 75–84 increased their age-specific death rate from 8,001.4 to 8,088.0 while the death rate for males 85 and over went from 18,079.1 to 18,256.0.

- Female age-specific death rates also decreased for all except two age groups. The largest decline was for 1–4-year-olds. Their rate fell 11.3 percent by falling to 46.9 from the previous year's 52.9. This drop was followed by a decrease of 6.2 percent in the 25–44-year age group, from 107.9 down to 101.2. The age-specific death rate for 5–14-year-olds increased from 19.3 to 20.3 per 100,000 (5.2 percent), and the death rate for women ages 65–74 increased from 2,019.1 to 2,046.2 deaths per 100,000 (1.3 percent).

Ten Leading Causes of Death

- This report uses the Ninth Revision of the ICD (International Classification of Diseases) codes that were adopted in 1979. Since cause of death codes under the ninth revision are not totally comparable to earlier revisions, caution should be taken when making historical comparisions of death by cause. Cause of death comparability is covered in more detail in Chapter 6.

- In rank order, "Diseases of the Heart," "Malignant Neoplasms," "Cerebrovascular Disease," and "Accidents and Adverse Effects" were the leading causes of death in 1982 (Table 5–1). Together these four leading causes of death were 72.0 percent of all resident California deaths while the remaining six leading causes were 13.6 percent. "Diseases of the Heart" alone accounted for 35.7 percent of all deaths, while "Malignant Neoplasms" (cancer) were responsible for 22.7 percent. The rankings of the ten leading causes of death in 1982 were identical to the 1981 rankings.

- There were 67,255 deaths due to "Diseases of the Heart" in 1982, 3.0 percent more than 1981. The death rate moved up as well, to 272.3 from 269.7, a 1.0 percent increase.

- "Malignant Neoplasms," the second leading cause of death, accounted for 42,774 deaths, up 4.4 percent from 1981. Its corresponding death rate increased by 2.4 percent, rising to 173.2 from 169.2.

- "Cerebrovascular Disease," a distant third behind "Malignant Neoplasms," caused 15,605 deaths, down 1.6 percent from the previous year. The death rate for "Cerebrovascular Disease" at 63.2 in 1982 was down 3.5 percent from the 65.5 of 1981.

- The largest decline among the ten leading causes of death was for "Homicide" which fell from 3,196 to 2,864, down 10.4 percent. "Homicide" was the ninth leading cause of death in 1982. The greatest decrease in any death rate was for "Homicide." The number of homicide deaths per 100,000 population fell by 12.1 percent going from 13.2 in 1981 to 11.6 in 1982.

- "Suicide," the eighth leading cause of death, increased from 3,554 to 3,752. This 5.6 percent increase in total suicide deaths was more than that of any other leading causes of death. The corresponding death rate increased 3.4 percent, from 14.7 to 15.2.

- Deaths due to "Chronic Obstructive Pulmonary Disease and Allied Conditions" jumped to 6,660 deaths in 1982 from 6,333 in 1981. Its corresponding death rate increased by 3.4 percent to 27.0 from 26.1.

Leading Causes of Death by Sex and Age

- Table 5–2 shows that "Accidents and Adverse Effects" were the leading cause of death for females 1–34 and for males 1–44. These deaths were concentrated in age groups 15–34. Within this age group and cause of death category, 63.4 percent of male deaths and 69.5 percent of female deaths were due to "Motor Vehicle Accidents." Motor vehicle deaths to males were almost four times that of females.

- "Malignant Neoplasms" were the leading cause of death for women 35–64. Of 17,359 deaths to women in this age category, 7,400 (42.6 percent) were due to this cause.

- "Diseases of the Heart" was the leading cause of death for males 45 and over and for females 65 and over. Females 65 and over had more heart disease-related deaths than males 65 and over, 27,848 compared with 25,383.

- "Certain Conditions Originating in the Perinatal Period" was the predominant cause of death to infants under one year old (Table 5–2), accounting for 1,046 male and 789 female deaths "Congenital Anomalies," the second leading cause, was responsible for 546 male and 493 female infant deaths.

- "Sudden Infant Death Syndrome" (SIDS, also know as "crib death") replaced "Accidents and Adverse Effects" as the third cause of death for infants. SIDS was responsible for 390 male and 246 female infant deaths.

Figure 1–A

1982 VITAL EVENTS IN CALIFORNIA

On an average day in California there were:


1,177
Live Births
9
Fetal
Deaths
24,697,000
Estimated
Population
8
Homicides
12
Infants
516
Deaths
184
Heart Disease
27
Accidents
10
Suicides
117
Cancer

Note: Based on a 365 day year.

Source: State of California, Department of Health Services, Birth, Death, and Fetal Death Records.
State of California, Department of Finance, *Population Estimates for California Counties, July 1, 1980–July 1, 1983, Report 83 E–2*, February 1984.

Table 1–1

POPULATION, DEATHS, LIVE BIRTHS, INFANT DEATHS, FETAL DEATHS, AND MATERNAL DEATHS CALIFORNIA, 1950–1982

(By place of residence)

YEAR	POPULATION	DEATHS		LIVE BIRTHS		INFANT DEATHS		FETAL DEATHS		MATERNAL DEATHS	
		Number	Rate[1]	Number	Rate[1]	Number	Rate[2]	Number	Ratio[2]	Number	Rate[3]
1982	24,697,000	188,255	7.6	429,631	17.4	4,218	9.8	3,333	7.8	43	1.0
1981	24,220,000	184,732	7.6	420,418	17.4	4,276	10.2	3,481	8.3	38	0.9
1980	23,771,000	186,428	7.8	402,720	16.9	4,451	11.1	3,594	8.9	45	1.1
1979	23,255,000	177,214	7.6	379,187	16.3	4,278	11.3	3,372	8.9	43	1.1
1978	22,839,000	175,878	7.7	356,156	15.6	4,235	11.9	3,089	8.7	39	1.1
1977	22,350,000	170,441	7.6	347,576	15.6	4,192	12.1	3,051	8.8	38	1.1
1976	21,935,000	171,095	7.8	332,105	15.1	4,134	12.4	3,193	9.6	42	1.3
1975	21,537,000	170,797	7.9	317,318	14.7	4,256	13.4	3,031	9.6	47	1.5
1974	21,173,000	170,475	8.1	311,668	14.7	4,274	13.7	3,163	10.1	47	1.5
1973	20,868,000	172,798	8.3	297,834	14.3	4,351	14.6	3,039	10.2	47	1.6
1972	20,585,000	170,026	8.3	306,375	14.9	4,877	15.9	3,147	10.3	54	1.8
1971	20,346,000	169,349	8.3	329,826	16.2	5,440	16.5	3,542	10.7	52	1.6
1970	20,039,000	166,382	8.3	362,652	18.1	6,243	17.2	4,082	11.3	77	2.1
1969	19,744,700	165,917	8.4	352,937	17.9	6,466	18.3	4,110	11.6	72	2.0
1968	19,432,000	160,636	8.3	339,221	17.5	6,437	19.0	4,080	12.0	67	2.0
1967	19,174,700	156,592	8.2	336,584	17.6	6,582	19.6	4,030	12.0	95	2.8
1966	18,831,000	157,219	8.3	337,623	17.9	7,043	20.9	4,079	12.1	71	2.1
1965	18,464,000	152,677	8.3	355,074	19.2	7,845	22.1	4,514	12.7	104	2.9
1964	18,026,000	150,760	8.4	374,587	20.8	8,143	21.7	4,711	12.6	104	2.8
1963	17,530,000	147,592	8.4	380,505	21.7	8,488	22.3	4,770	12.5	108	2.8
1962	16,951,000	141,185	8.3	378,347	22.3	8,664	22.9	4,790	12.7	110	2.9
1961	16,412,000	137,169	8.4	381,198	23.2	8,871	23.3	4,897	12.8	100	2.6
1960	15,863,000	135,334	8.5	371,799	23.4	8,663	23.3	4,778	12.9	107	2.9
1959	15,288,000	128,208	8.4	358,682	23.5	8,470	23.6	4,714	13.1	106	3.0
1958	14,741,000	125,594	8.5	349,220	23.7	8,571	24.5	4,615	13.2	103	2.9
1957	14,177,000	123,940	8.7	350,525	24.7	8,704	24.8	4,617	13.2	127	3.6
1956	13,581,000	119,786	8.8	333,834	24.6	7,998	24.0	4,423	13.2	103	3.1
1955	13,004,000	114,419	8.8	313,164	24.1	7,400	23.6	4,409	14.1	117	3.7
1954	12,517,000	109,402	8.7	306,037	24.4	7,248	23.7	4,274	14.0	106	3.5
1953	12,101,000	109,513	9.0	296,944	24.5	7,278	24.5	4,289	14.4	130	4.4
1952	11,638,000	108,175	9.3	281,073	24.2	6,885	24.5	4,140	14.7	150	5.3
1951	11,130,000	103,770	9.3	260,259	23.4	6,377	24.5	3,812	14.6	132	5.1
1950	10,643,000	98,583	9.3	244,457	23.0	6,095	24.9	3,703	15.1	135	5.5

[1] Per 1,000 population.
[2] Per 1,000 live births.
[3] Per 10,000 live births.

Note: Maternal deaths are those due to complications of pregnancy, childbirth, and the puerperium, *Ninth Revision International Classification of Diseases* codes 630–676.

Infant deaths are those under one year of age.

Fetal deaths are those of 20 weeks' or more gestation (Ninth Revision ICD code 779.6).

Source: State of California, *Department of Finance, Population Estimates of California Counties, July 1, 1980 to July 1, 1983, Report 83 E–2*, February 1984; *Intercensal Estimates of Total Population, California Counties Report I and 70–80*, March 1982; *Intercensal Estimates of Total Population, California Counties*, 1950–1969.

State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Figure 1—B

VITAL STATISTICS RATES/RATIO CALIFORNIA, 1970—1982

DEATHS, LIVE BIRTHS, INFANT DEATHS, AND FETAL DEATHS



1 Per 1,000 population.
2 Per 1,000 live births.

Source: Table 1—1.

MATERNAL DEATHS



Source: Table 1—1.

Table 1–2

DEATHS, LIVE BIRTHS, FETAL DEATHS, MATERNAL DEATHS, AND INFANT DEATHS BY AGE
CALIFORNIA COUNTIES, 1982

(By place of occurrence and by place of residence; infant deaths by place of residence)

COUNTY	DEATHS			LIVE BIRTHS			FETAL DEATHS			MATERNAL DEATHS		INFANT DEATHS BY AGE					
		Residence			Residence			Residence				Total		Neonatal		1–11 Months	
	Occurrence	Number	Rate	Occurrence	Number	Rate	Occurrence	Number	Ratio	Occurrence	Residence	Number	Rate	Number	Rate	Number	Rate
California	189,075	188,255	7.6	429,902	429,631	17.4	3,353	3,333	7.8	43	43	4,218	9.8	2,686	6.3	1,532	3.6
Alameda	9,630	9,297	8.3	19,767	18,220	16.0	162	155	8.5	1	1	176	9.7	109	6.0	67	3.7
Alpine	7	2	a	—	20	16.7	—	—	—	—	—	—	a,b	—	—	—	—
Amador	174	227	10.9	184	246	11.8	1	1	a,b	—	—	2	a,b	1	a,b	1	a,b
Butte	1,449	1,434	9.4	2,307	2,205	14.4	17	17	7.7	—	—	16	7.3	8	3.6	8	3.6
Calaveras	170	226	9.7	97	286	12.2	—	2	a,b	—	—	2	a,b	1	a,b	1	a,b
Colusa	92	133	9.6	69	262	19.0	—	4	a,b	—	—	1	a,b	—	—	1	a,b
Contra Costa	4,806	4,920	7.2	7,795	9,972	14.7	65	88	8.8	—	—	96	9.6	53	5.3	43	4.3
Del Norte	177	192	10.4	334	336	18.2	4	5	b	—	—	2	a,b	1	a,b	1	a,b
El Dorado	521	610	6.5	1,015	1,323	14.0	6	11	8.3	—	—	15	11.3	8	6.0	7	5.3
Fresno	4,418	4,042	7.5	11,574	10,888	20.3	105	87	8.0	2	2	103	9.5	66	6.1	37	3.4
Glenn	136	218	9.8	228	385	17.3	1	2	a,b	—	—	2	a,b	1	a,b	1	a,b
Humboldt	929	926	8.4	1,799	1,749	15.8	10	10	5.7	—	—	14	8.0	6	3.4	8	4.6
Imperial	595	630	6.4	2,219	2,167	22.1	18	20	9.2	—	—	22	10.2	14	6.5	8	3.7
Inyo	198	196	10.7	373	274	14.9	—	—	—	—	—	4	a,b	3	a,b	1	a,b
Kern	3,197	3,355	7.7	9,427	9,461	21.7	61	61	6.4	—	—	80	8.5	51	5.4	29	3.1
Kings	489	546	7.0	1,979	1,830	23.5	19	19	10.4	—	—	23	12.6	15	8.2	8	4.4
Lake	380	571	14.0	64	510	12.5	—	4	a,b	—	—	2	a,b	—	—	2	a,b
Lassen	115	157	6.7	219	386	16.4	1	2	a,b	—	—	7	b	3	a,b	4	a,b
Los Angeles	61,087	59,741	7.8	142,681	139,600	18.1	1,146	1,104	7.9	18	17	1,497	10.7	997	7.1	500	3.6
Madera	391	522	7.6	675	1,366	19.8	5	14	10.2	—	—	13	9.5	7	5.1	6	4.4
Marin	1,662	1,655	7.4	1,595	2,419	10.8	12	20	8.3	—	—	18	7.4	12	5.0	6	2.5
Mariposa	72	111	9.3	70	150	12.5	2	3	a,b	—	—	2	a,b	1	a,b	1	a,b
Mendocino	661	646	9.3	1,341	1,169	16.8	14	10	8.6	—	—	9	7.7	7	6.0	2	a
Merced	810	945	6.6	3,160	3,226	22.6	25	26	8.1	—	—	28	8.7	16	5.0	12	3.7
Modoc	77	104	11.3	117	153	16.6	2	3	a,b	—	—	4	a,b	1	a,b	3	a,b
Mono	50	31	3.3	78	159	16.9	—	—	—	—	—	1	a,b	1	a,b	—	—
Monterey	1,958	2,046	6.7	6,132	6,436	21.1	39	44	6.8	—	—	56	8.7	28	4.4	28	4.4
Napa	1,103	930	9.2	1,037	1,342	13.3	4	10	7.5	1	1	7	5.2	2	a	5	3.7
Nevada	527	531	8.9	1,008	862	14.4	8	6	b	—	—	7	b	1	a,b	6	b
Orange	12,090	12,599	6.2	34,153	33,989	16.8	226	256	7.5	6	6	315	9.3	199	5.9	116	3.4
Placer	1,036	995	7.9	1,646	1,800	14.2	8	11	6.1	—	—	23	12.8	19	10.6	4	a
Plumas	160	164	8.9	315	264	14.3	2	1	a,b	—	—	2	a,b	—	—	2	a,b
Riverside	6,131	6,817	9.5	11,173	12,958	18.1	78	84	6.5	—	—	143	11.0	98	7.6	45	3.5
Sacramento	6,398	6,142	7.4	15,482	14,255	17.2	120	104	7.3	—	—	130	9.1	78	5.5	52	3.6
San Benito	165	182	6.8	327	496	18.4	4	6	b	—	—	3	a,b	1	a,b	2	a,b
San Bernardino	8,034	7,349	7.6	18,668	18,720	19.3	115	118	6.3	2	2	212	11.3	139	7.4	73	3.9
San Diego	14,151	13,815	7.0	34,515	33,795	17.2	324	306	9.1	1	2	304	9.0	206	6.1	98	2.9
San Francisco	8,024	7,663	11.0	13,363	8,991	12.9	166	103	11.5	2	2	96	10.7	48	5.3	48	5.3
San Joaquin	3,150	3,282	8.8	6,629	7,090	19.0	48	52	7.3	1	1	64	9.0	35	4.9	29	4.1
San Luis Obispo	1,338	1,388	8.3	2,112	2,341	14.0	16	17	7.3	—	—	15	6.4	8	3.4	7	3.0
San Mateo	4,346	4,513	7.6	5,564	8,715	14.7	31	60	6.9	—	1	75	8.6	46	5.3	29	3.3
Santa Barbara	2,416	2,365	7.6	5,020	4,817	15.6	37	33	6.9	—	—	43	8.9	24	5.0	19	3.9
Santa Clara	8,505	7,815	5.9	24,375	22,538	16.9	165	146	6.5	6	5	184	8.2	110	4.9	74	3.3
Santa Cruz	1,614	1,664	8.5	3,287	3,329	16.9	25	21	6.3	—	—	34	10.2	22	6.6	12	3.6
Shasta	1,162	1,108	9.1	2,028	1,919	15.7	18	18	9.4	—	—	16	8.3	10	5.2	6	3.1
Sierra	15	15	4.5	18	59	17.9	—	—	—	—	—	1	a,b	1	a,b	—	—
Siskiyou	336	403	9.7	469	691	16.7	4	6	b	—	—	7	b	5	b	2	a,b
Solano	1,642	1,668	6.6	4,503	4,783	18.8	26	24	5.0	1	1	43	9.0	27	5.6	16	3.3
Sonoma	2,839	2,934	9.3	4,758	4,818	15.3	28	35	7.3	—	—	39	8.1	24	5.0	15	3.1
Stanislaus	2,479	2,355	8.4	5,759	5,258	18.7	43	44	8.4	1	1	52	9.9	37	7.0	15	2.9
Sutter	353	449	8.1	1,792	973	17.6	8	6	b	—	—	6	b	3	a,b	3	a,b
Tehama	349	437	10.6	466	572	13.9	6	7	b	—	—	9	b	5	b	4	a,b
Trinity	93	97	7.7	113	184	14.6	3	2	a,b	—	—	1	a,b	—	—	1	a,b
Tulare	1,845	2,071	8.0	4,977	5,621	21.7	30	36	6.4	1	1	67	11.9	43	7.6	24	4.3
Tuolumne	298	316	8.7	601	484	13.3	8	8	b	—	—	3	a,b	1	a,b	2	a,b
Ventura	3,032	3,385	6.1	8,716	9,879	17.7	75	81	8.2	—	—	91	9.2	67	6.8	24	2.4
Yolo	782	806	6.9	1,376	1,817	15.5	10	15	8.3	—	—	18	9.9	11	6.1	7	3.9
Yuba	411	414	8.1	353	1,073	21.1	2	5	4.7	—	—	13	12.1	6	5.6	7	6.5

a Rates and ratios are not calculated for fewer than 5 events.
b Fetal death ratios and infant death rates are not calculated for counties reporting fewer than 1,000 live births.

Note: Maternal deaths are those due to complications of pregnancy, childbirth, and the puerperium, *Ninth Revision International Classification of Diseases* 630–676.

Infant deaths are those under 1 year. Neonatal deaths are those under 28 days.

Fetal deaths of 20 weeks or more gestation are required by law to be registered. However, fetal death registration is believed to be incomplete.

Infant death rates and fetal death ratios are per 1,000 live births.

Death and live birth rates are per 1,000 estimated population.

Source: State of California, Department of Finance, *Population Estimates of California Counties, July 1, 1980 to July 1, 1983, Report 83 E–2*, February 1984.

State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Table 1–3

TOTAL POPULATION AND POPULATION DENSITY, CALIFORNIA COUNTIES, JULY 1, 1970 AND 1982

COUNTY	1970 ESTIMATED POPULATION		1982 ESTIMATED POPULATION		PERCENT CHANGE IN DENSITY 1970 TO 1982
	Number[1]	Density[2]	Number[1]	Density[2]	
California	20,039,000	128.0	24,697,000	157.7	23.2
Alameda	1,073,000	1,463.8	1,138,200	1,552.8	6.1
Alpine	500	0.7	1,200	1.7	142.9
Amador	11,900	20.1	20,800	35.1	74.6
Butte	102,500	61.6	152,700	91.8	49.0
Calaveras	13,700	13.3	23,400	22.8	71.4
Colusa	12,400	10.8	13,800	12.0	11.1
Contra Costa	557,500	759.5	679,100	925.2	21.8
Del Norte	14,600	14.6	18,500	18.4	26.0
El Dorado	44,100	25.7	94,400	55.1	114.4
Fresno	413,800	69.4	537,300	90.1	29.8
Glenn	17,500	13.3	22,200	16.9	27.1
Humboldt	100,200	28.0	110,400	30.9	10.4
Imperial	74,400	17.4	98,000	22.9	31.6
Inyo	15,600	1.5	18,400	1.8	20.0
Kern	331,100	40.6	434,300	53.3	31.3
Kings	66,700	47.8	77,800	55.8	16.7
Lake	19,800	15.8	40,800	32.5	105.7
Lassen	16,900	3.7	23,500	5.2	40.5
Los Angeles	7,055,800	1,737.9	7,701,700	1,897.0	9.2
Madera	41,700	19.4	69,100	32.2	66.0
Marin	207,000	398.1	224,300	431.3	8.3
Mariposa	6,100	4.2	12,000	8.2	95.2
Mendocino	51,300	14.6	69,600	19.8	35.6
Merced	105,000	53.0	142,800	72.0	35.8
Modoc	7,500	1.8	9,200	2.2	22.2
Mono	4,100	1.4	9,400	3.1	121.4
Monterey	247,800	74.5	305,400	91.9	23.4
Napa	79,400	104.7	101,000	133.2	27.2
Nevada	26,500	27.1	60,000	61.3	126.2
Orange	1,431,900	1,831.1	2,020,700	2,584.0	41.1
Placer	78,000	54.8	126,500	88.8	62.0
Plumas	11,700	4.6	18,400	7.2	56.5
Riverside	461,600	64.3	716,700	99.9	55.4
Sacramento	636,700	647.7	830,500	844.9	30.4
San Benito	18,400	13.2	26,900	19.3	46.2
San Bernardino	685,300	34.0	968,200	48.1	41.5
San Diego	1,367,200	321.3	1,965,900	462.0	43.8
San Francisco	713,200	15,848.9	694,800	15,440.0	–2.6
San Joaquin	292,100	207.3	372,500	264.4	27.5
San Luis Obispo	106,600	32.1	167,300	50.5	57.3
San Mateo	557,100	1,227.1	591,900	1,303.7	6.2
Santa Barbara	265,800	97.1	309,400	113.0	16.4
Santa Clara	1,072,600	823.8	1,332,700	1,023.6	24.3
Santa Cruz	124,500	283.6	196,900	448.5	58.1
Shasta	78,000	20.5	122,100	32.1	56.6
Sierra	2,400	2.5	3,300	3.4	36.0
Siskiyou	33,200	5.3	41,500	6.6	24.5
Solano	172,500	208.6	254,300	307.5	47.4
Sonoma	206,500	130.8	314,100	198.9	52.1
Stanislaus	195,800	130.5	281,200	187.5	43.7
Sutter	42,100	69.4	55,200	90.9	31.0
Tehama	29,600	9.9	41,200	13.8	39.4
Trinity	7,600	2.4	12,600	3.9	62.5
Tulare	189,400	39.1	258,700	53.5	36.8
Tuolumne	22,300	9.8	36,400	16.0	63.3
Ventura	381,400	206.1	559,400	302.2	46.6
Yolo	92,700	89.7	117,400	113.5	26.5
Yuba	44,400	69.7	50,900	79.9	14.6

[1] Estimates are rounded independently and may not add to totals.

[2] Number of persons per square mile of land area.

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70–80*, March 1982 and *Population Estimates for California Counties, July 1, 1980 to July 1, 1983, Report 83 E–2*, February 1984.

For land area see State of California, Department of Finance, *California Statistical Abstract, 1982.*

Figure 1–C

POPULATION DENSITY
CALIFORNIA COUNTIES, JULY 1, 1982


0–9
10–24
25–50
51–99
100–499
500 and Over
DEL NORTE
SISKIYOU
MODOC
HUMBOLDT
TRINITY
SHASTA
LASSEN
TEHAMA
PLUMAS
MENDOCINO
GLENN
BUTTE
SIERRA
NEVADA
LAKE
COLUSA
SUTTER
YUBA
PLACER
EL DORADO
SONOMA
NAPA
YOLO
SACRAMENTO
ALPINE
AMADOR
SOLANO
CALAVERAS
TUOLUMNE
MONO
MARIN
CONTRA COSTA
SAN JOAQUIN
SAN FRANCISCO
ALAMEDA
STANISLAUS
MARIPOSA
SAN MATEO
SANTA CLARA
MERCED
MADERA
SANTA CRUZ
FRESNO
INYO
SAN BENITO
TULARE
MONTEREY
KINGS
SAN LUIS OBISPO
KERN
SAN BERNARDINO
SANTA BARBARA
VENTURA
LOS ANGELES
RIVERSIDE
ORANGE
SAN DIEGO
IMPERIAL

Source: Table 1–3.

BEST AVAILABLE COPY

Figure 1–D

PERCENT CHANGE IN POPULATION DENSITY IN CALIFORNIA COUNTIES BETWEEN JULY 1, 1970 AND JULY 1, 1982


PERCENT CHANGE
Decrease 0 to 9.9
Increase 0 to 9.9
10 to 19.9
20 to 29.9
30 to 49.9
50 and Over
DEL NORTE
SISKIYOU
MODOC
HUMBOLDT
TRINITY
SHASTA
LASSEN
TEHAMA
PLUMAS
MENDOCINO
GLENN
BUTTE
SIERRA
NEVADA
COLUSA
SUT TER
YUBA
PLACER
LAKE
YOLO
EL DORADO
SONOMA
NAPA
SACRA MENTO
AMA DOR
ALPINE
SOLANO
CALA VERAS
MARIN
CONTRA COSTA
SAN JOAQUIN
TUOLUMNE
MONO
SAN FRANCISCO
ALAMEDA
STANISLAUS
MARIPOSA
SAN MATEO
SANTA CLARA
MERCED
MADERA
SANTA CRUZ
FRESNO
SAN BENITO
INYO
MONTEREY
KINGS
TULARE
SAN LUIS OBISPO
KERN
SAN BERNARDINO
SANTA BARBARA
VENTURA
LOS ANGELES
ORANGE
RIVERSIDE
SAN DIEGO
IMPERIAL

Source: Table 1–3.

Table 1–4

INTERCENSAL ESTIMATES OF TOTAL POPULATION CALIFORNIA COUNTIES, 1970, 1973–1981

COUNTY	JULY 1, 1970	JULY 1, 1973	JULY 1, 1974	JULY 1, 1975	JULY 1, 1976
California	20,039,000	20,868,000	21,173,000	21,537,000	21,935,000
Alameda	1,073,000	1,095,000	1,098,900	1,107,900	1,105,600
Alpine	500	700	700	800	800
Amador	11,900	13,900	15,000	15,200	15,300
Butte	102,500	113,800	118,100	120,700	125,000
Calaveras	13,700	14,800	15,400	15,500	16,000
Colusa	12,400	12,300	12,600	12,800	13,000
Contra Costa	557,500	576,200	579,600	586,600	602,100
Del Norte	14,600	15,500	16,000	16,200	16,300
El Dorado	44,100	52,700	56,100	59,400	62,000
Fresno	413,800	434,600	439,900	452,400	472,200
Glenn	17,500	18,700	19,100	19,300	19,800
Humboldt	100,200	104,500	105,800	106,600	105,700
Imperial	74,400	78,500	81,000	83,400	84,700
Inyo	15,600	17,000	17,000	17,600	17,800
Kern	331,100	346,400	349,800	361,800	363,900
Kings	66,700	68,900	68,100	69,400	70,700
Lake	19,800	23,700	24,900	26,100	28,100
Lassen	16,900	17,600	18,300	18,800	18,600
Los Angeles	7,055,800	7,083,800	7,123,500	7,190,300	7,242,400
Madera	41,700	45,300	47,400	48,700	50,000
Marin	207,000	215,200	214,200	219,500	221,300
Mariposa	6,100	7,500	8,000	8,400	8,800
Mendocino	51,300	55,700	57,300	58,000	59,300
Merced	105,000	113,200	117,200	118,900	122,200
Modoc	7,500	7,800	8,000	7,900	7,900
Mono	4,100	6,500	7,000	7,200	7,200
Monterey	247,800	261,200	265,500	270,900	271,400
Napa	79,400	86,100	88,900	90,600	92,900
Nevada	26,500	30,500	32,300	34,100	36,900
Orange	1,431,900	1,601,800	1,669,700	1,713,400	1,752,100
Placer	78,000	85,300	89,000	91,300	95,100
Plumas	11,700	13,400	13,800	14,100	14,300
Riverside	461,600	504,400	520,000	534,500	550,800
Sacramento	636,700	674,200	683,000	691,600	709,600
San Benito	18,400	20,000	20,500	21,400	22,000
San Bernardino	685,300	692,000	691,100	696,800	729,700
San Diego	1,367,200	1,480,800	1,521,400	1,594,100	1,654,300
San Francisco	713,200	704,800	699,800	695,400	689,600
San Joaquin	292,100	296,100	298,800	299,400	305,400
San Luis Obispo	106,600	120,100	127,400	130,700	134,700
San Mateo	557,100	567,100	573,900	582,000	579,500
Santa Barbara	265,800	274,800	279,600	281,100	288,900
Santa Clara	1,072,600	1,142,800	1,160,000	1,180,300	1,214,800
Santa Cruz	124,500	145,900	150,800	156,100	165,900
Shasta	78,000	86,600	90,400	92,400	94,800
Sierra	2,400	2,700	2,800	2,800	3,000
Siskiyou	33,200	34,700	35,100	35,400	35,600
Solano	172,500	181,300	183,800	188,000	195,600
Sonoma	206,500	234,700	243,700	247,100	257,000
Stanislaus	195,800	213,100	219,600	224,600	233,100
Sutter	42,100	44,800	45,400	46,400	48,000
Tehama	29,600	31,100	32,100	32,700	33,400
Trinity	7,600	8,900	9,400	9,800	10,300
Tulare	189,400	204,800	210,300	216,400	220,500
Tuolumne	22,300	24,700	25,200	26,600	26,900
Ventura	381,400	417,900	428,300	440,700	459,000
Yolo	92,700	96,800	98,700	101,700	106,500
Yuba	44,400	44,800	43,800	45,200	46,700

Table 1–4 (Continued)

INTERCENSAL ESTIMATES OF TOTAL POPULATION CALIFORNIA COUNTIES, 1970, 1973–1981

COUNTY	JULY 1, 1977	JULY 1, 1978	JULY 1, 1979	JULY 1, 1980	JULY 1, 1981
California	22,350,000	22,839,000	23,255,000	23,771,000	24,220,000
Alameda	1,106,800	1,109,700	1,103,900	1,109,100	1,125,000
Alpine	900	1,000	1,100	1,100	1,200
Amador	16,300	17,500	18,700	19,500	20,300
Butte	130,200	134,500	138,500	144,800	148,900
Calaveras	17,000	18,600	19,900	21,000	22,100
Colusa	12,900	12,900	13,100	12,900	13,100
Contra Costa	618,200	632,100	644,700	658,600	668,200
Del Norte	16,800	17,600	17,700	18,300	18,700
El Dorado	67,600	74,200	80,900	86,700	90,300
Fresno	485,400	495,500	504,600	516,800	526,400
Glenn	20,200	20,300	21,000	21,500	21,900
Humboldt	106,900	107,400	108,000	108,900	110,700
Imperial	86,700	88,400	89,800	92,700	95,400
Inyo	17,900	17,900	18,100	17,900	18,000
Kern	373,600	383,600	393,400	406,300	419,600
Kings	72,100	73,100	73,300	74,200	76,000
Lake	29,900	32,400	34,700	36,900	39,000
Lassen	19,300	19,900	21,200	21,900	22,700
Los Angeles	7,256,200	7,341,600	7,387,600	7,493,900	7,572,200
Madera	53,300	56,300	60,300	63,900	67,300
Marin	223,900	223,900	222,900	222,900	224,400
Mariposa	9,300	9,800	10,600	11,200	11,700
Mendocino	61,300	63,200	65,200	67,000	68,300
Merced	125,500	128,700	131,600	135,500	139,600
Modoc	8,200	8,200	8,400	8,700	9,000
Mono	7,400	7,600	8,200	8,700	9,000
Monterey	279,600	281,100	286,500	292,100	299,300
Napa	95,200	97,400	98,400	99,300	99,600
Nevada	40,400	44,500	48,200	52,600	56,700
Orange	1,811,000	1,854,300	1,896,400	1,942,200	1,983,500
Placer	100,700	107,300	113,500	118,300	122,700
Plumas	15,100	15,700	16,700	17,400	17,900
Riverside	578,900	611,600	639,000	668,600	691,700
Sacramento	727,000	744,800	766,500	787,700	806,300
San Benito	23,000	23,800	24,400	25,200	25,900
San Bernardino	762,000	811,800	853,300	902,700	934,800
San Diego	1,711,300	1,773,200	1,831,300	1,873,800	1,924,100
San Francisco	683,700	681,900	678,100	680,400	686,900
San Joaquin	315,700	326,900	336,800	350,000	361,100
San Luis Obispo	140,400	145,900	151,200	156,800	162,600
San Mateo	583,000	582,900	585,900	587,700	589,800
Santa Barbara	290,600	293,300	295,700	299,600	304,000
Santa Clara	1,232,500	1,253,600	1,275,100	1,299,200	1,317,900
Santa Cruz	173,200	179,300	183,800	189,200	193,600
Shasta	100,900	107,200	112,900	116,700	120,800
Sierra	3,000	3,100	3,100	3,100	3,100
Siskiyou	36,700	37,700	38,800	40,000	41,000
Solano	203,400	212,600	224,400	237,300	246,000
Sonoma	272,000	283,900	291,900	301,400	308,600
Stanislaus	245,000	253,700	260,800	267,800	275,500
Sutter	49,000	50,300	51,700	52,600	53,900
Tehama	34,500	35,800	37,200	39,100	40,100
Trinity	10,700	11,300	11,700	12,000	12,500
Tulare	227,200	234,000	240,300	247,300	254,100
Tuolumne	28,700	30,800	33,000	34,200	35,400
Ventura	476,100	494,900	510,100	532,200	545,000
Yolo	108,100	109,800	111,600	113,900	116,000
Yuba	47,600	48,700	49,300	49,800	50,000

Note: Figures are rounded independently and may not add to totals.

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70–80*, March 1982, and *Population Estimates for California Counties, July 1, 1980 and July 1, 1983, Report 83 E–2*, February 1984.

2. LIVE BIRTHS

Page

Table 2–1. Number and percent of women of childbearing age by age group: California and United States, 1980–1982 ... 23
2–2. General fertility rate, total fertility rate, and age-specific live birth rates: California and United States, 1970–1982 ... 24
2–3. General fertility rate and live birth rates by live birth order: California and United States, 1970–1982 ... 26
2–4. General fertility rate and age-specific live birth rates by live birth order: California, 1970 and 1979–1982 ... 28
2–5. Live births by race/ethnicity of child and age of mother: California, 1982 ... 29
2–6. Live births by Spanish/Hispanic origin of mother and age of mother: California, 1982 ... 29
2–7. Live births by race/ethnicity of child, previous live births, and age of mother: California, 1982 ... 30
2–8. Live births by race/ethnicity of child, previous live births, and age of mother: California counties, 1982 ... 32
2–9. Live births by Spanish/Hispanic origin of mother, previous live births, and age of mother: California, 1982 ... 148
2–10. Live births by Spanish/Hispanic origin of mother, previous live births, and age of mother: California counties, 1982 ... 149
2–11. Live births by age of mother: California counties, 1982 ... 178
2–12. Live births by race/ethnicity of child and sex: California counties, 1982 ... 179
2–13. Live births by Spanish/Hispanic origin of mother and sex: California counties, 1982 ... 189
2–14. Live births by birthweight, weeks of gestation, and race/ethnicity of child: California, 1982 ... 199
2–15. Live births by birthweight, weeks of gestation, and Spanish/Hispanic origin of mother: California, 1982 ... 201
2–16. Live births by plurality of delivery, sex, and race/ethnicity of child: California, 1982 ... 202

Page

2–17. Live births by plurality of delivery, sex, and Spanish/Hispanic origin of mother: California, 1982 203
2–18. Live births with one or more congenital anomalies and congenital anomalies reported by type, by sex and race/ethnicity of child: California, 1982 204
2–19. Live births with one or more congenital anomalies and congenital anomalies reported by type, by sex and Spanish/Hispanic origin of mother: California, 1982 212
2–20. Live births by month prenatal care began and age of mother: California, 1982 . 219
2–21. Live births by month of birth: California counties, 1982 220
2–22. Live births by type of hospital: California counties, 1982 221
2–23. Total live births and estimated live births to unmarried women by race and age of mother and live birth order: California, 1982 222
2–24. Number of live births by estimated marital status, race of mother, and age of mother: California, selected years, 1966–1982 224
2–25. Number of live births by estimated marital status and age of mother (detailed under age 20): California, selected years, 1966–1982 225
2–26. Estimated live births to unmarried women as a percent of total live births by race of mother and age of mother: California, selected years, 1966–1982 226
2–27. Total live births and estimated number and percent of live births to unmarried women by race of mother: California counties, 1982 227

Figure 2–A. Age-specific live birth rates: California and United States, 1970–1982 25
2–B. Live birth rates by live birth order: California and United States, 1970–1982 . 27
2–C. Congenital anomalies code definitions 211

Table 2–1

NUMBER AND PERCENT OF WOMEN OF CHILDBEARING AGE BY AGE GROUP CALIFORNIA AND UNITED STATES, 1980–1982

AGE GROUP	CALIFORNIA		UNITED STATES	
	Number	Percent	Number	Percent
		1982		
Total, 15–44	5,950,900	100.0	54,570,000	100.0
15–19	1,022,500	17.2	9,708,000	17.8
20–24	1,149,200	19.3	10,810,000	19.8
25–29	1,151,600	19.4	10,359,000	19.0
30–34	1,070,800	18.0	9,410,000	17.2
35–39	876,900	14.7	7,937,000	14.5
40–44	679,900	11.4	6,346,000	11.6
Median Age	28.5		28.3	
		1981		
Total, 15–44	5,837,200	100.0	53,841,000	100.0
15–19	1,036,600	17.8	10,002,000	18.6
20–24	1,157,100	19.8	10,837,000	20.1
25–29	1,116,900	19.1	10,073,000	18.7
30–34	1,062,400	18.2	9,464,000	17.6
35–39	807,900	13.8	7,320,000	13.6
40–44	656,300	11.2	6,145,000	11.4
Median Age	28.2		28.0	
		1980		
Total, 15–44	5,720,500	100.0	53,057,000	100.0
15–19	1,053,900	18.4	10,358,000	19.5
20–24	1,155,800	20.2	10,690,000	20.1
25–29	1,089,400	19.0	9,878,000	18.6
30–34	1,005,700	17.6	8,978,000	16.9
35–39	779,600	13.6	7,161,000	13.5
40–44	636,100	11.1	5,992,000	11.3
Median Age	28.0		27.8	

Note: Population figures are as of July 1.

Percents are rounded independently and may not add to totals.

Source: U. S. Department of Commerce, Bureau of the Census, *Current Population Reports*, Population Estimates and Projections, Series P-25, No. 929.

State of California, Department of Finance, *Population Projections for California, Baseline 83*, October 1983, adjusted to reflect *Population Estimates of California Counties, Report 83 E-2*, February 1984.

Table 2–2

GENERAL FERTILITY RATE, TOTAL FERTILITY RATE, AND AGE-SPECIFIC LIVE BIRTH RATES CALIFORNIA AND UNITED STATES, 1970–1982

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	TOTAL FERTILITY RATE[2]	AGE-SPECIFIC BIRTH RATE[3] BY AGE OF MOTHER							
			Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
					CALIFORNIA					
1982	72.2	1,967	1.0	52.0	118.7	117.1	71.1	27.6	5.5	0.4
1981	72.0	1,945	1.0	53.1	118.4	115.8	68.9	26.0	5.5	0.3
1980	70.4	1,894	0.9	52.0	115.5	112.9	67.4	24.7	5.1	0.3
1979	68.9	1,848	0.9	52.2	113.1	109.0	65.7	23.4	4.9	0.3
1978	66.6	1,780	0.9	51.2	108.8	106.0	62.3	21.9	4.6	0.2
1977	67.2	1,792	0.9	51.3	110.9	107.6	61.0	21.6	4.7	0.3
1976	66.1	1,765	0.9	51.0	110.5	105.5	58.8	21.5	4.5	0.3
1975	65.1	1,750	0.9	51.0	110.7	105.8	56.0	20.4	4.8	0.3
1974	65.9	1,784	0.8	51.4	114.7	107.7	56.2	21.1	4.6	0.3
1973	64.8	1,765	0.8	51.4	114.8	105.1	54.8	20.8	4.9	0.3
1972	68.4	1,874	0.8	54.5	122.9	110.2	58.2	22.3	5.5	0.3
1971	75.4	2,078	0.8	58.0	139.2	121.8	63.3	25.7	6.4	0.3
1970	84.7	2,353	0.8	68.9	157.5	135.5	70.8	29.5	7.2	0.4
					UNITED STATES					
1982[a]	67.8	...	...	...	...	...	...	...	...	...
1981[a]	67.4	1,815.0	1.1	52.7	111.8	112.0	61.4	20.0	3.8	0.2
1980[a]	68.4	1,839.5	1.1	53.0	115.1	112.9	61.9	19.8	3.9	0.2
1979[a]	67.2	1,808.0	1.2	52.3	112.8	111.4	60.3	19.5	3.9	0.2
1978[a]	65.5	1,760.0	1.2	51.5	109.9	108.5	57.8	19.0	3.9	0.2
1977[a]	66.8	1,789.5	1.2	52.8	112.9	111.0	56.4	19.2	4.2	0.2
1976[a]	65.0	1,738.0	1.2	52.8	110.3	106.2	53.6	19.0	4.3	0.2
1975[a]	66.0	1,774.0	1.3	55.6	113.0	108.2	52.3	19.5	4.6	0.3
1974[a]	67.8	1,835.0	1.2	57.5	117.7	111.5	53.8	20.2	4.8	0.3
1973[a]	68.8	1,879.0	1.2	59.3	119.7	112.2	55.6	22.1	5.4	0.3
1972[a]	73.2	2,010.0	1.2	61.7	130.2	117.7	59.8	24.8	6.2	0.4
1971[b]	81.6	2,266.5	1.1	64.5	150.1	134.1	67.3	28.7	7.1	0.4
1970[b]	87.9	2,480.0	1.2	68.3	167.8	145.1	73.3	31.7	8.1	0.5

[1] The general fertility rate is the total number of live births, regardless of age of mother, per 1,000 women of childbearing age (15–44 years).

[2] The total fertility rate is the sum of each age-specific live birth rate multiplied by the number of years in the age group (five years in this case).

[3] An age-specific live birth rate is the number of live births per 1,000 women in a specific age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

[a] Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.

[b] Based on a 50 percent sample of births.

Source: State of California, Department of Health Services, Birth Records.

State of California, Department of Finance, *Population Projections for California Counties, Baseline 83*, October 1983; *Population Estimates for California Counties, Report 83 E-2*, February 1984. Baseline 83 population projections have been adjusted to reflect the Report 83 E-2 county population estimates.

U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Advance Report of Final Natality Statistics, 1981, Vol. 32, No. 9 Supplement, December 29, 1983.

U. S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Annual Summary of Births, Deaths, Marriages, and Divorces: United States, 1982, Vol. 31, No. 13, Ocotber 5, 1983.

Figure 2–A

AGE-SPECIFIC LIVE BIRTH RATES
CALIFORNIA AND UNITED STATES
1970–1982

(By place of residence)



Source: Table 2–2.

Table 2–3

GENERAL FERTILITY RATE AND LIVE BIRTH RATES BY LIVE BIRTH ORDER CALIFORNIA AND UNITED STATES, 1970–1982

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	LIVE BIRTH ORDER				Fifth or Higher
		First	Second	Third	Fourth	
	CALIFORNIA					
1982	72.2	30.9	22.7	10.8	4.3	3.4
1981	72.0	31.4	22.4	10.5	4.2	3.5
1980	70.4	31.1	21.6	10.2	4.1	3.6
1979	68.9	30.3	21.3	9.9	4.0	3.4
1978	66.6	29.4	20.6	9.4	3.8	3.3
1977	67.2	29.4	21.0	9.5	3.8	3.5
1976	66.1	28.7	20.8	9.2	3.7	3.7
1975	65.1	28.3	20.6	8.8	3.7	3.7
1974	65.9	28.6	20.8	8.8	3.8	4.0
1973	64.8	28.1	20.1	8.6	3.9	4.1
1972	68.4	29.2	20.8	9.4	4.4	4.7
1971	75.4	30.8	21.9	11.0	5.4	6.2
1970	84.7	34.2	23.8	12.7	6.5	7.5
	UNITED STATES					
1982[a]	67.8	---	---	---	---	---
1981[a]	67.4	29.0	21.6	10.2	3.8	2.8
1980[a]	68.4	29.5	21.8	10.3	3.9	2.9
1979[a]	67.2	28.6	21.6	10.1	3.8	2.9
1978[a]	65.5	27.8	21.1	9.8	3.8	2.9
1977[a]	66.8	28.2	21.6	10.0	3.8	3.2
1976[a]	65.0	27.5	20.8	9.5	3.8	3.4
1975[a]	66.0	28.1	20.9	9.4	3.9	3.7
1974[a]	67.8	28.7	21.4	9.5	4.1	4.2
1973[a]	68.8	28.6	21.0	9.8	4.5	4.9
1972[a]	73.1	29.8	21.4	10.6	5.3	6.0
1971[b]	81.6	32.0	23.1	12.5	6.4	7.6
1970[b]	87.9	34.2	24.2	13.6	7.2	8.8

[1] The general fertility rate is the total number of live births, regardless of birth order, per 1,000 women of childbearing ages (15–44 years).

[a] Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.

[b] Based on a 50 percent sample of births.

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order, before rates were calculated.

Rates are per 1,000 women aged 15–44 years.

Source: State of California, Department of Health Services, Birth Records.
State of California, Department of Finance, *Population Projections for California Counties, Baseline 83*, October 1983; *Population Estimates for California Counties July 1, 1980 to July 1, 1983, Report 83 E-2*, February 1984. Baseline 83 projections were adjusted to reflect the most recent population estimates (Report 83 E-2).
U. S. Department of Health and Human Services, NCHS, *Monthly Vital Statistics Report*, Advance Report of Final Natality Statistics, 1981, Vol. 32, No. 9 Supplement, December 29, 1983.
U. S. Department of Health and Human Services, NCHS, *Monthly Vital Statistics Report*, Annual Summary of Births, Deaths, Marriages, and Divorces: United States 1982, Vol. 31, No. 13, October 5, 1983.

Figure 2–B

LIVE BIRTH RATES BY LIVE BIRTH ORDER
CALIFORNIA AND UNITED STATES
1970–1982

(By place of residence)



Source: Table 2–3.

Table 2–4

GENERAL FERTILITY RATE
AND AGE-SPECIFIC LIVE BIRTH RATES BY LIVE BIRTH ORDER
CALIFORNIA, 1970 AND 1979–1982

(By place of residence)

YEAR AND BIRTH ORDER	GENERAL FERTILITY RATE[1]	AGE OF MOTHER							
		Under 15	15–19	20–24	25–29	30–34	35–39	40–44	45 and Over
1982	72.2	[1.0]	52.0	118.7	117.1	[71.1]	27.6	5.5	0.4
First Live Birth	30.9	[0.9]	40.7	60.0	[42.0]	[18.1]	[5.0]	[0.7]	0.0
Second	22.7	0.0	9.7	40.4	41.1	[23.3]	[6.9]	[0.8]	0.0
Third	10.8	–	1.4	13.8	21.4	15.3	[6.0]	0.9	0.0
Fourth	4.3	–	0.2	3.5	8.2	7.5	3.8	0.8	0.0
Fifth or More	3.4	–	0.0	1.0	4.5	6.8	5.8	2.3	0.2
1981	72.0	[1.0]	53.1	118.4	115.8	68.9	26.0	5.5	0.3
First Live Birth	31.4	[1.0]	42.1	60.5	[41.5]	[17.0]	[4.4]	[0.6]	0.0
Second	22.4	0.0	9.4	40.0	40.6	[22.6]	[6.1]	0.7	0.0
Third	10.5	0.0	1.4	13.5	21.1	14.9	[5.6]	0.8	0.0
Fourth	4.2	–	0.1	3.4	8.2	7.5	3.6	0.8	0.0
Fifth or More	3.5	–	0.0	1.0	4.4	6.9	6.3	2.5	0.2
1980	70.4	[0.9]	52.0	115.5	112.9	67.4	24.7	5.1	0.3
First Live Birth	31.1	0.8	41.2	59.9	[40.4]	[16.7]	[4.0]	[0.6]	0.0
Second	21.6	0.0	9.3	38.3	39.4	[21.8]	[5.6]	0.6	0.0
Third	10.2	–	1.3	13.0	20.7	14.6	[5.2]	0.7	0.0
Fourth	4.1	–	0.2	3.3	7.8	7.4	3.7	0.8	0.0
Fifth or More	3.6	–	0.0	1.0	4.6	7.0	6.2	2.4	0.2
1979	68.9	[0.9]	52.2	113.1	109.0	65.7	23.4	4.9	0.3
First Live Birth	30.3	[0.9]	41.4	57.6	[38.5]	[15.7]	[3.7]	0.5	0.0
Second	21.3	0.0	9.3	38.2	38.7	[21.1]	[5.2]	0.7	0.0
Third	9.9	–	1.4	12.9	19.7	14.5	4.9	0.7	0.0
Fourth	4.0	–	0.2	3.3	7.8	7.3	3.4	0.7	0.0
Fifth or More	3.4	–	0.0	1.0	4.4	7.1	6.3	2.4	0.2
1970	84.7	0.8	68.9	157.5	135.5	70.8	29.5	7.2	0.4
First Live Birth	34.2	0.8	55.1	74.2	33.9	9.3	2.6	0.5	0.0
Second	23.8	0.0	11.8	55.1	43.2	15.0	3.9	0.7	0.0
Third	12.7	–	1.7	19.8	30.8	16.1	5.1	0.9	0.0
Fourth	6.5	–	0.3	6.0	15.2	12.3	5.0	1.1	0.1
Fifth or More	7.5	–	0.0	2.4	12.4	18.1	12.9	4.0	0.3

[1] The general fertility rate is the total number of live births of specified birth order, regardless of age of mother, per 1,000 women of childbearing ages (15–44 years).

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order before rates were calculated.

Rates are per 1,000 women in a specified age group. For women under 15, the rate is calculated using the female population 10–14 years of age, and for women over 44, using the female population 45–49 years of age.

Rates in brackets exceed the corresponding 1970 rates.

Source: State of California, Department of Health Services, Birth Records.

State of California, Department of Finance, ***Population Projections for California Counties Baseline 83***, October 1983; ***Population Estimates for California Counties, July 1, 1983, Report 83 E-2***, February 1984. Baseline 83 population projections have been adjusted to reflect the more recent population estimates (Report 83 E-2).

Table 2–5

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER CALIFORNIA, 1982

(By place of residence)

RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	429,631	851	2,379	5,620	9,875	15,035	20,261	136,388	134,830	76,090	24,205	3,734	209	11	143
American Indian	5,947	17	53	126	216	334	415	2,247	1,586	727	195	29	2	–	–
Black	41,246	213	533	1,005	1,608	2,225	2,707	14,736	11,127	5,337	1,492	241	14	–	8
Cambodian	979	–	–	3	6	12	17	326	349	175	68	16	7	–	–
Chinese	7,179	2	2	2	17	16	56	848	2,799	2,714	630	80	10	–	3
Eskimo/Aleut	26	–	1	–	–	1	5	8	4	6	–	1	–	–	–
Filipino	10,807	8	27	59	117	169	304	2,327	3,645	2,787	1,150	204	6	–	4
Indian (India)	2,350	1	–	3	11	17	49	613	912	554	169	20	–	–	1
Japanese	3,999	2	9	12	34	45	69	698	1,406	1,287	392	43	2	–	–
Korean	3,207	–	2	–	3	20	27	558	1,598	761	202	34	2	–	–
Pacific Islander	2,074	5	13	30	56	88	144	754	566	306	96	11	4	–	1
Thai	598	–	–	1	–	1	7	74	189	230	87	9	–	–	–
Vietnamese	3,906	1	4	13	28	67	114	1,126	1,419	823	248	53	4	2	4
White	340,401	585	1,705	4,292	7,640	11,836	16,071	109,995	107,076	59,045	19,032	2,887	137	5	95
Other Asian	2,892	9	16	38	74	105	138	955	828	476	162	62	21	4	4
Other	591	1	1	3	8	13	24	190	187	107	44	13	–	–	–
Not Stated	3,429	7	13	33	57	86	114	933	1,139	755	238	31	–	–	23

Source: State of California, Department of Health Services, Birth Records.

Table 2–6

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER CALIFORNIA, 1982

(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	429,631	851	2,379	5,620	9,875	15,035	20,261	136,388	134,830	76,090	24,205	3,734	209	11	143
Hispanic	132,055	425	1,145	2,582	4,310	6,240	7,801	45,741	36,281	18,812	7,038	1,543	84	5	48
Non-Hispanic	291,311	418	1,218	2,981	5,451	8,623	12,232	88,861	96,495	55,952	16,736	2,147	123	6	68
Not Stated	6,265	8	16	57	114	172	228	1,786	2,054	1,326	431	44	2	–	27

Source: State of California, Department of Health Services, Birth Records.

Table 2–7

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA, 1982

(By place of residence)

RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	429,631	851	2,379	5,620	9,875	15,035	20,261	136,388	134,830	76,090	24,205	3,734	209	11	143
AMERICAN INDIAN	5,947	17	53	126	216	334	415	2,247	1,586	727	195	29	2	-	-
NONE	2,547	15	48	118	169	252	294	1,025	464	133	27	2	-	-	-
ONE	1,783	-	5	6	40	73	95	777	537	206	39	5	-	-	-
TWO	934	-	-	-	7	7	23	313	341	194	44	5	-	-	-
THREE	391	-	-	-	-	1	2	97	152	101	34	4	-	-	-
FOUR OR MORE	258	-	-	-	-	-	-	20	86	87	50	13	2	-	-
NOT STATED	34	2	-	2	-	1	1	15	6	6	1	-	-	-	-
BLACK	41,246	213	533	1,005	1,608	2,225	2,707	14,736	11,127	5,337	1,492	241	14	-	8
NONE	17,701	209	504	920	1,331	1,713	1,856	6,730	3,127	1,038	242	26	4	-	1
ONE	12,219	4	24	81	239	429	670	5,023	3,820	1,578	313	35	1	-	2
TWO	6,393	-	2	3	32	68	148	2,128	2,428	1,223	319	39	1	-	2
THREE	2,764	-	-	1	1	6	24	608	1,059	771	253	40	1	-	-
FOUR OR MORE	2,012	-	-	-	-	1	3	202	634	705	359	99	7	-	2
NOT STATED	157	-	3	-	5	8	6	45	59	22	6	2	-	-	1
CAMBODIAN	979	-	-	3	6	12	17	326	349	175	68	16	7	-	-
NONE	207	-	-	1	5	8	9	103	58	18	5	-	-	-	-
ONE	311	-	-	2	1	3	7	157	107	28	6	-	-	-	-
TWO	211	-	-	-	-	1	1	53	110	34	11	1	-	-	-
THREE	99	-	-	-	-	-	-	7	52	28	10	2	-	-	-
FOUR OR MORE	147	-	-	-	-	-	-	4	20	67	36	13	7	-	-
NOT STATED	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
CHINESE	7,179	2	2	2	17	16	56	848	2,799	2,714	630	80	10	-	3
NONE	3,333	2	2	2	14	14	43	509	1,590	998	141	16	-	-	2
ONE	2,458	-	-	-	3	2	8	242	832	1,130	223	16	2	-	-
TWO	895	-	-	-	-	-	5	78	249	389	153	19	1	-	1
THREE	288	-	-	-	-	-	-	10	90	121	62	4	1	-	-
FOUR OR MORE	180	-	-	-	-	-	-	4	30	66	50	24	6	-	-
NOT STATED	25	-	-	-	-	-	-	5	8	10	1	1	-	-	-
ESKIMO/ALEUT	26	-	1	-	-	1	5	8	4	6	-	1	-	-	-
NONE	12	-	1	-	-	1	4	3	1	2	-	-	-	-	-
ONE	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
TWO	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
THREE	4	-	-	-	-	-	1	-	1	2	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	10,807	8	27	59	117	169	304	2,327	3,645	2,787	1,150	204	6	-	4
NONE	4,754	8	26	57	106	136	235	1,413	1,641	843	240	47	1	-	1
ONE	3,519	-	1	2	9	30	67	676	1,280	1,021	378	51	2	-	2
TWO	1,684	-	-	-	1	3	1	186	529	624	297	41	1	-	1
THREE	548	-	-	-	-	-	1	38	139	200	138	31	1	-	-
FOUR OR MORE	263	-	-	-	-	-	-	6	43	89	90	34	1	-	-
NOT STATED	39	-	-	-	1	-	-	8	13	10	7	-	-	-	-
INDIAN (INDIA)	2,350	1	-	3	11	17	49	613	912	554	169	20	-	-	1
NONE	1,129	1	-	3	10	14	42	429	453	146	26	4	-	-	1
ONE	798	-	-	-	-	2	6	151	328	241	64	6	-	-	-
TWO	307	-	-	-	-	1	-	26	105	116	52	7	-	-	-
THREE	72	-	-	-	-	-	-	3	18	34	15	2	-	-	-
FOUR OR MORE	36	-	-	-	-	-	-	1	5	17	12	1	-	-	-
NOT STATED	8	-	-	-	1	-	1	3	3	-	-	-	-	-	-
JAPANESE	3,999	2	9	12	34	45	69	698	1,406	1,287	392	43	2	-	-
NONE	2,024	2	9	11	30	39	59	451	792	502	121	7	1	-	-
ONE	1,365	-	-	1	3	6	9	200	465	526	147	8	-	-	-
TWO	447	-	-	-	-	-	1	41	121	199	71	14	-	-	-
THREE	113	-	-	-	-	-	-	5	19	43	40	5	1	-	-
FOUR OR MORE	38	-	-	-	-	-	-	-	4	12	13	9	-	-	-
NOT STATED	12	-	-	-	1	-	-	1	5	5	-	-	-	-	-

Table 2–7 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA, 1982

(By place of residence)

RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	429,631	851	2,379	5,620	9,875	15,035	20,261	136,388	134,830	76,090	24,205	3,734	209	11	143
KOREAN	3,207	-	2	-	3	20	27	558	1,598	761	202	34	2	-	-
NONE	1,729	-	1	-	3	16	26	451	950	221	52	8	1	-	-
ONE	1,105	-	1	-	-	3	1	94	561	358	77	9	1	-	-
TWO	298	-	-	-	-	1	-	13	68	152	54	10	-	-	-
THREE	49	-	-	-	-	-	-	-	8	20	17	4	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	-	3	7	2	2	-	-	-
NOT STATED	12	-	-	-	-	-	-	-	8	3	-	1	-	-	-
PACIFIC ISLANDER	2,074	5	13	30	56	88	144	754	566	306	96	11	4	-	1
NONE	833	5	11	29	48	72	107	365	138	51	5	1	1	-	-
ONE	551	-	2	1	8	14	29	243	171	60	22	1	-	-	-
TWO	345	-	-	-	-	1	8	115	134	65	20	2	-	-	-
THREE	168	-	-	-	-	-	-	22	68	61	13	3	1	-	-
FOUR OR MORE	175	-	-	-	-	-	-	9	54	69	36	4	2	-	1
NOT STATED	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
THAI	598	-	-	1	-	1	7	74	189	230	87	9	-	-	-
NONE	294	-	-	1	-	1	6	45	109	100	29	3	-	-	-
ONE	202	-	-	-	-	-	1	24	56	87	31	3	-	-	-
TWO	69	-	-	-	-	-	-	4	15	33	15	2	-	-	-
THREE	19	-	-	-	-	-	-	1	5	8	5	-	-	-	-
FOUR OR MORE	12	-	-	-	-	-	-	-	3	1	7	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
VIETNAMESE	3,906	1	4	13	28	67	114	1,126	1,419	823	248	53	4	2	4
NONE	1,354	1	4	13	23	53	81	518	451	164	37	5	1	1	2
ONE	1,177	-	-	-	5	11	29	394	452	249	30	4	1	-	2
TWO	672	-	-	-	-	2	2	149	293	174	45	7	-	-	-
THREE	331	-	-	-	-	1	1	44	141	96	42	6	-	-	-
FOUR OR MORE	344	-	-	-	-	-	-	6	80	134	90	31	2	1	-
NOT STATED	28	-	-	-	-	-	1	15	2	6	4	-	-	-	-
WHITE	340,401	585	1,705	4,292	7,640	11,836	16,071	109,995	107,076	59,045	19,032	2,887	137	5	95
NONE	144,968	562	1,610	3,907	6,436	9,112	11,357	55,726	37,722	14,794	3,375	326	5	-	36
ONE	107,195	21	91	354	1,083	2,369	3,848	37,580	37,831	18,980	4,611	395	12	-	20
TWO	50,642	-	2	16	95	295	704	12,338	19,789	12,813	4,089	473	17	1	10
THREE	20,117	-	-	1	4	23	99	3,077	7,361	6,415	2,663	452	16	1	5
FOUR OR MORE	16,128	-	-	-	-	2	11	854	3,953	5,787	4,198	1,227	87	3	6
NOT STATED	1,351	2	2	14	22	35	52	420	420	256	96	14	-	-	18
OTHER ASIAN	2,892	9	16	38	74	105	138	955	828	476	162	62	21	4	4
NONE	668	9	14	32	45	57	61	233	141	66	8	1	1	-	-
ONE	709	-	2	4	21	36	56	319	169	79	15	4	2	-	1
TWO	525	-	-	2	7	12	15	237	156	82	13	1	-	-	-
THREE	385	-	-	-	1	-	5	120	165	66	20	7	-	-	1
FOUR OR MORE	582	-	-	-	-	-	-	39	185	181	104	49	18	4	2
NOT STATED	24	-	-	-	-	-	1	7	12	2	2	-	-	-	-
OTHER	591	1	1	3	8	13	24	190	187	107	44	13	-	-	-
NONE	235	1	1	1	8	12	21	110	54	22	4	1	-	-	-
ONE	159	-	-	2	-	1	2	50	62	31	10	1	-	-	-
TWO	90	-	-	-	-	-	1	19	35	24	9	2	-	-	-
THREE	60	-	-	-	-	-	-	7	27	15	9	2	-	-	-
FOUR OR MORE	46	-	-	-	-	-	-	4	8	15	12	7	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	3,429	7	13	33	57	86	114	933	1,139	755	238	31	-	-	23
NONE	1,575	7	12	31	49	70	87	528	471	248	60	7	-	-	5
ONE	1,049	-	-	1	6	14	19	288	403	247	66	5	-	-	-
TWO	440	-	-	-	-	2	4	77	160	142	51	4	-	-	-
THREE	146	-	-	-	-	-	1	12	48	55	23	6	-	-	1
FOUR OR MORE	100	-	-	-	-	-	-	3	22	36	30	9	-	-	-
NOT STATED	119	-	1	1	2	-	3	25	35	27	8	-	-	-	17

Source: State of California, Department of Health Services, Birth Records.

Table 2—8

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALAMEDA	18,220	32	100	235	391	512	726	5,326	5,774	3,696	1,201	193	11	-	21
AMERICAN INDIAN	197	-	4	3	11	9	14	76	45	26	8	1	-	-	-
NONE	99	-	4	3	9	8	11	43	17	4	-	-	-	-	-
ONE	56	-	-	-	2	1	3	22	15	11	2	-	-	-	-
TWO	23	-	-	-	-	-	-	7	9	5	2	-	-	-	-
THREE	8	-	-	-	-	-	-	4	1	2	-	1	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	-	1	4	4	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
BLACK	4,313	23	51	117	159	207	249	1,409	1,236	656	169	31	3	-	3
NONE	1,936	23	49	111	131	158	178	700	398	143	40	3	1	-	1
ONE	1,261	-	2	6	23	41	56	460	442	192	37	1	-	-	1
TWO	642	-	-	-	3	5	9	169	256	158	34	7	-	-	1
THREE	259	-	-	-	-	1	2	50	87	90	23	6	-	-	-
FOUR OR MORE	183	-	-	-	-	-	-	17	45	71	34	14	2	-	-
NOT STATED	32	-	-	-	2	2	4	13	8	2	1	-	-	-	-
CAMBODIAN	79	-	-	-	2	-	2	27	21	16	7	2	2	-	-
NONE	18	-	-	-	2	-	-	10	4	2	-	-	-	-	-
ONE	19	-	-	-	-	-	2	11	6	-	-	-	-	-	-
TWO	17	-	-	-	-	-	-	6	7	3	1	-	-	-	-
THREE	6	-	-	-	-	-	-	-	3	3	-	-	-	-	-
FOUR OR MORE	19	-	-	-	-	-	-	-	1	8	6	2	2	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	601	-	-	-	3	1	5	56	224	249	56	6	-	-	1
NONE	306	-	-	-	2	-	5	39	139	108	11	2	-	-	-
ONE	184	-	-	-	1	1	-	9	52	100	21	-	-	-	-
TWO	73	-	-	-	-	-	-	7	20	30	13	2	-	-	1
THREE	24	-	-	-	-	-	-	1	7	8	7	1	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	1	1	4	1	-	-	-
NOT STATED	7	-	-	-	-	-	-	-	5	2	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	713	-	1	3	8	10	18	167	235	186	67	16	-	-	2
NONE	286	-	1	3	8	10	13	96	91	50	10	3	-	-	1
ONE	251	-	-	-	-	-	5	55	97	62	25	6	-	-	1
TWO	111	-	-	-	-	-	-	13	33	43	21	1	-	-	-
THREE	41	-	-	-	-	-	-	3	10	20	6	2	-	-	-
FOUR OR MORE	21	-	-	-	-	-	-	-	3	9	5	4	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
INDIAN (INDIA)	193	-	-	-	-	-	7	46	76	53	9	2	-	-	-
NONE	96	-	-	-	-	-	7	34	40	14	1	-	-	-	-
ONE	63	-	-	-	-	-	-	12	26	22	3	-	-	-	-
TWO	27	-	-	-	-	-	-	-	10	12	5	-	-	-	-
THREE	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	159	-	1	-	1	-	3	24	48	61	16	5	-	-	-
NONE	86	-	1	-	1	-	3	19	31	27	3	1	-	-	-
ONE	51	-	-	-	-	-	-	5	11	27	7	1	-	-	-
TWO	14	-	-	-	-	-	-	-	5	6	2	1	-	-	-
THREE	7	-	-	-	-	-	-	-	1	-	4	2	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALAMEDA (CONTINUED)	18,220	32	100	235	391	512	726	5,326	5,774	3,696	1,201	195	11	-	21
KOREAN	122	-	-	-	-	-	1	21	53	35	10	2	-	-	-
NONE	59	-	-	-	-	-	1	15	33	7	3	-	-	-	-
ONE	47	-	-	-	-	-	-	5	18	21	3	-	-	-	-
TWO	12	-	-	-	-	-	-	1	1	6	4	-	-	-	-
THREE	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	138	1	2	3	2	6	14	51	35	20	4	-	-	-	-
NONE	63	1	2	3	2	5	11	24	11	3	1	-	-	-	-
ONE	34	-	-	-	-	1	3	16	8	6	-	-	-	-	-
TWO	27	-	-	-	-	-	-	8	13	5	1	-	-	-	-
THREE	7	-	-	-	-	-	-	3	1	3	-	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	2	3	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	11	-	-	1	-	-	-	2	2	4	2	-	-	-	-
NONE	6	-	-	1	-	-	-	2	1	2	-	-	-	-	-
ONE	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	196	-	-	-	1	5	4	62	52	52	17	1	-	-	2
NONE	52	-	-	-	1	3	3	22	10	11	1	-	-	-	1
ONE	52	-	-	-	-	2	1	21	11	14	2	-	-	-	1
TWO	45	-	-	-	-	-	-	10	19	11	5	-	-	-	-
THREE	18	-	-	-	-	-	-	2	8	7	1	-	-	-	-
FOUR OR MORE	15	-	-	-	-	-	-	-	2	6	6	1	-	-	-
NOT STATED	14	-	-	-	-	-	-	7	2	3	2	-	-	-	-
WHITE	10,925	8	38	102	194	255	390	3,211	3,585	2,209	792	124	5	-	12
NONE	5,107	8	36	95	173	214	295	1,821	1,525	732	179	23	-	-	6
ONE	3,578	-	2	6	18	36	82	1,038	1,287	803	271	32	-	-	3
TWO	1,364	-	-	-	3	4	9	269	508	377	171	20	1	-	2
THREE	498	-	-	-	-	1	1	54	171	171	81	15	3	-	1
FOUR OR MORE	307	-	-	-	-	-	1	9	76	104	82	34	1	-	-
NOT STATED	71	-	-	1	-	-	2	20	18	22	8	-	-	-	-
OTHER ASIAN	112	-	-	2	2	3	7	46	31	17	2	1	1	-	-
NONE	41	-	-	2	2	3	3	14	10	6	-	-	1	-	-
ONE	24	-	-	-	-	-	4	12	5	2	1	-	-	-	-
TWO	20	-	-	-	-	-	-	11	5	4	-	-	-	-	-
THREE	13	-	-	-	-	-	-	6	4	3	-	-	-	-	-
FOUR OR MORE	10	-	-	-	-	-	-	2	5	2	-	1	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-
OTHER	48	-	-	-	-	2	-	20	13	8	4	1	-	-	-
NONE	21	-	-	-	-	2	-	11	5	2	1	-	-	-	-
ONE	10	-	-	-	-	-	-	3	5	2	-	-	-	-	-
TWO	9	-	-	-	-	-	-	3	1	3	2	-	-	-	-
THREE	7	-	-	-	-	-	-	3	1	1	1	1	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	413	-	3	4	8	14	12	108	118	104	38	3	-	-	1
NONE	186	-	3	3	6	10	10	47	50	41	14	2	-	-	-
ONE	132	-	-	1	2	4	2	43	38	33	9	-	-	-	-
TWO	48	-	-	-	-	-	-	12	14	16	6	-	-	-	-
THREE	16	-	-	-	-	-	-	3	6	3	4	-	-	-	-
FOUR OR MORE	17	-	-	-	-	-	-	2	3	8	3	1	-	-	-
NOT STATED	14	-	-	-	-	-	-	1	7	3	2	-	-	-	1

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALPINE	20	-	-	-	-	-	-	3	10	6	1	-	-	-	-
AMERICAN INDIAN	7	-	-	-	-	-	-	2	3	2	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE-ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALPINE (CONTINUED)	20	-	-	-	-	-	-	3	10	6	1	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	13	-	-	-	-	-	-	1	7	4	1	-	-	-	-
NONE	7	-	-	-	-	-	-	1	5	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR	246	-	1	3	3	5	7	77	90	43	16	1	-	-	-
AMERICAN INDIAN	21	-	-	2	-	-	1	6	6	3	3	-	-	-	-
NONE	10	-	-	2	-	-	1	3	2	1	1	-	-	-	-
ONE	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR (CONTINUED)	246	-	1	3	3	5	7	77	90	43	16	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	220	-	1	1	3	5	6	70	82	39	12	1	-	-	-
NONE	86	-	1	1	3	3	5	31	35	4	3	-	-	-	-
ONE	79	-	-	-	-	2	1	31	27	16	2	-	-	-	-
TWO	39	-	-	-	-	-	-	7	16	11	4	1	-	-	-
THREE	9	-	-	-	-	-	-	-	3	6	-	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	-	2	3	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
BUTTE	2,205	3	8	25	42	76	120	707	730	394	89	11	-	-	-
AMERICAN INDIAN	53	-	-	1	2	2	5	25	12	5	-	1	-	-	-
NONE	22	-	-	1	2	2	3	10	3	1	-	-	-	-	-
ONE	17	-	-	-	-	-	1	10	6	-	-	-	-	-	-
TWO	9	-	-	-	-	-	1	4	2	2	-	-	-	-	-
THREE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	35	-	-	-	1	3	2	15	12	1	1	-	-	-	-
NONE	11	-	-	-	1	2	1	4	3	-	-	-	-	-	-
ONE	15	-	-	-	-	1	1	7	5	1	-	-	-	-	-
TWO	6	-	-	-	-	-	-	3	3	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	9	-	-	-	-	-	-	-	2	5	2	-	-	-	-
NONE	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-
ONE	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	-	-	1	2	1	1	1	-	-	-	-
NONE	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	7	-	-	-	-	-	-	2	2	3	-	-	-	-	-
NONE	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	9	-	-	-	-	-	-	1	5	1	2	-	-	-	-
NONE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
ONE	5	-	-	-	-	-	-	-	3	-	2	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE-ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
BUTTE (CONTINUED)	2,205	3	8	25	42	76	120	707	730	394	89	11	-	-	-
KOREAN	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
NONE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,032	2	8	24	36	69	109	648	678	369	79	10	-	-	-
NONE	884	1	7	22	32	49	79	331	260	90	12	1	-	-	-
ONE	700	1	1	1	3	19	23	233	260	134	25	-	-	-	-
TWO	276	-	-	1	1	1	6	61	110	79	16	1	-	-	-
THREE	108	-	-	-	-	-	1	19	39	35	11	3	-	-	-
FOUR OR MORE	61	-	-	-	-	-	-	3	9	29	15	5	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
OTHER ASIAN	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	47	1	-	-	3	1	3	11	16	8	4	-	-	-	-
NONE	16	1	-	-	2	1	3	6	3	-	-	-	-	-	-
ONE	13	-	-	-	1	-	-	5	5	1	1	-	-	-	-
TWO	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
THREE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	-	2	5	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALAVERAS	286	-	-	-	1	7	17	83	97	56	22	3	-	-	-
AMERICAN INDIAN	14	-	-	-	-	-	1	5	6	1	1	-	-	-	-
NONE	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-
ONE	6	-	-	-	-	-	-	4	2	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALAVERAS (CONTINUED)	286	-	-	-	1	7	17	83	97	56	22	3	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	263	-	-	-	1	7	16	77	88	52	20	2	-	-	-
NONE	113	-	-	-	1	7	12	41	28	19	3	2	-	-	-
ONE	90	-	-	-	-	-	4	29	38	17	2	-	-	-	-
TWO	40	-	-	-	-	-	-	7	14	12	7	-	-	-	-
THREE	15	-	-	-	-	-	-	-	6	3	6	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	2	1	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
COLUSA	262	-	-	2	4	8	19	92	83	41	11	2	-	-	-
AMERICAN INDIAN	8	-	-	-	-	-	-	3	2	3	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	1	1	-	2	-	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
COLUSA (CONTINUED)	262	-	-	2	4	8	19	92	83	41	11	2	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	246	-	-	2	4	8	19	87	77	38	9	2	-	-	-
NONE	98	-	-	2	4	6	11	45	21	8	1	-	-	-	-
ONE	78	-	-	-	-	2	8	30	32	5	1	-	-	-	-
TWO	33	-	-	-	-	-	-	7	13	12	1	-	-	-	-
THREE	17	-	-	-	-	-	-	4	6	6	1	-	-	-	-
FOUR OR MORE	20	-	-	-	-	-	-	1	5	7	5	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CONTRA COSTA	9,972	12	47	107	177	269	368	2,704	3,351	2,179	679	75	2	1	1
AMERICAN INDIAN	102	2	-	-	4	5	4	39	24	16	8	-	-	-	-
NONE	44	2	-	-	3	5	4	18	8	1	3	-	-	-	-
ONE	31	-	-	-	1	-	-	15	10	5	-	-	-	-	-
TWO	16	-	-	-	-	-	-	6	5	5	-	-	-	-	-
THREE	6	-	-	-	-	-	-	-	-	3	3	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
BLACK	1,312	7	25	47	58	79	69	441	354	172	52	8	-	-	-
NONE	541	7	25	42	51	55	44	190	97	21	9	-	-	-	-
ONE	398	-	-	4	6	21	19	155	114	63	14	2	-	-	-
TWO	201	-	-	1	1	3	4	64	79	40	8	1	-	-	-
THREE	96	-	-	-	-	-	2	23	34	23	13	1	-	-	-
FOUR OR MORE	71	-	-	-	-	-	-	7	28	24	8	4	-	-	-
NOT STATED	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	272	-	-	-	-	-	1	23	92	119	34	3	-	-	-
NONE	130	-	-	-	-	-	1	18	59	46	6	-	-	-	-
ONE	110	-	-	-	-	-	-	4	30	60	15	1	-	-	-
TWO	23	-	-	-	-	-	-	1	3	12	7	-	-	-	-
THREE	7	-	-	-	-	-	-	-	-	1	6	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	266	-	-	1	8	5	13	46	81	76	30	6	-	-	-
NONE	105	-	-	1	8	4	12	27	32	15	5	1	-	-	-
ONE	101	-	-	-	-	-	1	16	31	39	13	1	-	-	-
TWO	42	-	-	-	-	1	-	2	14	15	8	2	-	-	-
THREE	13	-	-	-	-	-	-	-	2	7	4	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	-	-	2	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
INDIAN (INDIA)	76	-	-	-	1	-	-	14	33	16	11	1	-	-	-
NONE	27	-	-	-	1	-	-	10	10	6	-	-	-	-	-
ONE	26	-	-	-	-	-	-	2	14	5	5	-	-	-	-
TWO	18	-	-	-	-	-	-	1	8	4	4	1	-	-	-
THREE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	116	-	1	1	-	-	2	13	39	53	6	1	-	-	-
NONE	60	-	1	1	-	-	2	8	25	21	2	-	-	-	-
ONE	39	-	-	-	-	-	-	4	9	22	4	-	-	-	-
TWO	15	-	-	-	-	-	-	1	4	9	-	1	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CONTRA COSTA (CONTINUED)	9,972	12	47	107	177	269	368	2,704	3,351	2,179	679	75	2	1	1
KOREAN	34	-	-	-	-	-	-	2	17	12	2	1	-	-	-
NONE	12	-	-	-	-	-	-	2	5	4	-	1	-	-	-
ONE	18	-	-	-	-	-	-	-	11	5	2	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	35	-	-	2	-	2	2	15	8	5	1	-	-	-	-
NONE	14	-	-	2	-	-	1	6	3	2	-	-	-	-	-
ONE	9	-	-	-	-	2	-	6	1	-	-	-	-	-	-
TWO	8	-	-	-	-	-	1	3	2	1	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	43	-	-	-	-	1	3	10	10	14	5	-	-	-	-
NONE	10	-	-	-	-	-	2	4	1	3	-	-	-	-	-
ONE	12	-	-	-	-	1	1	3	2	4	1	-	-	-	-
TWO	11	-	-	-	-	-	-	2	4	4	1	-	-	-	-
THREE	6	-	-	-	-	-	-	1	2	2	1	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	7,534	3	20	56	105	172	265	2,053	2,645	1,648	513	52	1	-	1
NONE	3,469	3	20	53	95	148	205	1,189	1,137	500	115	4	-	-	-
ONE	2,490	-	-	2	8	22	52	655	953	624	158	15	-	-	1
TWO	1,048	-	-	-	1	2	6	168	389	341	131	10	-	-	-
THREE	305	-	-	-	-	-	2	26	108	105	54	10	-	-	-
FOUR OR MORE	183	-	-	-	-	-	-	7	43	70	50	12	1	-	-
NOT STATED	39	-	-	1	1	-	-	8	15	8	5	1	-	-	-
OTHER ASIAN	88	-	1	-	1	5	7	24	24	17	6	1	1	1	-
NONE	23	-	1	-	-	2	1	9	2	6	2	-	-	-	-
ONE	19	-	-	-	1	2	4	3	4	4	-	-	1	-	-
TWO	16	-	-	-	-	1	1	5	4	3	2	-	-	-	-
THREE	12	-	-	-	-	-	1	6	4	-	1	-	-	-	-
FOUR OR MORE	17	-	-	-	-	-	-	1	10	3	1	1	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	15	-	-	-	-	-	1	5	3	3	1	2	-	-	-
NONE	5	-	-	-	-	-	1	3	-	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	72	-	-	-	-	-	1	16	20	25	10	-	-	-	-
NONE	28	-	-	-	-	-	-	10	8	8	2	-	-	-	-
ONE	29	-	-	-	-	-	1	4	9	12	3	-	-	-	-
TWO	9	-	-	-	-	-	-	-	1	3	5	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
DEL NORTE	336	-	3	7	10	16	22	124	104	31	18	1	-	-	-
AMERICAN INDIAN	58	-	-	2	2	3	3	26	13	6	3	-	-	-	-
NONE	16	-	-	2	1	2	1	8	2	-	-	-	-	-	-
ONE	12	-	-	-	-	-	2	7	3	-	-	-	-	-	-
TWO	13	-	-	-	1	1	-	6	2	3	-	-	-	-	-
THREE	10	-	-	-	-	-	-	4	4	1	1	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	1	2	2	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
DEL NORTE (CONTINUED)	336	-	3	7	10	16	22	124	104	31	18	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	274	-	3	5	8	13	19	97	89	25	14	1	-	-	-
NONE	99	-	3	5	7	10	10	37	21	5	1	-	-	-	-
ONE	97	-	-	-	-	3	7	42	34	9	2	-	-	-	-
TWO	48	-	-	-	-	-	2	13	23	6	4	-	-	-	-
THREE	11	-	-	-	-	-	-	2	5	2	2	-	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	2	4	3	4	1	-	-	-
NOT STATED	5	-	-	-	1	-	-	1	2	-	1	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO	1,323	3	2	10	22	38	52	392	469	266	61	7	-	-	1
AMERICAN INDIAN	12	-	1	-	-	-	1	4	6	-	-	-	-	-	-
NONE	7	-	1	-	-	-	1	2	3	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
NONE	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	19	-	-	-	-	-	-	5	7	3	3	1	-	-	-
NONE	7	-	-	-	-	-	-	4	1	2	-	-	-	-	-
ONE	7	-	-	-	-	-	-	1	3	1	2	-	-	-	-
TWO	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	8	-	-	-	-	-	1	2	2	2	1	-	-	-	-
NONE	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
ONE	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO (CONTINUED)	1,323	3	2	10	22	38	52	392	469	266	61	7	-	-	1
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,274	3	1	10	22	38	50	377	450	259	57	6	-	-	1
NONE	568	3	1	10	21	33	38	216	172	63	9	1	-	-	1
ONE	419	-	-	-	1	4	8	126	167	98	14	1	-	-	-
TWO	184	-	-	-	-	1	3	27	84	55	12	2	-	-	-
THREE	56	-	-	-	-	-	-	3	15	26	11	1	-	-	-
FOUR OR MORE	35	-	-	-	-	-	-	4	9	11	10	1	-	-	-
NOT STATED	12	-	-	-	-	-	1	1	3	6	1	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
FRESNO	10,888	39	111	216	349	508	639	3,620	3,155	1,644	479	115	8	1	6
AMERICAN INDIAN	127	1	1	6	5	7	9	59	28	8	2	1	-	-	-
NONE	54	1	1	6	4	3	4	26	8	1	-	-	-	-	-
ONE	36	-	-	-	1	3	3	19	9	1	-	-	-	-	-
TWO	19	-	-	-	-	1	2	8	3	4	1	-	-	-	-
THREE	13	-	-	-	-	-	-	6	5	1	1	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	3	1	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	730	3	16	32	46	48	66	256	155	87	17	4	-	-	-
NONE	306	3	13	28	36	39	37	103	32	13	2	-	-	-	-
ONE	196	-	3	4	9	6	25	87	40	16	5	1	-	-	-
TWO	124	-	-	-	1	3	4	40	51	20	5	-	-	-	-
THREE	58	-	-	-	-	-	-	21	20	17	-	-	-	-	-
FOUR OR MORE	46	-	-	-	-	-	-	5	12	21	5	3	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	52	-	-	-	-	-	-	13	20	16	3	-	-	-	-
NONE	29	-	-	-	-	-	-	10	12	6	1	-	-	-	-
ONE	20	-	-	-	-	-	-	3	8	9	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	94	-	-	-	1	4	6	18	30	27	8	-	-	-	-
NONE	39	-	-	-	1	3	4	6	16	8	1	-	-	-	-
ONE	34	-	-	-	-	1	2	9	5	12	5	-	-	-	-
TWO	15	-	-	-	-	-	-	3	7	4	1	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	66	-	-	-	-	2	1	23	21	16	3	-	-	-	-
NONE	34	-	-	-	-	2	1	19	11	1	-	-	-	-	-
ONE	15	-	-	-	-	-	-	4	5	6	-	-	-	-	-
TWO	11	-	-	-	-	-	-	-	4	6	1	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	78	-	-	1	-	-	2	17	27	22	6	3	-	-	-
NONE	39	-	-	1	-	-	2	12	13	11	-	-	-	-	-
ONE	27	-	-	-	-	-	-	4	11	9	3	-	-	-	-
TWO	10	-	-	-	-	-	-	1	2	2	3	2	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
FRESNO (CONTINUED)	10,888	39	111	216	349	508	639	3,620	3,153	1,644	479	115	8	1	6
KOREAN	16	-	-	-	-	-	-	3	7	5	1	-	-	-	-
NONE	7	-	-	-	-	-	-	3	4	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
TWO	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	8	-	-	-	-	-	1	3	2	2	-	-	-	-	-
NONE	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	5	-	-	-	-	-	-	-	2	1	2	-	-	-	-
NONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	23	-	-	-	-	-	4	5	9	2	3	-	-	-	-
NONE	9	-	-	-	-	-	4	3	2	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
TWO	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	9,345	33	90	169	290	438	537	3,118	2,759	1,401	411	93	2	-	4
NONE	3,526	33	84	152	213	304	342	1,338	775	238	43	3	-	-	1
ONE	2,986	-	6	16	69	116	161	1,173	921	443	72	6	-	-	3
TWO	1,516	-	-	1	4	16	27	435	600	337	82	14	-	-	-
THREE	673	-	-	-	2	2	6	119	273	175	81	14	1	-	-
FOUR OR MORE	629	-	-	-	-	-	1	52	183	204	132	56	1	-	-
NOT STATED	15	-	-	-	2	-	-	1	7	4	1	-	-	-	-
OTHER ASIAN	337	2	4	7	7	8	13	102	91	57	23	14	6	1	2
NONE	36	2	4	6	4	3	5	8	2	2	-	-	-	-	-
ONE	65	-	-	1	1	4	5	36	11	4	1	-	1	-	1
TWO	54	-	-	-	2	1	2	32	17	-	-	-	-	-	-
THREE	60	-	-	-	-	-	1	21	21	14	1	1	-	-	1
FOUR OR MORE	122	-	-	-	-	-	-	5	40	37	21	13	5	1	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	7	-	-	1	-	1	-	3	2	-	-	-	-	-	-
NONE	3	-	-	-	-	1	-	2	-	-	-	-	-	-	-
ONE	3	-	-	1	-	-	-	-	2	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
GLENN	385	-	3	4	10	9	16	150	117	52	21	3	-	-	-
AMERICAN INDIAN	11	-	-	-	1	1	-	2	5	1	1	-	-	-	-
NONE	5	-	-	-	1	1	-	2	1	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	-	4	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
GLENN (CONTINUED)	385	-	3	4	10	9	16	150	117	52	21	3	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	369	-	3	4	9	8	16	146	110	50	20	3	-	-	-
NONE	129	-	3	3	7	5	13	66	25	5	2	-	-	-	-
ONE	110	-	-	1	2	2	2	55	35	11	1	1	-	-	-
TWO	83	-	-	-	-	1	1	22	35	17	7	-	-	-	-
THREE	26	-	-	-	-	-	-	2	11	10	3	-	-	-	-
FOUR OR MORE	21	-	-	-	-	-	-	1	4	7	7	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT	1,749	2	6	17	41	52	77	560	600	301	76	9	2	-	6
AMERICAN INDIAN	149	-	1	5	8	13	14	57	40	8	1	2	-	-	-
NONE	64	-	1	5	6	8	9	21	12	2	-	-	-	-	-
ONE	42	-	-	-	2	5	4	16	13	2	-	-	-	-	-
TWO	26	-	-	-	-	-	1	16	7	1	1	-	-	-	-
THREE	10	-	-	-	-	-	-	2	6	2	-	-	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	1	2	1	-	2	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	18	-	-	-	1	-	1	5	10	1	-	-	-	-	-
NONE	6	-	-	-	1	-	1	2	2	-	-	-	-	-	-
ONE	8	-	-	-	-	-	-	2	6	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	9	-	1	-	-	-	-	2	6	-	-	-	-	-	-
NONE	5	-	1	-	-	-	-	1	3	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	1	-	-	-	1	-	1	1	-	-	-	-
NONE	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	1	1	3	1	1	-	-	-	-
NONE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
ONE	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT (CONTINUED)	1,749	2	8	17	41	52	77	560	600	301	76	9	2	-	4
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,544	2	6	11	32	38	61	487	533	288	73	7	2	-	4
NONE	725	2	6	9	27	36	44	265	230	87	15	1	1	-	2
ONE	501	-	-	2	3	2	14	167	189	100	23	-	-	-	1
TWO	208	-	-	-	2	-	3	42	77	67	15	1	-	-	1
THREE	57	-	-	-	-	-	-	6	24	19	7	1	-	-	-
FOUR OR MORE	42	-	-	-	-	-	-	4	10	11	12	4	1	-	-
NOT STATED	11	-	-	-	-	-	-	3	3	4	1	-	-	-	-
OTHER ASIAN	6	-	-	-	-	1	-	3	2	-	-	-	-	-	-
NONE	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
IMPERIAL	2,167	9	19	47	58	91	130	747	591	352	100	18	3	-	2
AMERICAN INDIAN	36	1	-	2	-	3	3	15	5	6	1	-	-	-	-
NONE	13	1	-	1	-	3	2	5	1	-	-	-	-	-	-
ONE	9	-	-	1	-	-	-	5	2	-	1	-	-	-	-
TWO	10	-	-	-	-	-	1	5	1	3	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	42	-	-	1	2	-	2	17	15	4	1	-	-	-	-
NONE	15	-	-	1	1	-	1	7	4	1	-	-	-	-	-
ONE	13	-	-	-	1	-	1	7	4	-	-	-	-	-	-
TWO	8	-	-	-	-	-	-	3	3	2	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	14	-	-	-	-	-	-	4	4	4	2	-	-	-	-
NONE	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	12	-	-	-	-	1	-	4	4	3	-	-	-	-	-
NONE	4	-	-	-	-	1	-	2	-	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	7	-	-	-	-	-	-	2	4	-	1	-	-	-	-
NONE	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	4	-	-	1	-	-	-	-	3	-	-	-	-	-	-
NONE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
IMPERIAL (CONTINUED)	2,167	9	19	47	58	91	130	747	591	352	100	18	3	-	2
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,046	8	19	43	56	86	125	703	555	333	95	18	3	-	2
NONE	772	8	18	38	51	67	83	333	122	40	6	4	-	-	2
ONE	596	-	1	5	3	17	38	246	212	59	14	-	1	-	-
TWO	353	-	-	-	2	2	3	96	131	96	19	4	-	-	-
THREE	178	-	-	-	-	-	-	25	63	73	16	1	-	-	-
FOUR OR MORE	145	-	-	-	-	-	-	3	27	64	40	9	2	-	-
NOT STATED	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
OTHER ASIAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NONE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
INYO	274	-	-	2	6	15	11	92	89	47	11	1	-	-	-
AMERICAN INDIAN	51	-	-	-	2	6	-	18	19	4	2	-	-	-	-
NONE	21	-	-	-	1	5	-	10	5	-	-	-	-	-	-
ONE	19	-	-	-	1	-	-	6	10	2	-	-	-	-	-
TWO	6	-	-	-	-	-	-	2	2	2	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
INYO (CONTINUED)	274	-	-	2	6	15	11	92	89	47	11	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	221	-	-	2	4	9	11	74	69	43	8	1	-	-	-
NONE	103	-	-	1	4	5	8	39	33	10	3	-	-	-	-
ONE	72	-	-	-	-	4	3	24	24	13	4	-	-	-	-
TWO	29	-	-	-	-	-	-	8	9	12	-	-	-	-	-
THREE	11	-	-	-	-	-	-	1	2	6	1	1	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
NOT STATED	3	-	-	1	-	-	-	2	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN	9,461	43	82	195	332	474	603	3,535	2,635	1,177	337	44	2	-	2
AMERICAN INDIAN	171	1	2	1	4	10	6	63	53	25	6	-	-	-	-
NONE	64	-	2	1	2	6	4	26	16	6	1	-	-	-	-
ONE	53	-	-	-	1	4	2	23	19	4	-	-	-	-	-
TWO	32	-	-	-	1	-	-	9	13	9	-	-	-	-	-
THREE	14	-	-	-	-	-	-	4	5	4	1	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	1	-	2	4	-	-	-	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	557	9	9	17	36	33	36	218	132	49	16	2	-	-	-
NONE	208	9	9	16	26	22	21	78	19	7	1	-	-	-	-
ONE	164	-	-	1	9	5	11	87	39	10	2	-	-	-	-
TWO	105	-	-	-	1	4	4	37	42	14	3	-	-	-	-
THREE	45	-	-	-	-	2	-	11	19	10	2	1	-	-	-
FOUR OR MORE	34	-	-	-	-	-	-	5	12	8	8	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	23	-	-	-	-	-	1	4	8	9	1	-	-	-	-
NONE	11	-	-	-	-	-	-	4	4	3	-	-	-	-	-
ONE	10	-	-	-	-	-	1	-	4	5	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	140	-	-	1	1	2	2	39	54	31	8	2	-	-	-
NONE	48	-	-	1	1	1	1	16	18	9	1	-	-	-	-
ONE	47	-	-	-	-	1	1	15	17	13	-	-	-	-	-
TWO	29	-	-	-	-	-	-	6	14	6	3	-	-	-	-
THREE	7	-	-	-	-	-	-	1	4	-	1	1	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	1	1	3	3	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	23	-	-	-	-	-	1	7	6	7	2	-	-	-	-
NONE	10	-	-	-	-	-	1	4	5	-	-	-	-	-	-
ONE	8	-	-	-	-	-	-	2	1	4	1	-	-	-	-
TWO	5	-	-	-	-	-	-	1	-	3	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	27	-	-	-	-	-	2	8	9	4	4	-	-	-	-
NONE	11	-	-	-	-	-	2	5	2	-	2	-	-	-	-
ONE	9	-	-	-	-	-	-	2	4	2	1	-	-	-	-
TWO	6	-	-	-	-	-	-	1	2	2	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN (CONTINUED)	9,461	43	82	195	332	474	603	3,535	2,635	1,177	337	44	2	-	2
KOREAN	20	-	-	-	-	-	-	3	10	3	4	-	-	-	-
NONE	8	-	-	-	-	-	-	2	4	1	1	-	-	-	-
ONE	5	-	-	-	-	-	-	1	3	-	1	-	-	-	-
TWO	6	-	-	-	-	-	-	-	3	2	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	13	-	-	-	1	-	-	8	2	1	1	-	-	-	-
NONE	5	-	-	-	1	-	-	4	-	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	3	-	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	1	-	-	3	-	-	-	-	-	-
NONE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	8,463	33	71	176	290	426	554	3,183	2,349	1,045	294	39	1	-	2
NONE	3,318	32	65	153	233	300	366	1,368	607	157	30	5	-	-	2
ONE	2,739	1	6	23	52	113	152	1,192	639	310	47	4	-	-	-
TWO	1,408	-	-	-	4	12	28	463	570	257	70	4	-	-	-
THREE	560	-	-	-	-	1	6	121	221	159	52	-	-	-	-
FOUR OR MORE	426	-	-	-	-	-	2	36	108	159	94	26	1	-	-
NOT STATED	12	-	-	-	1	-	-	3	4	3	1	-	-	-	-
OTHER ASIAN	12	-	-	-	-	1	1	1	6	1	-	1	1	-	-
NONE	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TWO	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	1	-	1	1	1	-	-	-	-	-
NONE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KINGS	1,830	9	22	46	60	95	118	686	497	221	65	7	4	-	-
AMERICAN INDIAN	33	-	-	1	3	3	1	13	7	4	1	-	-	-	-
NONE	9	-	-	1	2	2	-	4	-	-	-	-	-	-	-
ONE	10	-	-	-	1	1	1	7	-	-	-	-	-	-	-
TWO	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-
THREE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	114	1	5	7	6	6	5	45	26	11	2	-	-	-	-
NONE	42	1	5	7	3	4	2	15	3	2	-	-	-	-	-
ONE	38	-	-	-	3	1	1	20	11	2	-	-	-	-	-
TWO	18	-	-	-	-	1	1	8	5	1	2	-	-	-	-
THREE	10	-	-	-	-	-	-	1	6	3	-	-	-	-	-
FOUR OR MORE	6	-	-	-	-	-	1	1	1	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	8	1	-	-	-	-	-	4	3	-	-	-	-	-	-
NONE	3	1	-	-	-	-	-	2	-	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	50	-	-	-	-	-	1	7	21	15	5	1	-	-	-
NONE	20	-	-	-	-	-	1	5	10	3	-	1	-	-	-
ONE	16	-	-	-	-	-	-	2	8	5	1	-	-	-	-
TWO	9	-	-	-	-	-	-	-	2	5	2	-	-	-	-
THREE	5	-	-	-	-	-	-	-	1	2	2	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KINGS (CONTINUED)	1,830	9	22	46	60	95	118	686	497	221	65	7	4	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	1	-	-	-	2	1	-	1	-	-	-	-
NONE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,610	7	17	37	51	86	111	609	438	188	56	6	4	-	-
NONE	644	5	16	36	44	67	71	268	106	27	4	-	-	-	-
ONE	482	2	1	1	7	17	31	217	147	49	10	-	-	-	-
TWO	263	-	-	-	-	2	7	90	103	53	7	1	-	-	-
THREE	113	-	-	-	-	-	2	22	55	22	12	-	-	-	-
FOUR OR MORE	107	-	-	-	-	-	-	11	27	37	23	5	4	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER ASIAN	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LAKE	510	1	1	14	14	23	27	170	152	86	21	1	-	-	-
AMERICAN INDIAN	25	-	1	2	2	2	1	6	6	4	1	-	-	-	-
NONE	8	-	1	2	1	1	-	1	2	-	-	-	-	-	-
ONE	9	-	-	-	1	1	1	3	1	2	-	-	-	-	-
TWO	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	3	-	-	1	-	-	-	2	-	-	-	-	-	-	-
NONE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LAKE (CONTINUED)	510	1	1	14	14	23	27	170	152	86	21	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	473	1	-	11	12	21	26	162	143	77	19	1	-	-	-
NONE	185	1	-	10	9	19	18	68	36	22	2	-	-	-	-
ONE	154	-	-	1	2	-	6	64	57	22	2	-	-	-	-
TWO	88	-	-	-	1	2	2	18	36	23	6	-	-	-	-
THREE	24	-	-	-	-	-	-	8	8	6	2	-	-	-	-
FOUR OR MORE	20	-	-	-	-	-	-	3	6	4	6	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LASSEN	386	-	2	7	11	23	16	128	121	60	16	1	-	-	1
AMERICAN INDIAN	14	-	-	-	1	1	-	8	3	1	-	-	-	-	-
NONE	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
ONE	6	-	-	-	1	1	-	3	-	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	10	-	-	-	-	-	1	2	4	2	1	-	-	-	-
NONE	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2-8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LASSEN (CONTINUED)	386	-	2	7	11	23	16	128	121	60	16	1	-	-	1
KOREAN	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	353	-	2	7	10	22	15	115	109	56	15	1	-	-	1
NONE	130	-	2	5	8	18	12	51	21	9	3	-	-	-	1
ONE	127	-	-	2	1	4	2	44	45	26	3	-	-	-	-
TWO	52	-	-	-	1	-	-	15	25	7	3	1	-	-	-
THREE	28	-	-	-	-	-	-	2	15	7	4	-	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	-	1	5	2	-	-	-	-
NOT STATED	8	-	-	-	-	-	1	3	2	2	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LOS ANGELES	139,600	335	863	1,928	3,367	5,173	6,569	43,054	42,940	25,094	8,727	1,441	72	4	33
AMERICAN INDIAN	978	1	9	18	33	48	68	364	270	129	29	9	-	-	-
NONE	434	1	8	16	29	41	48	171	91	22	6	1	-	-	-
ONE	282	-	1	2	4	7	14	124	92	32	5	1	-	-	-
TWO	158	-	-	-	-	-	6	50	54	38	9	1	-	-	-
THREE	68	-	-	-	-	-	-	17	24	19	6	2	-	-	-
FOUR OR MORE	34	-	-	-	-	-	-	1	9	17	3	4	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
BLACK	19,319	108	244	467	787	1,072	1,262	6,719	5,094	2,626	796	134	9	-	1
NONE	8,317	107	231	428	656	849	881	3,087	1,409	523	124	19	3	-	-
ONE	5,617	1	9	39	114	197	294	2,257	1,749	765	169	22	1	-	-
TWO	2,946	-	2	-	15	25	72	995	1,087	568	159	22	1	-	-
THREE	1,325	-	-	-	-	1	13	266	510	375	144	15	1	-	-
FOUR OR MORE	1,049	-	-	-	-	-	2	102	309	381	196	55	3	-	1
NOT STATED	65	-	2	-	2	-	-	12	30	14	4	1	-	-	-
CAMBODIAN	410	-	-	-	2	4	8	138	156	70	26	4	2	-	-
NONE	91	-	-	-	1	3	4	43	28	9	3	-	-	-	-
ONE	133	-	-	-	1	1	3	74	42	12	-	-	-	-	-
TWO	88	-	-	-	-	-	1	17	53	13	4	-	-	-	-
THREE	44	-	-	-	-	-	-	2	23	13	5	1	-	-	-
FOUR OR MORE	54	-	-	-	-	-	-	2	10	23	14	3	2	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2,341	-	1	-	3	4	18	274	959	848	197	31	6	-	-
NONE	1,064	-	1	-	3	3	13	148	541	297	52	6	-	-	-
ONE	835	-	-	-	-	1	3	87	294	370	69	10	1	-	-
TWO	295	-	-	-	-	-	2	33	84	117	50	8	1	-	-
THREE	88	-	-	-	-	-	-	3	28	43	13	1	-	-	-
FOUR OR MORE	56	-	-	-	-	-	-	1	12	20	13	6	4	-	-
NOT STATED	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2,986	1	4	13	29	27	54	501	1,002	837	443	73	2	-	-
NONE	1,436	1	3	13	28	21	46	338	550	322	96	18	-	-	-
ONE	906	-	1	-	1	6	7	117	296	297	159	21	1	-	-
TWO	434	-	-	-	-	-	-	32	121	154	116	11	-	-	-
THREE	128	-	-	-	-	-	1	10	22	45	41	8	1	-	-
FOUR OR MORE	74	-	-	-	-	-	-	1	12	17	29	15	-	-	-
NOT STATED	8	-	-	-	-	-	-	3	1	2	2	-	-	-	-
INDIAN (INDIA)	730	1	-	1	3	8	12	131	303	198	69	4	-	-	-
NONE	358	1	-	1	3	6	10	98	169	56	13	1	-	-	-
ONE	258	-	-	-	-	1	1	30	103	94	27	2	-	-	-
TWO	88	-	-	-	-	1	-	2	26	38	20	1	-	-	-
THREE	19	-	-	-	-	-	-	1	3	9	6	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	1	1	3	-	-	-	-
NOT STATED	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
JAPANESE	1,492	1	1	2	7	7	13	224	542	523	156	14	2	-	-
NONE	763	1	1	1	6	7	12	148	322	211	50	3	1	-	-
ONE	511	-	-	1	1	-	1	61	168	213	63	3	-	-	-
TWO	160	-	-	-	-	-	-	14	41	76	25	4	-	-	-
THREE	38	-	-	-	-	-	-	-	8	14	13	2	1	-	-
FOUR OR MORE	14	-	-	-	-	-	-	-	1	6	5	2	-	-	-
NOT STATED	6	-	-	-	-	-	-	1	2	3	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LOS ANGELES (CONTINUED)	139,600	335	863	1,928	3,367	5,173	6,569	43,054	42,940	25,094	8,727	1,441	72	4	33
KOREAN	1,730	-	-	-	-	5	6	280	890	420	107	21	1	-	-
NONE	983	-	-	-	-	4	6	239	567	133	27	6	1	-	-
ONE	566	-	-	-	-	1	-	39	284	198	39	5	-	-	-
TWO	149	-	-	-	-	-	-	2	30	77	32	8	-	-	-
THREE	24	-	-	-	-	-	-	-	4	10	9	1	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	6	-	-	-	-	-	-	-	4	1	-	1	-	-	-
PACIFIC ISLANDER	583	-	2	4	12	25	40	191	151	107	46	4	1	-	-
NONE	200	-	2	4	11	21	27	89	27	16	2	1	-	-	-
ONE	148	-	-	-	1	3	10	62	42	20	10	-	-	-	-
TWO	105	-	-	-	-	1	3	35	35	23	7	1	-	-	-
THREE	62	-	-	-	-	-	-	3	27	22	9	1	-	-	-
FOUR OR MORE	68	-	-	-	-	-	-	2	20	26	18	1	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	387	-	-	-	-	1	2	45	117	158	56	8	-	-	-
NONE	193	-	-	-	-	1	2	24	69	70	25	2	-	-	-
ONE	138	-	-	-	-	-	-	16	39	62	18	3	-	-	-
TWO	40	-	-	-	-	-	-	4	7	19	8	2	-	-	-
THREE	10	-	-	-	-	-	-	1	2	5	2	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	-	1	3	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	907	-	1	2	3	15	17	254	335	209	56	13	1	-	1
NONE	333	-	1	2	2	12	11	122	121	48	12	2	-	-	-
ONE	287	-	-	-	1	3	5	93	115	59	10	-	-	-	1
TWO	150	-	-	-	-	-	1	26	65	47	6	5	-	-	-
THREE	64	-	-	-	-	-	-	9	26	24	5	-	-	-	-
FOUR OR MORE	71	-	-	-	-	-	-	2	8	31	23	6	1	-	-
NOT STATED	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
WHITE	106,218	218	596	1,407	2,467	3,915	5,030	33,538	32,576	18,657	6,638	1,107	47	4	18
NONE	43,776	210	564	1,277	2,084	3,021	3,535	16,597	10,817	4,414	1,125	125	1	-	6
ONE	32,016	8	32	123	348	795	1,203	11,453	11,055	5,405	1,452	137	3	-	2
TWO	16,508	-	-	3	30	90	242	4,003	6,422	4,146	1,366	190	12	1	3
THREE	7,208	-	-	1	1	3	38	1,096	2,628	2,295	974	165	6	1	-
FOUR OR MORE	6,415	-	-	-	-	-	4	301	1,574	2,334	1,687	487	25	2	1
NOT STATED	295	-	-	3	4	6	8	88	80	63	34	3	-	-	6
OTHER ASIAN	394	1	2	6	9	16	15	109	125	82	22	6	1	-	-
NONE	132	1	2	5	5	10	7	43	33	23	3	-	-	-	-
ONE	114	-	-	1	3	4	6	35	36	22	6	1	-	-	-
TWO	63	-	-	-	1	2	-	19	20	18	3	-	-	-	-
THREE	36	-	-	-	-	-	2	3	20	5	4	2	-	-	-
FOUR OR MORE	48	-	-	-	-	-	-	8	16	14	6	3	1	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER	143	-	-	1	-	3	3	43	50	23	18	2	-	-	-
NONE	50	-	-	1	-	2	3	21	18	4	1	-	-	-	-
ONE	42	-	-	-	-	1	-	14	15	9	3	-	-	-	-
TWO	22	-	-	-	-	-	-	4	9	5	4	-	-	-	-
THREE	15	-	-	-	-	-	-	-	6	3	5	1	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	4	2	2	5	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	982	4	3	7	12	23	21	243	370	207	68	11	-	-	13
NONE	505	4	3	7	11	18	15	154	180	89	18	3	-	-	3
ONE	285	-	-	-	-	5	4	64	118	70	23	1	-	-	-
TWO	115	-	-	-	-	-	2	21	43	30	17	2	-	-	-
THREE	38	-	-	-	-	-	-	1	18	10	5	4	-	-	-
FOUR OR MORE	15	-	-	-	-	-	-	-	6	4	4	1	-	-	-
NOT STATED	24	-	-	-	1	-	-	3	5	4	1	-	-	-	10

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MADERA	1,366	2	15	21	59	76	83	463	374	205	62	7	-	-	1
AMERICAN INDIAN	29	-	-	-	1	2	4	10	6	4	2	-	-	-	-
NONE	10	-	-	-	-	2	2	4	1	1	-	-	-	-	-
ONE	9	-	-	-	1	-	1	3	2	2	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
THREE	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	53	-	3	2	5	3	6	24	4	5	1	-	-	-	-
NONE	22	-	3	2	4	2	4	6	1	-	-	-	-	-	-
ONE	15	-	-	-	1	1	1	10	1	1	-	-	-	-	-
TWO	10	-	-	-	-	-	1	6	-	2	1	-	-	-	-
THREE	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	10	-	-	1	-	-	-	3	1	4	1	-	-	-	-
NONE	4	-	-	1	-	-	-	2	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	5	-	-	-	-	-	-	4	1	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MADERA (CONTINUED)	1,366	2	15	21	59	74	83	463	374	205	62	7	-	-	1
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,261	2	12	18	53	69	73	421	359	188	58	7	-	-	1
NONE	457	2	11	17	41	48	46	161	97	27	7	-	-	-	-
ONE	392	-	1	1	10	17	23	156	116	53	12	3	-	-	-
TWO	212	-	-	-	2	4	3	73	71	47	11	-	-	-	1
THREE	67	-	-	-	-	-	1	18	36	24	7	1	-	-	-
FOUR OR MORE	110	-	-	-	-	-	-	12	38	36	21	3	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN	2,419	1	1	13	13	22	52	432	728	751	370	32	1	-	3
AMERICAN INDIAN	9	-	-	-	-	-	1	4	2	2	-	-	-	-	-
NONE	6	-	-	-	-	-	1	4	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	112	1	-	1	4	3	4	40	36	16	7	-	-	-	-
NONE	52	1	-	1	4	1	2	20	13	5	5	-	-	-	-
ONE	35	-	-	-	-	1	1	17	11	4	1	-	-	-	-
TWO	17	-	-	-	-	-	1	3	8	4	1	-	-	-	-
THREE	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
CAMBODIAN	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	27	-	-	-	-	-	-	3	6	13	5	-	-	-	-
NONE	17	-	-	-	-	-	-	3	4	9	1	-	-	-	-
ONE	7	-	-	-	-	-	-	-	2	4	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	22	-	-	-	-	-	-	3	12	4	3	-	-	-	-
NONE	13	-	-	-	-	-	-	2	8	2	1	-	-	-	-
ONE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
TWO	4	-	-	-	-	-	-	-	4	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	8	-	-	-	-	-	-	1	1	2	3	1	-	-	-
NONE	5	-	-	-	-	-	-	-	1	2	1	1	-	-	-
ONE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	27	-	-	-	-	-	1	3	8	10	3	2	-	-	-
NONE	16	-	-	-	-	-	1	2	7	3	3	-	-	-	-
ONE	8	-	-	-	-	-	-	1	-	6	-	1	-	-	-
TWO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN (CONTINUED)	2,419	1	1	13	13	22	52	432	728	751	370	32	1	-	3
KOREAN	11	-	-	-	-	-	-	1	6	4	-	-	-	-	-
NONE	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
ONE	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-
NONE	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	17	-	-	-	-	-	1	4	7	4	1	-	-	-	-
NONE	9	-	-	-	-	-	1	2	2	3	1	-	-	-	-
ONE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,128	-	1	12	9	19	42	361	625	680	346	29	1	-	3
NONE	1,126	-	1	12	8	18	38	244	360	324	114	6	-	-	1
ONE	679	-	-	-	1	-	4	92	199	243	135	4	-	-	1
TWO	210	-	-	-	-	-	-	18	55	75	57	5	-	-	-
THREE	48	-	-	-	-	-	-	1	4	18	17	8	-	-	-
FOUR OR MORE	41	-	-	-	-	-	-	-	4	9	21	5	1	-	1
NOT STATED	24	-	-	-	-	1	-	6	3	11	2	1	-	-	-
OTHER ASIAN	12	-	-	-	-	-	-	2	7	3	-	-	-	-	-
NONE	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
ONE	7	-	-	-	-	-	-	-	5	2	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	7	-	-	-	-	-	1	2	3	1	-	-	-	-	-
NONE	4	-	-	-	-	-	1	-	3	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	30	-	-	-	-	-	1	7	12	9	1	-	-	-	-
NONE	14	-	-	-	-	-	1	5	6	2	-	-	-	-	-
ONE	10	-	-	-	-	-	-	2	5	3	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIPOSA	150	-	-	-	5	3	9	50	44	25	13	-	-	-	1
AMERICAN INDIAN	6	-	-	-	1	-	2	2	1	-	-	-	-	-	-
NONE	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIPOSA (CONTINUED)	150	-	-	-	5	3	9	50	44	25	13	-	-	-	1
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	144	-	-	-	4	3	7	48	43	25	13	-	-	-	1
NONE	62	-	-	-	3	3	6	29	18	3	-	-	-	-	-
ONE	42	-	-	-	1	-	1	10	15	11	4	-	-	-	-
TWO	20	-	-	-	-	-	-	5	6	6	2	-	-	-	1
THREE	14	-	-	-	-	-	-	2	2	5	5	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MENDOCINO	1,169	3	4	12	27	48	36	348	346	232	84	8	1	-	-
AMERICAN INDIAN	75	2	2	4	1	8	4	30	18	4	2	-	-	-	-
NONE	25	1	2	3	1	7	1	7	2	1	-	-	-	-	-
ONE	27	-	-	1	-	-	3	11	10	2	-	-	-	-	-
TWO	13	-	-	-	-	1	-	7	2	1	2	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	3	3	-	-	-	-	-	-
NOT STATED	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	6	-	-	-	-	-	-	2	-	3	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
NONE	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–6 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MENDOCINO (CONTINUED)	1,169	3	4	12	27	48	56	348	346	232	84	8	1	-	-
KOREAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NONE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-
NONE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,065	1	2	8	26	38	52	311	322	218	79	7	1	-	-
NONE	466	1	2	8	21	31	44	164	113	61	20	1	-	-	-
ONE	353	-	-	-	5	6	7	106	138	74	16	1	-	-	-
TWO	130	-	-	-	-	1	1	29	41	41	16	1	-	-	-
THREE	60	-	-	-	-	-	-	9	22	23	4	2	-	-	-
FOUR OR MORE	47	-	-	-	-	-	-	3	4	16	21	2	1	-	-
NOT STATED	9	-	-	-	-	-	-	-	4	3	2	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	10	-	-	-	-	-	-	1	4	3	1	1	-	-	-
NONE	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
ONE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED	3,226	7	24	56	123	142	188	1,201	896	426	120	31	5	3	4
AMERICAN INDIAN	25	-	-	1	-	3	-	12	4	5	-	-	-	-	-
NONE	7	-	-	1	-	3	-	3	-	-	-	-	-	-	-
ONE	8	-	-	-	-	-	-	6	2	-	-	-	-	-	-
TWO	7	-	-	-	-	-	-	2	2	3	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	195	1	1	4	12	11	14	75	61	15	-	1	-	-	-
NONE	76	1	1	3	10	7	9	27	15	3	-	-	-	-	-
ONE	59	-	-	1	-	3	5	29	17	4	-	-	-	-	-
TWO	34	-	-	-	2	1	-	13	15	3	-	-	-	-	-
THREE	15	-	-	-	-	-	-	6	5	4	-	-	-	-	-
FOUR OR MORE	10	-	-	-	-	-	-	-	8	1	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	9	-	-	-	-	-	1	-	5	3	-	-	-	-	-
NONE	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-
ONE	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	21	-	-	-	-	1	2	8	3	5	1	1	-	-	-
NONE	13	-	-	-	-	1	1	6	2	2	1	-	-	-	-
ONE	5	-	-	-	-	-	1	1	1	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	26	-	-	-	-	-	1	5	13	4	3	-	-	-	-
NONE	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-
ONE	11	-	-	-	-	-	1	2	5	3	-	-	-	-	-
TWO	6	-	-	-	-	-	-	-	5	-	1	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	9	-	-	-	-	-	1	2	4	2	-	-	-	-	-
NONE	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
ONE	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED (CONTINUED)	3,226	7	24	56	123	142	188	1,201	896	426	120	31	5	3	4
KOREAN	9	-	-	-	-	-	-	1	4	3	1	-	-	-	-
NONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	7	-	-	-	1	1	-	2	1	2	-	-	-	-	-
NONE	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-
ONE	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	10	-	-	-	-	-	-	4	3	1	2	-	-	-	-
NONE	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
ONE	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	7	-	-	-	-	-	-	1	5	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,710	6	23	47	107	115	159	1,026	745	356	99	23	-	1	3
NONE	1,047	5	21	43	84	86	105	445	207	45	4	1	-	-	1
ONE	840	1	1	4	21	27	45	390	256	84	9	2	-	-	-
TWO	431	-	1	-	2	2	8	138	158	104	14	3	-	-	1
THREE	197	-	-	-	-	-	1	34	76	61	20	4	-	-	1
FOUR OR MORE	188	-	-	-	-	-	-	16	44	62	52	13	-	1	-
NOT STATED	7	-	-	-	-	-	-	3	4	-	-	-	-	-	-
OTHER ASIAN	196	-	-	4	3	11	9	64	48	29	14	6	5	2	1
NONE	31	-	-	3	2	6	4	12	2	1	1	-	-	-	-
ONE	25	-	-	-	-	4	3	13	4	-	1	-	-	-	-
TWO	42	-	-	1	1	1	2	25	9	3	-	-	-	-	-
THREE	29	-	-	-	-	-	-	12	10	7	-	-	-	-	-
FOUR OR MORE	64	-	-	-	-	-	-	1	19	18	12	6	5	2	1
NOT STATED	5	-	-	-	-	-	-	1	4	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MODOC	153	-	-	3	2	6	6	65	46	19	5	1	-	-	-
AMERICAN INDIAN	13	-	-	-	-	1	-	5	6	1	-	-	-	-	-
NONE	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-
ONE	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-
TWO	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MODOC (CONTINUED)	153	-	-	3	2	6	6	65	46	19	5	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	137	-	-	3	2	4	6	60	39	17	5	1	-	-	-
NONE	49	-	-	3	2	3	6	23	8	4	-	-	-	-	-
ONE	52	-	-	-	-	1	-	28	14	6	2	1	-	-	-
TWO	22	-	-	-	-	-	-	8	9	3	2	-	-	-	-
THREE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	-	4	4	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
OTHER ASIAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONO	159	-	1	1	2	3	3	46	64	34	5	-	-	-	-
AMERICAN INDIAN	13	-	-	1	-	-	-	5	4	2	1	-	-	-	-
NONE	5	-	-	1	-	-	-	2	2	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONO (CONTINUED)	159	-	1	1	2	3	3	46	64	34	5	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	143	-	1	-	1	3	3	41	59	31	4	-	-	-	-
NONE	75	-	1	-	1	2	2	23	35	10	1	-	-	-	-
ONE	39	-	-	-	-	-	-	11	14	12	2	-	-	-	-
TWO	20	-	-	-	-	-	1	5	9	5	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	6	-	-	-	-	1	-	2	1	1	1	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY	6,436	18	46	73	142	228	330	2,264	1,927	984	350	49	3	1	1
AMERICAN INDIAN	73	-	-	-	5	4	2	33	19	8	2	-	-	-	-
NONE	34	-	-	-	3	3	1	16	7	3	1	-	-	-	-
ONE	23	-	-	-	2	1	1	10	5	4	-	-	-	-	-
TWO	10	-	-	-	-	-	-	6	3	1	-	-	-	-	-
THREE	5	-	-	-	-	-	-	1	3	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	611	2	4	9	23	18	47	295	155	41	16	1	-	-	-
NONE	293	2	4	9	16	10	35	158	47	12	-	-	-	-	-
ONE	190	-	-	-	7	7	10	87	64	10	5	-	-	-	-
TWO	88	-	-	-	-	-	2	37	32	13	4	-	-	-	-
THREE	24	-	-	-	-	-	-	10	7	4	2	1	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	2	5	2	5	-	-	-	-
NOT STATED	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	31	-	-	-	-	1	1	4	12	10	2	1	-	-	-
NONE	15	-	-	-	-	1	1	2	6	4	-	1	-	-	-
ONE	12	-	-	-	-	-	-	1	6	4	1	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	231	1	-	5	2	5	11	63	74	55	13	2	-	-	-
NONE	100	1	-	5	2	4	9	35	24	16	4	-	-	-	-
ONE	86	-	-	-	-	1	2	23	37	20	1	2	-	-	-
TWO	31	-	-	-	-	-	-	5	10	11	5	-	-	-	-
THREE	8	-	-	-	-	-	-	-	2	4	2	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	-	4	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
INDIAN (INDIA)	17	-	-	-	-	-	-	2	11	3	1	-	-	-	-
NONE	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
ONE	9	-	-	-	-	-	-	1	6	2	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	67	-	2	-	3	1	5	14	26	15	1	-	-	-	-
NONE	41	-	2	-	3	1	5	10	12	7	1	-	-	-	-
ONE	20	-	-	-	-	-	-	3	12	5	-	-	-	-	-
TWO	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY (CONTINUED)	6,436	18	46	73	142	228	350	2,264	1,927	984	350	49	3	1	1
KOREAN	134	-	-	-	-	3	3	42	53	24	4	-	-	-	-
NONE	77	-	-	-	-	3	2	32	31	8	1	-	-	-	-
ONE	44	-	-	-	-	-	1	8	25	7	3	-	-	-	-
TWO	11	-	-	-	-	-	-	2	2	7	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	76	1	1	-	2	3	4	35	23	7	-	-	-	-	-
NONE	30	1	-	-	2	2	3	14	6	2	-	-	-	-	-
ONE	25	-	1	-	-	1	-	14	8	1	-	-	-	-	-
TWO	13	-	-	-	-	-	1	5	4	3	-	-	-	-	-
THREE	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	4	-	-	-	-	-	1	-	1	-	2	-	-	-	-
NONE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	77	-	-	-	1	1	3	31	27	7	5	1	-	1	-
NONE	18	-	-	-	1	1	2	10	3	-	-	-	-	1	-
ONE	19	-	-	-	-	-	1	10	6	2	-	-	-	-	-
TWO	22	-	-	-	-	-	-	9	11	2	-	-	-	-	-
THREE	8	-	-	-	-	-	-	1	4	1	2	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	1	3	2	2	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	4,958	14	39	59	100	186	268	1,697	1,475	778	296	42	3	-	1
NONE	1,986	13	35	49	84	140	178	843	431	160	50	3	-	-	-
ONE	1,517	1	4	9	15	40	73	568	511	234	57	5	-	-	-
TWO	768	-	-	1	1	5	13	227	311	156	50	4	-	-	-
THREE	357	-	-	-	-	-	2	41	148	110	46	9	1	-	-
FOUR OR MORE	311	-	-	-	-	-	-	12	70	115	91	21	2	-	-
NOT STATED	19	-	-	-	-	1	2	6	4	3	2	-	-	-	1
OTHER ASIAN	15	-	-	-	1	1	1	5	3	3	-	1	-	-	-
NONE	6	-	-	-	1	1	1	1	2	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
TWO	4	-	-	-	-	-	-	3	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	12	-	-	-	-	1	1	4	2	3	-	1	-	-	-
NONE	6	-	-	-	-	1	1	3	-	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	130	-	-	-	5	4	3	39	41	30	8	-	-	-	-
NONE	58	-	-	-	5	4	2	25	13	9	-	-	-	-	-
ONE	44	-	-	-	-	-	1	10	18	9	6	-	-	-	-
TWO	18	-	-	-	-	-	-	3	7	8	-	-	-	-	-
THREE	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NAPA	1,342	2	5	22	11	26	43	424	477	246	82	4	-	-	-
AMERICAN INDIAN	23	-	1	-	-	-	-	11	8	1	2	-	-	-	-
NONE	11	-	1	-	-	-	-	5	4	-	1	-	-	-	-
ONE	7	-	-	-	-	-	-	4	3	-	-	-	-	-	-
TWO	5	-	-	-	-	-	-	2	1	1	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	11	-	-	-	-	1	-	3	5	-	2	-	-	-	-
NONE	6	-	-	-	-	1	-	3	1	-	1	-	-	-	-
ONE	4	-	-	-	-	-	-	-	3	-	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
NONE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	18	-	-	1	-	1	-	7	5	4	-	-	-	-	-
NONE	10	-	-	1	-	1	-	4	2	2	-	-	-	-	-
ONE	5	-	-	-	-	-	-	3	-	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	-	1	4	1	1	-	-	-	-
NONE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NAPA (CONTINUED)	1,342	2	5	22	11	26	43	424	477	246	82	4	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	1	-	1	2	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,262	2	4	21	11	24	42	395	451	234	74	4	-	-	-
NONE	561	2	4	20	11	21	30	219	181	59	14	-	-	-	-
ONE	436	-	-	1	-	2	11	134	169	95	24	-	-	-	-
TWO	151	-	-	-	-	-	1	30	64	41	15	-	-	-	-
THREE	68	-	-	-	-	-	-	10	24	25	9	-	-	-	-
FOUR OR MORE	42	-	-	-	-	-	-	2	13	12	12	3	-	-	-
NOT STATED	4	-	-	-	-	1	-	-	-	2	-	1	-	-	-
OTHER ASIAN	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-
NONE	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NEVADA	862	-	1	4	13	15	23	252	312	184	52	5	-	-	1
AMERICAN INDIAN	7	-	-	-	-	-	1	2	2	2	-	-	-	-	-
NONE	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	5	-	-	-	1	-	-	1	-	2	1	-	-	-	-
NONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ONE	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NEVADA (CONTINUED)	862	-	1	4	13	15	23	252	312	184	52	5	-	-	1
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	835	-	1	4	11	15	22	245	307	174	51	5	-	-	-
NONE	369	-	1	4	10	11	18	140	132	40	13	-	-	-	-
ONE	274	-	-	-	1	3	3	82	107	66	12	-	-	-	-
TWO	119	-	-	-	-	1	1	16	43	43	13	2	-	-	-
THREE	43	-	-	-	-	-	-	3	17	17	6	-	-	-	-
FOUR OR MORE	25	-	-	-	-	-	-	-	7	8	7	3	-	-	-
NOT STATED	5	-	-	-	-	-	-	4	1	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	6	-	-	-	1	-	-	1	-	3	-	-	-	-	1
NONE	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ORANGE	33,989	37	106	303	582	898	1,400	10,871	11,276	6,261	1,941	284	19	1	10
AMERICAN INDIAN	248	-	2	4	8	12	14	93	60	41	14	-	-	-	-
NONE	110	-	2	4	7	10	13	49	15	10	-	-	-	-	-
ONE	70	-	-	-	-	1	-	29	25	11	4	-	-	-	-
TWO	42	-	-	-	1	1	1	9	12	12	6	-	-	-	-
THREE	17	-	-	-	-	-	-	5	5	7	-	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	1	3	1	4	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	864	2	2	5	15	32	47	357	256	109	32	7	-	-	-
NONE	412	2	2	5	12	27	33	185	114	30	2	-	-	-	-
ONE	256	-	-	-	2	4	12	121	78	28	8	3	-	-	-
TWO	126	-	-	-	1	-	1	38	46	29	9	2	-	-	-
THREE	40	-	-	-	-	-	1	6	13	17	3	-	-	-	-
FOUR OR MORE	27	-	-	-	-	1	-	5	4	5	10	2	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
CAMBODIAN	117	-	-	1	-	-	1	32	44	23	12	3	1	-	-
NONE	21	-	-	1	-	-	-	9	8	1	2	-	-	-	-
ONE	38	-	-	-	-	-	1	13	17	4	3	-	-	-	-
TWO	27	-	-	-	-	-	-	7	11	7	2	-	-	-	-
THREE	12	-	-	-	-	-	-	1	6	4	1	-	-	-	-
FOUR OR MORE	18	-	-	-	-	-	-	1	2	7	4	3	1	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CHINESE	413	-	-	-	1	1	2	45	136	176	50	2	-	-	-
NONE	198	-	-	-	1	1	1	37	88	56	11	1	-	-	-
ONE	136	-	-	-	-	-	1	7	36	77	15	-	-	-	-
TWO	59	-	-	-	-	-	-	1	6	34	17	1	-	-	-
THREE	12	-	-	-	-	-	-	-	5	6	1	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	1	-	6	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	349	1	1	1	1	5	11	75	121	94	36	3	-	-	-
NONE	156	1	1	1	1	5	8	47	62	24	6	-	-	-	-
ONE	109	-	-	-	-	-	3	20	39	32	14	1	-	-	-
TWO	58	-	-	-	-	-	-	7	15	27	7	2	-	-	-
THREE	18	-	-	-	-	-	-	1	5	8	4	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	-	3	4	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
INDIAN (INDIA)	204	-	-	-	-	-	1	50	86	56	9	2	-	-	-
NONE	109	-	-	-	-	-	1	39	50	17	1	1	-	-	-
ONE	67	-	-	-	-	-	-	9	30	25	3	-	-	-	-
TWO	21	-	-	-	-	-	-	2	6	9	3	1	-	-	-
THREE	5	-	-	-	-	-	-	-	-	3	2	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	383	-	-	-	2	6	6	67	132	120	46	4	-	-	-
NONE	165	-	-	-	2	6	5	46	66	47	11	2	-	-	-
ONE	126	-	-	-	-	-	1	14	46	47	18	-	-	-	-
TWO	51	-	-	-	-	-	-	7	15	17	12	-	-	-	-
THREE	13	-	-	-	-	-	-	-	1	7	5	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	2	1	-	2	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ORANGE (CONTINUED)	33,989	37	106	303	582	898	1,400	10,871	11,276	6,261	1,941	284	19	1	10
KOREAN	382	-	-	-	-	3	3	64	188	95	25	3	1	-	-
NONE	192	-	-	-	-	3	3	53	105	23	5	-	-	-	-
ONE	137	-	-	-	-	-	-	9	74	41	11	1	1	-	-
TWO	41	-	-	-	-	-	-	2	7	25	6	1	-	-	-
THREE	7	-	-	-	-	-	-	-	-	3	3	1	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
PACIFIC ISLANDER	161	-	1	2	3	8	7	58	46	29	6	-	1	-	-
NONE	65	-	1	2	3	7	5	30	12	3	1	-	1	-	-
ONE	48	-	-	-	-	1	2	20	20	4	1	-	-	-	-
TWO	24	-	-	-	-	-	-	7	5	10	2	-	-	-	-
THREE	11	-	-	-	-	-	-	1	4	5	1	-	-	-	-
FOUR OR MORE	13	-	-	-	-	-	-	-	5	7	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	43	-	-	-	-	-	2	7	13	14	7	-	-	-	-
NONE	24	-	-	-	-	-	2	6	6	7	3	-	-	-	-
ONE	9	-	-	-	-	-	-	1	4	2	2	-	-	-	-
TWO	5	-	-	-	-	-	-	-	-	4	1	-	-	-	-
THREE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	905	1	-	2	5	11	26	249	348	181	66	13	1	1	1
NONE	319	1	-	2	4	6	18	122	120	36	6	2	1	-	1
ONE	282	-	-	-	1	4	6	82	120	58	9	2	-	-	-
TWO	132	-	-	-	-	1	1	31	50	36	12	1	-	-	-
THREE	76	-	-	-	-	-	1	10	33	16	14	2	-	-	-
FOUR OR MORE	93	-	-	-	-	-	-	2	25	35	24	6	-	1	-
NOT STATED	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-
WHITE	29,559	33	98	282	535	812	1,262	9,668	9,731	5,252	1,623	242	13	-	8
NONE	13,361	31	97	257	473	652	948	5,367	3,885	1,353	261	35	-	-	2
ONE	9,243	2	1	23	53	147	271	3,094	3,434	1,795	389	30	2	-	2
TWO	4,110	-	-	-	6	9	34	896	1,597	1,156	379	32	1	-	-
THREE	1,507	-	-	-	-	2	4	228	492	497	241	41	-	-	2
FOUR OR MORE	1,237	-	-	-	-	-	-	45	289	442	348	102	10	-	1
NOT STATED	101	-	-	2	3	2	5	38	34	9	5	2	-	-	1
OTHER ASIAN	280	-	1	5	11	8	12	79	93	53	12	4	2	-	-
NONE	64	-	-	4	5	2	6	21	18	8	-	-	-	-	-
ONE	66	-	1	-	4	4	5	28	19	4	1	-	-	-	-
TWO	50	-	-	1	2	2	1	16	14	10	3	1	-	-	-
THREE	35	-	-	-	-	-	-	10	17	6	2	-	-	-	-
FOUR OR MORE	65	-	-	-	-	-	-	4	25	25	6	3	2	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	45	-	-	-	-	-	1	20	13	9	2	-	-	-	-
NONE	22	-	-	-	-	-	1	13	5	3	-	-	-	-	-
ONE	13	-	-	-	-	-	-	4	6	3	-	-	-	-	-
TWO	5	-	-	-	-	-	-	3	1	-	1	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	35	-	1	1	1	-	5	6	9	9	1	1	-	-	1
NONE	21	-	1	1	1	-	5	5	4	4	-	-	-	-	-
ONE	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-
TWO	5	-	-	-	-	-	-	1	3	-	-	1	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	-	2	-	-	-	-	1

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLACER	1,800	-	4	18	38	60	77	538	585	349	126	4	1	-	-
AMERICAN INDIAN	40	-	-	-	2	3	1	16	12	4	2	-	-	-	-
NONE	21	-	-	-	2	3	1	9	4	2	-	-	-	-	-
ONE	10	-	-	-	-	-	-	5	2	2	1	-	-	-	-
TWO	8	-	-	-	-	-	-	1	6	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	10	-	-	-	-	-	-	3	4	2	1	-	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	8	-	-	-	-	-	-	1	3	3	1	-	-	-	-
NONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
ONE	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	1	-	-	-	-	3	2	-	-	-	-	-
NONE	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	16	-	-	-	-	-	-	1	6	4	5	-	-	-	-
NONE	8	-	-	-	-	-	-	-	3	2	3	-	-	-	-
ONE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
TWO	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLACER (CONTINUED)	1,800	-	4	18	38	60	77	538	585	349	126	4	1	-	-
KOREAN	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,704	-	4	17	36	57	76	513	550	331	115	4	1	-	-
NONE	739	-	4	17	36	48	63	260	210	76	24	1	-	-	-
ONE	565	-	-	-	-	7	13	180	219	124	22	-	-	-	-
TWO	234	-	-	-	-	1	-	61	70	71	30	1	-	-	-
THREE	94	-	-	-	-	-	-	10	36	34	13	1	-	-	-
FOUR OR MORE	63	-	-	-	-	-	-	-	11	24	26	1	1	-	-
NOT STATED	9	-	-	-	-	1	-	2	4	2	-	-	-	-	-
OTHER ASIAN	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLUMAS	264	-	-	2	5	6	11	84	93	51	11	1	-	-	-
AMERICAN INDIAN	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	6	-	-	1	-	-	-	4	1	-	-	-	-	-	-
NONE	4	-	-	1	-	-	-	3	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NONE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLUMAS (CONTINUED)	264	-	-	2	5	6	11	84	93	51	11	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	249	-	-	1	4	6	10	77	90	50	11	-	-	-	-
NONE	103	-	-	1	4	5	8	41	28	14	2	-	-	-	-
ONE	92	-	-	-	-	1	1	31	36	21	2	-	-	-	-
TWO	34	-	-	-	-	-	-	4	18	9	3	-	-	-	-
THREE	15	-	-	-	-	-	-	1	6	6	2	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE	12,958	18	87	217	380	566	710	4,615	3,899	1,869	500	89	5	-	3
AMERICAN INDIAN	231	-	3	8	14	17	13	85	63	20	7	1	-	-	-
NONE	83	-	3	7	8	13	9	24	16	2	1	-	-	-	-
ONE	69	-	-	-	6	3	3	37	17	3	-	-	-	-	-
TWO	40	-	-	-	-	1	1	15	14	7	2	-	-	-	-
THREE	16	-	-	-	-	-	-	7	5	4	-	-	-	-	-
FOUR OR MORE	21	-	-	-	-	-	-	2	10	4	4	1	-	-	-
NOT STATED	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
BLACK	784	1	15	23	35	55	65	286	186	85	29	4	-	-	-
NONE	315	1	14	21	31	41	48	107	40	9	3	-	-	-	-
ONE	228	-	1	2	4	11	14	108	54	29	4	1	-	-	-
TWO	128	-	-	-	-	2	2	48	58	12	5	1	-	-	-
THREE	53	-	-	-	-	1	1	16	18	11	6	-	-	-	-
FOUR OR MORE	60	-	-	-	-	-	-	7	16	24	11	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	39	-	-	-	-	-	1	7	17	11	3	-	-	-	-
NONE	18	-	-	-	-	-	-	5	9	4	-	-	-	-	-
ONE	16	-	-	-	-	-	1	-	8	4	3	-	-	-	-
TWO	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	100	-	-	-	2	1	4	24	29	31	4	5	-	-	-
NONE	37	-	-	-	2	1	3	15	10	3	1	2	-	-	-
ONE	31	-	-	-	-	-	1	6	8	14	1	1	-	-	-
TWO	18	-	-	-	-	-	-	3	9	6	-	-	-	-	-
THREE	8	-	-	-	-	-	-	-	2	3	2	1	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	-	-	5	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	25	-	-	-	-	-	-	10	8	5	2	-	-	-	-
NONE	12	-	-	-	-	-	-	8	4	-	-	-	-	-	-
ONE	7	-	-	-	-	-	-	1	3	1	2	-	-	-	-
TWO	5	-	-	-	-	-	-	1	1	3	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	47	-	-	1	1	1	3	8	16	12	5	-	-	-	-
NONE	23	-	-	1	1	1	3	6	8	2	1	-	-	-	-
ONE	15	-	-	-	-	-	-	-	7	6	2	-	-	-	-
TWO	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
THREE	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE (CONTINUED)	12,958	18	87	217	380	566	710	4,615	3,899	1,869	500	89	5	-	3
KOREAN	28	-	-	-	-	-	4	4	15	4	-	1	-	-	-
NONE	10	-	-	-	-	-	4	3	3	-	-	-	-	-	-
ONE	14	-	-	-	-	-	-	-	11	3	-	-	-	-	-
TWO	4	-	-	-	-	-	-	1	1	1	-	1	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	34	-	-	1	1	1	6	11	10	3	1	-	-	-	-
NONE	13	-	-	1	1	1	5	2	3	-	-	-	-	-	-
ONE	12	-	-	-	-	-	1	5	5	1	-	-	-	-	-
TWO	6	-	-	-	-	-	-	4	-	1	1	-	-	-	-
THREE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	7	-	-	-	-	-	-	-	4	3	-	-	-	-	-
NONE	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	34	-	-	1	-	-	1	10	10	6	5	1	-	-	-
NONE	11	-	-	1	-	-	1	3	4	-	2	-	-	-	-
ONE	8	-	-	-	-	-	-	5	1	2	-	-	-	-	-
TWO	9	-	-	-	-	-	-	2	3	2	2	-	-	-	-
THREE	5	-	-	-	-	-	-	-	2	1	1	1	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	11,517	16	67	181	322	483	610	4,131	3,515	1,666	443	75	5	-	3
NONE	4,561	16	65	167	268	373	420	1,872	956	328	59	5	1	-	1
ONE	3,659	-	2	14	48	96	153	1,530	1,272	458	76	9	-	-	1
TWO	1,855	-	-	-	5	10	31	549	754	413	86	7	-	-	-
THREE	821	-	-	-	-	1	5	131	339	253	78	15	-	-	-
FOUR OR MORE	599	-	-	-	-	1	-	37	161	213	143	39	4	-	1
NOT STATED	22	-	-	-	1	2	1	12	4	1	1	-	-	-	-
OTHER ASIAN	56	-	1	1	4	4	2	17	13	12	1	1	-	-	-
NONE	8	-	-	-	2	1	-	1	3	1	-	-	-	-	-
ONE	16	-	1	1	2	3	2	4	2	1	-	-	-	-	-
TWO	8	-	-	-	-	-	-	6	2	-	-	-	-	-	-
THREE	9	-	-	-	-	-	-	5	2	2	-	-	-	-	-
FOUR OR MORE	15	-	-	-	-	-	-	1	4	8	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	14	1	-	-	-	1	-	6	3	2	-	1	-	-	-
NONE	9	1	-	-	-	1	-	5	1	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	37	-	1	1	1	3	1	15	8	7	-	-	-	-	-
NONE	15	-	1	1	1	3	-	6	2	1	-	-	-	-	-
ONE	10	-	-	-	-	-	1	6	2	1	-	-	-	-	-
TWO	6	-	-	-	-	-	-	2	1	3	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SACRAMENTO	14,255	22	86	177	339	481	699	4,810	4,611	2,325	626	73	5	-	1
AMERICAN INDIAN	260	-	1	10	14	16	19	89	75	29	6	1	-	-	-
NONE	117	-	1	10	11	11	15	44	22	3	-	-	-	-	-
ONE	80	-	-	-	3	5	4	27	28	12	-	1	-	-	-
TWO	33	-	-	-	-	-	-	13	14	5	1	-	-	-	-
THREE	21	-	-	-	-	-	-	4	8	6	3	-	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	-	3	3	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	1,709	9	23	30	61	92	130	663	478	181	35	6	1	-	-
NONE	662	9	22	25	55	67	74	268	106	29	5	2	-	-	-
ONE	547	-	1	4	6	20	47	240	170	53	5	1	-	-	-
TWO	278	-	-	1	-	4	6	100	113	46	8	-	-	-	-
THREE	136	-	-	-	-	-	3	38	56	33	5	1	-	-	-
FOUR OR MORE	82	-	-	-	-	-	-	14	33	20	12	2	1	-	-
NOT STATED	4	-	-	-	-	1	-	3	-	-	-	-	-	-	-
CAMBODIAN	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	434	-	-	-	3	2	8	94	172	119	28	8	-	-	-
NONE	132	-	-	-	3	2	7	30	59	29	2	-	-	-	-
ONE	116	-	-	-	-	-	1	40	34	35	5	1	-	-	-
TWO	91	-	-	-	-	-	-	20	44	24	3	-	-	-	-
THREE	49	-	-	-	-	-	-	3	27	15	4	-	-	-	-
FOUR OR MORE	46	-	-	-	-	-	-	1	8	16	14	7	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-
NONE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	259	-	2	8	6	6	14	70	83	44	19	5	2	-	-
NONE	115	-	2	7	5	5	9	39	29	13	4	1	1	-	-
ONE	85	-	-	1	-	1	5	19	37	15	5	1	1	-	-
TWO	38	-	-	-	-	-	-	10	12	10	5	1	-	-	-
THREE	15	-	-	-	-	-	-	2	5	4	3	1	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	-	2	2	1	-	-	-
NOT STATED	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	76	-	-	-	1	-	2	29	27	12	4	1	-	-	-
NONE	29	-	-	-	1	-	2	15	8	2	-	1	-	-	-
ONE	31	-	-	-	-	-	-	11	13	7	-	-	-	-	-
TWO	12	-	-	-	-	-	-	3	4	3	2	-	-	-	-
THREE	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	158	-	-	-	2	-	3	37	55	48	13	-	-	-	-
NONE	91	-	-	-	1	-	3	27	33	22	5	-	-	-	-
ONE	54	-	-	-	1	-	-	8	18	22	5	-	-	-	-
TWO	9	-	-	-	-	-	-	2	3	3	1	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SACRAMENTO (CONTINUED)	14,255	22	86	177	339	481	699	4,810	4,611	2,325	626	73	5	-	1
KOREAN	55	-	-	-	-	-	4	10	29	10	2	-	-	-	-
NONE	26	-	-	-	-	-	4	6	10	5	1	-	-	-	-
ONE	22	-	-	-	-	-	-	3	16	3	-	-	-	-	-
TWO	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	37	-	1	1	4	-	1	20	9	-	1	-	-	-	-
NONE	22	-	-	1	3	-	1	11	6	-	-	-	-	-	-
ONE	8	-	1	-	1	-	-	5	1	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	9	-	-	-	-	-	-	1	6	1	1	-	-	-	-
NONE	5	-	-	-	-	-	-	1	3	-	1	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	99	-	-	1	-	-	2	24	40	24	7	1	-	-	-
NONE	22	-	-	1	-	-	1	9	10	1	-	-	-	-	-
ONE	32	-	-	-	-	-	1	11	10	10	-	-	-	-	-
TWO	22	-	-	-	-	-	-	3	14	3	2	-	-	-	-
THREE	9	-	-	-	-	-	-	-	6	3	-	-	-	-	-
FOUR OR MORE	13	-	-	-	-	-	-	-	-	7	5	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	10,956	13	57	125	243	363	512	3,701	3,567	1,826	497	50	1	-	1
NONE	4,879	13	55	118	203	277	360	1,944	1,341	461	100	7	-	-	-
ONE	3,624	-	2	5	39	85	125	1,275	1,268	667	132	5	-	-	1
TWO	1,574	-	-	1	1	1	26	377	629	402	128	9	-	-	-
THREE	550	-	-	-	-	-	1	73	221	179	63	13	-	-	-
FOUR OR MORE	307	-	-	-	-	-	-	19	81	116	74	16	1	-	-
NOT STATED	22	-	-	1	-	-	-	13	7	1	-	-	-	-	-
OTHER ASIAN	153	-	2	2	3	-	4	55	55	21	10	-	1	-	-
NONE	28	-	2	2	3	-	3	11	5	1	1	-	-	-	-
ONE	29	-	-	-	-	-	1	17	6	4	1	-	-	-	-
TWO	25	-	-	-	-	-	-	12	9	4	-	-	-	-	-
THREE	33	-	-	-	-	-	-	12	15	3	3	-	-	-	-
FOUR OR MORE	38	-	-	-	-	-	-	3	20	9	5	-	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	25	-	-	-	-	-	-	7	7	9	2	-	-	-	-
NONE	5	-	-	-	-	-	-	5	-	-	-	-	-	-	-
ONE	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-
TWO	8	-	-	-	-	-	-	1	3	3	1	-	-	-	-
THREE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	20	-	-	-	2	1	-	8	7	1	1	-	-	-	-
NONE	11	-	-	-	2	1	-	4	4	-	-	-	-	-	-
ONE	6	-	-	-	-	-	-	2	3	-	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BENITO	496	1	3	7	18	26	29	164	159	62	20	7	-	-	-
AMERICAN INDIAN	5	-	-	-	-	1	1	-	1	1	1	-	-	-	-
NONE	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	1	-	-	2	1	-	-	-	-	-	-
NONE	3	-	-	-	1	-	-	1	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BENITO (CONTINUED)	496	1	3	7	18	26	29	164	159	62	20	7	-	-	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	478	1	3	7	17	25	26	159	154	60	19	7	-	-	-
NONE	164	1	3	7	15	15	18	61	34	8	2	-	-	-	-
ONE	165	-	-	-	2	10	6	62	58	21	5	1	-	-	-
TWO	76	-	-	-	-	-	1	25	38	9	2	1	-	-	-
THREE	35	-	-	-	-	-	1	7	15	10	1	1	-	-	-
FOUR OR MORE	38	-	-	-	-	-	-	4	9	12	9	4	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	7	-	-	-	-	-	2	3	1	1	-	-	-	-	-
NONE	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
ONE	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO	18,720	30	113	263	498	780	1,047	6,659	5,865	2,697	648	115	2	-	1
AMERICAN INDIAN	325	-	1	5	11	26	28	111	91	39	10	3	-	-	-
NONE	126	-	1	5	8	15	16	56	19	6	-	-	-	-	-
ONE	104	-	-	-	2	11	10	39	29	9	3	1	-	-	-
TWO	45	-	-	-	1	-	2	9	24	6	1	2	-	-	-
THREE	23	-	-	-	-	-	-	5	11	5	2	-	-	-	-
FOUR OR MORE	25	-	-	-	-	-	-	-	8	13	4	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
BLACK	1,546	8	25	34	51	84	116	564	412	202	47	2	-	-	1
NONE	585	8	23	28	38	58	73	228	93	27	9	-	-	-	-
ONE	472	-	2	5	9	21	34	201	137	56	7	-	-	-	-
TWO	290	-	-	-	3	4	9	95	110	59	9	-	-	-	1
THREE	125	-	-	1	1	1	-	31	47	34	9	1	-	-	-
FOUR OR MORE	70	-	-	-	-	-	-	7	23	26	13	1	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
CAMBODIAN	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	72	-	-	-	1	-	-	5	33	27	6	-	-	-	-
NONE	32	-	-	-	-	-	-	3	18	9	2	-	-	-	-
ONE	26	-	-	-	1	-	-	-	10	14	1	-	-	-	-
TWO	8	-	-	-	-	-	-	1	3	3	1	-	-	-	-
THREE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	159	-	2	-	1	4	4	40	51	35	19	3	-	-	-
NONE	58	-	2	-	1	2	3	21	19	8	2	-	-	-	-
ONE	56	-	-	-	-	2	1	15	18	13	6	1	-	-	-
TWO	33	-	-	-	-	-	-	2	11	11	7	2	-	-	-
THREE	8	-	-	-	-	-	-	2	2	2	2	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	56	-	-	-	-	-	2	12	21	16	4	1	-	-	-
NONE	23	-	-	-	-	-	2	11	7	2	1	-	-	-	-
ONE	22	-	-	-	-	-	-	-	10	9	3	-	-	-	-
TWO	6	-	-	-	-	-	-	1	2	2	-	1	-	-	-
THREE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	88	-	-	-	2	4	3	11	36	22	9	1	-	-	-
NONE	33	-	-	-	2	4	3	5	11	8	-	-	-	-	-
ONE	31	-	-	-	-	-	-	6	14	10	1	-	-	-	-
TWO	14	-	-	-	-	-	-	-	9	2	2	1	-	-	-
THREE	6	-	-	-	-	-	-	-	2	1	3	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	-	1	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO (CONTINUED)	18,720	30	115	263	498	780	1,047	6,659	5,865	2,697	648	115	2	-	1
KOREAN	76	-	-	-	2	2	2	11	33	17	8	1	-	-	-
NONE	40	-	-	-	2	1	2	8	20	5	2	-	-	-	-
ONE	27	-	-	-	-	-	-	3	10	8	5	1	-	-	-
TWO	5	-	-	-	-	1	-	-	2	2	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	52	-	-	-	1	-	5	19	18	8	1	-	-	-	-
NONE	18	-	-	-	1	-	2	8	5	2	-	-	-	-	-
ONE	20	-	-	-	-	-	3	7	8	2	-	-	-	-	-
TWO	8	-	-	-	-	-	-	4	3	1	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	27	-	-	-	-	-	-	-	6	13	8	-	-	-	-
NONE	6	-	-	-	-	-	-	-	2	4	-	-	-	-	-
ONE	11	-	-	-	-	-	-	-	2	6	3	-	-	-	-
TWO	6	-	-	-	-	-	-	-	1	2	3	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	51	-	-	1	1	1	2	11	16	14	4	1	-	-	-
NONE	17	-	-	1	1	1	2	8	2	2	-	-	-	-	-
ONE	15	-	-	-	-	-	-	3	6	6	-	-	-	-	-
TWO	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
THREE	7	-	-	-	-	-	-	-	2	2	2	1	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	3	2	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	15,669	22	85	213	422	639	854	5,671	4,962	2,203	500	96	2	-	-
NONE	6,329	22	80	189	338	491	607	2,652	1,470	403	68	9	-	-	-
ONE	5,153	-	5	21	79	130	194	2,075	1,874	682	86	7	-	-	-
TWO	2,584	-	-	1	4	16	45	742	1,067	567	125	17	-	-	-
THREE	952	-	-	-	-	1	4	155	377	312	89	14	-	-	-
FOUR OR MORE	616	-	-	-	-	-	-	32	167	235	132	48	2	-	-
NOT STATED	35	-	-	2	1	1	4	15	7	4	-	1	-	-	-
OTHER ASIAN	25	-	-	-	-	-	-	9	10	3	2	1	-	-	-
NONE	6	-	-	-	-	-	-	3	2	1	-	-	-	-	-
ONE	7	-	-	-	-	-	-	3	3	-	1	-	-	-	-
TWO	7	-	-	-	-	-	-	3	2	2	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER	35	-	1	-	-	2	1	9	12	6	3	1	-	-	-
NONE	11	-	1	-	-	2	-	5	1	1	-	1	-	-	-
ONE	9	-	-	-	-	-	-	3	3	1	2	-	-	-	-
TWO	6	-	-	-	-	-	1	1	3	1	-	-	-	-	-
THREE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	3	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	535	-	1	10	6	18	30	184	162	92	27	5	-	-	-
NONE	216	-	1	10	6	14	24	100	39	18	3	1	-	-	-
ONE	185	-	-	-	-	4	5	64	79	29	3	1	-	-	-
TWO	84	-	-	-	-	-	-	17	34	28	5	-	-	-	-
THREE	28	-	-	-	-	-	1	2	8	12	5	-	-	-	-
FOUR OR MORE	18	-	-	-	-	-	-	-	1	4	10	3	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN DIEGO	33,795	47	142	348	614	1,150	1,592	11,387	10,754	5,841	1,663	236	16	-	5
AMERICAN INDIAN	847	2	5	10	27	35	62	325	249	108	21	2	1	-	-
NONE	373	2	5	9	24	29	50	155	68	28	3	-	-	-	-
ONE	271	-	-	1	2	6	9	117	96	34	6	-	-	-	-
TWO	126	-	-	-	1	-	3	37	55	24	6	-	-	-	-
THREE	50	-	-	-	-	-	-	12	20	14	4	-	-	-	-
FOUR OR MORE	25	-	-	-	-	-	-	3	9	8	2	2	1	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
BLACK	2,928	14	34	70	85	167	201	1,175	790	328	52	11	-	-	1
NONE	1,305	14	30	67	66	122	137	581	224	57	7	-	-	-	-
ONE	876	-	3	3	16	37	48	374	278	108	8	1	-	-	-
TWO	441	-	-	-	2	7	13	165	167	74	13	-	-	-	-
THREE	185	-	-	-	-	-	1	45	74	49	12	4	-	-	-
FOUR OR MORE	104	-	-	-	-	-	-	7	41	39	12	5	-	-	-
NOT STATED	17	-	1	-	1	1	2	3	6	1	-	1	-	-	1
CAMBODIAN	128	-	-	-	-	1	1	47	47	18	9	3	2	-	-
NONE	19	-	-	-	-	-	-	12	6	1	-	-	-	-	-
ONE	48	-	-	-	-	-	1	26	18	3	-	-	-	-	-
TWO	22	-	-	-	-	1	-	6	12	1	2	-	-	-	-
THREE	10	-	-	-	-	-	-	2	6	1	1	-	-	-	-
FOUR OR MORE	26	-	-	-	-	-	-	-	3	12	6	3	2	-	-
NOT STATED	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
CHINESE	238	1	1	-	-	2	2	45	89	79	16	3	-	-	-
NONE	111	1	1	-	-	2	2	24	53	25	2	1	-	-	-
ONE	73	-	-	-	-	-	-	14	19	33	7	-	-	-	-
TWO	27	-	-	-	-	-	-	5	10	9	2	1	-	-	-
THREE	12	-	-	-	-	-	-	-	4	4	4	-	-	-	-
FOUR OR MORE	13	-	-	-	-	-	-	2	2	7	1	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ESKIMO/ALEUT	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
NONE	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1,609	-	3	4	12	21	45	365	604	408	128	19	-	-	-
NONE	604	-	3	4	10	20	31	200	217	90	24	5	-	-	-
ONE	574	-	-	-	2	1	14	125	256	144	29	3	-	-	-
TWO	276	-	-	-	-	-	-	33	91	115	34	3	-	-	-
THREE	107	-	-	-	-	-	-	5	32	40	25	5	-	-	-
FOUR OR MORE	42	-	-	-	-	-	-	-	7	17	15	3	-	-	-
NOT STATED	6	-	-	-	-	-	-	2	1	2	1	-	-	-	-
INDIAN (INDIA)	40	-	-	-	-	-	-	10	13	12	4	1	-	-	-
NONE	17	-	-	-	-	-	-	6	6	4	1	-	-	-	-
ONE	11	-	-	-	-	-	-	4	2	5	-	-	-	-	-
TWO	8	-	-	-	-	-	-	-	4	1	3	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	291	1	2	1	4	11	9	81	94	63	20	5	-	-	-
NONE	149	1	2	1	3	9	5	49	55	18	5	1	-	-	-
ONE	102	-	-	-	1	2	3	28	35	25	7	1	-	-	-
TWO	26	-	-	-	-	-	1	2	4	13	4	2	-	-	-
THREE	13	-	-	-	-	-	-	2	-	7	4	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN DIEGO (CONTINUED)	33,795	67	142	348	614	1,150	1,392	11,387	10,754	5,841	1,663	236	16	-	5
KOREAN	101	-	1	-	-	2	2	24	46	22	4	-	-	-	-
NONE	51	-	1	-	-	1	2	15	24	5	3	-	-	-	-
ONE	40	-	-	-	-	1	-	9	17	12	1	-	-	-	-
TWO	9	-	-	-	-	-	-	-	5	4	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	316	1	1	5	14	13	27	131	73	37	10	2	2	-	-
NONE	150	1	1	5	10	12	25	71	15	10	-	-	-	-	-
ONE	84	-	-	-	4	1	1	42	24	8	4	-	-	-	-
TWO	44	-	-	-	-	-	1	14	21	6	2	-	-	-	-
THREE	18	-	-	-	-	-	-	3	6	8	-	-	1	-	-
FOUR OR MORE	19	-	-	-	-	-	-	1	6	5	4	2	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	15	-	-	-	-	-	-	4	7	4	-	-	-	-	-
NONE	8	-	-	-	-	-	-	3	4	1	-	-	-	-	-
ONE	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	323	-	1	-	4	14	10	92	105	76	17	4	-	-	-
NONE	118	-	1	-	3	12	6	43	32	17	4	-	-	-	-
ONE	97	-	-	-	1	1	4	29	39	21	2	-	-	-	-
TWO	57	-	-	-	-	-	-	14	20	19	4	-	-	-	-
THREE	23	-	-	-	-	1	-	5	7	6	3	1	-	-	-
FOUR OR MORE	26	-	-	-	-	-	-	-	7	12	4	3	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
WHITE	26,468	25	91	254	457	865	1,209	8,901	8,504	4,614	1,359	178	9	-	2
NONE	12,026	24	86	236	386	676	902	4,896	3,273	1,292	237	18	-	-	-
ONE	8,450	1	5	16	66	157	262	2,919	3,087	1,568	348	20	-	-	1
TWO	3,633	-	-	1	5	25	42	826	1,428	968	303	34	1	-	-
THREE	1,286	-	-	-	-	3	1	187	445	414	203	31	2	-	-
FOUR OR MORE	970	-	-	-	-	-	-	43	235	350	262	74	6	-	-
NOT STATED	103	-	-	1	-	4	2	30	36	22	6	1	-	-	1
OTHER ASIAN	443	3	3	4	11	19	22	169	115	65	21	8	2	-	1
NONE	87	3	3	3	6	11	9	40	11	1	-	-	-	-	-
ONE	136	-	-	1	5	7	9	73	28	11	-	2	-	-	-
TWO	83	-	-	-	-	1	3	38	28	13	-	-	-	-	-
THREE	64	-	-	-	-	-	-	15	34	13	1	1	-	-	-
FOUR OR MORE	65	-	-	-	-	-	-	1	11	26	19	5	2	-	1
NOT STATED	8	-	-	-	-	-	1	2	3	1	1	-	-	-	-
OTHER	25	-	-	-	-	-	2	11	10	2	-	-	-	-	-
NONE	12	-	-	-	-	-	2	5	5	-	-	-	-	-	-
ONE	6	-	-	-	-	-	-	3	3	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
THREE	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	18	-	-	-	-	-	-	4	7	4	2	-	-	-	1
NONE	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
ONE	6	-	-	-	-	-	-	2	3	-	1	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1

Table 2–6 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN FRANCISCO	8,991	16	37	82	155	223	266	2,141	2,923	2,238	772	121	11	-	6
AMERICAN INDIAN	52	1	1	3	1	4	-	12	13	14	3	-	-	-	-
NONE	30	1	1	3	1	4	-	4	8	7	1	-	-	-	-
ONE	13	-	-	-	-	-	-	3	4	4	2	-	-	-	-
TWO	7	-	-	-	-	-	-	4	1	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1,671	7	22	40	57	104	96	539	473	253	62	16	1	-	1
NONE	727	6	21	36	49	86	77	255	137	54	5	1	-	-	-
ONE	484	1	1	4	6	14	17	180	166	76	17	1	-	-	1
TWO	267	-	-	-	2	3	2	79	99	62	16	4	-	-	-
THREE	115	-	-	-	-	-	-	22	44	36	9	4	-	-	-
FOUR OR MORE	76	-	-	-	-	-	-	2	27	25	15	6	1	-	-
NOT STATED	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
CAMBODIAN	60	-	-	-	1	2	-	14	25	15	2	1	-	-	-
NONE	10	-	-	-	1	1	-	4	4	-	-	-	-	-	-
ONE	15	-	-	-	-	1	-	5	8	1	-	-	-	-	-
TWO	17	-	-	-	-	-	-	5	7	5	-	-	-	-	-
THREE	8	-	-	-	-	-	-	-	4	3	1	-	-	-	-
FOUR OR MORE	10	-	-	-	-	-	-	-	2	6	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1,167	-	-	2	2	2	3	145	468	424	102	14	3	-	2
NONE	579	-	-	2	2	2	3	102	266	170	28	2	-	-	2
ONE	377	-	-	-	-	-	-	34	146	159	36	1	1	-	-
TWO	133	-	-	-	-	-	-	6	40	59	22	6	-	-	-
THREE	46	-	-	-	-	-	-	2	10	22	10	1	1	-	-
FOUR OR MORE	29	-	-	-	-	-	-	-	4	14	6	4	1	-	-
NOT STATED	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	885	1	1	2	14	23	32	200	282	221	93	14	1	-	1
NONE	465	1	1	2	12	20	27	136	145	88	27	6	-	-	-
ONE	256	-	-	-	2	3	5	50	92	72	29	2	-	-	1
TWO	110	-	-	-	-	-	-	13	31	43	19	3	1	-	-
THREE	32	-	-	-	-	-	-	-	12	11	8	1	-	-	-
FOUR OR MORE	19	-	-	-	-	-	-	1	1	6	9	2	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
INDIAN (INDIA)	65	-	-	-	-	-	-	28	19	15	3	-	-	-	-
NONE	34	-	-	-	-	-	-	15	10	7	2	-	-	-	-
ONE	24	-	-	-	-	-	-	13	7	3	1	-	-	-	-
TWO	6	-	-	-	-	-	-	-	2	4	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	135	-	-	-	1	1	-	18	41	55	18	1	-	-	-
NONE	77	-	-	-	1	1	-	14	25	27	9	-	-	-	-
ONE	41	-	-	-	-	-	-	2	13	19	6	1	-	-	-
TWO	15	-	-	-	-	-	-	2	2	9	2	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN FRANCISCO (CONTINUED)	8,991	16	37	82	155	223	266	2,141	2,923	2,238	772	121	11	-	6
KOREAN	93	-	-	-	-	-	-	15	48	22	8	-	-	-	-
NONE	53	-	-	-	-	-	-	14	32	5	2	-	-	-	-
ONE	29	-	-	-	-	-	-	1	15	10	3	-	-	-	-
TWO	9	-	-	-	-	-	-	-	1	6	2	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	127	2	-	1	3	6	9	40	45	16	3	2	-	-	-
NONE	49	2	-	1	3	6	7	21	8	1	-	-	-	-	-
ONE	25	-	-	-	-	-	2	9	13	1	-	-	-	-	-
TWO	20	-	-	-	-	-	-	5	12	2	-	1	-	-	-
THREE	18	-	-	-	-	-	-	4	8	5	-	1	-	-	-
FOUR OR MORE	15	-	-	-	-	-	-	1	4	7	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	14	-	-	-	-	-	1	-	5	7	1	-	-	-	-
NONE	8	-	-	-	-	-	1	-	4	3	-	-	-	-	-
ONE	5	-	-	-	-	-	-	-	-	4	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	278	-	-	-	4	3	7	94	103	48	12	5	2	-	-
NONE	98	-	-	-	4	3	4	42	32	11	2	-	-	-	-
ONE	83	-	-	-	-	-	2	32	34	14	-	-	1	-	-
TWO	52	-	-	-	-	-	-	13	26	9	4	-	-	-	-
THREE	24	-	-	-	-	-	-	6	10	8	-	-	-	-	-
FOUR OR MORE	18	-	-	-	-	-	-	-	1	5	6	5	1	-	-
NOT STATED	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
WHITE	4,225	5	13	33	66	72	108	956	1,340	1,106	452	68	4	-	2
NONE	2,226	5	13	33	59	62	79	560	712	509	172	21	-	-	1
ONE	1,235	-	-	-	7	9	23	286	387	355	146	20	1	-	1
TWO	460	-	-	-	-	1	6	83	163	135	62	10	-	-	-
THREE	164	-	-	-	-	-	-	14	53	63	26	7	1	-	-
FOUR OR MORE	123	-	-	-	-	-	-	9	18	42	42	10	2	-	-
NOT STATED	17	-	-	-	-	-	-	4	7	2	4	-	-	-	-
OTHER ASIAN	110	-	-	1	3	4	4	46	33	15	4	-	-	-	-
NONE	31	-	-	1	3	2	1	13	6	4	1	-	-	-	-
ONE	38	-	-	-	-	2	2	20	10	4	-	-	-	-	-
TWO	25	-	-	-	-	-	1	10	9	5	-	-	-	-	-
THREE	7	-	-	-	-	-	-	2	3	1	1	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	1	5	1	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	22	-	-	-	2	-	3	7	6	3	1	-	-	-	-
NONE	13	-	-	-	2	-	3	5	2	1	-	-	-	-	-
ONE	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	87	-	-	-	1	2	3	27	22	24	8	-	-	-	-
NONE	41	-	-	-	-	1	2	15	9	9	5	-	-	-	-
ONE	30	-	-	-	1	-	1	9	9	8	2	-	-	-	-
TWO	11	-	-	-	-	1	-	3	3	3	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN	7,090	22	47	150	218	291	437	2,530	2,093	940	285	73	1	-	3
AMERICAN INDIAN	136	-	1	1	4	9	13	57	30	14	4	3	-	-	-
NONE	63	-	-	1	3	8	12	28	6	4	-	1	-	-	-
ONE	34	-	1	-	1	1	1	17	10	3	-	-	-	-	-
TWO	24	-	-	-	-	-	-	8	11	3	1	1	-	-	-
THREE	6	-	-	-	-	-	-	2	2	1	1	-	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	1	1	3	2	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	564	5	15	24	29	32	44	224	134	46	11	-	-	-	-
NONE	186	5	14	17	22	19	20	63	20	5	1	-	-	-	-
ONE	178	-	1	6	6	11	17	84	40	11	2	-	-	-	-
TWO	123	-	-	1	1	2	7	59	40	11	2	-	-	-	-
THREE	41	-	-	-	-	-	-	13	18	8	2	-	-	-	-
FOUR OR MORE	36	-	-	-	-	-	-	5	16	11	4	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	73	-	-	1	-	3	4	26	22	11	3	3	-	-	-
NONE	14	-	-	-	-	2	4	7	1	-	-	-	-	-	-
ONE	23	-	-	1	-	1	-	12	8	1	-	-	-	-	-
TWO	20	-	-	-	-	-	-	7	8	4	-	1	-	-	-
THREE	6	-	-	-	-	-	-	-	4	-	1	1	-	-	-
FOUR OR MORE	10	-	-	-	-	-	-	-	1	6	2	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	51	-	-	-	-	-	-	7	22	18	4	-	-	-	-
NONE	14	-	-	-	-	-	-	4	8	2	-	-	-	-	-
ONE	23	-	-	-	-	-	-	3	8	11	1	-	-	-	-
TWO	12	-	-	-	-	-	-	-	6	4	2	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	222	1	-	2	6	8	13	65	71	36	16	4	-	-	-
NONE	93	1	-	2	4	5	11	33	29	4	4	-	-	-	-
ONE	73	-	-	-	1	3	2	21	23	15	8	-	-	-	-
TWO	39	-	-	-	1	-	-	8	16	11	1	2	-	-	-
THREE	9	-	-	-	-	-	-	2	2	2	2	1	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	1	4	1	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
INDIAN (INDIA)	48	-	-	1	1	3	7	14	10	9	3	-	-	-	-
NONE	24	-	-	1	1	2	6	11	2	1	-	-	-	-	-
ONE	9	-	-	-	-	1	1	2	4	1	-	-	-	-	-
TWO	7	-	-	-	-	-	-	1	1	3	2	-	-	-	-
THREE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	40	-	-	-	-	-	-	9	18	10	2	1	-	-	-
NONE	18	-	-	-	-	-	-	3	10	4	1	-	-	-	-
ONE	15	-	-	-	-	-	-	6	4	5	-	-	-	-	-
TWO	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN (CONTINUED)	7,090	22	47	150	218	291	437	2,530	2,093	940	285	73	1	-	3
KOREAN	11	-	-	-	-	-	-	2	4	5	-	-	-	-	-
NONE	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
ONE	7	-	-	-	-	-	-	-	3	4	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	15	-	-	1	-	1	1	8	3	-	1	-	-	-	-
NONE	6	-	-	1	-	1	-	4	-	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	3	-	-	1	-	-	-	-
TWO	4	-	-	-	-	-	1	1	2	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	206	-	1	3	3	4	13	82	67	17	11	5	-	-	-
NONE	51	-	1	3	2	3	10	21	8	2	-	1	-	-	-
ONE	59	-	-	-	1	-	3	40	12	3	-	-	-	-	-
TWO	35	-	-	-	-	1	-	17	11	4	1	1	-	-	-
THREE	29	-	-	-	-	-	-	3	21	2	2	1	-	-	-
FOUR OR MORE	31	-	-	-	-	-	-	-	15	6	8	2	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	5,420	15	30	114	164	211	324	1,932	1,645	734	205	43	-	-	3
NONE	2,217	15	30	108	142	160	203	926	474	136	21	2	-	-	-
ONE	1,740	-	-	5	20	42	92	690	603	231	51	6	-	-	-
TWO	848	-	-	1	2	8	25	230	367	172	38	4	-	-	1
THREE	342	-	-	-	-	1	3	62	125	108	36	7	-	-	-
FOUR OR MORE	261	-	-	-	-	-	1	18	73	86	59	24	-	-	-
NOT STATED	12	-	-	-	-	-	-	6	3	1	-	-	-	-	2
OTHER ASIAN	293	1	-	3	11	19	16	99	65	39	25	14	1	-	-
NONE	46	1	-	3	7	13	6	11	5	-	-	-	-	-	-
ONE	54	-	-	-	3	3	6	32	6	3	-	1	-	-	-
TWO	54	-	-	-	1	3	4	27	16	3	-	-	-	-	-
THREE	45	-	-	-	-	-	-	20	17	3	3	2	-	-	-
FOUR OR MORE	92	-	-	-	-	-	-	8	20	30	22	11	1	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
OTHER	6	-	-	-	-	-	1	4	1	-	-	-	-	-	-
NONE	4	-	-	-	-	-	1	3	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	5	-	-	-	-	1	1	1	1	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
TWO	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN LUIS OBISPO	2,341	2	10	22	37	49	98	750	822	409	125	16	1	-	-
AMERICAN INDIAN	80	-	1	-	3	5	7	24	24	13	3	-	-	-	-
NONE	42	-	1	-	3	3	6	17	9	2	1	-	-	-	-
ONE	17	-	-	-	-	2	1	4	6	4	-	-	-	-	-
TWO	9	-	-	-	-	-	-	2	3	4	-	-	-	-	-
THREE	8	-	-	-	-	-	-	1	5	1	1	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BLACK	42	-	1	-	3	-	5	14	8	9	2	-	-	-	-
NONE	27	-	1	-	3	-	5	11	5	1	1	-	-	-	-
ONE	8	-	-	-	-	-	-	3	2	2	1	-	-	-	-
TWO	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	14	-	-	-	-	-	-	1	7	3	2	1	-	-	-
NONE	8	-	-	-	-	-	-	1	5	2	-	-	-	-	-
ONE	5	-	-	-	-	-	-	-	2	1	2	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	37	-	-	-	-	-	1	16	10	9	1	-	-	-	-
NONE	16	-	-	-	-	-	-	11	2	3	-	-	-	-	-
ONE	16	-	-	-	-	-	1	3	6	5	1	-	-	-	-
TWO	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	16	-	-	-	1	-	-	6	4	5	-	-	-	-	-
NONE	7	-	-	-	1	-	-	1	2	3	-	-	-	-	-
ONE	6	-	-	-	-	-	-	4	1	1	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN LUIS OBISPO (CONTINUED)	2,341	2	10	22	37	49	98	750	822	409	125	16	1	-	-
KOREAN	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-
NONE	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	6	-	-	1	-	-	1	2	2	-	-	-	-	-	-
NONE	5	-	-	1	-	-	1	2	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,124	2	8	21	28	44	83	681	757	368	116	15	1	-	-
NONE	942	2	8	21	26	33	58	384	297	91	19	3	-	-	-
ONE	708	-	-	-	2	8	20	215	302	136	23	2	-	-	-
TWO	301	-	-	-	-	2	1	69	100	86	40	3	-	-	-
THREE	94	-	-	-	-	-	2	10	33	31	15	2	1	-	-
FOUR OR MORE	70	-	-	-	-	-	-	1	23	22	19	5	-	-	-
NOT STATED	9	-	-	-	-	1	2	2	2	2	-	-	-	-	-
OTHER ASIAN	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NONE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	5	-	-	-	1	-	-	3	1	-	-	-	-	-	-
NONE	3	-	-	-	1	-	-	2	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN MATEO	8,715	9	30	78	138	182	263	2,136	2,948	2,112	691	121	2	-	5
AMERICAN INDIAN	64	-	-	5	1	-	4	21	18	11	4	-	-	-	-
NONE	30	-	-	5	1	-	3	13	5	2	1	-	-	-	-
ONE	21	-	-	-	-	-	1	7	7	4	2	-	-	-	-
TWO	11	-	-	-	-	-	-	1	4	5	1	-	-	-	-
THREE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	696	2	9	22	35	34	38	244	186	96	26	3	-	-	1
NONE	330	1	9	22	31	28	28	112	68	23	8	-	-	-	-
ONE	211	1	-	-	4	6	8	94	66	28	4	-	-	-	-
TWO	95	-	-	-	-	-	2	29	33	23	7	1	-	-	-
THREE	37	-	-	-	-	-	-	8	9	14	5	1	-	-	-
FOUR OR MORE	22	-	-	-	-	-	-	1	9	8	2	1	-	-	1
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
NONE	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	403	-	-	-	1	1	3	27	135	192	37	7	-	-	-
NONE	188	-	-	-	1	1	2	17	78	78	9	2	-	-	-
ONE	150	-	-	-	-	-	-	9	46	79	14	2	-	-	-
TWO	49	-	-	-	-	-	1	1	10	27	9	1	-	-	-
THREE	11	-	-	-	-	-	-	-	1	6	3	1	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	727	1	1	3	9	8	16	144	252	191	78	22	1	-	1
NONE	327	1	1	3	8	6	11	87	122	61	21	6	-	-	-
ONE	241	-	-	-	1	2	5	44	88	71	27	3	-	-	-
TWO	113	-	-	-	-	-	-	11	33	43	17	8	-	-	1
THREE	28	-	-	-	-	-	-	1	4	15	3	5	-	-	-
FOUR OR MORE	15	-	-	-	-	-	-	1	3	1	9	-	1	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
INDIAN (INDIA)	111	-	-	-	2	-	4	43	37	19	5	-	-	-	1
NONE	51	-	-	-	2	-	2	29	13	3	1	-	-	-	1
ONE	41	-	-	-	-	-	2	8	21	8	2	-	-	-	-
TWO	12	-	-	-	-	-	-	4	3	4	1	-	-	-	-
THREE	5	-	-	-	-	-	-	-	-	4	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	141	-	-	-	1	3	1	16	49	50	20	1	-	-	-
NONE	78	-	-	-	1	3	-	14	33	20	7	-	-	-	-
ONE	48	-	-	-	-	-	1	2	14	21	9	1	-	-	-
TWO	14	-	-	-	-	-	-	-	2	9	3	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN MATEO (CONTINUED)	8,715	9	30	78	138	182	263	2,136	2,948	2,112	691	121	2	-	5
KOREAN	57	-	-	-	1	-	1	9	26	12	6	2	-	-	-
NONE	28	-	-	-	1	-	1	9	11	5	1	-	-	-	-
ONE	18	-	-	-	-	-	-	-	12	5	-	1	-	-	-
TWO	7	-	-	-	-	-	-	-	2	2	3	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	124	-	2	3	4	8	4	38	38	20	6	1	-	-	-
NONE	55	-	2	2	4	7	4	20	11	4	1	-	-	-	-
ONE	25	-	-	1	-	1	-	11	9	1	2	-	-	-	-
TWO	16	-	-	-	-	-	-	4	8	3	1	-	-	-	-
THREE	12	-	-	-	-	-	-	-	4	6	1	1	-	-	-
FOUR OR MORE	16	-	-	-	-	-	-	3	6	6	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	7	-	-	-	-	-	-	1	1	4	1	-	-	-	-
NONE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
ONE	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	15	-	-	-	-	-	-	5	2	7	1	-	-	-	-
NONE	6	-	-	-	-	-	-	4	1	-	1	-	-	-	-
ONE	5	-	-	-	-	-	-	1	1	3	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	6,147	6	17	44	81	126	183	1,526	2,123	1,466	495	77	1	-	2
NONE	2,983	6	15	40	71	100	137	934	994	543	136	7	-	-	-
ONE	2,022	-	1	4	8	22	35	433	752	550	188	28	-	-	1
TWO	746	-	1	-	1	3	7	123	257	242	95	17	-	-	-
THREE	232	-	-	-	-	1	3	20	76	75	41	16	-	-	-
FOUR OR MORE	137	-	-	-	-	-	-	9	32	51	35	9	1	-	-
NOT STATED	27	-	-	-	1	-	1	7	12	5	-	-	-	-	1
OTHER ASIAN	34	-	-	-	-	-	-	10	12	10	1	1	-	-	-
NONE	16	-	-	-	-	-	-	5	8	3	-	-	-	-	-
ONE	8	-	-	-	-	-	-	2	2	4	-	-	-	-	-
TWO	8	-	-	-	-	-	-	3	2	2	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	107	-	-	1	2	2	5	32	36	19	6	4	-	-	-
NONE	36	-	-	-	2	2	3	17	9	1	2	-	-	-	-
ONE	28	-	-	1	-	-	2	11	6	6	1	1	-	-	-
TWO	18	-	-	-	-	-	-	2	10	5	-	1	-	-	-
THREE	16	-	-	-	-	-	-	2	11	2	1	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	-	-	5	2	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	78	-	1	-	1	-	3	18	32	15	5	3	-	-	-
NONE	42	-	1	-	1	-	2	10	18	6	4	-	-	-	-
ONE	20	-	-	-	-	-	-	6	9	3	1	1	-	-	-
TWO	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	2	1	-	2	-	-	-
NOT STATED	4	-	-	-	-	-	1	1	-	2	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA BARBARA	4,817	11	26	65	100	160	210	1,505	1,595	839	265	39	2	-	-
AMERICAN INDIAN	84	1	-	2	1	4	4	25	31	11	5	-	-	-	-
NONE	32	1	-	2	1	1	2	12	12	1	-	-	-	-	-
ONE	23	-	-	-	-	3	1	7	6	4	2	-	-	-	-
TWO	16	-	-	-	-	-	1	4	7	3	1	-	-	-	-
THREE	9	-	-	-	-	-	-	2	4	2	1	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	216	-	-	3	8	7	13	98	61	18	8	-	-	-	-
NONE	92	-	-	1	7	5	9	43	21	6	-	-	-	-	-
ONE	75	-	-	2	1	2	3	38	22	5	2	-	-	-	-
TWO	29	-	-	-	-	-	1	9	12	4	3	-	-	-	-
THREE	14	-	-	-	-	-	-	5	4	2	3	-	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	3	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	31	-	-	-	-	-	1	2	17	10	1	-	-	-	-
NONE	22	-	-	-	-	-	-	2	12	7	1	-	-	-	-
ONE	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
TWO	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	93	-	-	2	2	1	2	28	32	21	4	1	-	-	-
NONE	34	-	-	2	2	1	2	18	8	1	-	-	-	-	-
ONE	31	-	-	-	-	-	-	6	13	10	1	1	-	-	-
TWO	18	-	-	-	-	-	-	3	9	5	1	-	-	-	-
THREE	6	-	-	-	-	-	-	1	1	2	2	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
INDIAN (INDIA)	13	-	-	-	-	-	-	2	4	5	2	-	-	-	-
NONE	6	-	-	-	-	-	-	1	2	3	-	-	-	-	-
ONE	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
TWO	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	45	-	-	-	1	-	-	13	21	8	1	1	-	-	-
NONE	24	-	-	-	1	-	-	8	13	2	-	-	-	-	-
ONE	12	-	-	-	-	-	-	4	5	3	-	-	-	-	-
TWO	8	-	-	-	-	-	-	1	3	3	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA BARBARA (CONTINUED)	4,817	11	26	65	100	160	210	1,505	1,595	839	265	39	2	-	-
KOREAN	10	-	-	-	-	-	-	1	8	1	-	-	-	-	-
NONE	5	-	-	-	-	-	-	-	5	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	15	-	1	-	1	-	2	7	2	2	-	-	-	-	-
NONE	4	-	1	-	1	-	-	2	-	-	-	-	-	-	-
ONE	8	-	-	-	-	-	1	5	1	1	-	-	-	-	-
TWO	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	5	-	-	-	-	-	-	1	1	1	1	1	-	-	-
NONE	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	11	-	-	-	-	-	-	3	6	2	-	-	-	-	-
NONE	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,215	9	25	58	85	147	182	1,302	1,389	746	235	35	2	-	-
NONE	1,919	9	22	53	77	118	139	718	535	212	35	1	-	-	-
ONE	1,291	-	3	5	7	25	33	415	507	234	60	2	-	-	-
TWO	617	-	-	-	1	4	9	127	246	169	52	9	-	-	-
THREE	217	-	-	-	-	-	1	29	74	73	31	9	-	-	-
FOUR OR MORE	165	-	-	-	-	-	-	10	25	58	56	14	2	-	-
NOT STATED	6	-	-	-	-	-	-	3	2	-	1	-	-	-	-
OTHER ASIAN	52	1	-	-	2	-	6	17	13	6	6	1	-	-	-
NONE	9	1	-	-	1	-	2	3	1	-	-	1	-	-	
ONE	15	-	-	-	1	-	3	6	3	1	1	-	-	-	-
TWO	4	-	-	-	-	-	1	2	-	1	-	-	-	-	-
THREE	9	-	-	-	-	-	-	4	3	1	1	-	-	-	-
FOUR OR MORE	15	-	-	-	-	-	-	2	6	3	4	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	21	-	-	-	-	1	-	5	8	6	1	-	-	-	-
NONE	11	-	-	-	-	1	-	3	5	2	-	-	-	-	-
ONE	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CLARA	22,538	38	107	291	453	648	896	6,652	7,429	4,442	1,379	190	9	-	4
AMERICAN INDIAN	323	2	3	9	13	14	17	123	93	34	14	1	-	-	-
NONE	159	2	2	8	12	9	13	64	39	7	3	-	-	-	-
ONE	107	-	1	1	1	3	3	45	30	16	7	-	-	-	-
TWO	31	-	-	-	-	1	1	11	13	4	1	-	-	-	-
THREE	18	-	-	-	-	1	-	3	6	6	2	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	4	1	1	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BLACK	1,240	3	10	22	41	59	77	433	391	144	55	5	-	-	-
NONE	591	2	10	22	34	49	60	229	141	32	12	-	-	-	-
ONE	374	1	-	-	7	9	14	141	132	55	15	-	-	-	-
TWO	166	-	-	-	-	-	3	47	68	33	15	-	-	-	-
THREE	62	-	-	-	-	-	-	13	31	11	4	3	-	-	-
FOUR OR MORE	41	-	-	-	-	-	-	2	17	11	9	2	-	-	-
NOT STATED	6	-	-	-	-	1	-	1	2	2	-	-	-	-	-
CAMBODIAN	52	-	-	-	1	1	-	15	15	15	5	-	-	-	-
NONE	14	-	-	-	1	1	-	5	3	4	-	-	-	-	-
ONE	15	-	-	-	-	-	-	6	2	4	3	-	-	-	-
TWO	11	-	-	-	-	-	-	1	8	1	1	-	-	-	-
THREE	8	-	-	-	-	-	-	2	2	4	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	671	-	-	-	2	2	4	47	261	291	59	4	1	-	-
NONE	331	-	-	-	2	2	4	30	166	114	12	1	-	-	-
ONE	239	-	-	-	-	-	-	17	77	122	22	1	-	-	-
TWO	74	-	-	-	-	-	-	-	14	42	18	-	-	-	-
THREE	16	-	-	-	-	-	-	-	3	8	5	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	-	1	3	2	2	1	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
NONE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1,008	1	4	4	5	19	31	269	314	247	99	15	-	-	-
NONE	480	1	4	3	5	13	27	180	150	81	13	1	-	-	-
ONE	309	-	-	1	-	5	4	66	106	89	31	5	-	-	-
TWO	146	-	-	-	-	1	-	15	40	56	30	4	-	-	-
THREE	54	-	-	-	-	-	-	5	12	14	20	3	-	-	-
FOUR OR MORE	17	-	-	-	-	-	-	1	4	7	3	2	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
INDIAN (INDIA)	264	-	-	-	-	3	4	71	105	60	16	5	-	-	-
NONE	152	-	-	-	-	3	4	55	65	21	4	-	-	-	-
ONE	80	-	-	-	-	-	-	12	32	25	9	2	-	-	-
TWO	27	-	-	-	-	-	-	3	6	12	3	3	-	-	-
THREE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	357	-	-	5	3	2	5	50	116	133	39	4	-	-	-
NONE	167	-	-	5	3	2	5	29	65	47	11	-	-	-	-
ONE	128	-	-	-	-	-	-	17	44	53	14	-	-	-	-
TWO	50	-	-	-	-	-	-	4	7	26	10	3	-	-	-
THREE	10	-	-	-	-	-	-	-	-	6	3	1	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CLARA (CONTINUED)	22,538	38	107	291	453	648	896	6,652	7,429	4,442	1,379	190	9	-	4
KOREAN	211	-	-	-	-	1	1	36	112	46	14	1	-	-	-
NONE	110	-	-	-	-	1	1	26	67	11	4	-	-	-	-
ONE	81	-	-	-	-	-	-	10	38	26	6	1	-	-	-
TWO	18	-	-	-	-	-	-	-	7	9	2	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	153	-	2	4	3	3	13	63	39	18	6	1	-	-	1
NONE	66	-	2	4	2	2	9	31	12	4	-	-	-	-	-
ONE	40	-	-	-	1	1	4	16	11	5	2	-	-	-	-
TWO	28	-	-	-	-	-	-	14	10	2	2	-	-	-	-
THREE	9	-	-	-	-	-	-	2	4	3	-	-	-	-	-
FOUR OR MORE	10	-	-	-	-	-	-	-	2	4	2	1	-	-	1
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	29	-	-	-	-	-	1	4	12	9	3	-	-	-	-
NONE	16	-	-	-	-	-	-	3	8	5	-	-	-	-	-
ONE	10	-	-	-	-	-	1	1	3	3	2	-	-	-	-
TWO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	621	-	1	3	5	9	15	156	249	141	37	5	-	-	-
NONE	245	-	1	3	4	9	11	91	91	27	8	-	-	-	-
ONE	182	-	-	-	1	-	4	44	80	47	5	1	-	-	-
TWO	103	-	-	-	-	-	-	15	54	27	7	-	-	-	-
THREE	50	-	-	-	-	-	-	5	16	19	10	-	-	-	-
FOUR OR MORE	41	-	-	-	-	-	-	1	8	21	7	4	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	17,330	32	86	240	373	529	712	5,312	5,638	3,242	1,013	143	8	-	2
NONE	7,771	29	79	216	318	420	503	2,845	2,271	865	205	17	1	-	2
ONE	5,540	2	6	22	49	84	177	1,727	1,986	1,180	285	21	1	-	-
TWO	2,427	-	-	1	3	19	27	522	911	681	238	24	1	-	-
THREE	893	-	-	-	-	1	3	155	308	272	132	21	1	-	-
FOUR OR MORE	647	-	-	-	-	1	-	50	147	234	151	60	4	-	-
NOT STATED	52	1	1	1	3	4	2	13	15	10	2	-	-	-	-
OTHER ASIAN	112	-	1	2	5	3	11	29	35	20	4	2	-	-	-
NONE	35	-	1	2	4	1	7	10	11	2	-	-	-	-	-
ONE	40	-	-	-	1	2	4	14	11	7	1	-	-	-	-
TWO	20	-	-	-	-	-	-	4	9	6	1	-	-	-	-
THREE	7	-	-	-	-	-	-	-	3	3	1	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	1	1	2	1	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	29	-	-	-	1	1	1	6	7	9	4	-	-	-	-
NONE	11	-	-	-	1	1	1	4	2	2	-	-	-	-	-
ONE	7	-	-	-	-	-	-	2	2	2	1	-	-	-	-
TWO	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
THREE	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	136	-	-	2	1	2	2	38	42	33	11	4	-	-	1
NONE	75	-	-	2	1	2	2	30	21	9	7	-	-	-	1
ONE	36	-	-	-	-	-	-	5	15	13	2	1	-	-	-
TWO	17	-	-	-	-	-	-	3	5	7	2	-	-	-	-
THREE	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-

Table 2-8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CRUZ	3,329	5	11	25	69	88	128	922	1,111	721	215	30	3	-	1
AMERICAN INDIAN	33	-	-	2	-	1	2	11	9	8	-	-	-	-	-
NONE	16	-	-	2	-	-	2	8	3	1	-	-	-	-	-
ONE	7	-	-	-	-	1	-	2	1	3	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	-	4	2	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	49	-	-	3	1	3	2	16	15	5	3	1	-	-	-
NONE	25	-	-	3	1	3	2	9	5	1	1	-	-	-	-
ONE	17	-	-	-	-	-	-	6	7	3	-	1	-	-	-
TWO	5	-	-	-	-	-	-	-	3	1	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	10	-	-	-	-	-	1	-	4	5	-	-	-	-	-
NONE	6	-	-	-	-	-	1	-	4	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	30	-	1	1	-	-	2	5	9	9	3	-	-	-	-
NONE	17	-	1	1	-	-	1	4	6	3	1	-	-	-	-
ONE	9	-	-	-	-	-	1	1	1	5	1	-	-	-	-
TWO	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	9	-	-	-	-	-	-	1	5	3	-	-	-	-	-
NONE	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	24	-	-	-	-	-	1	2	12	5	4	-	-	-	-
NONE	14	-	-	-	-	-	1	1	8	2	2	-	-	-	-
ONE	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CRUZ (CONTINUED)	3,329	5	11	25	69	88	128	922	1,111	721	215	30	3	-	1
KOREAN	5	-	-	-	-	-	-	1	1	1	2	-	-	-	-
NONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TWO	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,862	4	10	19	59	74	107	801	957	621	179	27	3	-	1
NONE	1,264	3	9	13	49	58	81	437	395	185	31	3	-	-	-
ONE	893	1	1	4	8	11	21	274	309	220	42	2	-	-	-
TWO	383	-	-	2	2	5	3	60	156	119	32	4	-	-	-
THREE	152	-	-	-	-	-	2	19	55	45	21	10	-	-	-
FOUR OR MORE	145	-	-	-	-	-	-	5	31	45	53	7	3	-	1
NOT STATED	25	-	-	-	-	-	-	6	11	7	-	1	-	-	-
OTHER ASIAN	7	-	-	-	-	-	-	2	4	-	1	-	-	-	-
NONE	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NONE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	293	1	-	-	8	10	13	79	93	64	23	2	-	-	-
NONE	126	1	-	-	6	9	11	46	38	14	1	-	-	-	-
ONE	90	-	-	-	2	-	2	23	31	25	7	-	-	-	-
TWO	35	-	-	-	-	1	-	5	15	8	5	1	-	-	-
THREE	21	-	-	-	-	-	-	3	3	12	3	-	-	-	-
FOUR OR MORE	16	-	-	-	-	-	-	-	4	4	7	1	-	-	-
NOT STATED	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA	1,919	4	14	20	35	78	106	691	579	297	84	11	-	-	-
AMERICAN INDIAN	102	1	4	1	3	10	11	39	16	11	5	1	-	-	-
NONE	40	1	3	1	-	7	5	14	5	2	2	-	-	-	-
ONE	32	-	1	-	1	2	5	16	4	2	-	1	-	-	-
TWO	18	-	-	-	2	1	-	9	2	3	1	-	-	-	-
THREE	8	-	-	-	-	-	1	-	3	3	1	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	21	1	2	-	-	1	2	5	7	2	1	-	-	-	-
NONE	8	1	2	-	-	1	1	1	2	-	-	-	-	-	-
ONE	7	-	-	-	-	-	1	3	2	1	-	-	-	-	-
TWO	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	5	-	-	-	-	-	-	1	4	-	-	-	-	-	-
NONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	11	-	-	-	-	-	2	2	4	2	1	-	-	-	-
NONE	6	-	-	-	-	-	2	1	2	-	1	-	-	-	-
ONE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA (CONTINUED)	1,919	4	14	20	35	78	106	691	579	297	84	11	-	-	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,765	2	8	19	32	67	91	639	542	280	75	10	-	-	-
NONE	705	2	7	19	27	58	65	303	164	55	5	-	-	-	-
ONE	625	-	1	-	5	7	21	229	237	98	24	3	-	-	-
TWO	268	-	-	-	-	1	2	85	91	70	18	1	-	-	-
THREE	95	-	-	-	-	-	3	14	37	31	10	-	-	-	-
FOUR OR MORE	63	-	-	-	-	-	-	4	11	25	17	6	-	-	-
NOT STATED	9	-	-	-	-	1	-	4	2	1	1	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SIERRA	59	-	-	1	1	1	2	22	17	11	3	1	-	-	-
AMERICAN INDIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SIERRA (CONTINUED)	59	-	-	1	1	1	2	22	17	11	3	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	59	-	-	1	1	1	2	22	17	11	3	1	-	-	-
NONE	26	-	-	1	1	1	1	11	8	3	-	-	-	-	-
ONE	22	-	-	-	-	-	-	6	9	4	3	-	-	-	-
TWO	6	-	-	-	-	-	1	3	-	1	-	1	-	-	-
THREE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SISKIYOU	691	1	1	6	15	32	34	226	216	119	35	5	-	-	1
AMERICAN INDIAN	52	-	-	1	3	5	3	19	13	4	3	1	-	-	-
NONE	15	-	-	1	2	4	1	6	1	-	-	-	-	-	-
ONE	16	-	-	-	1	1	1	5	3	2	2	1	-	-	-
TWO	13	-	-	-	-	-	-	5	7	1	-	-	-	-	-
THREE	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BLACK	8	-	-	-	-	1	1	2	2	2	-	-	-	-	-
NONE	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-
ONE	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2-8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SISKIYOU (CONTINUED)	691	1	1	6	15	32	34	226	216	119	35	5	-	-	1
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NONE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	621	1	1	5	11	25	29	202	199	112	31	4	-	-	1
NONE	189	-	1	4	6	15	17	69	50	24	3	-	-	-	-
ONE	221	-	-	-	1	4	9	77	84	39	7	-	-	-	-
TWO	114	-	-	-	-	4	1	33	42	24	9	1	-	-	-
THREE	38	-	-	-	-	-	1	6	14	11	5	1	-	-	-
FOUR OR MORE	26	-	-	-	-	-	-	3	3	13	5	2	-	-	-
NOT STATED	33	1	-	1	4	2	1	14	6	1	2	-	-	-	1
OTHER ASIAN	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO	4,783	7	28	48	95	163	278	1,640	1,576	728	195	22	3	-	-
AMERICAN INDIAN	91	-	1	-	5	4	11	33	28	5	3	-	1	-	-
NONE	44	-	1	-	4	3	8	18	10	-	-	-	-	-	-
ONE	28	-	-	-	1	1	3	10	11	1	1	-	-	-	-
TWO	14	-	-	-	-	-	-	5	6	3	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	687	4	9	10	21	34	49	260	198	82	20	-	-	-	-
NONE	289	4	8	10	20	28	34	117	46	18	4	-	-	-	-
ONE	228	-	1	-	1	4	14	100	75	31	2	-	-	-	-
TWO	100	-	-	-	-	2	1	30	44	16	7	-	-	-	-
THREE	46	-	-	-	-	-	-	9	24	11	2	-	-	-	-
FOUR OR MORE	22	-	-	-	-	-	-	4	7	6	5	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	48	-	-	-	-	-	2	10	19	15	2	-	-	-	-
NONE	21	-	-	-	-	-	2	5	10	4	-	-	-	-	-
ONE	19	-	-	-	-	-	-	4	6	9	-	-	-	-	-
TWO	8	-	-	-	-	-	-	1	3	2	2	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	354	1	3	5	3	6	10	68	129	93	32	4	-	-	-
NONE	120	1	3	5	3	5	7	33	42	16	3	2	-	-	-
ONE	136	-	-	-	-	1	3	29	52	40	11	-	-	-	-
TWO	71	-	-	-	-	-	-	6	27	27	11	-	-	-	-
THREE	21	-	-	-	-	-	-	-	7	7	5	2	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	-	1	3	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	24	-	-	-	-	-	-	9	11	3	1	-	-	-	-
NONE	10	-	-	-	-	-	-	5	4	1	-	-	-	-	-
ONE	7	-	-	-	-	-	-	3	3	1	-	-	-	-	-
TWO	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	51	-	2	-	-	4	2	17	13	12	1	-	-	-	-
NONE	25	-	2	-	-	2	2	11	5	2	1	-	-	-	-
ONE	17	-	-	-	-	2	-	6	5	4	-	-	-	-	-
TWO	8	-	-	-	-	-	-	-	3	5	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO (CONTINUED)	4,783	7	28	48	95	163	278	1,640	1,576	728	195	22	3	-	-
KOREAN	21	-	1	-	-	-	-	6	7	6	1	-	-	-	-
NONE	10	-	-	-	-	-	-	4	5	-	1	-	-	-	-
ONE	8	-	1	-	-	-	-	2	1	4	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	66	-	-	1	1	5	3	22	20	10	3	1	-	-	-
NONE	23	-	-	1	1	3	2	11	5	-	-	-	-	-	-
ONE	19	-	-	-	-	1	1	8	5	2	1	1	-	-	-
TWO	11	-	-	-	-	-	-	3	4	3	1	-	-	-	-
THREE	6	-	-	-	-	-	-	-	4	2	-	-	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	-	2	3	1	-	-	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
THAI	6	-	-	-	-	-	-	2	1	3	-	-	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	-	1	-	1	2	-	-	-	-	-
NONE	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	3,409	2	12	32	65	109	199	1,208	1,139	492	132	17	2	-	-
NONE	1.533	2	12	30	60	94	139	642	403	124	24	3	-	-	-
ONE	1.155	-	-	2	5	14	54	431	447	168	30	3	1	-	-
TWO	468	-	-	-	-	1	6	109	202	108	41	-	1	-	-
THREE	160	-	-	-	-	-	-	21	62	59	14	4	-	-	-
FOUR OR MORE	84	-	-	-	-	-	-	1	21	32	23	7	-	-	-
NOT STATED	9	-	-	-	-	-	-	4	4	1	-	-	-	-	-
OTHER ASIAN	6	-	-	-	-	1	-	2	2	1	-	-	-	-	-
NONE	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
NONE	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	9	-	-	-	-	-	1	1	5	2	-	-	-	-	-
NONE	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SONOMA	4,818	4	16	37	79	111	199	1,380	1,639	984	331	34	2	-	2
AMERICAN INDIAN	117	1	1	2	5	2	16	48	25	15	2	-	-	-	-
NONE	45	1	1	2	2	1	9	19	7	3	-	-	-	-	-
ONE	40	-	-	-	3	1	6	19	6	5	-	-	-	-	-
TWO	20	-	-	-	-	-	1	8	7	4	-	-	-	-	-
THREE	8	-	-	-	-	-	-	1	4	1	2	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	93	-	1	1	2	3	7	29	33	13	4	-	-	-	-
NONE	36	-	1	1	1	3	5	13	9	3	-	-	-	-	-
ONE	35	-	-	-	1	-	2	11	15	5	1	-	-	-	-
TWO	15	-	-	-	-	-	-	5	7	2	1	-	-	-	-
THREE	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CAMBODIAN	8	-	-	-	-	-	1	2	1	2	2	-	-	-	-
NONE	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	23	-	-	-	-	-	-	3	10	8	2	-	-	-	-
NONE	10	-	-	-	-	-	-	2	5	3	-	-	-	-	-
ONE	9	-	-	-	-	-	-	1	4	3	1	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
NONE	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	33	-	1	-	-	1	2	7	15	6	1	-	-	-	-
NONE	12	-	1	-	-	1	1	3	5	1	-	-	-	-	-
ONE	13	-	-	-	-	-	1	2	7	3	-	-	-	-	-
TWO	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
INDIAN (INDIA)	10	-	-	-	-	-	-	4	3	2	1	-	-	-	-
NONE	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
ONE	5	-	-	-	-	-	-	2	1	1	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	36	-	-	-	-	-	-	10	13	10	3	-	-	-	-
NONE	18	-	-	-	-	-	-	8	6	4	-	-	-	-	-
ONE	13	-	-	-	-	-	-	2	6	3	2	-	-	-	-
TWO	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SONOMA (CONTINUED)	4,818	4	16	37	79	111	199	1,360	1,639	984	331	34	2	-	2
KOREAN	10	-	-	-	-	-	-	2	3	3	-	2	-	-	-
NONE	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-
ONE	6	-	-	-	-	-	-	1	2	3	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	15	-	-	-	-	1	2	3	6	2	1	-	-	-	-
NONE	5	-	-	-	-	1	1	1	1	1	-	-	-	-	-
ONE	6	-	-	-	-	-	1	1	3	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	16	-	-	-	-	-	-	8	5	3	-	-	-	-	-
NONE	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
ONE	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
TWO	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
THREE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,353	3	12	33	71	104	168	1,238	1,491	886	311	32	2	-	2
NONE	1,959	3	12	32	60	77	126	673	605	294	73	3	-	-	1
ONE	1,414	-	-	1	11	23	37	416	519	308	87	10	1	-	1
TWO	628	-	-	-	-	2	4	109	254	179	75	5	-	-	-
THREE	206	-	-	-	-	-	-	24	73	60	46	3	-	-	-
FOUR OR MORE	117	-	-	-	-	-	-	6	30	40	29	11	1	-	-
NOT STATED	29	-	-	-	-	2	1	10	10	5	1	-	-	-	-
OTHER ASIAN	39	-	-	1	-	-	3	17	13	3	2	-	-	-	-
NONE	10	-	-	1	-	-	3	5	1	-	-	-	-	-	-
ONE	8	-	-	-	-	-	-	5	2	1	-	-	-	-	-
TWO	11	-	-	-	-	-	-	6	3	1	1	-	-	-	-
THREE	5	-	-	-	-	-	-	-	5	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
OTHER	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-
NONE	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	59	-	-	-	-	-	-	9	20	28	2	-	-	-	-
NONE	20	-	-	-	-	-	-	5	7	8	-	-	-	-	-
ONE	24	-	-	-	-	-	-	4	10	9	1	-	-	-	-
TWO	6	-	-	-	-	-	-	-	2	4	-	-	-	-	-
THREE	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
STANISLAUS	5,258	9	34	75	133	253	315	1,921	1,591	694	196	32	4	-	1
AMERICAN INDIAN	73	-	2	3	1	2	5	31	17	10	2	-	-	-	-
NONE	25	-	1	2	1	-	5	14	1	-	1	-	-	-	-
ONE	23	-	1	-	-	2	-	7	9	3	1	-	-	-	-
TWO	16	-	-	-	-	-	-	9	5	2	-	-	-	-	-
THREE	5	-	-	-	-	-	-	-	1	4	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
NOT STATED	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
BLACK	105	1	1	1	8	5	9	44	28	5	2	1	-	-	-
NONE	41	1	1	1	7	4	5	15	7	-	-	-	-	-	-
ONE	34	-	-	-	1	1	3	18	9	2	-	-	-	-	-
TWO	14	-	-	-	-	-	1	7	5	1	-	-	-	-	-
THREE	9	-	-	-	-	-	-	3	3	2	-	1	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	1	4	-	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CAMBODIAN	24	-	-	1	-	1	-	12	8	1	1	-	-	-	-
NONE	3	-	-	-	-	1	-	2	-	-	-	-	-	-	-
ONE	11	-	-	1	-	-	-	7	3	-	-	-	-	-	-
TWO	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	33	-	-	-	-	-	-	4	13	15	1	-	-	-	-
NONE	12	-	-	-	-	-	-	1	6	5	-	-	-	-	-
ONE	14	-	-	-	-	-	-	3	4	6	1	-	-	-	-
TWO	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	29	-	-	-	-	-	1	8	4	13	3	-	-	-	-
NONE	9	-	-	-	-	-	-	5	1	1	2	-	-	-	-
ONE	8	-	-	-	-	-	-	1	1	6	-	-	-	-	-
TWO	9	-	-	-	-	-	1	2	2	4	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	49	-	-	-	2	-	2	17	20	6	1	1	-	-	-
NONE	18	-	-	-	1	-	1	9	5	1	1	-	-	-	-
ONE	22	-	-	-	-	-	1	8	10	2	-	1	-	-	-
TWO	8	-	-	-	-	-	-	-	5	3	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
JAPANESE	11	-	-	-	1	-	-	5	2	3	-	-	-	-	-
NONE	5	-	-	-	1	-	-	2	2	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
STANISLAUS (CONTINUED)	5,258	9	34	75	133	253	315	1,921	1,591	694	196	32	4	-	1
KOREAN	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-
NONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ONE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	8	-	-	-	-	2	-	1	4	1	-	-	-	-	-
NONE	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-
ONE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	20	-	-	-	-	1	1	9	7	1	-	1	-	-	-
NONE	5	-	-	-	-	1	1	2	1	-	-	-	-	-	-
ONE	8	-	-	-	-	-	-	6	1	-	-	1	-	-	-
TWO	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	4,842	8	30	70	121	242	292	1,759	1,474	628	184	29	4	-	1
NONE	1,874	8	30	59	93	162	199	800	406	99	17	1	-	-	-
ONE	1.642	-	-	10	23	65	74	660	552	219	38	1	-	-	-
TWO	835	-	-	1	5	14	16	229	352	157	53	8	-	-	-
THREE	266	-	-	-	-	1	2	55	104	75	26	3	-	-	-
FOUR OR MORE	220	-	-	-	-	-	-	15	59	77	49	16	4	-	-
NOT STATED	5	-	-	-	-	-	1	-	1	1	1	-	-	-	1
OTHER ASIAN	39	-	1	-	-	-	2	23	5	6	2	-	-	-	-
NONE	13	-	1	-	-	-	-	7	2	3	-	-	-	-	-
ONE	8	-	-	-	-	-	2	6	-	-	-	-	-	-	-
TWO	10	-	-	-	-	-	-	9	-	1	-	-	-	-	-
THREE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	1	1	-	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	10	-	-	-	-	-	3	4	2	1	-	-	-	-	-
NONE	9	-	-	-	-	-	3	3	2	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	9	-	-	-	-	-	-	3	4	2	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER	973	2	6	20	28	38	55	353	310	121	37	4	1	-	-
AMERICAN INDIAN	59	-	1	2	-	6	3	28	12	6	1	-	-	-	-
NONE	27	-	1	2	-	6	3	13	1	1	-	-	-	-	-
ONE	21	-	-	-	-	-	-	12	6	3	-	-	-	-	-
TWO	7	-	-	-	-	-	-	3	3	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	21	-	-	-	-	-	1	10	9	-	1	-	-	-	-
NONE	11	-	-	-	-	-	1	4	5	-	1	-	-	-	-
ONE	6	-	-	-	-	-	-	4	2	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	105	-	-	-	1	1	4	52	31	12	4	-	-	-	-
NONE	48	-	-	-	1	1	4	31	10	1	-	-	-	-	-
ONE	31	-	-	-	-	-	-	16	11	4	-	-	-	-	-
TWO	14	-	-	-	-	-	-	4	8	2	-	-	-	-	-
THREE	6	-	-	-	-	-	-	-	1	4	1	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	1	1	3	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	10	-	-	-	-	1	2	-	4	3	-	-	-	-	-
NONE	4	-	-	-	-	1	1	-	2	-	-	-	-	-	-
ONE	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER (CONTINUED)	973	2	4	20	28	38	55	353	310	121	37	4	1	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	752	2	3	16	27	30	45	255	244	95	31	3	1	-	-
NONE	340	2	3	14	24	26	31	138	79	19	4	-	-	-	-
ONE	233	-	-	2	3	4	12	84	67	31	9	1	-	-	-
TWO	96	-	-	-	-	-	2	25	43	22	4	-	-	-	-
THREE	51	-	-	-	-	-	-	5	24	16	5	1	-	-	-
FOUR OR MORE	32	-	-	-	-	-	-	3	11	7	9	1	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	17	-	-	2	-	-	-	5	7	3	-	-	-	-	-
NONE	5	-	-	2	-	-	-	3	-	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
TWO	6	-	-	-	-	-	-	-	5	1	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TEHAMA	572	2	4	9	12	24	30	225	169	76	17	4	-	-	-
AMERICAN INDIAN	26	-	1	4	-	1	3	9	7	1	-	-	-	-	-
NONE	10	-	1	4	-	1	2	1	1	-	-	-	-	-	-
ONE	9	-	-	-	-	-	1	6	2	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TEHAMA (CONTINUED)	572	2	4	9	12	24	30	225	169	76	17	4	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	540	2	3	5	12	23	26	216	159	73	17	4	-	-	-
NONE	191	2	3	4	11	18	19	92	32	9	1	-	-	-	-
ONE	187	-	-	1	1	3	7	90	56	26	3	-	-	-	-
TWO	95	-	-	-	-	1	-	26	45	21	2	-	-	-	-
THREE	42	-	-	-	-	1	-	5	18	11	4	3	-	-	-
FOUR OR MORE	21	-	-	-	-	-	-	1	6	6	7	1	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TRINITY	184	-	1	2	3	10	14	56	60	31	5	2	-	-	-
AMERICAN INDIAN	23	-	1	-	-	5	3	10	2	2	-	-	-	-	-
NONE	10	-	1	-	-	4	1	3	1	-	-	-	-	-	-
ONE	8	-	-	-	-	1	2	5	-	-	-	-	-	-	-
TWO	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TRINITY (CONTINUED)	184	-	1	2	3	10	14	56	60	31	5	2	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	158	-	-	2	3	5	11	46	55	29	5	2	-	-	-
NONE	62	-	-	2	2	3	10	21	18	5	1	-	-	-	-
ONE	51	-	-	-	1	2	-	13	19	15	1	-	-	-	-
TWO	22	-	-	-	-	-	-	9	11	2	-	-	-	-	-
THREE	9	-	-	-	-	-	-	1	4	3	-	1	-	-	-
FOUR OR MORE	11	-	-	-	-	-	-	-	3	4	3	1	-	-	-
NOT STATED	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TULARE	5,621	20	46	102	224	295	382	2,021	1,522	725	229	52	2	-	1
AMERICAN INDIAN	45	-	1	2	5	-	5	15	8	8	1	-	-	-	-
NONE	19	-	1	2	5	-	1	6	3	1	-	-	-	-	-
ONE	11	-	-	-	-	-	3	8	-	-	-	-	-	-	-
TWO	6	-	-	-	-	-	1	1	1	3	-	-	-	-	-
THREE	6	-	-	-	-	-	-	-	3	3	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	95	-	2	4	6	3	7	39	22	10	1	1	-	-	-
NONE	31	-	2	4	5	2	4	10	2	2	-	-	-	-	-
ONE	27	-	-	-	1	-	2	16	7	-	-	1	-	-	-
TWO	22	-	-	-	-	1	1	9	8	3	-	-	-	-	-
THREE	8	-	-	-	-	-	-	3	4	1	-	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	1	1	4	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	14	-	-	-	-	-	-	5	5	4	-	-	-	-	-
NONE	8	-	-	-	-	-	-	4	4	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	74	-	1	1	3	5	2	18	21	14	5	4	-	-	-
NONE	30	-	1	1	1	3	1	10	10	2	1	-	-	-	-
ONE	19	-	-	-	2	1	1	6	3	3	2	1	-	-	-
TWO	14	-	-	-	-	1	-	2	2	6	1	2	-	-	-
THREE	7	-	-	-	-	-	-	-	4	3	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	2	-	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	13	-	-	-	-	-	-	2	4	5	2	-	-	-	-
NONE	7	-	-	-	-	-	-	1	2	3	1	-	-	-	-
ONE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TULARE (CONTINUED)	5,621	20	46	102	224	295	382	2,021	1,522	725	229	52	2	-	1
KOREAN	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
NONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
ONE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	5,343	20	42	95	209	286	365	1,928	1,453	678	217	47	2	-	1
NONE	1,899	19	35	83	165	184	217	761	326	88	19	2	-	-	-
ONE	1,661	1	7	11	38	81	115	685	529	162	31	-	1	-	-
TWO	928	-	-	1	5	18	31	331	323	173	39	7	-	-	-
THREE	418	-	-	-	1	3	-	118	144	114	34	4	-	-	-
FOUR OR MORE	435	-	-	-	-	-	2	33	130	141	93	34	1	-	1
NOT STATED	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
OTHER ASIAN	16	-	-	-	1	-	3	7	2	2	1	-	-	-	-
NONE	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	4	-	-	-	-	-	-	3	-	-	1	-	-	-	-
THREE	8	-	-	-	1	-	1	3	1	2	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	1	-	2	-	-	-	-
NONE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TUOLUMNE	484	-	2	1	6	17	19	138	180	85	33	2	-	-	1
AMERICAN INDIAN	16	-	-	-	-	2	1	4	4	4	1	-	-	-	-
NONE	6	-	-	-	-	1	1	2	2	-	-	-	-	-	-
ONE	3	-	-	-	-	1	-	-	1	1	-	-	-	-	-
TWO	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TUOLUMNE (CONTINUED)	484	-	2	1	6	17	19	138	180	85	33	2	-	-	1
KOREAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	456	-	2	1	6	15	18	132	171	77	31	2	-	-	1
NONE	187	-	2	1	6	13	15	66	62	18	3	-	-	-	1
ONE	167	-	-	-	-	2	2	51	69	32	10	1	-	-	-
TWO	71	-	-	-	-	-	-	12	31	21	7	-	-	-	-
THREE	21	-	-	-	-	-	-	2	7	2	9	1	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	1	2	3	2	-	-	-	-
NOT STATED	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE-ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
VENTURA	9,879	19	36	130	229	327	461	3,153	3,138	1,717	564	83	6	-	16
AMERICAN INDIAN	145	1	1	1	6	10	12	58	30	19	5	2	-	-	-
NONE	65	1	1	1	5	8	11	24	9	4	1	-	-	-	-
ONE	41	-	-	-	1	2	1	24	11	2	-	-	-	-	-
TWO	20	-	-	-	-	-	-	3	6	9	1	1	-	-	-
THREE	7	-	-	-	-	-	-	3	2	1	-	1	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	2	1	2	-	-	-	-
NOT STATED	7	-	-	-	-	-	-	4	-	2	1	-	-	-	-
BLACK	310	1	4	6	8	18	26	108	82	39	16	2	-	-	-
NONE	128	1	4	6	8	15	19	47	22	4	1	1	-	-	-
ONE	84	-	-	-	-	3	6	35	26	11	3	-	-	-	-
TWO	59	-	-	-	-	-	1	21	21	13	3	-	-	-	-
THREE	17	-	-	-	-	-	-	1	6	5	4	1	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	-	4	5	5	-	-	-	-
NOT STATED	8	-	-	-	-	-	-	4	3	1	-	-	-	-	-
CAMBODIAN	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
NONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	70	-	-	-	-	-	-	7	33	20	10	-	-	-	-
NONE	23	-	-	-	-	-	-	5	14	3	1	-	-	-	-
ONE	28	-	-	-	-	-	-	2	16	6	4	-	-	-	-
TWO	14	-	-	-	-	-	-	-	3	7	4	-	-	-	-
THREE	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	177	-	1	-	2	4	4	36	57	46	25	2	-	-	-
NONE	65	-	1	-	2	3	3	19	19	7	10	1	-	-	-
ONE	63	-	-	-	-	1	1	9	23	23	5	1	-	-	-
TWO	30	-	-	-	-	-	-	6	10	9	5	-	-	-	-
THREE	12	-	-	-	-	-	-	1	1	5	5	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-
INDIAN (INDIA)	29	-	-	-	-	-	-	4	15	7	2	1	-	-	-
NONE	10	-	-	-	-	-	-	2	8	-	-	-	-	-	-
ONE	12	-	-	-	-	-	-	1	5	4	1	1	-	-	-
TWO	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
THREE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	66	-	-	-	1	4	-	25	24	10	2	-	-	-	-
NONE	29	-	-	-	1	2	-	16	8	2	-	-	-	-	-
ONE	31	-	-	-	-	2	-	8	14	7	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
VENTURA (CONTINUED)	9,879	19	36	130	229	327	461	3,153	3,138	1,717	564	83	6	-	16
KOREAN	25	-	-	-	-	1	-	7	11	4	2	-	-	-	-
NONE	14	-	-	-	-	1	-	6	4	2	1	-	-	-	-
ONE	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-
TWO	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	33	-	-	-	2	1	1	8	13	8	-	-	-	-	-
NONE	12	-	-	-	2	-	1	4	4	1	-	-	-	-	-
ONE	9	-	-	-	-	1	-	3	3	2	-	-	-	-	-
TWO	6	-	-	-	-	-	-	-	4	2	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
NONE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	29	-	-	-	1	1	4	8	6	7	-	2	-	-	-
NONE	11	-	-	-	1	1	3	2	3	1	-	-	-	-	-
ONE	10	-	-	-	-	-	1	5	2	2	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	8,654	16	27	118	204	284	402	2,805	2,740	1,489	479	73	6	-	11
NONE	3,561	16	24	112	179	224	278	1,460	886	313	56	7	4	-	5
ONE	2,647	-	2	5	25	51	95	893	976	476	114	8	1	-	1
TWO	1,249	-	-	1	-	3	13	285	521	312	100	14	-	-	-
THREE	541	-	-	-	-	1	2	77	191	193	70	6	-	-	1
FOUR OR MORE	421	-	-	-	-	-	-	20	80	153	129	35	4	-	-
NOT STATED	235	-	1	-	-	5	14	70	86	42	10	3	-	-	4
OTHER ASIAN	20	-	-	-	-	-	-	6	9	4	1	-	-	-	-
NONE	11	-	-	-	-	-	-	3	6	2	-	-	-	-	-
ONE	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-
TWO	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	11	-	-	-	-	-	1	2	4	3	1	-	-	-	-
NONE	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
ONE	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	301	1	3	5	5	4	11	78	108	59	21	1	-	-	5
NONE	135	1	2	4	4	4	9	40	45	20	5	-	-	-	1
ONE	80	-	-	-	-	-	-	22	33	20	4	1	-	-	-
TWO	38	-	-	-	-	-	-	6	14	10	8	-	-	-	-
THREE	9	-	-	-	-	-	-	-	2	5	1	-	-	-	1
FOUR OR MORE	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	36	-	1	1	1	-	2	10	13	4	1	-	-	-	3

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO	1,817	3	6	31	49	61	84	542	576	363	94	8	-	-	-
AMERICAN INDIAN	27	-	-	-	2	1	4	10	7	2	1	-	-	-	-
NONE	10	-	-	-	2	1	1	4	1	1	-	-	-	-	-
ONE	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-
TWO	7	-	-	-	-	-	1	4	1	1	-	-	-	-	-
THREE	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	49	-	-	-	1	5	3	13	21	5	1	-	-	-	-
NONE	20	-	-	-	-	2	2	6	9	1	-	-	-	-	-
ONE	14	-	-	-	1	2	1	4	5	1	-	-	-	-	-
TWO	9	-	-	-	-	1	-	2	3	3	-	-	-	-	-
THREE	4	-	-	-	-	-	-	-	3	-	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	18	-	-	-	-	-	-	2	8	6	2	-	-	-	-
NONE	13	-	-	-	-	-	-	2	7	3	1	-	-	-	-
ONE	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	17	-	-	-	1	-	1	4	5	6	-	-	-	-	-
NONE	7	-	-	-	1	-	1	1	2	2	-	-	-	-	-
ONE	5	-	-	-	-	-	-	2	-	3	-	-	-	-	-
TWO	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	20	-	-	-	-	-	-	6	10	3	1	-	-	-	-
NONE	11	-	-	-	-	-	-	6	4	1	-	-	-	-	-
ONE	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-
TWO	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	19	-	-	-	1	-	1	3	7	5	2	-	-	-	-
NONE	12	-	-	-	1	-	1	1	6	2	1	-	-	-	-
ONE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO (CONTINUED)	1,817	3	6	31	49	61	84	542	576	363	94	8	-	-	-
KOREAN	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-
NONE	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,637	2	6	31	44	54	75	495	504	333	85	8	-	-	-
NONE	666	2	6	27	35	40	55	238	164	84	15	-	-	-	-
ONE	559	-	-	4	9	13	16	186	196	112	21	2	-	-	-
TWO	248	-	-	-	-	1	3	56	95	73	20	-	-	-	-
THREE	96	-	-	-	-	-	1	11	28	41	14	1	-	-	-
FOUR OR MORE	61	-	-	-	-	-	-	2	16	23	15	5	-	-	-
NOT STATED	7	-	-	-	-	-	-	2	5	-	-	-	-	-	-
OTHER ASIAN	4	1	-	-	-	-	-	2	1	-	-	-	-	-	-
NONE	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	15	-	-	-	-	-	-	4	7	3	1	-	-	-	-
NONE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
ONE	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
TWO	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 2—8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YUBA	1,073	1	7	20	27	56	69	461	277	131	21	3	-	-	-
AMERICAN INDIAN	99	-	-	2	1	8	7	44	24	12	1	-	-	-	-
NONE	40	-	-	2	1	6	6	18	6	1	-	-	-	-	-
ONE	31	-	-	-	-	2	1	18	6	4	-	-	-	-	-
TWO	22	-	-	-	-	-	-	6	11	4	1	-	-	-	-
THREE	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	71	-	-	1	1	2	3	33	22	8	1	-	-	-	-
NONE	26	-	-	1	1	2	2	15	2	3	-	-	-	-	-
ONE	27	-	-	-	-	-	1	11	12	3	-	-	-	-	-
TWO	7	-	-	-	-	-	-	5	1	1	-	-	-	-	-
THREE	8	-	-	-	-	-	-	2	5	-	1	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	19	-	-	-	-	-	1	4	10	4	-	-	-	-	-
NONE	8	-	-	-	-	-	1	3	3	1	-	-	-	-	-
ONE	6	-	-	-	-	-	-	1	4	1	-	-	-	-	-
TWO	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	16	-	-	-	-	-	1	5	8	2	-	-	-	-	-
NONE	6	-	-	-	-	-	1	3	2	-	-	-	-	-	-
ONE	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
TWO	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	3	2	1	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–8 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YUBA (CONTINUED)	1,073	1	7	20	27	56	69	461	277	131	21	3	-	-	-
KOREAN	14	-	-	-	-	-	-	5	6	3	-	-	-	-	-
NONE	10	-	-	-	-	-	-	4	4	2	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	823	1	7	16	24	46	56	358	199	95	18	3	-	-	-
NONE	355	1	7	15	21	34	39	159	56	19	3	1	-	-	-
ONE	289	-	-	1	2	12	16	157	75	24	1	1	-	-	-
TWO	109	-	-	-	1	-	1	32	46	22	7	-	-	-	-
THREE	41	-	-	-	-	-	-	7	17	14	2	1	-	-	-
FOUR OR MORE	25	-	-	-	-	-	-	1	3	16	5	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
OTHER ASIAN	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	10	-	-	1	1	-	-	4	2	2	-	-	-	-	-
NONE	4	-	-	1	1	-	-	1	-	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Source: State of California, Department of Health Services, Birth Records.

Table 2–9

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA, 1982

(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	429,631	851	2,379	5,620	9,875	15,035	20,261	136,388	134,830	76,090	24,205	3,734	209	11	143
HISPANIC	132,055	425	1,145	2,582	4,310	6,240	7,801	45,741	36,281	18,812	7,038	1,543	84	5	48
CUBAN	827	1	1	7	11	23	50	268	266	137	50	12	1	-	-
NONE	387	1	1	7	10	19	38	157	95	49	10	-	-	-	-
ONE	264	-	-	-	1	4	10	89	99	39	18	5	-	-	-
TWO	125	-	-	-	-	-	2	19	51	34	14	4	1	-	-
THREE	26	-	-	-	-	-	-	2	10	11	2	1	-	-	-
FOUR OR MORE	21	-	-	-	-	-	-	-	9	4	6	2	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
MEXICAN	117,479	392	1,080	2,418	4,022	5,772	7,169	41,073	31,718	16,283	6,072	1,353	79	4	44
NONE	41,792	375	998	2,157	3,272	4,143	4,570	17,029	6,793	1,909	444	85	1	-	16
ONE	33,736	16	79	243	670	1,396	2,061	14,962	10,062	3,411	728	92	6	-	10
TWO	20,684	-	2	13	66	202	438	6,355	8,041	4,223	1,153	177	9	-	5
THREE	10,233	-	-	-	3	13	71	1,960	3,977	2,941	1,086	169	9	1	3
FOUR OR MORE	10,652	-	-	-	-	2	9	630	2,743	3,743	2,638	826	54	3	4
NOT STATED	382	1	1	5	11	16	20	137	102	56	23	4	-	-	6
PUERTO RICAN	1,639	5	13	32	64	81	101	626	425	198	76	17	1	-	-
NONE	720	3	13	29	58	62	71	312	120	39	12	1	-	-	-
ONE	482	2	-	3	6	18	25	202	158	48	18	2	-	-	-
TWO	270	-	-	-	-	1	5	83	95	60	22	4	-	-	-
THREE	98	-	-	-	-	-	-	22	34	28	9	5	-	-	-
FOUR OR MORE	64	-	-	-	-	-	-	5	17	23	13	5	1	-	-
NOT STATED	5	-	-	-	-	-	-	2	1	-	2	-	-	-	-
OTHER HISPANIC	12,110	27	51	125	213	364	481	3,774	3,872	2,194	840	161	3	1	4
NONE	4,845	27	49	116	185	294	350	2,023	1,247	405	125	21	-	-	3
ONE	3,770	-	2	9	25	61	113	1,228	1,403	698	198	31	1	-	1
TWO	1,985	-	-	-	3	8	15	375	769	579	193	42	-	1	-
THREE	891	-	-	-	-	-	1	105	316	289	147	32	1	-	-
FOUR OR MORE	574	-	-	-	-	-	1	26	124	214	174	34	1	-	-
NOT STATED	45	-	-	-	-	1	1	17	13	9	3	1	-	-	-
NON-HISPANIC	291,311	418	1,218	2,981	5,451	8,623	12,232	88,861	96,495	55,952	16,736	2,147	123	6	68
NONE	132,705	409	1,167	2,765	4,654	6,913	9,092	48,111	39,045	16,491	3,679	341	14	1	23
ONE	94,363	7	45	195	703	1,488	2,589	29,167	34,629	20,172	4,933	407	12	-	16
TWO	40,083	-	2	8	73	178	447	8,803	15,278	11,123	3,759	393	10	-	9
THREE	14,040	-	-	2	3	18	61	1,934	4,921	4,673	2,061	353	11	-	3
FOUR OR MORE	8,887	-	-	-	-	1	4	487	2,206	3,246	2,214	642	76	5	6
NOT STATED	1,233	2	4	11	18	25	39	359	416	247	90	11	-	-	11
NOT STATED	6,265	8	16	57	114	172	228	1,786	2,054	1,326	431	44	2	-	27
NONE	2,914	7	15	52	98	139	167	1,007	862	453	102	6	-	-	6
ONE	1,987	-	-	4	13	26	49	573	723	454	137	6	2	-	-
TWO	809	-	-	-	-	4	6	143	301	246	102	7	-	-	-
THREE	266	-	-	-	-	-	1	28	95	94	39	8	-	-	1
FOUR OR MORE	139	-	-	-	-	-	-	4	31	44	44	15	-	-	1
NOT STATED	150	1	1	1	3	3	5	31	42	35	7	2	-	-	19

Source: State of California, Department of Health Services, Birth Records.

Table 2—10

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ALAMEDA	18,220	32	100	235	391	512	726	5,326	5,774	3,696	1,201	195	11	-	21
HISPANIC	2,641	3	25	54	85	98	133	957	702	405	134	38	2	-	5
NONE	1,103	3	24	50	75	76	93	467	221	76	11	5	-	-	2
ONE	794	-	1	4	8	18	34	347	228	114	35	3	-	-	2
TWO	386	-	-	-	2	3	4	98	143	100	27	7	1	-	1
THREE	207	-	-	-	-	-	1	33	70	70	27	5	1	-	-
FOUR OR MORE	136	-	-	-	-	-	1	3	39	42	33	18	-	-	-
NOT STATED	15	-	-	-	-	1	-	9	1	3	1	-	-	-	-
NON-HISPANIC	14,961	29	72	175	293	390	574	4,205	4,890	3,142	1,012	154	9	-	16
NONE	6,999	29	69	166	253	319	434	2,360	2,073	1,021	238	28	2	-	7
ONE	4,770	-	3	8	34	63	119	1,303	1,733	1,137	329	37	-	-	4
TWO	1,964	-	-	-	4	5	13	399	732	554	230	24	-	-	3
THREE	677	-	-	-	-	2	2	91	221	236	96	26	2	-	1
FOUR OR MORE	441	-	-	-	-	-	-	25	96	167	109	39	5	-	-
NOT STATED	110	-	-	1	2	1	6	27	35	27	10	-	-	-	1
NOT STATED	618	-	3	6	13	24	19	164	182	149	55	3	-	-	-
NONE	260	-	3	5	9	18	13	70	71	55	15	1	-	-	-
ONE	202	-	-	1	4	5	5	62	61	45	19	-	-	-	-
TWO	83	-	-	-	-	1	1	19	26	26	10	-	-	-	-
THREE	27	-	-	-	-	-	-	5	9	9	4	-	-	-	-
FOUR OR MORE	21	-	-	-	-	-	-	2	4	9	4	2	-	-	-
NOT STATED	25	-	-	-	-	-	-	6	11	5	3	-	-	-	-
ALPINE	20	-	-	-	-	-	-	3	10	6	1	-	-	-	-
HISPANIC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	20	-	-	-	-	-	-	3	10	6	1	-	-	-	-
NONE	8	-	-	-	-	-	-	2	5	1	-	-	-	-	-
ONE	7	-	-	-	-	-	-	-	3	3	1	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR	246	-	1	3	3	5	7	77	90	43	16	1	-	-	-
HISPANIC	6	-	-	-	-	-	-	3	2	-	1	-	-	-	-
NONE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	238	-	1	3	3	5	7	72	88	43	15	1	-	-	-
NONE	95	-	1	3	3	3	6	32	37	6	4	-	-	-	-
ONE	84	-	-	-	-	2	1	32	30	17	2	-	-	-	-
TWO	39	-	-	-	-	-	-	6	16	11	5	1	-	-	-
THREE	11	-	-	-	-	-	-	1	4	6	-	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	-	3	4	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
NONE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2,205	3	8	25	42	76	120	707	730	394	89	11	-	-	-
HISPANIC	193	-	2	5	3	7	13	61	51	33	14	4	-	-	-
NONE	63	-	1	4	3	5	9	25	11	3	1	1	-	-	-
ONE	61	-	1	1	-	2	4	23	19	10	1	-	-	-	-
TWO	32	-	-	-	-	-	-	10	11	7	3	1	-	-	-
THREE	22	-	-	-	-	-	-	1	8	10	3	-	-	-	-
FOUR OR MORE	15	-	-	-	-	-	-	2	2	3	6	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,966	2	6	20	36	68	104	635	664	353	71	7	-	-	-
NONE	870	1	6	19	32	49	75	326	258	93	11	-	-	-	-
ONE	686	1	-	-	3	18	21	228	260	128	27	-	-	-	-
TWO	263	-	-	1	1	1	7	58	106	75	14	-	-	-	-
THREE	93	-	-	-	-	-	1	19	33	28	9	3	-	-	-
FOUR OR MORE	51	-	-	-	-	-	-	3	7	27	10	4	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
NOT STATED	46	1	-	-	3	1	3	11	15	8	4	-	-	-	-
NONE	16	1	-	-	2	1	3	6	3	-	-	-	-	-	-
ONE	12	-	-	-	1	-	-	5	4	1	1	-	-	-	-
TWO	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
THREE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	-	2	5	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALAVERAS	286	-	-	-	1	7	17	83	97	56	22	3	-	-	-
HISPANIC	17	-	-	-	-	1	1	5	6	1	2	1	-	-	-
NONE	9	-	-	-	-	1	1	4	1	1	-	1	-	-	-
ONE	5	-	-	-	-	-	-	1	4	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	266	-	-	-	1	6	16	78	89	55	19	2	-	-	-
NONE	109	-	-	-	1	6	12	39	27	20	3	1	-	-	-
ONE	94	-	-	-	-	-	4	32	38	18	2	-	-	-	-
TWO	43	-	-	-	-	-	-	7	16	13	6	1	-	-	-
THREE	15	-	-	-	-	-	-	-	5	3	7	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	3	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	262	-	-	2	4	8	19	92	83	41	11	2	-	-	-
HISPANIC	97	-	-	2	-	4	10	38	24	16	1	2	-	-	-
NONE	37	-	-	2	-	4	8	19	2	2	-	-	-	-	-
ONE	25	-	-	-	-	-	2	14	8	1	-	-	-	-	-
TWO	14	-	-	-	-	-	-	3	6	5	-	-	-	-	-
THREE	9	-	-	-	-	-	-	2	4	3	-	-	-	-	-
FOUR OR MORE	12	-	-	-	-	-	-	-	4	5	1	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	161	-	-	-	4	3	9	54	57	24	10	-	-	-	-
NONE	63	-	-	-	4	2	3	28	20	5	1	-	-	-	-
ONE	56	-	-	-	-	1	6	17	25	5	2	-	-	-	-
TWO	25	-	-	-	-	-	-	6	9	8	2	-	-	-	-
THREE	8	-	-	-	-	-	-	2	2	3	1	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	1	1	3	4	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	1	-	-	2	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ONE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CONTRA COSTA	9,972	12	47	107	177	269	368	2,704	3,331	2,179	679	75	2	1	1
HISPANIC	1,012	3	9	18	30	48	56	349	272	166	51	10	-	-	-
NONE	431	3	9	18	27	40	40	178	84	26	5	1	-	-	-
ONE	279	-	-	-	3	6	12	118	83	47	7	3	-	-	-
TWO	178	-	-	-	-	2	2	39	65	51	18	1	-	-	-
THREE	66	-	-	-	-	-	2	10	25	19	7	3	-	-	-
FOUR OR MORE	55	-	-	-	-	-	-	3	13	23	14	2	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NON-HISPANIC	8,856	9	38	88	147	220	310	2,339	3,046	1,975	615	65	2	1	1
NONE	3,998	9	38	80	131	173	232	1,312	1,288	596	134	5	-	-	-
ONE	2,968	-	-	6	13	42	65	745	1,093	780	206	16	1	-	1
TWO	1,220	-	-	1	2	5	10	213	447	384	143	15	-	-	-
THREE	385	-	-	-	-	-	3	47	128	123	76	8	-	-	-
FOUR OR MORE	239	-	-	-	-	-	-	12	74	81	51	19	1	1	-
NOT STATED	46	-	-	1	1	-	-	10	16	11	5	2	-	-	-
NOT STATED	104	-	-	1	-	1	2	16	33	38	13	-	-	-	-
NONE	42	-	-	1	-	1	1	6	15	13	5	-	-	-	-
ONE	40	-	-	-	-	-	1	7	13	17	2	-	-	-	-
TWO	14	-	-	-	-	-	-	1	2	5	6	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
DEL NORTE	336	-	3	7	10	16	22	124	104	31	18	1	-	-	-
HISPANIC	31	-	-	1	1	1	-	11	11	3	3	-	-	-	-
NONE	10	-	-	1	1	-	-	5	2	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
TWO	6	-	-	-	-	1	-	-	4	1	-	-	-	-	-
THREE	5	-	-	-	-	-	-	3	2	-	-	-	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	1	1	3	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	304	-	3	6	9	15	21	113	93	28	15	1	-	-	-
NONE	106	-	3	6	7	12	11	41	21	4	1	-	-	-	-
ONE	107	-	-	-	-	3	8	46	38	9	3	-	-	-	-
TWO	55	-	-	-	1	-	2	19	21	8	4	-	-	-	-
THREE	16	-	-	-	-	-	-	3	7	3	3	-	-	-	-
FOUR OR MORE	16	-	-	-	-	-	-	3	5	4	3	1	-	-	-
NOT STATED	4	-	-	-	1	-	-	1	1	-	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO	1,323	3	2	10	22	38	52	392	469	266	61	7	-	-	1
HISPANIC	76	2	-	2	3	2	4	32	16	12	3	-	-	-	-
NONE	32	2	-	2	3	2	1	16	4	2	-	-	-	-	-
ONE	23	-	-	-	-	-	3	10	7	3	-	-	-	-	-
TWO	11	-	-	-	-	-	-	4	4	3	-	-	-	-	-
THREE	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	2	-	-	2	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NON-HISPANIC	1,246	1	2	8	19	36	68	359	453	254	38	7	-	-	1
NONE	559	1	2	8	18	31	38	210	175	64	10	1	-	-	1
ONE	413	-	-	-	1	4	6	119	167	99	16	1	-	-	-
TWO	178	-	-	-	-	1	3	24	83	52	13	2	-	-	-
THREE	53	-	-	-	-	-	-	3	16	23	10	1	-	-	-
FOUR OR MORE	32	-	-	-	-	-	-	2	9	11	8	2	-	-	-
NOT STATED	11	-	-	-	-	-	1	1	3	5	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRESNO	10,888	39	111	216	349	508	639	3,620	3,153	1,644	479	115	8	1	6
HISPANIC	4,711	24	74	121	200	295	302	1,611	1,225	583	212	59	2	-	3
NONE	1,492	24	68	106	141	187	162	558	180	51	12	2	-	-	1
ONE	1,353	-	6	14	52	92	113	610	321	121	20	2	-	-	2
TWO	869	-	-	1	3	16	20	294	348	148	35	4	-	-	-
THREE	471	-	-	-	2	-	6	101	204	106	43	8	1	-	-
FOUR OR MORE	518	-	-	-	-	-	1	47	168	156	102	43	1	-	-
NOT STATED	8	-	-	-	2	-	-	1	4	1	-	-	-	-	-
NON-HISPANIC	6,170	15	37	95	149	213	337	2,007	1,925	1,060	266	56	6	1	3
NONE	2,595	15	34	87	117	168	238	976	698	229	34	1	-	-	-
ONE	2,037	-	3	8	28	38	83	724	695	383	67	5	1	-	2
TWO	892	-	-	-	4	5	15	228	338	228	62	12	-	-	-
THREE	343	-	-	-	-	2	1	66	119	105	43	7	-	-	1
FOUR OR MORE	296	-	-	-	-	-	-	13	73	112	59	31	5	1	-
NOT STATED	7	-	-	-	-	-	-	-	3	3	1	-	-	-	-
NOT STATED	7	-	-	-	-	-	-	2	3	1	1	-	-	-	-
NONE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ONE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
GLENN	385	-	3	4	10	9	16	150	117	52	21	3	-	-	-
HISPANIC	87	-	1	3	7	2	3	32	23	8	7	1	-	-	-
NONE	31	-	1	3	5	2	2	13	5	-	-	-	-	-	-
ONE	25	-	-	-	2	-	1	12	8	2	-	-	-	-	-
TWO	15	-	-	-	-	-	-	5	7	2	1	-	-	-	-
THREE	8	-	-	-	-	-	-	1	2	3	2	-	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	1	1	1	4	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	297	-	2	1	3	7	13	117	94	44	14	2	-	-	-
NONE	104	-	2	-	3	4	11	55	22	5	2	-	-	-	-
ONE	89	-	-	1	-	2	1	43	31	9	1	1	-	-	-
TWO	70	-	-	-	-	1	1	17	29	16	6	-	-	-	-
THREE	20	-	-	-	-	-	-	2	9	8	1	-	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	-	3	6	4	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	1,749	2	8	17	41	52	77	560	600	301	76	9	2	-	4
HISPANIC	47	-	-	2	3	2	2	14	11	8	4	1	-	-	-
NONE	21	-	-	1	2	2	1	7	5	2	1	-	-	-	-
ONE	12	-	-	1	1	-	-	5	3	2	-	-	-	-	-
TWO	10	-	-	-	-	-	1	1	3	4	-	1	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,688	2	7	15	38	49	73	546	584	288	72	8	2	-	4
NONE	782	2	7	14	32	42	51	286	244	86	14	1	1	-	2
ONE	551	-	-	1	4	7	19	185	209	100	25	-	-	-	1
TWO	226	-	-	-	2	-	3	57	83	64	16	-	-	-	1
THREE	70	-	-	-	-	-	-	8	32	22	7	1	-	-	-
FOUR OR MORE	46	-	-	-	-	-	-	5	13	12	9	6	1	-	-
NOT STATED	13	-	-	-	-	-	-	5	3	4	1	-	-	-	-
NOT STATED	14	-	1	-	-	1	2	-	5	5	-	-	-	-	-
NONE	11	-	1	-	-	1	2	-	4	3	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
IMPERIAL	2,167	9	19	47	58	91	130	747	591	352	100	18	3	-	2
HISPANIC	1,543	9	17	36	40	67	102	514	404	250	82	18	3	-	1
NONE	563	9	16	32	36	50	67	237	80	26	5	4	-	-	1
ONE	435	-	1	4	2	15	33	181	149	40	9	-	1	-	-
TWO	264	-	-	-	2	2	2	71	99	68	16	4	-	-	-
THREE	147	-	-	-	-	-	-	24	52	56	14	1	-	-	-
FOUR OR MORE	133	-	-	-	-	-	-	1	24	59	38	9	2	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NON-HISPANIC	607	-	2	10	18	19	28	228	185	98	18	-	-	-	1
NONE	245	-	2	8	16	17	19	115	51	15	1	-	-	-	1
ONE	194	-	-	2	2	2	6	80	75	21	6	-	-	-	-
TWO	110	-	-	-	-	-	2	30	38	36	4	-	-	-	-
THREE	40	-	-	-	-	-	-	1	16	20	3	-	-	-	-
FOUR OR MORE	17	-	-	-	-	-	-	2	5	6	4	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	17	-	-	1	-	5	-	5	2	4	-	-	-	-	-
NONE	9	-	-	1	-	5	-	1	1	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INYO	274	-	-	2	6	15	11	92	89	47	11	1	-	-	-
HISPANIC	25	-	-	-	1	2	2	9	7	4	-	-	-	-	-
NONE	10	-	-	-	1	2	1	4	2	-	-	-	-	-	-
ONE	9	-	-	-	-	-	1	4	3	1	-	-	-	-	-
TWO	5	-	-	-	-	-	-	1	1	3	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	248	-	-	2	5	13	9	82	82	43	11	1	-	-	-
NONE	115	-	-	1	4	8	7	45	37	10	3	-	-	-	-
ONE	81	-	-	-	1	4	2	25	31	14	4	-	-	-	-
TWO	31	-	-	-	-	-	-	9	10	11	1	-	-	-	-
THREE	12	-	-	-	-	-	-	1	3	6	1	1	-	-	-
FOUR OR MORE	5	-	-	-	-	-	-	-	1	2	2	-	-	-	-
NOT STATED	4	-	-	1	-	1	-	2	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN	9,461	43	82	195	332	474	603	3,535	2,635	1,177	337	44	2	-	2
HISPANIC	3,069	21	39	91	118	193	225	1,093	756	381	126	22	-	-	2
NONE	1,042	21	34	81	88	128	133	392	120	36	6	1	-	-	2
ONE	893	-	5	10	26	59	72	409	237	68	4	3	-	-	-
TWO	564	-	-	-	3	7	15	195	220	95	27	2	-	-	-
THREE	285	-	-	-	-	1	4	71	107	75	27	-	-	-	-
FOUR OR MORE	282	-	-	-	-	-	1	26	71	106	62	16	-	-	-
NOT STATED	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-
NON-HISPANIC	5,466	22	43	96	194	252	334	2,091	1,581	663	169	19	2	-	-
NONE	2,260	20	42	84	157	183	232	929	462	124	23	4	-	-	-
ONE	1,813	1	1	12	34	58	83	786	578	222	37	1	-	-	-
TWO	896	-	-	-	3	9	16	295	367	166	38	2	-	-	-
THREE	304	-	-	-	-	2	2	62	122	86	27	3	-	-	-
FOUR OR MORE	183	-	-	-	-	-	1	16	49	63	43	9	2	-	-
NOT STATED	10	1	-	-	-	-	-	3	3	2	1	-	-	-	-
NOT STATED	926	-	-	8	20	27	44	351	298	133	42	3	-	-	-
NONE	388	-	-	6	18	20	31	186	96	24	7	-	-	-	-
ONE	340	-	-	2	2	6	12	131	116	60	11	-	-	-	-
TWO	140	-	-	-	-	1	1	29	61	33	15	-	-	-	-
THREE	43	-	-	-	-	-	-	4	23	12	4	-	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	1	1	4	5	3	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
KINGS	1,830	9	22	46	60	95	118	686	497	221	65	7	4	-	-
HISPANIC	668	7	14	22	29	45	48	232	165	69	28	5	4	-	-
NONE	228	5	13	21	26	29	27	80	21	6	-	-	-	-	-
ONE	167	2	1	1	3	14	17	77	43	7	2	-	-	-	-
TWO	115	-	-	-	-	2	3	48	43	15	3	1	-	-	-
THREE	72	-	-	-	-	-	1	16	38	13	4	-	-	-	-
FOUR OR MORE	85	-	-	-	-	-	-	10	20	28	19	4	4	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	1,159	2	8	24	30	50	70	453	331	152	37	2	-	-	-
NONE	494	2	8	24	22	44	47	216	99	27	4	1	-	-	-
ONE	388	-	-	-	8	5	16	173	127	50	9	-	-	-	-
TWO	183	-	-	-	-	1	5	52	69	46	10	-	-	-	-
THREE	62	-	-	-	-	-	1	10	26	15	10	-	-	-	-
FOUR OR MORE	32	-	-	-	-	-	1	2	10	14	4	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	1	-	-	1	1	-	-	-	-	-	-
NONE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LAKE	510	1	1	14	14	23	27	170	152	86	21	1	-	-	-
HISPANIC	48	-	-	-	1	2	1	22	11	6	4	1	-	-	-
NONE	9	-	-	-	1	1	1	4	-	1	1	-	-	-	-
ONE	14	-	-	-	-	-	-	10	3	1	-	-	-	-	-
TWO	16	-	-	-	-	1	-	5	6	4	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	2	1	-	2	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	458	1	1	14	13	21	26	147	139	80	16	-	-	-	-
NONE	188	1	1	13	9	19	17	65	39	23	1	-	-	-	-
ONE	148	-	-	1	3	1	7	56	55	23	2	-	-	-	-
TWO	79	-	-	-	1	1	2	15	32	22	6	-	-	-	-
THREE	24	-	-	-	-	-	-	8	7	7	2	-	-	-	-
FOUR OR MORE	18	-	-	-	-	-	-	2	6	5	5	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-
NONE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASSEN	386	-	2	7	11	23	16	128	121	60	16	1	-	-	1
HISPANIC	16	-	-	-	1	2	-	5	8	-	-	-	-	-	-
NONE	4	-	-	-	1	-	-	2	1	-	-	-	-	-	-
ONE	8	-	-	-	-	2	-	2	4	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	368	-	2	7	10	21	16	122	113	59	16	1	-	-	1
NONE	138	-	2	5	7	18	12	56	25	9	3	-	-	-	1
ONE	129	-	-	2	2	3	2	45	44	28	3	-	-	-	-
TWO	54	-	-	-	1	-	-	17	24	8	3	1	-	-	-
THREE	30	-	-	-	-	-	1	1	16	7	5	-	-	-	-
FOUR OR MORE	9	-	-	-	-	-	-	-	2	5	2	-	-	-	-
NOT STATED	8	-	-	-	-	-	1	3	2	2	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LOS ANGELES	139,600	335	863	1,928	3,367	5,173	6,569	43,054	42,940	25,094	8,727	1,441	72	4	33
HISPANIC	62,672	178	469	1,072	1,834	2,797	3,517	21,270	17,471	9,509	3,728	779	33	4	11
NONE	22,389	170	440	958	1,520	2,086	2,351	9,298	3,952	1,226	326	57	-	-	5
ONE	18,163	8	29	108	285	632	932	7,705	5,729	2,124	535	71	3	-	2
TWO	11,051	-	-	3	25	73	193	3,033	4,333	2,509	758	113	8	1	2
THREE	5,400	-	-	-	1	2	31	911	2,049	1,620	671	109	5	1	-
FOUR OR MORE	5,529	-	-	-	-	-	4	274	1,377	2,002	1,427	426	17	2	-
NOT STATED	140	-	-	3	3	4	6	49	31	28	11	3	-	-	2
NON-HISPANIC	75,819	153	390	848	1,517	2,345	3,021	21,497	25,072	15,344	4,931	653	39	-	9
NONE	35,681	152	372	789	1,305	1,908	2,244	11,842	10,802	4,914	1,218	128	6	-	1
ONE	23,649	1	14	58	186	385	615	6,746	8,586	5,425	1,491	133	3	-	1
TWO	10,135	-	2	-	21	46	134	2,199	3,715	2,819	1,052	140	6	-	1
THREE	3,725	-	-	1	-	2	23	500	1,281	1,259	563	92	4	-	-
FOUR OR MORE	2,379	-	-	-	-	-	2	149	600	870	578	158	20	-	2
NOT STATED	250	-	2	-	3	1	3	61	88	57	29	2	-	-	4
NOT STATED	1,109	4	4	8	16	31	31	287	397	241	68	9	-	-	13
NONE	565	4	4	8	14	25	25	182	188	97	13	2	-	-	3
ONE	326	-	-	-	1	5	4	75	133	79	27	2	-	-	-
TWO	135	-	-	-	-	-	2	25	49	41	16	2	-	-	-
THREE	42	-	-	-	-	-	-	1	19	13	7	2	-	-	-
FOUR OR MORE	16	-	-	-	-	-	-	1	4	6	4	1	-	-	-
NOT STATED	25	-	-	-	1	1	-	3	4	5	1	-	-	-	10
MADERA	1,366	2	15	21	59	74	83	463	374	205	62	7	-	-	1
HISPANIC	597	2	9	11	34	29	32	214	150	82	30	3	-	-	1
NONE	182	2	8	11	23	20	17	66	25	7	3	-	-	-	-
ONE	151	-	1	-	9	8	11	76	30	10	5	1	-	-	-
TWO	125	-	-	-	2	1	3	52	40	24	2	-	-	-	1
THREE	59	-	-	-	-	-	1	13	24	14	6	1	-	-	-
FOUR OR MORE	80	-	-	-	-	-	-	7	31	27	14	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	765	-	6	10	24	45	51	248	223	122	32	4	-	-	-
NONE	313	-	6	9	21	32	35	108	76	22	4	-	-	-	-
ONE	271	-	-	1	3	10	14	95	92	47	7	2	-	-	-
TWO	107	-	-	-	-	3	1	30	32	29	12	-	-	-	-
THREE	36	-	-	-	-	-	1	9	13	12	1	-	-	-	-
FOUR OR MORE	35	-	-	-	-	-	-	5	9	11	8	2	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
NOT STATED	4	-	-	-	1	-	-	1	1	1	-	-	-	-	-
NONE	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN	2,419	1	1	13	13	22	52	432	728	751	370	32	1	-	3
HISPANIC	119	-	-	-	2	2	8	35	34	30	7	-	-	-	1
NONE	60	-	-	-	2	1	6	23	17	10	1	-	-	-	-
ONE	33	-	-	-	-	-	2	8	13	10	-	-	-	-	-
TWO	16	-	-	-	-	-	-	2	3	6	5	-	-	-	-
THREE	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	-	3	-	-	-	-	1
NOT STATED	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
NON-HISPANIC	1,872	1	1	9	10	19	33	331	558	592	286	29	1	-	2
NONE	984	1	1	9	10	17	31	212	311	282	102	7	-	-	1
ONE	591	-	-	-	-	1	1	94	175	206	108	5	-	-	1
TWO	188	-	-	-	-	-	1	20	57	68	39	3	-	-	-
THREE	45	-	-	-	-	-	-	-	7	15	15	8	-	-	-
FOUR OR MORE	40	-	-	-	-	-	-	-	5	10	19	5	1	-	-
NOT STATED	24	-	-	-	-	1	-	5	3	11	3	1	-	-	-
NOT STATED	428	-	-	4	1	1	11	66	136	129	77	3	-	-	-
NONE	232	-	-	4	-	1	9	49	84	62	23	-	-	-	-
ONE	142	-	-	-	1	-	2	17	39	52	31	-	-	-	-
TWO	39	-	-	-	-	-	-	-	11	11	15	2	-	-	-
THREE	7	-	-	-	-	-	-	-	1	3	3	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	-	1	5	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MARIPOSA	150	-	-	-	5	3	9	50	44	25	13	-	-	-	1
HISPANIC	5	-	-	-	1	1	-	2	-	-	1	-	-	-	-
NONE	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	145	-	-	-	4	2	9	48	44	25	12	-	-	-	1
NONE	63	-	-	-	3	2	8	29	18	3	-	-	-	-	-
ONE	42	-	-	-	1	-	1	10	15	11	4	-	-	-	-
TWO	21	-	-	-	-	-	-	5	7	6	2	-	-	-	1
THREE	13	-	-	-	-	-	-	2	2	5	4	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2—10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MENDOCINO	1,169	3	4	12	27	48	56	348	346	232	84	8	1	-	-
HISPANIC	110	-	-	1	8	12	8	32	25	18	5	1	-	-	-
NONE	39	-	-	1	6	10	5	10	4	3	-	-	-	-	-
ONE	27	-	-	-	2	2	2	12	8	1	-	-	-	-	-
TWO	21	-	-	-	-	-	1	8	7	3	1	1	-	-	-
THREE	9	-	-	-	-	-	-	1	5	3	-	-	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	1	1	8	4	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,046	3	4	11	19	36	48	314	318	209	77	6	1	-	-
NONE	460	2	4	10	16	30	40	163	114	61	19	1	-	-	-
ONE	355	-	-	1	3	4	8	108	139	74	17	1	-	-	-
TWO	125	-	-	-	-	2	-	28	36	41	18	-	-	-	-
THREE	55	-	-	-	-	-	-	9	19	21	4	2	-	-	-
FOUR OR MORE	40	-	-	-	-	-	-	5	6	9	17	2	1	-	-
NOT STATED	11	1	-	-	-	-	-	1	4	3	2	-	-	-	-
NOT STATED	13	-	-	-	-	-	-	2	3	5	2	1	-	-	-
NONE	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-
ONE	6	-	-	-	-	-	-	-	2	3	1	-	-	-	-
TWO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
MERCED	3,226	7	24	56	123	142	188	1,201	896	426	120	31	5	3	4
HISPANIC	1,091	4	15	25	55	46	66	385	286	138	54	13	-	1	3
NONE	363	4	14	22	39	33	38	149	53	8	2	-	-	-	1
ONE	285	-	-	3	14	11	21	137	82	19	1	-	-	-	-
TWO	197	-	1	-	2	2	7	67	70	39	7	1	-	-	1
THREE	104	-	-	-	-	-	-	20	45	26	9	3	-	-	1
FOUR OR MORE	135	-	-	-	-	-	-	10	34	46	35	9	-	1	-
NOT STATED	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
NON-HISPANIC	2,124	3	9	31	67	95	120	814	606	287	66	18	5	2	1
NONE	828	2	8	28	56	70	82	351	182	44	4	1	-	-	-
ONE	680	1	1	2	8	23	34	309	211	79	10	2	-	-	-
TWO	331	-	-	1	3	2	3	111	122	78	9	2	-	-	-
THREE	146	-	-	-	-	-	1	34	47	50	12	2	-	-	-
FOUR OR MORE	131	-	-	-	-	-	-	7	38	36	31	11	5	2	1
NOT STATED	8	-	-	-	-	-	-	2	6	-	-	-	-	-	-
NOT STATED	11	-	-	-	1	1	2	2	4	1	-	-	-	-	-
NONE	6	-	-	-	1	1	1	1	2	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MODOC	153	-	-	3	2	6	6	65	46	19	5	1	-	-	-
HISPANIC	14	-	-	1	-	-	-	8	5	-	-	-	-	-	-
NONE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ONE	5	-	-	-	-	-	-	5	-	-	-	-	-	-	-
TWO	6	-	-	-	-	-	-	3	3	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	137	-	-	2	2	6	6	57	40	18	5	1	-	-	-
NONE	50	-	-	2	2	4	6	24	8	4	-	-	-	-	-
ONE	53	-	-	-	-	2	-	25	17	6	2	1	-	-	-
TWO	21	-	-	-	-	-	-	7	9	3	2	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	-	3	5	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONO	159	-	1	1	2	3	3	46	64	34	5	-	-	-	-
HISPANIC	4	-	1	-	-	-	-	-	2	1	-	-	-	-	-
NONE	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	153	-	-	1	1	2	3	46	62	33	5	-	-	-	-
NONE	78	-	-	1	1	2	2	25	36	10	1	-	-	-	-
ONE	40	-	-	-	-	-	-	11	14	13	2	-	-	-	-
TWO	20	-	-	-	-	-	1	5	9	5	-	-	-	-	-
THREE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-
NOT STATED	8	-	-	-	-	-	-	4	1	2	1	-	-	-	-
NOT STATED	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY	6,436	18	46	73	142	228	350	2,264	1,927	984	350	49	3	1	1
HISPANIC	2,450	11	28	43	65	118	159	849	670	325	150	30	2	-	-
NONE	799	10	24	35	53	87	96	348	109	27	9	1	-	-	-
ONE	702	1	4	7	11	27	50	309	208	64	17	4	-	-	-
TWO	443	-	-	1	1	4	11	146	185	71	21	3	-	-	-
THREE	235	-	-	-	-	-	1	32	103	72	22	5	-	-	-
FOUR OR MORE	265	-	-	-	-	-	-	11	64	90	81	17	2	-	-
NOT STATED	6	-	-	-	-	-	1	3	1	1	-	-	-	-	-
NON-HISPANIC	3,839	7	17	30	72	107	186	1,372	1,205	628	194	18	1	1	1
NONE	1,803	7	16	28	59	81	142	776	457	185	48	3	-	1	-
ONE	1,245	-	1	2	13	23	37	415	471	228	52	3	-	-	-
TWO	512	-	-	-	-	1	5	151	190	125	39	1	-	-	-
THREE	177	-	-	-	-	-	1	22	64	51	33	5	1	-	-
FOUR OR MORE	84	-	-	-	-	-	-	4	18	37	19	6	-	-	-
NOT STATED	18	-	-	-	-	2	1	4	5	2	3	-	-	-	1
NOT STATED	147	-	1	-	5	3	5	43	52	31	6	1	-	-	-
NONE	68	-	1	-	5	3	3	26	19	11	-	-	-	-	-
ONE	48	-	-	-	-	-	2	12	21	9	4	-	-	-	-
TWO	21	-	-	-	-	-	-	3	9	9	-	-	-	-	-
THREE	6	-	-	-	-	-	-	1	2	2	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
NAPA	1,342	2	5	22	11	26	43	424	477	246	82	4	-	-	-
HISPANIC	235	1	2	5	2	4	9	84	80	32	13	3	-	-	-
NONE	86	1	2	5	2	3	4	38	24	5	2	-	-	-	-
ONE	70	-	-	-	-	1	5	29	28	7	-	-	-	-	-
TWO	33	-	-	-	-	-	-	9	13	7	4	-	-	-	-
THREE	25	-	-	-	-	-	-	6	9	6	4	-	-	-	-
FOUR OR MORE	20	-	-	-	-	-	-	2	6	6	3	3	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NON-HISPANIC	1,104	1	3	17	9	22	34	337	397	214	69	1	-	-	-
NONE	512	1	3	16	9	20	27	197	168	57	14	-	-	-	-
ONE	389	-	-	1	-	1	6	113	151	92	25	-	-	-	-
TWO	127	-	-	-	-	-	1	23	54	36	13	-	-	-	-
THREE	47	-	-	-	-	-	-	4	16	20	7	-	-	-	-
FOUR OR MORE	26	-	-	-	-	-	-	-	8	8	10	-	-	-	-
NOT STATED	3	-	-	-	-	1	-	-	-	1	-	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
NONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
NEVADA	862	-	1	4	13	15	23	252	312	184	52	5	-	-	1
HISPANIC	43	-	-	-	1	2	3	17	12	6	2	-	-	-	-
NONE	15	-	-	-	1	1	2	9	2	-	-	-	-	-	-
ONE	15	-	-	-	-	-	1	5	7	2	-	-	-	-	-
TWO	10	-	-	-	-	1	-	3	2	3	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	810	-	1	4	11	13	20	233	298	175	50	5	-	-	-
NONE	362	-	1	4	9	10	17	136	131	41	13	-	-	-	-
ONE	262	-	-	-	2	3	2	76	100	66	13	-	-	-	-
TWO	111	-	-	-	-	-	1	13	42	41	12	2	-	-	-
THREE	45	-	-	-	-	-	-	3	17	19	6	-	-	-	-
FOUR OR MORE	25	-	-	-	-	-	-	1	7	8	6	3	-	-	-
NOT STATED	5	-	-	-	-	-	-	4	1	-	-	-	-	-	-
NOT STATED	9	-	-	-	1	-	-	2	2	3	-	-	-	-	1
NONE	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ORANGE	33,989	37	106	303	582	898	1,400	10,871	11,276	6,261	1,941	284	19	1	10
HISPANIC	9,031	18	54	153	291	383	532	3,286	2,488	1,226	483	107	6	-	4
NONE	3,408	16	53	136	246	281	353	1,472	622	185	31	13	-	-	-
ONE	2,601	2	1	16	39	92	156	1,153	808	245	75	11	1	-	2
TWO	1,489	-	-	-	4	7	19	458	586	321	85	9	-	-	-
THREE	716	-	-	-	-	1	3	147	269	200	82	13	-	-	1
FOUR OR MORE	780	-	-	-	-	-	-	38	194	274	207	61	5	-	1
NOT STATED	37	-	-	1	2	2	1	18	9	1	3	-	-	-	-
NON-HISPANIC	24,750	19	52	147	285	509	856	7,512	8,726	5,003	1,449	174	13	1	4
NONE	11,743	19	51	138	257	432	687	4,516	3,906	1,428	277	27	2	-	3
ONE	7,955	-	1	7	21	69	143	2,279	3,125	1,881	401	26	2	-	-
TWO	3,237	-	-	1	6	6	19	561	1,191	1,046	373	33	1	-	-
THREE	1,034	-	-	-	-	1	3	112	312	381	195	29	-	-	1
FOUR OR MORE	704	-	-	-	-	1	-	20	162	256	199	57	8	1	-
NOT STATED	77	-	-	1	1	-	4	24	30	11	4	2	-	-	-
NOT STATED	208	-	-	3	6	6	12	73	62	32	9	3	-	-	2
NONE	108	-	-	3	6	6	9	41	30	11	1	1	-	-	-
ONE	49	-	-	-	-	-	3	19	16	8	3	-	-	-	-
TWO	31	-	-	-	-	-	-	9	11	9	2	-	-	-	-
THREE	11	-	-	-	-	-	-	3	4	1	1	2	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	1	-	2	-	-	-	-	2

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
PLACER	1,800	-	4	18	38	60	77	538	585	349	126	4	1	-	-
HISPANIC	142	-	1	4	5	5	11	56	32	20	8	-	-	-	-
NONE	64	-	1	4	5	5	8	26	13	-	2	-	-	-	-
ONE	40	-	-	-	-	-	3	17	12	7	1	-	-	-	-
TWO	25	-	-	-	-	-	-	12	4	6	3	-	-	-	-
THREE	6	-	-	-	-	-	-	1	1	4	-	-	-	-	-
FOUR OR MORE	7	-	-	-	-	-	-	-	2	3	2	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	1,644	-	3	14	32	55	65	479	550	324	117	4	1	-	-
NONE	708	-	3	14	32	46	55	246	207	79	25	1	-	-	-
ONE	553	-	-	-	-	7	10	170	217	124	25	-	-	-	-
TWO	227	-	-	-	-	1	-	52	77	67	29	1	-	-	-
THREE	89	-	-	-	-	-	-	8	35	31	14	1	-	-	-
FOUR OR MORE	58	-	-	-	-	-	-	1	10	21	24	1	1	-	-
NOT STATED	9	-	-	-	-	1	-	2	4	2	-	-	-	-	-
NOT STATED	14	-	-	-	1	-	1	3	3	5	1	-	-	-	-
NONE	7	-	-	-	1	-	1	1	3	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
THREE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLUMAS	264	-	-	2	5	6	11	84	93	51	11	1	-	-	-
HISPANIC	9	-	-	-	-	1	-	3	2	2	-	1	-	-	-
NONE	4	-	-	-	-	1	-	2	1	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	253	-	-	1	5	5	11	81	90	49	11	-	-	-	-
NONE	104	-	-	1	5	4	8	43	27	14	2	-	-	-	-
ONE	94	-	-	-	-	1	2	32	36	21	2	-	-	-	-
TWO	37	-	-	-	-	-	-	5	20	9	3	-	-	-	-
THREE	14	-	-	-	-	-	-	1	6	5	2	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
NONE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE	12,958	18	87	217	380	566	710	4,615	3,899	1,869	500	89	5	-	3
HISPANIC	3,803	10	39	91	154	206	226	1,408	982	473	175	33	4	-	2
NONE	1,320	10	37	79	123	149	140	530	177	58	16	-	1	-	-
ONE	1,072	-	2	12	27	47	65	524	290	86	16	2	-	-	1
TWO	682	-	-	-	3	7	16	254	250	115	33	4	-	-	-
THREE	381	-	-	-	-	1	4	73	167	105	26	5	-	-	-
FOUR OR MORE	341	-	-	-	-	1	-	24	97	109	84	22	3	-	1
NOT STATED	7	-	-	-	1	1	1	3	1	-	-	-	-	-	-
NON-HISPANIC	9,109	8	47	124	225	357	482	3,190	2,906	1,388	324	56	1	-	1
NONE	3,783	8	45	118	190	283	352	1,521	914	293	51	7	-	-	1
ONE	3,005	-	2	5	33	66	110	1,172	1,099	438	71	9	-	-	-
TWO	1,400	-	-	-	2	6	18	377	593	335	64	5	-	-	-
THREE	538	-	-	-	-	1	2	87	202	172	62	12	-	-	-
FOUR OR MORE	365	-	-	-	-	-	-	23	94	149	75	23	1	-	-
NOT STATED	18	-	-	1	-	1	-	10	4	1	1	-	-	-	-
NOT STATED	46	-	1	2	1	3	2	17	11	8	1	-	-	-	-
NONE	18	-	1	2	1	3	1	7	2	1	-	-	-	-	-
ONE	15	-	-	-	-	-	1	7	4	2	1	-	-	-	-
TWO	6	-	-	-	-	-	-	2	1	3	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
SACRAMENTO	14,255	22	86	177	339	481	699	4,810	4,611	2,325	626	73	5	-	1
HISPANIC	1,662	4	26	40	75	85	114	554	476	215	57	15	1	-	-
NONE	661	4	25	39	64	58	68	228	131	36	6	2	-	-	-
ONE	501	-	1	1	10	27	36	211	149	56	10	-	-	-	-
TWO	279	-	-	-	1	-	10	81	115	56	13	3	-	-	-
THREE	134	-	-	-	-	-	-	25	53	41	11	4	-	-	-
FOUR OR MORE	83	-	-	-	-	-	-	5	28	26	17	6	1	-	-
NOT STATED	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-
NON-HISPANIC	12,510	18	60	137	259	391	581	4,236	4,106	2,093	566	58	4	-	1
NONE	5,448	18	57	125	218	303	410	2,177	1,493	525	112	9	1	-	-
ONE	4,105	-	3	9	40	82	146	1,440	1,463	767	144	9	1	-	1
TWO	1,818	-	-	2	-	5	21	463	734	448	138	7	-	-	-
THREE	689	-	-	-	-	-	4	108	290	203	73	11	-	-	-
FOUR OR MORE	426	-	-	-	-	-	-	34	120	149	99	22	2	-	-
NOT STATED	24	-	-	1	1	1	-	14	6	1	-	-	-	-	-
NOT STATED	83	-	-	-	5	5	4	20	29	17	3	-	-	-	-
NONE	37	-	-	-	5	3	1	10	12	5	1	-	-	-	-
ONE	33	-	-	-	-	2	2	8	14	6	1	-	-	-	-
TWO	7	-	-	-	-	-	1	1	1	3	1	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-

Table 2-10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BENITO	496	1	3	7	18	26	29	164	159	62	20	7	-	-	-
HISPANIC	313	1	3	7	14	20	21	114	77	36	14	6	-	-	-
NONE	105	1	3	7	12	12	13	41	11	3	2	-	-	-	-
ONE	97	-	-	-	2	8	6	43	25	11	1	1	-	-	-
TWO	52	-	-	-	-	-	1	20	21	7	2	1	-	-	-
THREE	27	-	-	-	-	-	1	6	13	6	1	-	-	-	-
FOUR OR MORE	32	-	-	-	-	-	-	4	7	9	8	4	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	175	-	-	-	4	6	6	47	80	25	6	1	-	-	-
NONE	63	-	-	-	4	4	5	21	24	5	-	-	-	-	-
ONE	72	-	-	-	-	2	1	20	34	11	4	-	-	-	-
TWO	25	-	-	-	-	-	-	5	18	2	-	-	-	-	-
THREE	9	-	-	-	-	-	-	1	2	4	1	1	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	-	2	3	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	8	-	-	-	-	-	2	3	2	1	-	-	-	-	-
NONE	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-
ONE	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	18,720	30	115	263	498	780	1,047	6,659	5,865	2,697	648	115	2	-	1
HISPANIC	4,470	16	48	102	180	222	296	1,563	1,240	602	155	44	2	-	-
NONE	1,550	16	45	93	138	153	189	584	256	65	10	1	-	-	-
ONE	1,326	-	3	8	40	63	77	589	402	125	17	2	-	-	-
TWO	897	-	-	1	2	5	27	302	341	181	29	9	-	-	-
THREE	373	-	-	-	-	-	1	68	153	111	33	7	-	-	-
FOUR OR MORE	317	-	-	-	-	-	-	18	87	119	66	25	2	-	-
NOT STATED	7	-	-	-	-	1	2	2	1	1	-	-	-	-	-
NON-HISPANIC	13,672	14	66	151	310	541	717	4,893	4,453	1,998	462	66	-	-	1
NONE	5,712	14	62	130	251	422	517	2,418	1,406	411	72	9	-	-	-
ONE	4,618	-	4	18	51	101	165	1,758	1,723	689	101	8	-	-	-
TWO	2,113	-	-	-	6	16	30	554	896	478	118	14	-	-	1
THREE	769	-	-	1	1	2	3	124	299	253	77	9	-	-	-
FOUR OR MORE	424	-	-	-	-	-	-	21	120	164	94	25	-	-	-
NOT STATED	36	-	-	2	1	-	2	18	9	3	-	1	-	-	-
NOT STATED	578	-	1	10	8	17	34	203	172	97	31	5	-	-	-
NONE	240	-	1	10	8	13	28	108	46	20	5	1	-	-	-
ONE	195	-	-	-	-	4	5	72	79	31	3	1	-	-	-
TWO	92	-	-	-	-	-	-	19	38	29	6	-	-	-	-
THREE	28	-	-	-	-	-	1	3	7	12	5	-	-	-	-
FOUR OR MORE	19	-	-	-	-	-	-	-	1	4	11	3	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-

Table 2--10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN DIEGO	33.795	47	142	348	614	1,150	1.592	11,387	10.754	5,841	1.663	236	16	-	5
HISPANIC	7,895	18	58	149	227	370	434	2,855	2.210	1,107	384	77	6	-	-
NONE	3,052	17	55	135	187	276	286	1,303	590	162	35	6	-	-	-
ONE	2,375	1	3	13	37	74	123	1.031	743	293	50	7	-	-	-
TWO	1.311	-	-	1	3	17	24	379	527	273	74	13	-	-	-
THREE	586	-	-	-	-	2	1	116	211	172	73	9	2	-	-
FOUR OR MORE	550	-	-	-	-	-	-	20	132	204	148	42	4	-	-
NOT STATED	21	-	-	-	-	1	-	6	7	3	4	-	-	-	-
NON-HISPANIC	25,823	29	84	198	386	780	1,154	8.496	8.521	4,727	1.276	159	10	-	3
NONE	11.956	29	78	189	320	618	882	4,786	3,399	1,385	251	19	-	-	-
ONE	8,381	-	5	8	60	139	227	2,722	3,156	1.681	362	20	-	-	1
TWO	3,435	-	-	-	5	17	39	757	1,315	975	299	27	1	-	-
THREE	1.183	-	-	-	-	2	1	160	417	385	183	34	1	-	-
FOUR OR MORE	744	-	-	-	-	-	-	37	189	275	177	57	8	-	1
NOT STATED	124	-	1	1	1	4	5	34	45	26	4	2	-	-	1
NOT STATED	77	-	-	1	1	-	4	36	23	7	3	-	-	-	2
NONE	31	-	-	1	1	-	3	15	7	4	-	-	-	-	-
ONE	24	-	-	-	-	-	1	14	8	-	1	-	-	-	-
TWO	13	-	-	-	-	-	-	5	5	3	-	-	-	-	-
THREE	6	-	-	-	-	-	-	2	2	-	2	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	-	-	-	-	-	2
SAN FRANCISCO	8,991	16	37	82	155	223	266	2,141	2,923	2,238	772	121	11	-	6
HISPANIC	1,655	5	8	30	51	50	77	553	511	250	95	21	2	-	2
NONE	718	4	8	29	45	44	56	287	170	56	14	4	-	-	1
ONE	504	1	-	1	5	5	16	181	188	82	19	5	-	-	1
TWO	256	-	-	-	1	1	5	65	103	54	22	5	-	-	-
THREE	101	-	-	-	-	-	-	13	37	33	14	3	1	-	-
FOUR OR MORE	73	-	-	-	-	-	-	5	12	25	26	4	1	-	-
NOT STATED	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
NON-HISPANIC	7,248	11	29	52	102	172	189	1.569	2,387	1.957	668	100	8	-	4
NONE	3,674	11	28	49	92	143	148	898	1,218	825	234	26	-	-	2
ONE	2,131	-	1	3	9	24	36	461	711	641	221	20	2	-	2
TWO	871	-	-	-	1	4	4	158	291	287	106	19	1	-	-
THREE	318	-	-	-	-	-	-	38	107	117	44	11	1	-	-
FOUR OR MORE	230	-	-	-	-	-	-	9	51	84	58	24	4	-	-
NOT STATED	24	-	-	-	-	1	1	5	9	3	5	-	-	-	-
NOT STATED	88	-	-	-	2	1	-	19	25	31	9	-	1	-	-
NONE	49	-	-	-	-	1	-	15	12	15	6	-	-	-	-
ONE	25	-	-	-	2	-	-	3	8	8	3	-	1	-	-
TWO	8	-	-	-	-	-	-	1	3	4	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN	7,090	22	47	150	218	291	437	2,530	2,093	940	285	73	1	-	3
HISPANIC	1,763	8	17	64	75	99	147	625	460	194	67	27	-	-	-
NONE	640	8	15	60	65	73	80	234	75	25	5	-	-	-	-
ONE	466	-	2	3	7	23	44	215	132	31	8	1	-	-	-
TWO	358	-	-	1	3	3	19	125	142	52	11	2	-	-	-
THREE	159	-	-	-	-	-	3	36	60	44	14	2	-	-	-
FOUR OR MORE	159	-	-	-	-	-	1	14	51	42	29	22	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	5,273	14	30	86	143	191	289	1,895	1,621	737	218	45	1	-	3
NONE	2,086	14	30	76	116	140	192	876	483	133	22	4	-	-	-
ONE	1,745	-	-	9	25	39	78	691	587	255	55	6	-	-	-
TWO	812	-	-	1	2	11	19	235	339	163	36	6	-	-	1
THREE	322	-	-	-	-	1	-	66	132	79	34	10	-	-	-
FOUR OR MORE	292	-	-	-	-	-	-	18	77	106	71	19	1	-	-
NOT STATED	16	-	-	-	-	-	-	9	4	1	-	-	-	-	2
NOT STATED	34	-	-	-	-	1	1	10	12	9	-	1	-	-	-
NONE	14	-	-	-	-	-	1	6	6	1	-	-	-	-	-
ONE	11	-	-	-	-	1	-	4	4	2	-	-	-	-	-
TWO	5	-	-	-	-	-	-	-	2	2	-	1	-	-	-
THREE	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAN LUIS OBISPO	2,341	2	10	22	37	49	98	750	822	409	125	16	1	-	-
HISPANIC	310	1	5	7	11	10	20	117	79	41	13	6	-	-	-
NONE	119	1	5	7	9	7	9	59	18	3	1	-	-	-	-
ONE	87	-	-	-	2	2	8	31	31	9	3	1	-	-	-
TWO	53	-	-	-	-	-	1	23	13	12	3	1	-	-	-
THREE	23	-	-	-	-	-	2	3	8	9	1	-	-	-	-
FOUR OR MORE	24	-	-	-	-	-	-	-	8	7	5	4	-	-	-
NOT STATED	4	-	-	-	-	1	-	1	1	1	-	-	-	-	-
NON-HISPANIC	2,023	1	5	15	25	39	78	630	741	367	111	10	1	-	-
NONE	937	1	5	15	25	29	62	371	306	100	20	3	-	-	-
ONE	679	-	-	-	-	8	14	198	293	141	24	1	-	-	-
TWO	265	-	-	-	-	2	-	50	93	82	36	2	-	-	-
THREE	84	-	-	-	-	-	-	9	31	25	16	2	1	-	-
FOUR OR MORE	52	-	-	-	-	-	-	1	16	18	15	2	-	-	-
NOT STATED	6	-	-	-	-	-	2	1	2	1	-	-	-	-	-
NOT STATED	8	-	-	-	1	-	-	3	2	1	1	-	-	-	-
NONE	4	-	-	-	1	-	-	2	1	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN MATEO	8,715	9	30	78	138	182	263	2,136	2,948	2,112	691	121	2	-	5
HISPANIC	1,750	5	15	27	51	73	92	580	540	248	92	25	1	-	1
NONE	746	5	13	24	43	53	66	295	185	44	17	1	-	-	-
ONE	563	-	1	3	7	17	20	200	195	91	26	3	-	-	-
TWO	239	-	1	-	1	2	4	60	89	50	23	9	-	-	-
THREE	105	-	-	-	-	1	2	15	45	27	9	6	-	-	-
FOUR OR MORE	90	-	-	-	-	-	-	8	24	34	17	6	1	-	-
NOT STATED	7	-	-	-	-	-	-	2	2	2	-	-	-	-	1
NON-HISPANIC	6,867	4	14	51	86	109	167	1,534	2,369	1,843	593	93	1	-	3
NONE	3,380	3	14	48	79	94	124	966	1,170	696	171	14	-	-	1
ONE	2,251	1	-	3	6	14	34	420	824	691	224	33	-	-	1
TWO	849	-	-	-	-	1	6	118	274	316	114	19	-	-	1
THREE	244	-	-	-	-	-	2	16	62	98	48	18	-	-	-
FOUR OR MORE	115	-	-	-	-	-	-	7	26	38	34	9	1	-	-
NOT STATED	28	-	-	-	1	-	1	7	13	4	2	-	-	-	-
NOT STATED	98	-	1	-	1	-	4	22	39	21	6	3	-	-	1
NONE	51	-	1	-	1	-	3	13	18	11	4	-	-	-	-
ONE	27	-	-	-	-	-	-	8	14	3	1	1	-	-	-
TWO	9	-	-	-	-	-	-	1	4	3	1	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	6	-	-	-	-	-	-	-	2	1	-	2	-	-	1
NOT STATED	4	-	-	-	-	-	1	-	1	2	-	-	-	-	-
SANTA BARBARA	4,817	11	26	65	100	160	210	1,505	1,595	839	265	39	2	-	-
HISPANIC	1,513	8	18	40	51	90	98	517	412	185	74	19	1	-	-
NONE	605	8	15	37	45	65	71	226	111	25	2	-	-	-	-
ONE	443	-	3	3	5	21	19	189	147	47	8	1	-	-	-
TWO	254	-	-	-	1	4	7	70	95	51	20	6	-	-	-
THREE	108	-	-	-	-	-	1	23	40	29	12	3	-	-	-
FOUR OR MORE	103	-	-	-	-	-	-	9	19	33	32	9	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	3,287	3	8	25	48	69	112	984	1,176	650	191	20	1	-	-
NONE	1,550	3	8	21	44	60	83	584	501	209	34	3	-	-	-
ONE	1,034	-	-	4	4	9	22	295	422	216	60	2	-	-	-
TWO	454	-	-	-	-	-	7	78	187	139	40	3	-	-	-
THREE	148	-	-	-	-	-	-	16	47	51	26	6	-	-	-
FOUR OR MORE	94	-	-	-	-	-	-	6	17	3'	30	6	1	-	-
NOT STATED	7	-	-	-	-	-	-	3	2	1	1	-	-	-	-
NOT STATED	17	-	-	-	1	1	-	4	7	4	-	-	-	-	-
NONE	11	-	-	-	1	1	-	3	5	1	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA CLARA	22,538	38	107	291	453	648	896	6,652	7,429	4,442	1,379	190	9	-	4
HISPANIC	5,989	26	61	151	223	308	380	2,159	1,604	775	246	50	4	-	2
NONE	2,326	24	55	131	181	218	235	934	436	79	28	3	-	-	2
ONE	1,756	2	6	19	39	67	122	758	507	199	35	2	-	-	-
TWO	992	-	-	1	3	17	21	302	371	219	50	7	1	-	-
THREE	476	-	-	-	-	2	1	112	180	126	47	8	-	-	-
FOUR OR MORE	420	-	-	-	-	1	-	48	108	145	85	30	3	-	-
NOT STATED	19	-	-	-	-	3	1	5	2	7	1	-	-	-	-
NON-HISPANIC	16,370	11	45	138	229	335	509	4,443	5,768	3,631	1,120	135	5	-	1
NONE	7,806	10	43	132	205	293	410	2,664	2,646	1,140	246	16	1	-	-
ONE	5,382	1	1	5	21	36	86	1,355	2,044	1,436	367	29	1	-	-
TWO	2,115	-	-	-	-	4	10	335	779	682	278	27	-	-	-
THREE	655	-	-	-	-	-	2	72	205	223	133	19	1	-	-
FOUR OR MORE	368	-	-	-	-	-	-	8	76	142	95	44	2	-	1
NOT STATED	44	-	1	1	3	2	1	9	18	8	1	-	-	-	-
NOT STATED	179	1	1	2	1	5	7	50	57	36	13	5	-	-	1
NONE	96	-	1	2	1	4	4	34	30	12	7	-	-	-	1
ONE	50	-	-	-	-	1	3	12	18	12	3	1	-	-	-
TWO	18	-	-	-	-	-	-	2	5	8	3	-	-	-	-
THREE	10	-	-	-	-	-	-	2	2	3	-	3	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
NOT STATED	3	1	-	-	-	-	-	-	1	1	-	-	-	-	-
SANTA CRUZ	3,329	5	11	25	69	88	128	922	1,111	721	215	30	3	-	1
HISPANIC	1,026	4	6	15	37	46	62	319	308	155	61	11	2	-	-
NONE	364	3	5	11	29	33	45	142	69	21	6	-	-	-	-
ONE	285	1	1	2	6	10	13	121	90	34	7	-	-	-	-
TWO	171	-	-	2	2	3	2	36	83	37	5	1	-	-	-
THREE	84	-	-	-	-	-	2	12	33	28	5	4	-	-	-
FOUR OR MORE	116	-	-	-	-	-	-	6	29	35	38	6	2	-	-
NOT STATED	6	-	-	-	-	-	-	2	4	-	-	-	-	-	-
NON-HISPANIC	1,564	-	4	9	20	22	43	402	549	386	113	14	1	-	1
NONE	758	-	4	8	18	19	37	237	279	126	27	3	-	-	-
ONE	508	-	-	1	2	2	5	133	177	157	28	3	-	-	-
TWO	189	-	-	-	-	1	1	22	64	74	25	2	-	-	-
THREE	58	-	-	-	-	-	-	7	18	13	15	5	-	-	-
FOUR OR MORE	37	-	-	-	-	-	-	-	4	12	18	1	1	-	1
NOT STATED	14	-	-	-	-	-	-	3	7	4	-	-	-	-	-
NOT STATED	739	1	1	1	12	20	23	201	254	180	41	5	-	-	-
NONE	360	1	1	-	10	18	17	130	118	62	3	-	-	-	-
ONE	238	-	-	1	2	-	6	55	88	70	16	-	-	-	-
TWO	76	-	-	-	-	2	-	9	31	22	10	2	-	-	-
THREE	36	-	-	-	-	-	-	3	9	18	5	1	-	-	-
FOUR OR MORE	18	-	-	-	-	-	-	-	6	4	7	1	-	-	-
NOT STATED	11	-	-	-	-	-	-	4	2	4	-	1	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA	1,919	4	14	20	35	78	106	691	579	297	84	11	-	-	-
HISPANIC	74	-	-	1	1	2	3	28	24	11	4	-	-	-	-
NONE	25	-	-	1	-	1	1	13	6	3	-	-	-	-	-
ONE	27	-	-	-	1	-	2	11	11	1	1	-	-	-	-
TWO	12	-	-	-	-	1	-	3	2	5	1	-	-	-	-
THREE	5	-	-	-	-	-	-	-	5	-	-	-	-	-	-
FOUR OR MORE	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	1,838	4	14	19	33	76	103	660	554	284	80	11	-	-	-
NONE	737	4	12	19	26	65	72	307	170	54	8	-	-	-	-
ONE	646	-	2	-	5	9	25	240	236	101	24	4	-	-	-
TWO	281	-	-	-	2	1	2	92	95	68	20	1	-	-	-
THREE	102	-	-	-	-	-	4	14	38	35	11	-	-	-	-
FOUR OR MORE	64	-	-	-	-	-	-	3	13	25	17	6	-	-	-
NOT STATED	8	-	-	-	-	1	-	4	2	1	-	-	-	-	-
NOT STATED	7	-	-	-	1	-	-	3	1	2	-	-	-	-	-
NONE	4	-	-	-	1	-	-	3	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIERRA	59	-	-	1	1	1	2	22	17	11	3	1	-	-	-
HISPANIC	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TWO	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	56	-	-	1	1	1	2	21	17	9	3	1	-	-	-
NONE	26	-	-	1	1	1	1	11	8	3	-	-	-	-	-
ONE	21	-	-	-	-	-	-	6	9	3	3	-	-	-	-
TWO	4	-	-	-	-	-	1	2	-	-	-	1	-	-	-
THREE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SISKIYOU	691	1	1	6	15	32	34	226	216	119	35	5	-	-	1
HISPANIC	48	1	-	2	4	3	3	16	13	4	2	-	-	-	-
NONE	13	-	-	1	1	1	2	5	3	-	-	-	-	-	-
ONE	10	-	-	-	1	-	1	4	3	1	-	-	-	-	-
TWO	12	-	-	-	-	1	-	5	4	1	1	-	-	-	-
THREE	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	8	1	-	1	2	1	-	1	2	-	-	-	-	-	-
NON-HISPANIC	637	-	1	4	11	29	31	207	202	114	32	5	-	-	1
NONE	194	-	1	4	8	19	16	69	48	25	4	-	-	-	-
ONE	232	-	-	-	1	6	10	80	85	40	9	1	-	-	-
TWO	117	-	-	-	-	3	2	33	46	24	8	1	-	-	-
THREE	42	-	-	-	-	-	1	8	16	12	4	1	-	-	-
FOUR OR MORE	26	-	-	-	-	-	-	4	3	12	5	2	-	-	-
NOT STATED	26	-	-	-	2	1	2	13	4	1	2	-	-	-	1
NOT STATED	6	-	-	-	-	-	-	3	1	1	1	-	-	-	-
NONE	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
ONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOLANO	4,783	7	28	48	95	163	278	1,640	1,576	728	195	22	3	-	-
HISPANIC	457	-	6	6	17	18	27	162	134	72	11	3	1	-	-
NONE	179	-	5	6	16	14	17	79	30	10	2	-	-	-	-
ONE	140	-	1	-	1	3	10	60	45	17	-	2	1	-	-
TWO	76	-	-	-	-	1	-	15	34	22	4	-	-	-	-
THREE	39	-	-	-	-	-	-	6	18	14	1	-	-	-	-
FOUR OR MORE	20	-	-	-	-	-	-	-	6	9	4	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
NON-HISPANIC	4,312	7	22	42	78	145	251	1,476	1,434	653	183	19	2	-	-
NONE	1,905	7	21	40	72	122	179	770	503	156	30	5	-	-	-
ONE	1,479	-	1	2	6	20	65	535	560	243	45	2	-	-	-
TWO	616	-	-	-	-	2	7	140	259	148	59	-	1	-	-
THREE	201	-	-	-	-	-	-	24	82	68	21	6	-	-	-
FOUR OR MORE	101	-	-	-	-	-	-	5	25	36	28	6	1	-	-
NOT STATED	10	-	-	-	-	1	-	2	5	2	-	-	-	-	-
NOT STATED	14	-	-	-	-	-	-	2	8	3	1	-	-	-	-
NONE	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-
ONE	9	-	-	-	-	-	-	1	6	2	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SONOMA	4,818	4	16	37	79	111	199	1,380	1,639	984	331	34	2	-	2
HISPANIC	521	4	3	7	21	25	29	198	147	61	18	7	1	-	-
NONE	221	4	3	7	18	16	18	92	43	18	2	-	-	-	-
ONE	142	-	-	-	3	7	9	67	40	14	1	1	-	-	-
TWO	72	-	-	-	-	2	1	21	32	10	5	1	-	-	-
THREE	33	-	-	-	-	-	-	11	12	5	4	1	-	-	-
FOUR OR MORE	46	-	-	-	-	-	-	5	17	13	6	4	1	-	-
NOT STATED	7	-	-	-	-	-	1	2	3	1	-	-	-	-	-
NON-HISPANIC	4,202	-	13	30	57	85	169	1,166	1,459	890	304	27	-	-	2
NONE	1,870	-	13	29	45	67	127	633	592	290	69	4	-	-	1
ONE	1,407	-	-	1	12	17	38	396	525	318	90	9	-	-	1
TWO	614	-	-	-	-	-	4	109	245	182	70	4	-	-	-
THREE	198	-	-	-	-	-	-	17	71	61	47	2	-	-	-
FOUR OR MORE	88	-	-	-	-	-	-	2	18	34	26	8	-	-	-
NOT STATED	25	-	-	-	-	1	-	9	8	5	2	-	-	-	-
NOT STATED	95	-	-	-	1	1	1	16	33	33	9	-	1	-	-
NONE	43	-	-	-	1	-	1	10	15	14	2	-	-	-	-
ONE	31	-	-	-	-	-	-	5	12	11	2	-	1	-	-
TWO	12	-	-	-	-	-	-	1	3	5	3	-	-	-	-
THREE	4	-	-	-	-	-	-	-	3	-	1	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-
STANISLAUS	5,258	9	34	75	133	253	315	1,921	1,591	694	196	32	4	-	1
HISPANIC	1,239	4	15	25	34	86	72	435	346	144	60	16	2	-	-
NONE	400	4	15	21	27	49	52	156	64	7	5	-	-	-	-
ONE	356	-	-	4	5	27	13	163	107	31	6	-	-	-	-
TWO	255	-	-	-	2	9	6	87	100	37	10	4	-	-	-
THREE	106	-	-	-	-	1	1	22	42	29	11	-	-	-	-
FOUR OR MORE	120	-	-	-	-	-	-	7	32	39	28	12	2	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NON-HISPANIC	4,010	5	19	50	99	166	243	1,484	1,240	549	136	16	2	-	1
NONE	1,618	5	18	41	76	119	162	704	372	104	16	1	-	-	-
ONE	1,424	-	1	7	19	42	67	555	485	211	34	3	-	-	-
TWO	653	-	-	1	3	5	12	175	274	136	43	4	-	-	-
THREE	187	-	-	-	-	-	1	38	73	56	15	4	-	-	-
FOUR OR MORE	121	-	-	-	-	-	-	11	36	42	26	4	2	-	-
NOT STATED	7	-	-	1	1	-	1	1	-	-	2	-	-	-	1
NOT STATED	9	-	-	-	-	1	-	2	5	1	-	-	-	-	-
NONE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
ONE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
TWO	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER	973	2	4	20	28	38	55	353	310	121	37	4	1	-	-
HISPANIC	168	1	2	4	5	10	14	57	46	19	8	1	1	-	-
NONE	61	1	2	3	3	10	6	23	10	3	-	-	-	-	-
ONE	52	-	-	1	2	-	7	22	11	6	3	-	-	-	-
TWO	24	-	-	-	-	-	1	10	11	2	-	-	-	-	-
THREE	18	-	-	-	-	-	-	2	9	4	2	1	-	-	-
FOUR OR MORE	13	-	-	-	-	-	-	-	5	4	3	-	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	777	1	2	14	22	27	41	289	252	98	28	3	-	-	-
NONE	367	1	2	13	21	23	34	164	85	19	5	-	-	-	-
ONE	244	-	-	1	1	4	6	94	95	34	6	2	-	-	-
TWO	96	-	-	-	-	-	1	22	45	24	4	-	-	-	-
THREE	42	-	-	-	-	-	-	4	18	16	4	-	-	-	-
FOUR OR MORE	26	-	-	-	-	-	-	3	8	5	9	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
NOT STATED	28	-	-	2	1	1	-	7	12	4	1	-	-	-	-
NONE	11	-	-	2	1	1	-	4	3	-	-	-	-	-	-
ONE	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
TWO	7	-	-	-	-	-	-	-	5	2	-	-	-	-	-
THREE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FOUR OR MORE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TEHAMA	572	2	4	9	12	24	30	225	169	76	17	4	-	-	-
HISPANIC	56	-	1	-	2	4	4	20	17	5	3	-	-	-	-
NONE	18	-	1	-	2	2	4	6	3	-	-	-	-	-	-
ONE	13	-	-	-	-	1	-	6	6	-	-	-	-	-	-
TWO	10	-	-	-	-	1	-	5	3	-	1	-	-	-	-
THREE	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	1	2	3	2	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	514	2	3	9	10	20	26	205	151	70	14	4	-	-	-
NONE	185	2	3	8	9	17	18	87	31	9	1	-	-	-	-
ONE	183	-	-	1	1	2	8	90	52	26	3	-	-	-	-
TWO	90	-	-	-	-	-	-	22	45	22	1	-	-	-	-
THREE	39	-	-	-	-	1	-	4	17	10	4	3	-	-	-
FOUR OR MORE	14	-	-	-	-	-	-	1	4	3	5	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NONE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TRINITY	184	-	1	2	3	10	14	56	60	31	5	2	-	-	-
HISPANIC	12	-	-	-	-	-	-	5	5	2	-	-	-	-	-
NONE	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-
ONE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	155	-	1	2	3	8	13	44	50	27	5	2	-	-	-
NONE	62	-	1	2	2	5	10	19	18	4	1	-	-	-	-
ONE	54	-	-	-	1	3	2	17	17	13	1	-	-	-	-
TWO	22	-	-	-	-	-	-	8	11	3	-	-	-	-	-
THREE	5	-	-	-	-	-	-	-	2	2	-	1	-	-	-
FOUR OR MORE	11	-	-	-	-	-	-	-	2	5	3	1	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	17	-	-	-	-	2	1	7	5	2	-	-	-	-	-
NONE	7	-	-	-	-	2	1	3	1	-	-	-	-	-	-
ONE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
TWO	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TULARE	5.621	20	46	102	224	295	382	2.021	1.522	725	229	52	2	-	1
HISPANIC	2,667	12	33	53	121	161	197	920	663	346	121	37	2	-	1
NONE	769	12	27	43	95	97	90	275	97	26	6	1	-	-	-
ONE	731	-	6	9	23	50	81	309	198	46	8	-	1	-	-
TWO	527	-	-	1	3	13	24	223	161	79	17	6	-	-	-
THREE	280	-	-	-	-	1	-	88	100	77	13	1	-	-	-
FOUR OR MORE	359	-	-	-	-	-	2	25	107	118	76	29	1	-	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	2,900	8	13	49	103	130	184	1.083	844	370	101	15	-	-	-
NONE	1,214	7	12	47	81	89	134	512	246	70	15	1	-	-	-
ONE	984	1	1	2	18	32	40	403	342	120	23	2	-	-	-
TWO	444	-	-	-	2	7	9	123	173	104	23	3	-	-	-
THREE	167	-	-	-	2	2	1	36	56	47	20	3	-	-	-
FOUR OR MORE	90	-	-	-	-	-	-	9	26	29	20	6	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	54	-	-	-	-	4	1	18	15	9	7	-	-	-	-
NONE	23	-	-	-	-	3	1	9	8	1	1	-	-	-	-
ONE	19	-	-	-	-	1	-	8	4	4	2	-	-	-	-
TWO	7	-	-	-	-	-	-	-	2	4	1	-	-	-	-
THREE	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-
FOUR OR MORE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER												
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TUOLUMNE	484	-	2	1	6	17	19	138	180	85	33	2	-	-	1
HISPANIC	19	-	-	-	-	1	1	5	4	6	2	-	-	-	-
NONE	9	-	-	-	-	1	1	3	1	3	-	-	-	-	-
ONE	6	-	-	-	-	-	-	-	3	2	1	-	-	-	-
TWO	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	465	-	2	1	6	16	18	133	176	79	31	2	-	-	1
NONE	184	-	2	1	6	13	15	65	63	15	3	-	-	-	1
ONE	169	-	-	-	-	3	2	52	69	32	10	1	-	-	-
TWO	76	-	-	-	-	-	-	11	34	23	8	-	-	-	-
THREE	22	-	-	-	-	-	-	4	7	2	8	1	-	-	-
FOUR OR MORE	12	-	-	-	-	-	-	1	3	6	2	-	-	-	-
NOT STATED	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ONE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TWO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THREE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	9,879	19	36	130	229	327	461	3,153	3,138	1,717	564	83	6	-	16
HISPANIC	3,248	13	18	75	115	152	196	1,108	878	452	191	39	2	-	9
NONE	1,154	13	15	69	99	110	127	478	178	44	14	3	-	-	4
ONE	899	-	2	5	16	38	53	375	291	89	26	3	-	-	1
TWO	527	-	-	1	-	2	6	147	218	112	34	7	-	-	-
THREE	280	-	-	-	-	1	2	53	102	86	32	3	-	-	1
FOUR OR MORE	284	-	-	-	-	-	-	19	53	109	80	21	2	-	-
NOT STATED	104	-	1	-	-	1	8	36	36	12	5	2	-	-	3
NON-HISPANIC	6,293	5	16	48	108	170	255	1,954	2,137	1,204	350	42	4	-	-
NONE	2,765	5	16	48	98	143	192	1,100	804	297	55	6	1	-	-
ONE	2,031	-	-	-	10	22	51	607	783	447	103	7	1	-	-
TWO	867	-	-	-	-	1	8	171	353	247	79	8	-	-	-
THREE	313	-	-	-	-	-	-	29	106	124	49	5	-	-	-
FOUR OR MORE	166	-	-	-	-	-	-	2	35	54	57	16	2	-	-
NOT STATED	151	-	-	-	-	4	4	45	56	35	7	-	-	-	-
NOT STATED	338	1	2	7	6	5	10	91	123	61	23	2	-	-	7
NONE	154	1	1	6	5	5	6	52	50	20	6	-	-	-	2
ONE	90	-	-	-	-	-	-	24	41	19	5	1	-	-	-
TWO	39	-	-	-	-	-	-	6	15	8	10	-	-	-	-
THREE	15	-	-	-	-	-	-	1	4	8	1	-	-	-	1
FOUR OR MORE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NOT STATED	38	-	1	1	1	-	4	8	12	6	-	1	-	-	4

Table 2–10 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER, CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY, SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO	1,817	3	6	31	49	61	84	542	576	363	94	8	-	-	-
HISPANIC	469	1	2	13	19	22	36	156	127	60	28	5	-	-	-
NONE	152	1	2	11	13	15	24	57	22	5	2	-	-	-	-
ONE	159	-	-	2	6	7	8	69	51	12	4	-	-	-	-
TWO	76	-	-	-	-	-	3	24	26	20	3	-	-	-	-
THREE	40	-	-	-	-	-	1	3	14	13	8	1	-	-	-
FOUR OR MORE	38	-	-	-	-	-	-	2	11	10	11	4	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
NON-HISPANIC	1,338	2	4	18	30	39	48	384	445	300	65	3	-	-	-
NONE	595	2	4	16	26	29	36	204	174	69	15	-	-	-	-
ONE	444	-	-	2	4	8	11	129	160	109	19	2	-	-	-
TWO	201	-	-	-	-	2	1	40	79	61	18	-	-	-	-
THREE	64	-	-	-	-	-	-	9	20	28	7	-	-	-	-
FOUR OR MORE	30	-	-	-	-	-	-	1	9	13	6	1	-	-	-
NOT STATED	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
NOT STATED	10	-	-	-	-	-	-	2	4	3	1	-	-	-	-
NONE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
ONE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TWO	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
THREE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
YUBA	1,073	1	7	20	27	56	69	461	277	131	21	3	-	-	-
HISPANIC	96	-	1	1	2	4	5	37	27	13	4	2	-	-	-
NONE	32	-	1	1	2	3	3	16	5	1	-	-	-	-	-
ONE	28	-	-	-	-	1	1	16	7	2	-	1	-	-	-
TWO	16	-	-	-	-	-	1	3	6	4	2	-	-	-	-
THREE	12	-	-	-	-	-	-	2	6	2	1	1	-	-	-
FOUR OR MORE	8	-	-	-	-	-	-	-	3	4	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	953	1	6	19	23	50	63	416	244	113	17	1	-	-	-
NONE	413	1	6	18	20	37	45	185	68	26	3	1	-	-	-
ONE	340	-	-	1	2	13	18	176	96	33	1	-	-	-	-
TWO	128	-	-	-	1	-	-	40	56	25	6	-	-	-	-
THREE	44	-	-	-	-	-	-	9	18	15	2	-	-	-	-
FOUR OR MORE	23	-	-	-	-	-	-	1	4	13	5	-	-	-	-
NOT STATED	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-
NOT STATED	24	-	-	-	2	2	1	8	6	5	-	-	-	-	-
NONE	8	-	-	-	2	2	1	1	-	2	-	-	-	-	-
ONE	9	-	-	-	-	-	-	6	3	-	-	-	-	-	-
TWO	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-
THREE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FOUR OR MORE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Source: State of California, Department of Health Services, Birth Records.

Table 2–11

LIVE BIRTHS BY AGE OF MOTHER
CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	429,631	851	2,379	5,620	9,875	15,035	20,261	136,388	134,830	76,090	24,205	3,734	209	11	143
ALAMEDA	18,220	32	100	235	391	512	726	5,326	5,774	3,696	1,201	195	11	-	21
ALPINE	20	-	-	-	-	-	-	3	10	6	1	-	-	-	-
AMADOR	246	-	1	3	3	5	7	77	99	43	16	1	-	-	-
BUTTE	2,205	3	8	25	42	76	120	707	730	394	89	11	-	-	-
CALAVERAS	286	-	-	-	1	7	17	83	97	56	22	3	-	-	-
COLUSA	262	-	-	2	4	8	19	92	83	41	11	2	-	-	-
CONTRA COSTA	9,972	12	47	107	177	269	368	2,704	3,351	2,179	679	75	2	1	1
DEL NORTE	336	-	3	7	10	16	22	124	104	31	18	1	-	-	-
EL DORADO	1,323	3	2	10	22	38	52	392	469	266	61	7	-	-	1
FRESNO	10,888	39	111	216	349	508	639	3,620	3,153	1,644	479	115	8	1	6
GLENN	385	-	3	4	10	9	16	150	117	52	21	3	-	-	-
HUMBOLDT	1,749	2	8	17	41	52	77	560	600	301	76	9	2	-	4
IMPERIAL	2,167	9	19	47	58	91	130	747	591	352	100	18	3	-	2
INYO	274	-	-	2	6	15	11	92	89	47	11	1	-	-	-
KERN	9,461	43	82	195	332	474	603	3,535	2,635	1,177	337	44	2	-	2
KINGS	1,830	9	22	46	60	95	118	686	497	221	65	7	4	-	-
LAKE	510	1	1	14	14	23	27	170	152	86	21	1	-	-	-
LASSEN	386	-	2	7	11	23	16	128	121	60	16	1	-	-	1
LOS ANGELES	139,600	335	863	1,928	3,367	5,173	6,569	43,054	42,940	25,094	8,727	1,441	72	4	33
MADERA	1,366	2	15	21	59	74	83	463	374	205	62	7	-	-	1
MARIN	2,419	1	1	13	13	22	52	432	728	751	370	32	1	-	3
MARIPOSA	150	-	-	-	5	3	9	50	44	25	13	-	-	-	1
MENDOCINO	1,169	3	4	12	27	48	56	348	346	232	84	8	1	-	-
MERCED	3,225	7	24	55	123	142	188	1,201	896	426	120	31	5	3	4
MODOC	153	-	-	3	2	6	6	65	46	19	5	1	-	-	-
MONO	159	-	1	1	2	3	3	46	64	34	5	-	-	-	-
MONTEREY	6,436	18	46	73	142	225	350	2,264	1,927	984	350	49	3	1	1
NAPA	1,342	2	5	22	11	26	43	424	477	246	82	4	-	-	-
NEVADA	862	-	1	4	13	15	23	252	312	184	52	5	-	-	1
ORANGE	33,989	37	106	303	582	898	1,400	10,871	11,276	6,261	1,941	284	19	1	10
PLACER	1,800	-	4	18	38	60	77	538	585	349	126	4	1	-	-
PLUMAS	264	-	-	2	5	6	11	84	93	51	11	1	-	-	-
RIVERSIDE	12,959	18	87	217	380	566	710	4,615	3,899	1,869	500	89	5	-	3
SACRAMENTO	14,255	22	86	177	339	481	699	4,810	4,611	2,325	626	73	5	-	1
SAN BENITO	496	1	3	7	18	26	29	164	159	62	20	7	-	-	-
SAN BERNARDINO	18,720	30	115	263	498	780	1,047	6,659	5,865	2,697	648	115	2	-	1
SAN DIEGO	33,795	47	142	348	614	1,150	1,592	11,387	10,734	5,841	1,663	236	16	-	5
SAN FRANCISCO	8,991	16	37	82	155	223	266	2,141	2,923	2,238	772	121	11	-	6
SAN JOAQUIN	7,090	22	47	150	218	291	437	2,530	2,093	940	285	73	1	-	3
SAN LUIS OBISPO	2,341	2	10	22	37	49	98	750	822	409	125	16	1	-	-
SAN MATEO	8,715	9	30	78	138	182	263	2,136	2,948	2,112	691	121	2	-	5
SANTA BARBARA	4,817	11	26	65	100	160	210	1,505	1,595	839	265	39	2	-	-
SANTA CLARA	22,538	38	107	291	453	648	896	6,652	7,429	4,442	1,379	190	9	-	4
SANTA CRUZ	3,329	5	11	25	69	88	128	922	1,111	721	215	30	3	-	1
SHASTA	1,919	4	14	20	35	78	106	691	579	297	84	11	-	-	-
SIERRA	59	-	-	1	1	1	2	22	17	11	3	1	-	-	-
SISKIYOU	691	1	1	6	15	32	34	226	216	119	35	5	-	-	1
SOLANO	4,783	7	28	48	95	163	278	1,640	1,576	728	195	22	3	-	-
SONOMA	4,818	4	16	37	79	111	199	1,380	1,639	984	331	34	2	-	2
STANISLAUS	5,258	9	34	75	133	253	315	1,921	1,591	694	196	32	4	-	1
SUTTER	973	2	4	20	28	38	55	353	310	121	37	4	1	-	-
TEHAMA	572	2	4	9	12	24	30	225	169	76	17	4	-	-	-
TRINITY	184	-	1	2	3	10	14	56	60	31	5	2	-	-	-
TULARE	5,621	20	46	102	224	295	382	2,021	1,522	725	229	52	2	-	1
TUOLUMNE	484	-	2	1	6	17	19	138	180	85	33	2	-	-	1
VENTURA	9,879	19	36	130	229	327	461	3,153	3,138	1,717	564	83	6	-	16
YOLO	1,817	3	6	31	49	61	84	542	576	363	94	8	-	-	-
YUBA	1,073	1	7	20	27	56	69	461	277	131	21	3	-	-	-

Source: State of California, Department of Health Services, Birth Records.

Table 2—12

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	ALAMEDA	ALPINE	AMADOR	BUTTE	CALAVERAS	COLUSA
ALL RACES	429.631	18,220	20	246	2,205	286	262
FEMALE	209,764	8,856	8	121	1,046	135	127
MALE	219,867	9,364	12	125	1,159	151	135
AMERICAN INDIAN	5,947	197	7	21	53	14	8
FEMALE	2,921	98	3	7	20	7	2
MALE	3,026	99	4	14	33	7	6
BLACK	41,246	4,313	-	1	35	3	-
FEMALE	20.173	2,109	-	1	13	2	-
MALE	21,073	2,204	-	-	22	1	-
CAMBODIAN	979	79	-	-	-	-	-
FEMALE	481	45	-	-	-	-	-
MALE	498	34	-	-	-	-	-
CHINESE	7.179	601	-	-	9	1	-
FEMALE	3,492	311	-	-	5	1	-
MALE	3.687	290	-	-	4	-	-
ESKIMO/ALEUT	26	-	-	-	-	-	-
FEMALE	16	-	-	-	-	-	-
MALE	10	-	-	-	-	-	-
FILIPINO	10,807	713	-	1	6	1	-
FEMALE	5,180	352	-	-	3	-	-
MALE	5.627	361	-	1	3	1	-
INDIAN (INDIA)	2,350	193	-	-	7	-	4
FEMALE	1,130	85	-	-	3	-	2
MALE	1.220	108	-	-	4	-	2
JAPANESE	3,999	159	-	1	9	2	-
FEMALE	1,962	79	-	-	6	1	-
MALE	2,037	80	-	1	3	1	-
KOREAN	3.207	122	-	-	2	-	-
FEMALE	1,526	55	-	-	-	-	-
MALE	1,681	67	-	-	2	-	-
PACIFIC ISLANDER	2,074	138	-	-	1	-	-
FEMALE	992	71	-	-	-	-	-
MALE	1,082	67	-	-	1	-	-
THAI	598	11	-	-	-	-	-
FEMALE	280	2	-	-	-	-	-
MALE	318	9	-	-	-	-	-
VIETNAMESE	3,906	196	-	-	-	-	-
FEMALE	1,928	97	-	-	-	-	-
MALE	1,978	99	-	-	-	-	-
WHITE	340.401	10,925	13	220	2,032	263	246
FEMALE	166,285	5,271	5	111	973	122	122
MALE	174.116	5,654	8	109	1,059	141	124
OTHER ASIAN	2,892	112	-	-	3	1	-
FEMALE	1,434	60	-	-	3	1	-
MALE	1,458	52	-	-	-	-	-
OTHER	591	48	-	-	1	-	2
FEMALE	285	21	-	-	-	-	-
MALE	306	27	-	-	1	-	2
NOT STATED	3.429	413	-	2	47	1	2
FEMALE	1,679	200	-	2	20	1	1
MALE	1.750	213	-	-	27	-	1

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT
ALL RACES	429,631	9,972	336	1,323	10,868	365	1,749
FEMALE	209,764	4,859	183	672	5,307	197	843
MALE	219,867	5,113	153	651	5,561	168	906
AMERICAN INDIAN	5,947	102	58	12	127	11	149
FEMALE	2,921	51	30	7	64	4	78
MALE	3,026	51	28	5	63	7	71
BLACK	41,246	1,312	1	4	730	2	18
FEMALE	20,173	670	-	2	370	1	9
MALE	21,073	642	1	2	360	1	9
CAMBODIAN	979	2	-	-	-	-	-
FEMALE	481	-	-	-	-	-	-
MALE	498	2	-	-	-	-	-
CHINESE	7,179	272	-	-	52	1	3
FEMALE	3,492	129	-	-	19	1	3
MALE	3,687	143	-	-	33	-	-
ESKIMO/ALEUT	26	1	-	-	-	-	-
FEMALE	16	-	-	-	-	-	-
MALE	10	1	-	-	-	-	-
FILIPINO	10,807	266	-	19	94	-	9
FEMALE	5,180	115	-	8	43	-	6
MALE	5,627	151	-	11	51	-	3
INDIAN (INDIA)	2,350	76	1	2	66	-	4
FEMALE	1,130	37	1	2	35	-	3
MALE	1,220	39	-	-	31	-	1
JAPANESE	3,999	116	1	8	78	-	7
FEMALE	1,962	47	1	6	42	-	2
MALE	2,037	69	-	2	36	-	5
KOREAN	3,207	34	-	-	16	-	1
FEMALE	1,526	17	-	-	7	-	1
MALE	1,681	17	-	-	9	-	-
PACIFIC ISLANDER	2,074	35	1	2	8	-	2
FEMALE	992	21	1	-	2	-	-
MALE	1,082	14	-	2	6	-	2
THAI	598	4	-	-	5	-	1
FEMALE	280	1	-	-	1	-	1
MALE	318	3	-	-	4	-	-
VIETNAMESE	3,906	43	-	1	23	-	2
FEMALE	1,928	17	-	1	11	-	-
MALE	1,978	26	-	-	12	-	2
WHITE	340,401	7,534	274	1,274	9,345	369	1,544
FEMALE	166,285	3,673	150	645	4,547	190	734
MALE	174,116	3,861	124	629	4,798	179	810
OTHER ASIAN	2,892	88	-	1	337	1	6
FEMALE	1,434	39	-	1	163	1	4
MALE	1,458	49	-	-	174	-	2
OTHER	591	15	-	-	7	-	-
FEMALE	285	10	-	-	3	-	-
MALE	306	5	-	-	4	-	-
NOT STATED	3,429	72	-	-	-	1	3
FEMALE	1,679	32	-	-	-	-	2
MALE	1,750	40	-	-	-	1	1

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	IMPERIAL	INYO	KERN	KINGS	LAKE	LASSEN
ALL RACES	429,631	2,167	274	9,461	1,830	510	386
FEMALE	209,764	1,034	126	4,671	893	252	183
MALE	219,867	1,133	148	4,790	937	255	203
AMERICAN INDIAN	5,947	36	51	171	33	25	14
FEMALE	2,921	20	23	76	19	10	5
MALE	3,026	16	28	95	14	15	9
BLACK	41,246	42	-	557	114	3	10
FEMALE	20,173	26	-	262	54	1	5
MALE	21,073	16	-	295	60	2	5
CAMBODIAN	979	-	-	1	-	-	-
FEMALE	481	-	-	-	-	-	-
MALE	498	-	-	1	-	-	-
CHINESE	7,179	14	-	23	8	1	-
FEMALE	3,492	7	-	11	4	1	-
MALE	3,687	7	-	12	4	-	-
ESKIMO/ALEUT	26	-	-	-	-	-	-
FEMALE	16	-	-	-	-	-	-
MALE	10	-	-	-	-	-	-
FILIPINO	10,807	12	-	140	50	2	2
FEMALE	5,180	4	-	71	26	2	1
MALE	5,627	8	-	69	24	-	1
INDIAN (INDIA)	2,350	7	-	23	2	-	1
FEMALE	1,130	4	-	8	-	-	1
MALE	1,220	3	-	15	2	-	-
JAPANESE	3,999	4	2	27	4	2	1
FEMALE	1,962	2	2	17	2	2	-
MALE	2,037	2	-	10	2	-	1
KOREAN	3,207	-	-	20	1	-	3
FEMALE	1,526	-	-	16	1	-	1
MALE	1,681	-	-	4	-	-	2
PACIFIC ISLANDER	2,074	2	-	13	5	-	1
FEMALE	992	-	-	4	4	-	1
MALE	1,082	2	-	9	1	-	-
THAI	598	-	-	2	-	-	-
FEMALE	280	-	-	1	-	-	-
MALE	318	-	-	1	-	-	-
VIETNAMESE	3,906	1	-	4	-	-	-
FEMALE	1,928	1	-	2	-	-	-
MALE	1,978	-	-	2	-	-	-
WHITE	340,401	2,046	221	8,463	1,610	473	353
FEMALE	166,285	969	101	4,193	782	232	169
MALE	174,116	1,077	120	4,270	828	241	184
OTHER ASIAN	2,892	2	-	12	3	-	1
FEMALE	1,434	-	-	6	1	-	-
MALE	1,458	2	-	6	2	-	1
OTHER	591	-	-	1	-	1	-
FEMALE	285	-	-	1	-	1	-
MALE	306	-	-	-	-	-	-
NOT STATED	3,429	1	-	4	-	3	-
FEMALE	1,679	1	-	3	-	3	-
MALE	1,750	-	-	1	-	-	-

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	LOS ANGELES	MADERA	MARIN	MARIPOSA	MENDOCINO	MERCED
ALL RACES	429.631	139,600	1.366	2,419	150	1.169	3.226
FEMALE	209.764	68.314	675	1,134	70	596	1.618
MALE	219.867	71,266	691	1,285	80	573	1.608
AMERICAN INDIAN	5.947	978	29	9	6	75	25
FEMALE	2.921	501	14	5	3	35	15
MALE	3.026	477	15	4	3	40	10
BLACK	41.246	19,319	53	112	-	6	195
FEMALE	20.173	9,412	23	53	-	3	95
MALE	21,073	9,907	30	59	-	3	100
CAMBODIAN	979	410	-	3	-	1	-
FEMALE	481	202	-	2	-	1	-
MALE	498	208	-	1	-	-	-
CHINESE	7.179	2.341	3	27	-	3	9
FEMALE	3.492	1.135	-	13	-	1	4
MALE	3.687	1.206	3	14	-	2	5
ESKIMO/ALEUT	26	-	-	-	-	-	1
FEMALE	16	-	-	-	-	-	1
MALE	10	-	-	-	-	-	-
FILIPINO	10,807	2.986	10	22	-	2	21
FEMALE	5.180	1,420	3	11	-	1	11
MALE	5.627	1.566	7	11	-	1	10
INDIAN (INDIA)	2.350	730	5	8	-	-	26
FEMALE	1.130	366	1	2	-	-	14
MALE	1.220	364	4	6	-	-	12
JAPANESE	3,999	1,492	1	27	-	3	9
FEMALE	1.962	748	-	10	-	2	5
MALE	2.037	744	1	17	-	1	4
KOREAN	3.207	1,730	-	11	-	1	9
FEMALE	1.526	833	-	5	-	1	4
MALE	1.681	897	-	6	-	-	5
PACIFIC ISLANDER	2.074	583	-	3	-	3	7
FEMALE	992	257	-	2	-	-	6
MALE	1.082	326	-	1	-	3	1
THAI	598	387	-	3	-	-	10
FEMALE	280	186	-	2	-	-	4
MALE	318	201	-	1	-	-	6
VIETNAMESE	3,906	907	-	17	-	-	7
FEMALE	1,928	462	-	9	-	-	4
MALE	1.978	445	-	8	-	-	3
WHITE	* 340.401	106,218	1,261	2.128	144	1,065	2.710
FEMALE	166,285	52,014	631	1,003	67	547	1,358
MALE	174.116	54,204	630	1,125	77	518	1.352
OTHER ASIAN	2.892	394	1	12	-	-	196
FEMALE	1.434	202	1	3	-	-	97
MALE	1.458	192	-	9	-	-	99
OTHER	591	143	-	7	-	-	-
FEMALE	285	70	-	2	-	-	-
MALE	306	73	-	5	-	-	-
NOT STATED	3.429	982	3	30	-	10	1
FEMALE	1.679	506	2	12	-	5	-
MALE	1.750	476	1	18	-	5	1

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	MODOC	MONO	MONTEREY	NAPA	NEVADA	ORANGE
ALL RACES	429,631	153	159	6,436	1,342	862	33,989
FEMALE	209,764	70	68	3,074	639	434	16,615
MALE	219,867	83	91	3,362	703	428	17,374
AMERICAN INDIAN	5,947	13	13	73	23	7	248
FEMALE	2,921	5	6	37	14	4	115
MALE	3,026	8	7	36	9	3	133
BLACK	41,246	1	-	611	11	4	864
FEMALE	20,173	1	-	297	3	3	410
MALE	21,073	-	-	314	8	1	454
CAMBODIAN	979	-	-	-	-	-	117
FEMALE	481	-	-	-	-	-	50
MALE	498	-	-	-	-	-	67
CHINESE	7,179	-	-	31	3	5	413
FEMALE	3,492	-	-	16	1	5	196
MALE	3,687	-	-	15	2	-	217
ESKIMO/ALEUT	26	-	-	-	2	-	1
FEMALE	16	-	-	-	1	-	1
MALE	10	-	-	-	1	-	-
FILIPINO	10,807	-	-	231	18	1	349
FEMALE	5,180	-	-	105	9	-	166
MALE	5,627	-	-	126	9	1	183
INDIAN (INDIA)	2,350	-	-	17	1	1	204
FEMALE	1,130	-	-	9	1	-	84
MALE	1,220	-	-	8	-	1	120
JAPANESE	3,999	-	2	67	7	2	383
FEMALE	1,962	-	1	26	2	1	193
MALE	2,037	-	1	41	5	1	190
KOREAN	3,207	-	-	134	1	-	382
FEMALE	1,526	-	-	69	-	-	169
MALE	1,681	-	-	65	1	-	213
PACIFIC ISLANDER	2,074	-	-	76	4	-	161
FEMALE	992	-	-	28	1	-	81
MALE	1,082	-	-	48	3	-	80
THAI	598	-	-	4	-	-	43
FEMALE	280	-	-	2	-	-	21
MALE	318	-	-	2	-	-	22
VIETNAMESE	3,906	-	-	77	3	-	905
FEMALE	1,928	-	-	31	2	-	434
MALE	1,978	-	-	46	1	-	471
WHITE	340,401	137	143	4,958	1,262	835	29,559
FEMALE	166,285	63	60	2,378	602	415	14,514
MALE	174,116	74	83	2,580	660	420	15,045
OTHER ASIAN	2,892	1	1	15	3	1	280
FEMALE	1,434	1	1	4	2	-	143
MALE	1,458	-	-	11	1	1	137
OTHER	591	-	-	12	-	-	45
FEMALE	285	-	-	10	-	-	22
MALE	306	-	-	2	-	-	23
NOT STATED	3,429	1	-	130	4	6	35
FEMALE	1,679	-	-	62	1	6	16
MALE	1,750	1	-	68	3	-	19

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	PLACER	PLUMAS	RIVERSIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO
ALL RACES	429,631	1,800	264	12,958	14.253	496	18,720
FEMALE	209,764	897	117	6,452	6.930	243	9,150
MALE	219,867	903	147	6,506	7,323	253	9,570
AMERICAN INDIAN	5,947	40	4	231	260	5	325
FEMALE	2.921	25	2	118	123	2	144
MALE	3,026	15	2	113	137	3	181
BLACK	41,246	10	6	784	1,709	1	1,546
FEMALE	20.173	5	2	383	854	-	769
MALE	21,073	5	4	401	855	1	777
CAMBODIAN	979	-	-	5	3	-	3
FEMALE	481	-	-	1	2	-	2
MALE	498	-	-	4	1	-	1
CHINESE	7,179	8	-	39	434	-	72
FEMALE	3,492	2	-	17	222	-	32
MALE	3,687	6	-	22	212	-	40
ESKIMO/ALEUT	26	-	-	-	2	-	1
FEMALE	16	-	-	-	1	-	-
MALE	10	-	-	-	1	-	1
FILIPINO	10,807	6	-	100	259	4	159
FEMALE	5.180	2	-	40	130	2	78
MALE	5.627	4	-	60	129	2	81
INDIAN (INDIA)	2.350	3	-	25	76	-	56
FEMALE	1,130	1	-	15	30	-	28
MALE	1,220	2	-	10	46	-	28
JAPANESE	3,999	16	1	47	158	-	88
FEMALE	1,962	8	-	27	80	-	45
MALE	2.037	8	1	20	78	-	43
KOREAN	3.207	2	-	28	55	1	76
FEMALE	1.526	2	-	19	23	-	36
MALE	1,681	-	-	9	32	1	40
PACIFIC ISLANDER	2,074	4	2	34	37	-	52
FEMALE	992	3	1	20	18	-	19
MALE	1,082	1	1	14	19	-	33
THAI	598	-	-	7	9	-	27
FEMALE	280	-	-	4	4	-	14
MALE	318	-	-	3	5	-	13
VIETNAMESE	3,906	-	-	34	99	-	51
FEMALE	1,928	-	-	14	55	-	22
MALE	1,978	-	-	20	44	-	29
WHITE	340,401	1,704	249	11,517	10,956	478	15,669
FEMALE	166,285	847	110	5,729	5.290	237	7,667
MALE	174,116	857	139	5,788	5.666	241	8,002
OTHER ASIAN	2,892	3	1	56	153	-	25
FEMALE	1,434	1	1	32	75	-	16
MALE	1,458	2	-	24	78	-	9
OTHER	591	-	1	14	25	-	35
FEMALE	285	-	1	10	12	-	19
MALE	306	-	-	4	13	-	16
NOT STATED	3,429	4	-	37	20	7	535
FEMALE	1,679	1	-	23	11	2	259
MALE	1,750	3	-	14	9	5	276

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA
ALL RACES	429,631	33,795	8,991	7,090	2,341	8,715	4,817
FEMALE	209,764	16,514	4,453	3,453	1,153	4,228	2,341
MALE	219,867	17,281	4,538	3,637	1,188	4,487	2,476
AMERICAN INDIAN	5,947	847	52	136	80	64	84
FEMALE	2,921	415	31	73	41	26	47
MALE	3,026	432	21	63	39	38	37
BLACK	41,246	2,928	1,671	564	42	696	216
FEMALE	20,173	1,449	844	266	30	337	95
MALE	21,073	1,479	827	298	12	359	121
CAMBODIAN	979	128	60	73	-	3	1
FEMALE	481	62	30	36	-	2	-
MALE	498	66	30	37	-	1	1
CHINESE	7,179	238	1,167	51	14	403	31
FEMALE	3,492	121	555	19	8	187	16
MALE	3,687	117	612	32	6	216	15
ESKIMO/ALEUT	26	5	-	-	1	1	1
FEMALE	16	3	-	-	-	1	1
MALE	10	2	-	-	1	-	-
FILIPINO	10,807	1,609	885	222	37	727	93
FEMALE	5,180	792	430	112	23	341	42
MALE	5,627	817	455	110	14	386	51
INDIAN (INDIA)	2,350	40	65	48	4	111	13
FEMALE	1,130	18	31	23	1	59	6
MALE	1,220	22	34	25	3	52	7
JAPANESE	3,999	291	135	40	16	141	45
FEMALE	1,962	136	55	24	7	69	21
MALE	2,037	155	80	16	9	72	24
KOREAN	3,207	101	93	11	5	57	10
FEMALE	1,526	40	48	6	3	29	5
MALE	1,681	61	45	5	2	28	5
PACIFIC ISLANDER	2,074	316	127	15	6	124	15
FEMALE	992	155	67	9	3	59	9
MALE	1,082	161	60	6	3	65	6
THAI	598	15	14	-	1	7	5
FEMALE	280	8	8	-	-	2	2
MALE	318	7	6	-	1	5	3
VIETNAMESE	3,906	323	278	206	3	15	11
FEMALE	1,928	160	139	97	1	5	5
MALE	1,978	163	139	109	2	10	6
WHITE	340,401	26,468	4,225	5,420	2,124	6,147	4,215
FEMALE	166,285	12,934	2,109	2,638	1,030	3,009	2,059
MALE	174,116	13,534	2,116	2,782	1,094	3,138	2,156
OTHER ASIAN	2,892	443	110	293	2	34	52
FEMALE	1,434	202	57	145	2	17	27
MALE	1,458	241	53	148	-	17	25
OTHER	591	25	22	6	1	107	4
FEMALE	285	14	9	3	1	44	1
MALE	306	11	13	3	-	63	3
NOT STATED	3,429	18	87	5	5	78	21
FEMALE	1,679	5	40	2	3	41	5
MALE	1,750	13	47	3	2	37	16

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO
ALL RACES	429,631	22,538	3,329	1,919	59	691	4,783
FEMALE	209,764	10,982	1,599	980	28	331	2,298
MALE	219,867	11,556	1,730	939	31	360	2,485
AMERICAN INDIAN	5,947	323	33	102	-	52	91
FEMALE	2,921	147	13	48	-	24	41
MALE	3,026	176	20	54	-	28	50
BLACK	41,246	1,240	49	21	-	8	687
FEMALE	20,173	601	24	12	-	3	339
MALE	21,073	639	25	9	-	5	348
CAMBODIAN	979	52	1	-	-	-	-
FEMALE	481	29	1	-	-	-	-
MALE	498	23	-	-	-	-	-
CHINESE	7,179	671	10	5	-	2	48
FEMALE	3,492	330	5	3	-	1	24
MALE	3,687	341	5	2	-	1	24
ESKIMO/ALEUT	26	2	-	-	-	1	2
FEMALE	16	2	-	-	-	1	1
MALE	10	-	-	-	-	-	1
FILIPINO	10,807	1,008	30	4	-	2	354
FEMALE	5,180	479	14	-	-	1	171
MALE	5,627	529	16	4	-	1	183
INDIAN (INDIA)	2,350	264	9	2	-	-	24
FEMALE	1,130	131	3	2	-	-	12
MALE	1,220	133	6	-	-	-	12
JAPANESE	3,999	357	24	11	-	1	51
FEMALE	1,962	177	11	3	-	1	23
MALE	2,037	180	13	6	-	-	28
KOREAN	3,207	211	5	1	-	1	21
FEMALE	1,526	96	3	-	-	-	13
MALE	1,681	115	2	1	-	1	8
PACIFIC ISLANDER	2,074	153	5	2	-	1	66
FEMALE	992	82	1	1	-	1	28
MALE	1,082	71	4	1	-	-	38
THAI	598	29	-	-	-	-	6
FEMALE	280	13	-	-	-	-	1
MALE	318	16	-	-	-	-	5
VIETNAMESE	3,906	621	-	-	-	-	4
FEMALE	1,928	316	-	-	-	-	3
MALE	1,978	305	-	-	-	-	1
WHITE	340,401	17,330	2,862	1,765	59	621	3,409
FEMALE	166,285	8,456	1,388	908	28	298	1,633
MALE	174,116	8,874	1,474	857	31	323	1,776
OTHER ASIAN	2,892	112	7	1	-	2	6
FEMALE	1,434	56	2	-	-	1	4
MALE	1,458	56	5	1	-	1	2
OTHER	591	29	1	2	-	-	5
FEMALE	285	10	1	1	-	-	2
MALE	306	19	-	1	-	-	3
NOT STATED	3,429	136	293	3	-	-	9
FEMALE	1,679	57	133	-	-	-	3
MALE	1,750	79	160	3	-	-	6

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE
ALL RACES	429,631	4,818	5,258	973	572	184	5,621
FEMALE	209,764	2,279	2,578	526	263	88	2,664
MALE	219,867	2,539	2,680	447	309	96	2,957
AMERICAN INDIAN	5,947	117	73	59	26	23	45
FEMALE	2,921	60	36	30	13	11	17
MALE	3,026	57	37	29	13	12	28
BLACK	41,246	93	105	21	1	-	95
FEMALE	20,173	41	46	7	-	-	46
MALE	21,073	52	59	14	1	-	49
CAMBODIAN	979	8	24	-	-	-	-
FEMALE	481	3	11	-	-	-	-
MALE	498	5	13	-	-	-	-
CHINESE	7,179	23	33	2	1	-	14
FEMALE	3,492	9	19	2	1	-	8
MALE	3,687	14	14	-	-	-	6
ESKIMO/ALEUT	26	2	1	-	-	-	-
FEMALE	16	2	-	-	-	-	-
MALE	10	-	1	-	-	-	-
FILIPINO	10,807	33	39	3	1	-	74
FEMALE	5,180	14	18	1	-	-	35
MALE	5,627	19	21	2	1	-	39
INDIAN (INDIA)	2,350	10	49	105	-	-	3
FEMALE	1,130	6	18	57	-	-	1
MALE	1,220	4	31	48	-	-	2
JAPANESE	3,999	36	11	10	1	-	13
FEMALE	1,962	15	4	3	-	-	9
MALE	2,037	21	7	7	1	-	4
KOREAN	3,207	10	5	-	-	-	4
FEMALE	1,526	4	3	-	-	-	2
MALE	1,681	6	2	-	-	-	2
PACIFIC ISLANDER	2,074	15	8	2	-	-	4
FEMALE	992	5	4	1	-	-	4
MALE	1,082	10	4	1	-	-	-
THAI	598	1	-	-	-	-	1
FEMALE	280	1	-	-	-	-	-
MALE	318	-	-	-	-	-	1
VIETNAMESE	3,906	16	20	-	-	-	4
FEMALE	1,928	13	6	-	-	-	1
MALE	1,978	3	14	-	-	-	3
WHITE	340,401	4,353	4,842	752	540	158	5,343
FEMALE	166,285	2,056	2,374	415	248	75	2,530
MALE	174,116	2,297	2,468	337	292	83	2,813
OTHER ASIAN	2,892	39	39	1	-	-	16
FEMALE	1,434	19	25	-	-	-	8
MALE	1,458	20	14	1	-	-	8
OTHER	591	3	10	1	-	-	1
FEMALE	285	2	6	1	-	-	1
MALE	306	1	4	-	-	-	-
NOT STATED	3,429	59	9	17	2	3	4
FEMALE	1,679	29	8	9	1	2	2
MALE	1,750	30	1	8	1	1	2

Table 2–12 (Continued)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

RACE/ETHNICITY AND SEX	CALIFORNIA	TUOLUMNE	VENTURA	YOLO	YUBA		
ALL RACES	429,631	484	9,879	1,817	1,073		
FEMALE	209,764	228	4,780	899	490		
MALE	219,867	256	5,099	918	583		
AMERICAN INDIAN	5,947	16	145	27	99		
FEMALE	2,921	9	87	14	46		
MALE	3,026	7	58	13	53		
BLACK	41,246	2	310	49	71		
FEMALE	20,173	-	140	24	31		
MALE	21,073	2	170	25	40		
CAMBODIAN	979	-	4	1	-		
FEMALE	481	-	1	1	-		
MALE	498	-	3	-	-		
CHINESE	7,179	2	70	18	3		
FEMALE	3,492	1	33	13	1		
MALE	3,687	1	37	5	2		
ESKIMO/ALEUT	26	-	2	-	-		
FEMALE	16	-	1	-	-		
MALE	10	-	1	-	-		
FILIPINO	10,807	-	177	17	19		
FEMALE	5,180	-	76	9	13		
MALE	5,627	-	101	8	6		
INDIAN (INDIA)	2,350	-	29	20	16		
FEMALE	1,130	-	12	11	7		
MALE	1,220	-	17	9	9		
JAPANESE	3,999	1	66	19	6		
FEMALE	1,962	-	29	11	5		
MALE	2,037	1	37	8	1		
KOREAN	3,207	1	25	3	14		
FEMALE	1,526	-	9	2	4		
MALE	1,681	1	16	1	10		
PACIFIC ISLANDER	2,074	2	33	3	3		
FEMALE	992	1	18	1	3		
MALE	1,082	1	15	2	-		
THAI	598	-	3	-	3		
FEMALE	280	-	1	-	1		
MALE	318	-	2	-	2		
VIETNAMESE	3,906	4	29	1	1		
FEMALE	1,928	3	17	-	-		
MALE	1,978	1	12	1	1		
WHITE	340,401	456	8,654	1,637	823		
FEMALE	166,285	214	4,183	806	373		
MALE	174,116	242	4,471	831	450		
OTHER ASIAN	2,892	-	20	4	2		
FEMALE	1,434	-	9	1	1		
MALE	1,458	-	11	3	1		
OTHER	591	-	11	3	3		
FEMALE	285	-	5	-	2		
MALE	306	-	6	3	1		
NOT STATED	3,429	-	301	15	10		
FEMALE	1,679	-	159	6	3		
MALE	1,750	-	142	9	7		

Source: State of California, Department of Health Services, Birth Records.

Table 2—13

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	ALAMEDA	ALPINE	AMADOR	BUTTE	CALAVERAS	COLUSA
ALL ORIGINS	429,631	18,220	20	246	2,205	286	262
FEMALE	209,764	8,856	8	121	1,046	135	127
MALE	219,867	9,364	12	125	1,159	151	135
CUBAN	827	15	-	-	-	-	-
FEMALE	397	5	-	-	-	-	-
MALE	430	10	-	-	-	-	-
MEXICAN	117,479	2,295	-	6	189	16	94
FEMALE	57,836	1,119	-	2	89	7	50
MALE	59,643	1,176	-	4	100	9	44
PUERTO RICAN	1,639	140	-	-	1	-	1
FEMALE	812	70	-	-	-	-	-
MALE	827	70	-	-	1	-	1
OTHER SPANISH/HISPANIC	12,110	191	-	-	3	1	2
FEMALE	5,962	97	-	-	1	-	1
MALE	6,148	94	-	-	2	1	1
NOT SPANISH/HISPANIC	291,311	14,961	20	238	1,966	266	161
FEMALE	141,751	7,273	8	118	937	125	75
MALE	149,560	7,688	12	120	1,029	141	86
NOT STATED	6,265	618	-	2	46	3	4
FEMALE	3,006	292	-	1	19	3	1
MALE	3,259	326	-	1	27	-	3

Table 2–13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT
ALL ORIGINS	429,631	9,972	336	1,323	10,888	385	1,749
FEMALE	209,764	4,859	183	672	5,307	197	843
MALE	219,867	5,113	153	651	5,581	188	906
CUBAN	827	3	-	-	-	-	-
FEMALE	397	2	-	-	-	-	-
MALE	430	1	-	-	-	-	-
MEXICAN	117,479	888	30	70	4,664	87	47
FEMALE	57,836	421	21	33	2,294	46	24
MALE	59,643	467	9	37	2,370	41	23
PUERTO RICAN	1,639	43	1	3	13	-	-
FEMALE	812	16	-	3	7	-	-
MALE	827	27	1	-	6	-	-
OTHER SPANISH/HISPANIC	12,110	78	-	3	34	-	-
FEMALE	5,962	50	-	2	13	-	-
MALE	6,148	28	-	1	21	-	-
NOT SPANISH/HISPANIC	291,311	8,856	304	1,246	6,170	297	1,688
FEMALE	141,751	4,330	161	633	2,990	151	814
MALE	149,560	4,526	143	613	3,180	146	874
NOT STATED	6,265	104	1	1	7	1	14
FEMALE	3,006	40	1	1	3	-	5
MALE	3,259	64	-	-	4	1	9

Table 2–13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	IMPERIAL	INYO	KERN	KINGS	LAKE	LASSEN
ALL ORIGINS	429,631	2,167	274	9,461	1,830	510	386
FEMALE	209,764	1,034	126	4,671	893	252	183
MALE	219,867	1,133	148	4,790	937	258	203
CUBAN	827	-	-	4	-	-	-
FEMALE	397	-	-	2	-	-	-
MALE	430	-	-	2	-	-	-
MEXICAN	117,479	1,538	24	2,982	660	45	16
FEMALE	57,836	727	10	1,441	320	14	6
MALE	59,643	811	14	1,541	340	31	10
PUERTO RICAN	1,639	2	1	43	3	2	-
FEMALE	812	1	1	17	1	1	-
MALE	827	1	-	26	2	1	-
OTHER SPANISH/HISPANIC	12,110	3	-	40	5	1	-
FEMALE	5,962	1	-	21	3	-	-
MALE	6,148	2	-	19	2	1	-
NOT SPANISH/HISPANIC	291,311	607	248	5,466	1,159	458	368
FEMALE	141,751	297	115	2,736	567	234	176
MALE	149,560	310	133	2,730	592	224	192
NOT STATED	6,265	17	1	926	3	4	2
FEMALE	3,006	8	-	454	2	3	1
MALE	3,259	9	1	472	1	1	1

Table 2—13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	LOS ANGELES	MADERA	MARIN	MARIPOSA	MENDOCINO	MERCED
ALL ORIGINS	429,631	139,600	1,366	2,419	150	1,169	3,226
FEMALE	209,764	68,314	675	1,134	70	596	1,618
MALE	219,867	71,286	691	1,285	80	573	1,608
CUBAN	827	616	-	3	-	-	-
FEMALE	397	284	-	3	-	-	-
MALE	430	332	-	-	-	-	-
MEXICAN	117,479	52,390	592	90	5	105	1,074
FEMALE	57,836	25,817	293	45	2	55	554
MALE	59,643	26,573	299	45	3	50	520
PUERTO RICAN	1,639	592	1	3	-	1	7
FEMALE	812	292	-	-	-	-	4
MALE	827	300	1	3	-	1	3
OTHER SPANISH/HISPANIC	12,110	9,074	4	23	-	4	10
FEMALE	5,962	4,513	4	8	-	2	3
MALE	6,148	4,561	-	15	-	2	7
NOT SPANISH/HISPANIC	291,311	75,819	765	1,872	145	1,046	2,124
FEMALE	141,751	36,848	375	886	68	534	1,053
MALE	149,560	38,971	390	986	77	512	1,071
NOT STATED	6,265	1,109	4	428	-	13	11
FEMALE	3,006	560	3	192	-	5	4
MALE	3,259	549	1	236	-	8	7

Table 2–13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	MODOC	MONO	MONTEREY	NAPA	NEVADA	ORANGE
ALL ORIGINS	429,631	153	159	6,436	1,342	862	33,989
FEMALE	209,764	70	68	3,074	639	434	16,615
MALE	219,867	83	91	3,362	703	428	17,374
CUBAN	827	-	-	3	-	-	64
FEMALE	397	-	-	3	-	-	40
MALE	430	-	-	-	-	-	24
MEXICAN	117,479	13	4	2,345	226	41	8,353
FEMALE	57,836	6	1	1,124	106	19	4,097
MALE	59,643	7	3	1,221	120	22	4,256
PUERTO RICAN	1,639	-	-	49	4	-	100
FEMALE	812	-	-	27	2	-	44
MALE	827	-	-	22	2	-	56
OTHER SPANISH/HISPANIC	12,110	1	-	53	5	2	514
FEMALE	5,962	-	-	24	-	1	231
MALE	6,148	1	-	29	5	1	283
NOT SPANISH/HISPANIC	291,311	137	153	3,839	1,104	810	24,750
FEMALE	141,751	64	67	1,830	530	405	12,110
MALE	149,560	73	86	2,009	574	405	12,640
NOT STATED	6,265	2	2	147	3	9	208
FEMALE	3,006	-	-	66	1	9	93
MALE	3,259	2	2	81	2	-	115

Table 2–13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	PLACER	PLUMAS	RIVERSIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO
ALL ORIGINS	429,631	1,800	264	12,958	14,255	496	18,720
FEMALE	209,764	897	117	6,452	6,930	243	9,150
MALE	219,867	903	147	6,506	7,325	253	9,570
CUBAN	827	-	-	9	3	-	17
FEMALE	397	-	-	3	3	-	8
MALE	430	-	-	6	-	-	9
MEXICAN	117,479	139	8	3,687	1,573	310	4,262
FEMALE	57,836	72	2	1,834	769	161	2,124
MALE	59,643	67	6	1,853	804	149	2,138
PUERTO RICAN	1,639	2	-	32	40	1	66
FEMALE	812	1	-	18	24	1	36
MALE	827	1	-	14	16	-	30
OTHER SPANISH/HISPANIC	12,110	1	1	73	46	2	125
FEMALE	5,962	1	1	33	17	2	58
MALE	6,148	-	-	40	29	-	67
NOT SPANISH/HISPANIC	291,311	1,644	253	9,109	12,510	175	13,672
FEMALE	141,751	819	113	4,537	6,080	78	6,647
MALE	149,560	825	140	4,572	6,430	97	7,025
NOT STATED	6,265	14	2	46	83	8	578
FEMALE	3,006	4	1	25	37	1	277
MALE	3,259	10	1	21	46	7	301

Table 2–13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS CBISPO	SAN MATEO	SANTA BARBARA
ALL ORIGINS	429,631	33,795	8,991	7,090	2,341	8,715	4,817
FEMALE	209,764	16,514	4,453	3,453	1,153	4,228	2,341
MALE	219,867	17,281	4,538	3,637	1,188	4,487	2,476
CUBAN	827	21	17	3	-	6	3
FEMALE	397	10	9	1	-	4	1
MALE	430	11	8	2	-	2	2
MEXICAN	117,479	7,573	825	1,740	291	1,301	1,464
FEMALE	57,836	3,747	409	861	157	664	749
MALE	59,643	3,826	416	879	134	637	715
PUERTO RICAN	1,639	123	55	20	5	74	8
FEMALE	812	63	27	10	3	39	3
MALE	827	60	28	10	2	35	5
OTHER SPANISH/HISPANIC	12,110	178	758	20	14	369	38
FEMALE	5,962	77	388	6	3	172	15
MALE	6,148	101	370	14	11	197	23
NOT SPANISH/HISPANIC	291,311	25,823	7,248	5,273	2,023	6,867	3,287
FEMALE	141,751	12,574	3,579	2,558	986	3,293	1,569
MALE	149,560	13,249	3,669	2,715	1,037	3,574	1,718
NOT STATED	6,265	77	88	34	8	98	17
FEMALE	3,006	43	41	17	4	56	4
MALE	3,259	34	47	17	4	42	13

Table 2—13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO
ALL ORIGINS	429,631	22,538	3,329	1,919	59	691	4,783
FEMALE	209.764	10,982	1,599	980	28	331	2,298
MALE	219,867	11,556	1,730	939	31	360	2,485
CUBAN	827	21	-	-	-	-	4
FEMALE	397	12	-	-	-	-	2
MALE	430	9	-	-	-	-	2
MEXICAN	117,479	5,590	1,003	72	3	45	406
FEMALE	57,836	2,732	487	32	-	23	184
MALE	59,643	2,858	516	40	3	22	222
PUERTO RICAN	1.639	133	5	1	-	2	23
FEMALE	812	63	2	-	-	1	14
MALE	827	70	3	1	-	1	9
OTHER SPANISH/HISPANIC	12.110	245	18	1	-	1	24
FEMALE	5,962	125	8	-	-	1	12
MALE	6.148	120	10	1	-	-	12
NOT SPANISH/HISPANIC	291,311	16,370	1,564	1,838	56	637	4,312
FEMALE	141.751	7,967	755	945	28	305	2,082
MALE	149.560	8,403	809	893	28	332	2,230
NOT STATED	6.265	179	739	7	-	6	14
FEMALE	3.006	83	347	3	-	1	4
MALE	3.259	96	392	4	-	3	10

Table 2–13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE
ALL ORIGINS	429,631	4,818	5,258	973	572	184	5,621
FEMALE	209,764	2,279	2,578	526	263	88	2,664
MALE	219,867	2,539	2,680	447	309	96	2,957
CUBAN	827	1	2	-	-	-	1
FEMALE	397	-	1	-	-	-	-
MALE	430	1	1	-	-	-	1
MEXICAN	117,479	488	1,224	160	55	12	2,653
FEMALE	57,836	252	598	98	31	5	1.277
MALE	59,643	236	626	62	24	7	1.376
PUERTO RICAN	1,639	7	3	4	-	-	5
FEMALE	812	3	2	2	-	-	4
MALE	827	4	1	2	-	-	1
OTHER SPANISH/HISPANIC	12,110	25	10	4	1	-	8
FEMALE	5,962	10	3	2	1	-	6
MALE	6,148	15	7	2	-	-	2
NOT SPANISH/HISPANIC	291,311	4,202	4,010	777	514	155	2,900
FEMALE	141,751	1,970	1,966	409	230	74	1.345
MALE	149,560	2,232	2,044	368	284	81	1.555
NOT STATED	6,265	95	9	28	2	17	54
FEMALE	3,006	44	8	15	1	9	32
MALE	3,259	51	1	13	1	8	22

Table 2–13 (Continued)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1982
(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	TUOLUMNE	VENTURA	YOLO	YUBA		
ALL ORIGINS	429,631	484	9,879	1,817	1,073		
FEMALE	209,764	228	4,780	899	490		
MALE	219,867	256	5,099	918	583		
CUBAN	827	-	11	-	-		
FEMALE	397	-	4	-	-		
MALE	430	-	7	-	-		
MEXICAN	117,479	17	3,137	461	91		
FEMALE	57,836	8	1,545	226	46		
MALE	59,643	9	1,592	235	45		
PUERTO RICAN	1,639	-	18	-	2		
FEMALE	812	-	10	-	-		
MALE	827	-	8	-	2		
OTHER SPANISH/HISPANIC	12,110	2	82	8	3		
FEMALE	5,962	1	37	5	1		
MALE	6,148	1	45	3	2		
NOT SPANISH/HISPANIC	291,311	465	6,293	1,338	953		
FEMALE	141,751	219	3,015	664	434		
MALE	149,560	246	3,278	674	519		
NOT STATED	6,265	-	338	10	24		
FEMALE	3,006	-	169	4	9		
MALE	3,259	-	169	6	15		

Source: State of California, Department of Health Services, Birth Records.

Table 2–14

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1982
(By place of residence)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL LIVE BIRTHS	429,631	5,947	41,246	979	7,179	26	10,807	2,350	3,999
UNDER 1,500 GRAMS	4,258	48	949	2	52	-	90	20	33
UNDER 37 WEEKS	3,447	40	781	1	38	-	72	14	31
37-42 WEEKS	276	3	48	1	6	-	7	3	1
43 WEEKS AND OVER	47	1	6	-	-	-	1	-	-
NOT STATED	488	4	114	-	8	-	10	3	1
1,500-2,499 GRAMS	20,935	321	3,799	73	339	2	641	168	183
UNDER 37 WEEKS	9,820	147	1,826	17	149	-	275	71	82
37-42 WEEKS	9,025	125	1,610	40	163	2	315	80	86
43 WEEKS AND OVER	715	19	130	4	6	-	18	5	7
NOT STATED	1,375	30	233	12	21	-	33	12	8
2,500 GRAMS OR MORE	404,204	5,576	36,473	903	6,786	24	10,076	2,162	3,781
UNDER 37 WEEKS	24,547	370	3,406	101	318	-	686	122	206
37-42 WEEKS	326,969	4,255	28,433	609	5,821	23	8,397	1,847	3,184
43 WEEKS AND OVER	34,027	602	3,077	78	362	1	622	89	244
NOT STATED	18,661	349	1,557	115	285	-	371	104	147
NOT STATED	234	2	25	1	2	-	-	-	2
UNDER 37 WEEKS	58	1	9	-	-	-	-	-	-
37-42 WEEKS	103	-	11	1	1	-	-	-	2
43 WEEKS AND OVER	14	-	1	-	1	-	-	-	-
NOT STATED	59	1	4	-	-	-	-	-	-

Table 2–14 (Continued)

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1982
(By place of residence)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL LIVE BIRTHS	429,631	3,207	2,074	598	3,906	340,401	2,892	591	3,429
UNDER 1.500 GRAMS	4,258	21	15	7	28	2,922	26	6	39
UNDER 37 WEEKS	3,447	15	13	4	17	2,377	15	3	26
37-42 WEEKS	276	3	2	1	-	195	1	1	4
43 WEEKS AND OVER	47	2	-	-	-	36	-	1	-
NOT STATED	488	1	-	2	11	314	10	1	9
1.500-2.499 GRAMS	20,935	110	88	30	235	14,600	189	16	141
UNDER 37 WEEKS	9,820	49	43	16	85	6,939	63	6	52
37-42 WEEKS	9,025	53	39	14	110	6.230	56	5	67
43 WEEKS AND OVER	715	3	-	-	5	508	5	2	3
NOT STATED	1,375	5	6	-	35	923	35	3	19
2,500 GRAMS OR MORE	404,204	3,076	1,971	561	3,642	322,693	2,673	569	3.238
UNDER 37 WEEKS	24,547	149	195	42	284	18,182	270	49	167
37-42 WEEKS	326.969	2.574	1.519	446	2,750	262.423	1,719	435	2.534
43 WEEKS AND OVER	34,027	204	168	36	241	27,772	209	46	276
NOT STATED	18,661	149	89	37	367	14,316	475	39	261
NOT STATED	234	-	-	-	1	186	4	-	11
UNDER 37 WEEKS	58	-	-	-	-	46	-	-	1
37-42 WEEKS	103	-	-	-	-	86	1	-	1
43 WEEKS AND OVER	14	-	-	-	-	13	-	-	-
NOT STATED	59	-	-	-	1	41	3	-	9

Note: "Not Stated" as to weeks of gestation categories, includes not only those not stated, but also 230 live births of 16 weeks' or less gestation and 3,793 live births of 53 weeks' or more gestation. These latter categories reflect reporting inaccuracies in the file rather than actual gestation periods.

Source: State of California, Department of Health Services, Birth Records.

Table 2–15

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1982

(By place of residence)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL LIVE BIRTHS	429.631	827	117.479	1.639	12.110	291.311	6.265
UNDER 1.500 GRAMS	4.258	6	977	26	91	3.099	59
UNDER 37 WEEKS	3.447	6	752	21	69	2.560	39
37-42 WEEKS	276	-	83	1	8	180	4
43 WEEKS AND OVER	47	-	14	-	1	32	-
NOT STATED	488	-	128	4	13	327	16
1.500-2.499 GRAMS	20.935	41	4.999	88	533	15.020	254
UNDER 37 WEEKS	9.820	13	2.339	44	259	7.063	102
37-42 WEEKS	9.025	20	2.143	37	228	6.486	111
43 WEEKS AND OVER	715	2	164	2	17	519	11
NOT STATED	1.375	6	353	5	29	952	30
2.500 GRAMS OR MORE	404.204	780	111.432	1.525	11.475	273.066	5.926
UNDER 37 WEEKS	24.547	44	8.225	107	875	15.003	283
37-42 WEEKS	326.969	632	88.265	1.226	9.286	222.819	4.741
43 WEEKS AND OVER	34.027	71	9.419	132	845	23.025	535
NOT STATED	18.661	33	5.513	60	469	12.219	367
NOT STATED	234	-	71	-	11	126	26
UNDER 37 WEEKS	58	-	28	-	4	25	1
37-42 WEEKS	103	-	21	-	7	60	15
43 WEEKS AND OVER	14	-	7	-	-	6	1
NOT STATED	59	-	15	-	-	35	9

Note: "Not Stated" as to weeks of gestation categories, includes not only those not stated, but also 230 live births of 16 weeks' or less gestation and 3,793 live births of 53 weeks' or more gestation. These latter categories reflect reporting inaccuracies in the file rather than actual gestation periods.

Source: State of California, Department of Health Services, Birth Records.

Table 2–16

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1982
(By place of residence)

RACE/ETHNICITY OF CHILD	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL RACES	429,631	209,764	219,867	421,308	205,486	215,822	8,195	4,217	3,978	117	53	64	4	3	1	7	5	2
AMERICAN INDIAN	5,947	2,921	3,026	5,849	2,872	2,977	98	49	49	-	-	-	-	-	-	-	-	-
BLACK	41,246	20,173	21,073	40,180	19,661	20,519	1,055	506	549	10	5	5	-	-	-	1	1	-
CAMBODIAN	979	481	498	963	474	489	16	7	9	-	-	-	-	-	-	-	-	-
CHINESE	7,179	3,492	3,687	7,059	3,422	3,637	120	70	50	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	26	16	10	26	16	10	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	10,807	5,180	5,627	10,655	5,098	5,557	152	82	70	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2,350	1,130	1,220	2,320	1,114	1,206	30	16	14	-	-	-	-	-	-	-	-	-
JAPANESE	3,999	1,962	2,037	3,919	1,924	1,995	80	38	42	-	-	-	-	-	-	-	-	-
KOREAN	3,207	1,526	1,681	3,164	1,509	1,655	43	17	26	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2,074	992	1,082	2,029	968	1,061	42	21	21	3	3	-	-	-	-	-	-	-
THAI	598	280	318	591	275	316	7	5	2	-	-	-	-	-	-	-	-	-
VIETNAMESE	3,906	1,928	1,978	3,852	1,901	1,951	54	27	27	-	-	-	-	-	-	-	-	-
WHITE	340,401	166,285	174,116	333,918	162,917	171,001	6,369	3,316	3,053	104	45	59	4	3	1	6	4	2
OTHER ASIAN	2,892	1,434	1,458	2,827	1,400	1,427	65	34	31	-	-	-	-	-	-	-	-	-
OTHER	591	285	306	589	284	305	2	1	1	-	-	-	-	-	-	-	-	-
NOT STATED	3,429	1,679	1,750	3,367	1,651	1,716	62	28	34	-	-	-	-	-	-	-	-	-

Source: State of California, Department of Health Services, Birth Records.

Table 2–17

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1982

(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL ORIGINS	429,631	209,764	219,867	421,308	205,486	215,822	8,195	4,217	3,978	117	53	64	4	3	1	7	5	2
CUBAN	827	397	430	821	394	427	6	3	3	-	-	-	-	-	-	-	-	-
MEXICAN	117,479	57,836	59,643	115,436	56,778	58,658	2,025	1,048	977	16	9	7	-	-	-	2	1	1
PUERTO RICAN	1,639	812	827	1,601	795	806	38	17	21	-	-	-	-	-	-	-	-	-
OTHER SPANISH/ HISPANIC	12,110	5,962	6,148	11,883	5,857	6,026	227	105	122	-	-	-	-	-	-	-	-	-
NOT SPANISH/ HISPANIC	291,311	141,751	149,560	285,400	138,701	146,699	5,804	2,999	2,805	98	44	54	4	3	1	5	4	1
NOT STATED	6,265	3,006	3,259	6,167	2,961	3,206	95	45	50	3	-	3	-	-	-	-	-	-

Source: State of California, Department of Health Services, Birth Records.

Table 2–18

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
Live Births, Total[1]	3,502	73	273	38	59	28	15	2,889	100	27
Male	2,044	37	158	22	36	16	11	1,684	63	17
Female	1,458	36	115	16	23	12	4	1,205	37	10
Congenital Anomalies, Total[2,3]	4,342	83	336	48	73	34	16	3,590	125	37
Male	2,467	44	194	23	42	19	11	2,036	76	22
Female	1,875	39	142	25	31	15	5	1,554	49	15
01	108	3	9	2	2	1	–	87	4	–
Male	52	1	5	1	2	–	–	41	2	–
Female	56	2	4	1	–	1	–	46	2	–
02	72	1	8	1	–	–	–	62	–	–
Male	33	–	5	–	–	–	–	28	–	–
Female	39	1	3	1	–	–	–	34	–	–
03	39	–	5	–	2	–	–	31	1	–
Male	17	–	5	–	–	–	–	12	–	–
Female	22	–	–	–	2	–	–	19	1	–
04	65	1	10	–	3	1	4	43	2	1
Male	36	1	7	–	1	1	2	21	2	1
Female	29	–	3	–	2	–	2	22	–	–
05	115	4	14	2	1	1	2	84	5	2
Male	60	1	4	–	1	–	2	48	3	1
Female	55	3	10	2	–	1	–	36	2	1
06	104	–	10	2	–	–	–	86	3	3
Male	38	–	2	1	–	–	–	31	2	2
Female	66	–	8	1	–	–	–	55	1	1
07	29	–	1	1	–	1	–	26	–	–
Male	19	–	1	1	–	1	–	16	–	–
Female	10	–	–	–	–	–	–	10	–	–

Table 2–18 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
08	62	–	6	–	–	1	–	53	2	–
Male	38	–	5	–	–	1	–	31	1	–
Female	24	–	1	–	–	–	–	22	1	–
09	57	1	5	–	–	–	1	49	–	1
Male	28	–	3	–	–	–	–	24	–	1
Female	29	1	2	–	–	–	1	25	–	–
10	56	–	8	1	–	1	–	44	1	1
Male	36	–	7	–	–	–	–	28	–	1
Female	20	–	1	1	–	1	–	16	1	–
11	44	1	6	1	–	–	1	31	4	–
Male	25	1	2	1	–	–	1	18	2	–
Female	19	–	4	–	–	–	–	13	2	–
12	191	5	5	8	3	2	–	161	6	1
Male	98	2	4	4	3	–	–	80	5	–
Female	93	3	1	4	–	2	–	81	1	1
13	17	–	–	–	–	1	–	14	–	2
Male	7	–	–	–	–	–	–	6	–	1
Female	10	–	–	–	–	1	–	8	–	1
14	71	–	12	1	4	4	–	49	1	–
Male	39	–	6	1	4	3	–	25	–	–
Female	32	–	6	–	–	1	–	24	1	–
15	13	–	2	–	–	–	–	10	1	–
Male	7	–	1	–	–	–	–	6	–	–
Female	6	–	1	–	–	–	–	4	1	–
16	44	2	2	–	–	–	–	40	–	–
Male	26	–	–	–	–	–	–	26	–	–
Female	18	2	2	–	–	–	–	14	–	–

Table 2–18 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
17	13	–	1	–	–	–	–	12	–	–
Male	6	–	–	–	–	–	–	6	–	–
Female	7	–	1	–	–	–	–	6	–	–
18	3	–	–	–	–	–	–	3	–	–
Female	3	–	–	–	–	–	–	3	–	–
19	10	–	–	–	–	–	–	9	–	1
Male	3	–	–	–	–	–	–	3	–	–
Female	7	–	–	–	–	–	–	6	–	1
20	24	1	2	–	–	–	–	21	–	–
Male	18	1	1	–	–	–	–	16	–	–
Female	6	–	1	–	–	–	–	5	–	–
21	27	–	3	1	1	–	–	22	–	–
Male	14	–	–	1	1	–	–	12	–	–
Female	13	–	3	–	–	–	–	10	–	–
22	6	–	–	–	–	–	–	5	1	–
Male	3	–	–	–	–	–	–	3	–	–
Female	3	–	–	–	–	–	–	2	1	–
23	181	4	15	3	–	2	–	155	2	–
Male	101	3	10	2	–	1	–	85	–	–
Female	80	1	5	1	–	1	–	70	2	–
24	4	–	–	–	–	–	–	4	–	–
Male	1	–	–	–	–	–	–	1	–	–
Female	3	–	–	–	–	–	–	3	–	–
25	46	–	1	1	2	–	–	40	–	2
Male	26	–	1	–	1	–	–	22	–	2
Female	20	–	–	1	1	–	–	18	–	–

Table 2–18 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
26	315	10	26	3	5	–	1	258	10	2
Male	205	5	19	3	3	–	1	167	6	1
Female	110	5	7	–	2	–	–	91	4	1
27	115	2	5	–	5	1	–	99	3	–
Male	67	1	5	–	3	1	–	55	2	–
Female	48	1	–	–	2	–	–	44	1	–
28	90	1	2	1	4	1	1	76	4	–
Male	56	1	1	–	1	–	–	49	4	–
Female	34	–	1	1	3	1	1	27	–	–
29	132	2	4	2	3	1	–	114	5	1
Male	77	2	1	2	1	1	–	66	4	–
Female	55	–	3	–	2	–	–	48	1	1
30	34	–	–	–	1	–	–	33	–	–
Male	16	–	–	–	–	–	–	16	–	–
Female	18	–	–	–	1	–	–	17	–	–
31	44	–	4	1	1	1	–	32	3	2
Male	29	–	2	–	1	1	–	21	2	2
Female	15	–	2	1	–	–	–	11	1	–
32	127	4	8	3	2	1	1	102	5	1
Male	69	1	4	1	1	–	1	58	2	1
Female	58	3	4	2	1	1	–	44	3	–
33	141	1	8	1	1	2	–	124	4	–
Male	140	1	8	1	1	2	–	123	4	–
Female	1	–	–	–	–	–	–	1	–	–
34	31	2	2	–	–	1	1	23	2	–
Male	19	2	2	–	–	–	1	14	–	–
Female	12	–	–	–	–	1	–	9	2	–

Table 2–18 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
35	15	–	–	1	1	1	–	11	–	1
Male	9	–	–	–	1	1	–	6	–	1
Female	6	–	–	1	–	–	–	5	–	–
36	9	–	1	–	–	–	–	8	–	–
Male	5	–	1	–	–	–	–	4	–	–
Female	4	–	–	–	–	–	–	4	–	–
37	12	–	1	–	–	–	–	11	–	–
Male	9	–	–	–	–	–	–	9	–	–
Female	3	–	1	–	–	–	–	2	–	–
38	4	1	1	–	–	–	–	2	–	–
Male	1	1	–	–	–	–	–	–	–	–
Female	3	–	1	–	–	–	–	2	–	–
39	162	2	11	–	5	–	–	141	2	1
Male	134	2	7	–	5	–	–	117	2	1
Female	28	–	4	–	–	–	–	24	–	–
40	101	2	4	1	2	1	–	90	1	–
Male	27	–	1	–	–	–	–	26	–	–
Female	74	2	3	1	2	1	–	64	1	–
41	180	7	7	2	1	1	–	156	4	2
Male	112	3	3	1	1	1	–	97	4	2
Female	68	4	4	1	–	–	–	59	–	–
42	110	1	31	–	2	–	–	66	10	–
Male	68	1	19	–	–	–	–	40	8	–
Female	42	–	12	–	2	–	–	26	2	–
43	90	1	4	1	4	–	–	77	1	2
Male	46	–	2	–	1	–	–	40	1	2
Female	44	1	2	1	3	–	–	37	–	–

Table 2–18 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
44	11	–	1	–	–	–	–	9	1	–
Male	6	–	–	–	–	–	–	5	1	–
Female	5	–	1	–	–	–	–	4	–	–
45	5	–	–	–	–	–	–	5	–	–
Male	2	–	–	–	–	–	–	2	–	–
Female	3	–	–	–	–	–	–	3	–	–
46	24	1	–	1	–	–	–	20	2	–
Male	16	1	–	–	–	–	–	14	1	–
Female	8	–	–	1	–	–	–	6	1	–
47	35	1	1	–	1	–	–	31	1	–
Male	16	1	1	–	1	–	–	13	–	–
Female	19	–	–	–	–	–	–	18	1	–
48	303	4	32	3	3	3	1	249	5	3
Male	158	3	17	1	3	2	–	129	2	1
Female	145	1	15	2	–	1	1	120	3	2
49	174	8	13	3	3	1	–	142	3	1
Male	92	5	8	1	–	1	–	75	2	–
Female	82	3	5	2	3	–	–	67	1	1
50	8	–	–	–	–	–	–	7	1	–
Male	4	–	–	–	–	–	–	3	1	–
Female	4	–	–	–	–	–	–	4	–	–
51	167	1	8	–	5	–	3	146	3	1
Male	82	1	3	–	2	–	3	71	2	–
Female	85	–	5	–	3	–	–	75	1	1
52	27	–	1	–	1	–	–	23	1	1
Male	7	–	–	–	–	–	–	7	–	–
Female	20	–	1	–	1	–	–	16	1	1

Table 2–18 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE BY SEX AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
53	13	1	1	–	–	–	–	11	–	–
Male	3	1	–	–	–	–	–	2	–	–
Female	10	–	1	–	–	–	–	9	–	–
54	33	–	3	–	1	1	–	27	–	1
Male	18	–	1	–	–	–	–	17	–	–
Female	15	–	2	–	1	1	–	10	–	1
55	275	7	16	–	1	3	–	234	12	2
Male	162	2	10	–	1	2	–	141	5	1
Female	113	5	6	–	–	1	–	93	7	1
98	154	1	16	1	3	–	–	122	9	2
Male	81	–	10	1	3	–	–	60	6	1
Female	73	1	6	–	–	–	–	62	3	1
Unknown Congenital Anomalies[4]	4,455	190	744	45	59	18	18	2,899	280	202
Male	2,301	101	372	20	33	14	9	1,518	130	104
Female	2,154	89	372	25	26	4	9	1,381	150	98

1 All live births with at least one type of congenital anomaly.

2 Each type of congenital anomaly contains only those births with that anomaly.

3 See Figure 2–C, page 211 for definitions of congenital anomaly codes.

4 Birth records with "unknown congenital anomalies" include those that do not state whether or not there are congenital anomalies.

Note: Congenital anomalies which were not detected at the time of birth are not included in this table.

Source: State of California, Department of Health Services, Birth Records.

Figure 2–C

CONGENITAL ANOMALIES CODE DEFINITIONS

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Table 2–19

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
Live Births, Total[1]	3,502	8	838	10	48	2,555	43
Male	2,044	6	472	6	22	1,511	27
Female	1,458	2	366	4	26	1,044	16
Congenital Anomalies, Total[2,3]	4,342	10	1,021	14	64	3,180	53
Male	2,467	7	561	7	28	1,832	32
Female	1,875	3	460	7	36	1,348	21
01	108	–	29	–	5	74	–
Male	52	–	16	–	2	34	–
Female	56	–	13	–	3	40	–
02	72	–	24	–	2	45	1
Male	33	–	11	–	–	22	–
Female	39	–	13	–	2	23	1
03	39	–	7	–	1	31	–
Male	17	–	1	–	1	15	–
Female	22	–	6	–	–	16	–
04	65	–	12	–	1	51	1
Male	36	–	6	–	–	29	1
Female	29	–	6	–	1	22	–
05	115	2	22	1	1	86	3
Male	60	2	13	–	–	43	2
Female	55	–	9	1	1	43	1
06	104	–	21	–	1	79	3
Male	38	–	6	–	1	29	2
Female	66	–	15	–	–	50	1
07	29	–	3	–	1	25	–
Male	19	–	1	–	–	18	–
Female	10	–	2	–	1	7	–

Table 2–19 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
08	62	–	12	1	–	49	–
Male	38	–	9	1	–	28	–
Female	24	–	3	–	–	21	–
09	57	–	12	–	–	44	1
Male	28	–	5	–	–	22	1
Female	29	–	7	–	–	22	–
10	56	–	6	1	1	46	2
Male	36	–	1	–	1	32	2
Female	20	–	5	1	–	14	–
11	44	–	8	–	–	35	1
Male	25	–	4	–	–	20	1
Female	19	–	4	–	–	15	–
12	191	–	56	2	3	127	3
Male	98	–	31	–	–	67	–
Female	93	–	25	2	3	60	3
13	17	–	4	–	1	10	2
Male	7	–	1	–	–	5	1
Female	10	–	3	–	1	5	1
14	71	–	12	–	1	57	1
Male	39	–	7	–	1	31	–
Female	32	–	5	–	–	26	1
15	13	–	1	–	–	12	–
Male	7	–	–	–	–	7	–
Female	6	–	1	–	–	5	–
16	44	–	14	–	–	29	1
Male	26	–	9	–	–	17	–
Female	18	–	5	–	–	12	1

Table 2–19 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
17	13	–	4	–	–	9	–
Male	6	–	2	–	–	4	–
Female	7	–	2	–	–	5	–
18	3	–	–	–	1	2	–
Female	3	–	–	–	1	2	–
19	10	–	5	–	–	4	1
Male	3	–	1	–	–	2	–
Female	7	–	4	–	–	2	1
20	24	–	3	–	–	21	–
Male	18	–	3	–	–	15	–
Female	6	–	–	–	–	6	–
21	27	–	9	–	1	17	–
Male	14	–	5	–	–	9	–
Female	13	–	4	–	1	8	–
22	6	–	–	–	–	5	1
Male	3	–	–	–	–	2	1
Female	3	–	–	–	–	3	–
23	181	1	50	1	4	124	1
Male	101	1	27	–	3	69	1
Female	80	–	23	1	1	55	–
24	4	–	1	–	–	3	–
Male	1	–	1	–	–	–	–
Female	3	–	–	–	–	3	–
25	46	–	9	–	1	34	2
Male	26	–	2	–	1	21	2
Female	20	–	7	–	–	13	–

Table 2–19 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
26	315	–	105	1	2	205	2
Male	205	–	73	1	2	127	2
Female	110	–	32	–	–	78	–
27	115	–	24	1	2	87	1
Male	67	–	15	–	1	51	–
Female	48	–	9	1	1	36	1
28	90	–	20	1	1	68	–
Male	56	–	13	–	1	42	–
Female	34	–	7	1	–	26	–
29	132	–	28	1	5	97	1
Male	77	–	16	1	3	57	–
Female	55	–	12	–	2	40	1
30	34	–	4	–	1	29	–
Male	16	–	1	–	–	15	–
Female	18	–	3	–	1	14	–
31	44	–	9	–	–	33	2
Male	29	–	5	–	–	22	2
Female	15	–	4	–	–	11	–
32	127	–	21	–	1	104	1
Male	69	–	7	–	1	60	1
Female	58	–	14	–	–	44	–
33	141	1	19	–	–	121	–
Male	140	1	18	–	–	121	–
Female	1	–	1	–	–	–	–
34	31	–	4	–	–	27	–
Male	19	–	4	–	–	15	–
Female	12	–	–	–	–	12	–

Table 2–19 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
35	15	–	2	–	–	12	1
Male	9	–	1	–	–	7	1
Female	6	–	1	–	–	5	–
36	9	–	2	–	–	7	–
Male	5	–	1	–	–	4	–
Female	4	–	1	–	–	3	–
37	12	–	3	–	–	9	–
Male	9	–	2	–	–	7	–
Female	3	–	1	–	–	2	–
38	4	1	1	–	–	2	–
Male	1	–	–	–	–	1	–
Female	3	1	1	–	–	1	–
39	162	1	32	–	3	124	2
Male	134	–	26	–	2	104	2
Female	28	1	6	–	1	20	–
40	101	–	26	–	–	75	–
Male	27	–	8	–	–	19	–
Female	74	–	18	–	–	56	–
41	180	–	48	1	4	125	2
Male	112	–	31	1	2	76	2
Female	68	–	17	–	2	49	–
42	110	–	21	–	1	86	2
Male	68	–	13	–	–	54	1
Female	42	–	8	–	1	32	1
43	90	–	20	–	–	68	2
Male	46	–	10	–	–	34	2
Female	44	–	10	–	–	34	–

Table 2–19 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
44	11	–	3	–	–	7	1
Male	6	–	3	–	–	3	–
Female	5	–	–	–	–	4	1
45	5	–	–	–	–	5	–
Male	2	–	–	–	–	2	–
Female	3	–	–	–	–	3	–
46	24	–	5	–	1	18	–
Male	16	–	4	–	1	11	–
Female	8	–	1	–	–	7	–
47	35	–	8	–	–	27	–
Male	16	–	4	–	–	12	–
Female	19	–	4	–	–	15	–
48	303	1	79	–	3	217	3
Male	158	–	40	–	–	116	2
Female	145	1	39	–	3	101	1
49	174	–	38	1	4	130	1
Male	92	–	17	1	2	72	–
Female	82	–	21	–	2	58	1
50	8	–	–	–	–	8	–
Male	4	–	–	–	–	4	–
Female	4	–	–	–	–	4	–
51	167	–	61	1	4	98	3
Male	82	–	25	1	2	53	1
Female	85	–	36	–	2	45	2
52	27	–	6	–	2	19	–
Male	7	–	2	–	–	5	–
Female	20	–	4	–	2	14	–

Table 2–19 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1982

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL ORIGINS	CUBAN	MEXICAN	PUERTO RICAN	OTHER	NOT SPANISH/ HISPANIC	UNKNOWN
53	13	–	2	1	1	9	–
Male	3	–	–	1	–	2	–
Female	10	–	2	–	1	7	–
54	33	–	7	–	–	25	1
Male	18	–	5	–	–	13	–
Female	15	–	2	–	–	12	1
55	275	2	62	–	3	206	2
Male	162	2	39	–	1	119	1
Female	113	–	23	–	2	87	1
98	154	1	37	–	1	113	2
Male	81	1	16	–	–	63	1
Female	73	–	21	–	1	50	1
Unknown Congenital Anomalies[4]	4,455	3	800	17	38	3,258	339
Male	2,301	1	395	9	17	1,707	172
Female	2,154	2	405	8	21	1,551	167

1 All live births with at least one type of congenital anomaly.

2 Each type of congenital anomaly contains only those births with that anomaly.

3 See Figure 2–C, page 211 for definitions of congenital anomaly codes.

4 Birth records with "unknown congenital anomalies" include those that do not state whether or not there are congenital anomalies.

Note: Congenital anomalies which were not detected at the time of birth are not included in this table.

Source: State of California, Department of Health Services, Birth Records.

Table 2–20

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND AGE OF MOTHER CALIFORNIA, 1982

(By place of residence)

MONTH OF PREGNANCY PRENATAL CARE BEGAN	TOTAL	AGE OF MOTHER							
		Under 15	15–17	18–19	20–24	25–29	30–34	35 and Older	Unknown
Total	429,631	851	17,874	35,296	136,388	134,830	76,090	28,159	143
First Trimester	323,964	304	9,206	21,337	99,588	108,880	62,647	21,942	60
First Month	67,372	47	1,405	3,559	19,226	23,736	14,395	4,994	10
Second Month	158,326	98	3,704	9,176	47,820	55,227	31,487	10,784	30
Third Month	98,266	159	4,097	8,602	32,542	29,917	16,765	6,164	20
Second Trimester	76,984	375	6,355	10,421	27,080	18,809	9,608	4,313	23
Fourth Month	41,335	145	2,935	5,115	14,577	10,666	5,484	2,398	15
Fifth Month	22,505	131	2,099	3,311	7,937	5,195	2,638	1,190	4
Sixth Month	13,144	99	1,321	1,995	4,566	2,948	1,486	725	4
Third Trimester	14,947	112	1,394	2,070	5,198	3,455	1,791	923	4
Seventh Month	8,405	63	819	1,199	2,958	1,901	975	487	3
Eighth Month	4,402	33	407	609	1,494	1,028	524	306	1
Ninth Month	2,140	16	168	262	746	526	292	130	–
No Prenatal Care	4,121	36	408	612	1,411	856	509	287	2
Unknown	9,615	24	511	856	3,111	2,830	1,535	694	54

Source: State of California, Department of Health Services, Birth Records.

Table 2–21

LIVE BIRTHS BY MONTH OF BIRTH
CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY	TOTAL LIVE BIRTHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	429,631	34,411	32,134	35,489	34,501	35,984	35,687	38,009	38,316	38,241	36,574	34,911	35,374
ALAMEDA	18,220	1,439	1,422	1,522	1,494	1,543	1,503	1,548	1,612	1,559	1,579	1,523	1,476
ALPINE	20	-	1	-	-	2	2	3	4	2	3	3	-
AMADOR	246	21	18	18	17	25	20	23	15	16	23	34	16
BUTTE	2,205	160	160	185	182	203	179	198	199	203	191	163	182
CALAVERAS	286	26	22	26	23	25	23	29	20	28	26	22	16
COLUSA	262	19	18	20	29	28	19	18	28	17	28	19	19
CONTRA COSTA	9,972	760	740	847	830	884	797	926	914	836	814	774	830
DEL NORTE	336	20	36	36	29	28	27	31	23	19	30	30	27
EL DORADO	1,323	101	102	129	115	86	129	123	120	105	99	115	99
FRESNO	10,888	865	760	864	857	931	942	989	982	926	927	889	936
GLENN	385	26	27	33	33	40	41	32	37	32	24	27	33
HUMBOLDT	1,749	136	141	149	147	160	151	157	152	146	153	126	131
IMPERIAL	2,167	164	189	186	144	159	147	190	219	192	196	187	194
INYO	274	20	19	20	21	28	24	24	28	23	24	15	28
KERN	9,461	743	692	754	741	757	769	902	803	911	825	760	784
KINGS	1,830	138	154	146	159	143	160	154	157	164	160	145	150
LAKE	510	37	30	45	49	42	39	44	47	46	52	32	47
LASSEN	386	20	28	50	27	33	36	32	32	38	24	28	36
LOS ANGELES	139,600	11,543	10,550	11,419	11,065	11,490	11,369	12,331	12,516	12,602	11,884	11,408	11,423
MADERA	1,366	108	103	102	109	118	97	142	118	127	113	101	128
MARIN	2,419	169	198	209	215	194	209	220	215	202	190	194	204
MARIPOSA	150	10	8	15	12	7	18	11	11	9	21	12	16
MENDOCINO	1,169	104	76	118	94	92	112	102	106	90	88	96	91
MERCED	3,226	221	254	280	246	273	273	252	295	305	262	274	261
MODOC	153	9	8	13	22	19	11	14	10	13	13	11	10
MONO	159	11	9	17	14	15	15	16	15	9	11	9	18
MONTEREY	6,436	530	475	551	514	520	546	552	551	566	577	523	531
NAPA	1,342	107	106	124	101	106	116	103	140	111	115	107	106
NEVADA	862	67	53	85	84	88	76	69	73	79	58	64	66
ORANGE	33,989	2,709	2,511	2,822	2,664	2,837	2,918	3,005	3,013	3,035	2,925	2,766	2,784
PLACER	1,800	165	120	135	146	146	164	159	152	148	150	153	162
PLUMAS	264	21	19	19	28	21	23	23	26	22	20	19	23
RIVERSIDE	12,958	1,035	919	1,073	969	1,069	1,050	1,114	1,207	1,185	1,157	1,096	1,084
SACRAMENTO	14,255	1,139	1,110	1,198	1,174	1,200	1,206	1,256	1,321	1,243	1,179	1,092	1,137
SAN BENITO	496	35	38	46	35	46	44	51	45	41	51	33	31
SAN BERNARDINO	18,720	1,476	1,402	1,482	1,557	1,576	1,508	1,717	1,669	1,648	1,585	1,499	1,601
SAN DIEGO	33,795	2,673	2,507	2,801	2,689	2,819	2,702	3,030	3,075	3,105	2,860	2,742	2,792
SAN FRANCISCO	8,991	740	705	740	759	738	723	761	763	779	786	753	745
SAN JOAQUIN	7,090	577	502	591	560	602	613	639	611	602	596	605	592
SAN LUIS OBISPO	2,341	194	183	204	174	211	216	171	199	223	194	177	195
SAN MATEO	8,715	692	634	709	737	729	741	710	766	806	751	704	738
SANTA BARBARA	4,817	379	395	386	377	453	413	397	423	410	403	369	412
SANTA CLARA	22,538	1,717	1,633	1,903	1,601	1,956	1,935	2,018	1,976	2,021	1,880	1,855	1,842
SANTA CRUZ	3,329	244	251	260	295	271	266	326	285	304	281	279	267
SHASTA	1,919	158	132	158	160	175	171	186	151	151	144	155	149
SIERRA	59	6	6	3	8	8	10	3	4	3	1	4	3
SISKIYOU	691	60	46	63	59	82	53	54	58	64	57	44	51
SOLANO	4,763	361	356	396	393	370	439	414	431	430	422	383	368
SONOMA	4,818	363	346	423	390	435	440	406	423	391	436	388	377
STANISLAUS	5,258	426	364	410	430	464	422	522	458	481	419	418	444
SUTTER	973	84	69	73	69	81	89	90	85	67	78	91	77
TEHAMA	572	48	38	51	37	49	44	60	46	54	47	42	56
TRINITY	184	13	15	16	12	14	15	14	23	20	18	10	14
TULARE	5,621	450	453	478	444	439	465	478	519	496	500	455	444
TUOLUMNE	484	30	37	45	44	38	50	49	39	40	39	34	39
VENTURA	9,879	763	741	831	823	848	866	839	840	858	826	826	818
YOLO	1,817	163	131	119	170	181	141	160	132	166	166	138	150
YUBA	1,073	76	72	89	105	87	89	92	104	74	93	90	102

Source: State of California, Department of Health Services, Birth Records.

Table 2—22

LIVE BIRTHS BY TYPE OF HOSPITAL
CALIFORNIA COUNTIES, 1982
(By place of occurrence)

COUNTY	TOTAL	IN HOSPITAL					NOT IN HOSPITAL
		TOTAL	COUNTY	PRIVATE	OTHER *	UNKNOWN	
CALIFORNIA	429,902	424,658	50,418	309,732	63,263	1,245	5,244
ALAMEDA	19,767	19,583	1,106	15,133	3,345	1	184
ALPINE	-	-	-	-	-	-	-
AMADOR	184	180	180	-	-	-	4
BUTTE	2,307	2,260	-	2,260	-	-	47
CALAVERAS	97	85	-	-	85	-	12
COLUSA	69	67	67	-	-	-	2
CONTRA COSTA	7,795	7,714	735	5,038	1,940	1	81
DEL NORTE	334	315	-	-	315	-	19
EL DORADO	1,015	973	-	972	-	1	42
FRESNO	11,574	11,364	3,145	7,168	999	52	210
GLENN	228	225	225	-	-	-	3
HUMBOLDT	1,799	1,722	56	1,665	-	1	77
IMPERIAL	2,219	2,208	-	-	2,208	-	11
INYO	373	357	-	-	357	-	16
KERN	9,427	9,376	2,952	5,912	512	-	51
KINGS	1,979	1,974	-	1,551	423	-	5
LAKE	64	55	-	2	52	1	9
LASSEN	219	216	216	-	-	-	3
LOS ANGELES	142,681	141,353	24,057	111,992	4,817	487	1,328
MADERA	675	657	-	615	42	-	18
MARIN	1,595	1,485	-	173	1,311	1	110
MARIPOSA	70	64	-	-	64	-	6
MENDOCINO	1,341	1,259	3	982	274	-	82
MERCED	3,160	3,137	1,596	1,116	425	-	23
MODOC	117	104	104	-	-	-	13
MONO	78	65	10	-	55	-	13
MONTEREY	6,132	6,079	1,135	1,669	3,274	1	53
NAPA	1,037	1,007	-	1,007	-	-	30
NEVADA	1,008	972	-	644	328	-	36
ORANGE	34,153	33,515	-	29,999	3,405	111	638
PLACER	1,646	1,617	-	1,616	-	1	29
PLUMAS	315	311	-	52	259	-	4
RIVERSIDE	11,173	10,995	1,620	5,647	3,484	244	178
SACRAMENTO	15,482	15,348	-	13,185	2,162	1	134
SAN BENITO	327	325	-	-	325	-	2
SAN BERNARDINO	18,668	18,477	1,112	15,783	1,580	2	191
SAN DIEGO	34,515	34,199	-	17,252	16,862	85	316
SAN FRANCISCO	13,363	13,250	1,671	9,569	2,009	1	113
SAN JOAQUIN	6,629	6,533	1,664	4,869	-	-	96
SAN LUIS OBISPO	2,112	2,043	1,224	505	314	-	69
SAN MATEO	5,564	5,488	-	3,865	1,548	75	76
SANTA BARBARA	5,020	4,961	-	4,207	753	1	59
SANTA CLARA	24,375	24,222	2,176	18,826	3,101	119	153
SANTA CRUZ	3,287	3,105	-	3,104	-	1	182
SHASTA	2,028	1,987	853	1,134	-	-	41
SIERRA	18	17	-	-	17	-	1
SISKIYOU	469	455	-	455	-	-	14
SOLANO	4,503	4,473	-	3,495	976	6	30
SONOMA	4,758	4,525	2,633	1,268	624	-	233
STANISLAUS	5,759	5,717	-	5,574	142	1	42
SUTTER	1,792	1,790	-	1,767	-	23	2
TEHAMA	466	459	-	379	80	-	7
TRINITY	113	97	76	-	-	23	16
TULARE	4,977	4,938	-	1,102	3,834	2	39
TUOLUMNE	601	584	11	573	-	-	17
VENTURA	8,716	8,666	1,793	6,246	627	-	50
YOLO	1,376	1,364	1	1,361	-	2	12
YUBA	353	341	1	-	337	3	12

* "Other" includes federal, state, city, and district ownership.

Note: Births occurring in Alpine County equal 0, births to Alpine County residents equal 20.

Source: State of California, Department of Health Services, Birth Records.

Table 2–23

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE AND AGE OF MOTHER AND LIVE BIRTH ORDER CALIFORNIA, 1982

(By place of residence)

RACE AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER					
		FIRST	SECOND	THIRD	FOURTH	FIFTH OR HIGHER	UNKNOWN
	TOTAL LIVE BIRTHS						
ALL RACES[2,3]	429,631	183,363	134,602	63,956	25,554	20,337	1,819
UNDER 15	851	822	25	-	-	-	4
15-17	17,874	15,646	1,998	167	8	-	55
18-19	35,296	25,858	7,840	1,306	165	17	110
20-24	136,388	68,639	46,221	15,778	4,051	1,152	547
25-29	134,830	48,162	47,074	24,535	9,353	5,130	576
30-34	76,090	19,346	24,821	16,265	8,036	7,274	348
35-39	24,205	4,372	6,032	5,243	3,344	5,089	125
40 AND OVER	3,954	470	564	648	590	1,664	18
UNKNOWN	143	48	27	14	7	11	36
BLACK[3]	35,964	15,316	10,628	5,613	2,455	1,818	134
UNDER 15	203	200	3	-	-	-	-
15-17	2,907	2,546	316	35	2	-	8
18-19	4,455	3,209	1,000	202	28	4	12
20-24	12,961	5,814	4,436	1,922	562	188	39
25-29	9,458	2,534	3,254	2,111	925	584	50
30-34	4,532	808	1,334	1,048	692	633	17
35-39	1,229	180	254	264	214	312	5
40 AND OVER	212	24	29	29	32	96	2
UNKNOWN	7	1	2	2	-	1	1
WHITE-HISPANIC	130,714	47,148	37,875	22,858	11,162	11,240	431
UNDER 15	413	394	18	-	-	-	1
15-17	7,930	6,800	1,028	82	3	-	17
18-19	13,887	9,436	3,651	665	85	12	38
20-24	45,275	19,294	16,329	6,778	2,066	654	154
25-29	35,931	8,146	11,614	8,877	4,311	2,867	116
30-34	18,637	2,372	4,140	4,850	3,244	3,965	66
35-39	6,975	581	947	1,366	1,235	2,818	28
40 AND OVER	1,618	106	137	235	215	920	5
UNKNOWN	48	19	11	5	3	4	6
WHITE NON-HISPANIC	217,939	101,647	71,769	28,995	9,441	5,167	920
UNDER 15	189	185	4	-	-	-	-
15-17	6,143	5,538	545	36	2	-	22
18-19	14,871	11,674	2,754	354	41	1	47
20-24	67,700	37,955	22,229	5,930	1,096	219	271
25-29	73,597	30,472	27,064	11,371	3,229	1,155	306
30-34	41,541	12,705	15,160	8,247	3,315	1,926	188
35-39	12,366	2,863	3,719	2,776	1,488	1,450	70
40 AND OVER	1,487	238	284	276	268	414	7
UNKNOWN	45	17	10	5	2	2	9
OTHER[3]	38,526	16,254	12,262	5,652	2,229	1,954	175
UNDER 15	38	36	-	-	-	-	2
15-17	704	593	92	14	1	-	4
18-19	1,689	1,242	360	73	10	-	4
20-24	8,608	4,531	2,636	1,001	303	87	50
25-29	13,729	6,127	4,396	1,869	787	491	59
30-34	9,978	2,988	3,699	1,861	694	695	41
35-39	3,180	638	970	732	368	459	13
40 AND OVER	585	94	105	100	65	219	2
UNKNOWN	15	5	4	2	1	3	-
NOT STATED[3]	3,752	1,718	1,146	489	162	109	128
UNDER 15	8	7	-	-	-	-	1
15-17	120	106	10	-	-	-	4
18-19	231	178	38	9	1	-	5
20-24	1,033	581	320	91	12	3	26
25-29	1,227	500	437	178	53	22	37
30-34	821	270	266	153	63	42	27
35-39	253	63	69	54	26	32	9
40 AND OVER	33	7	6	4	6	9	1
UNKNOWN	26	6	-	-	1	1	18

Table 2–23 (Continued)

TOTAL LIVE BIRTHS AND ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE AND AGE OF MOTHER AND LIVE BIRTH ORDER CALIFORNIA, 1982

(By place of residence)

RACE AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER					
		FIRST	SECOND	THIRD	FOURTH	FIFTH OR HIGHER	UNKNOWN
	NONMARITAL LIVE BIRTHS						
ALL RACES[2,3]	93,285	49,587	22,982	11,315	4,891	4,173	337
UNDER 15	731	710	20	-	-	-	1
15-17	11,830	10,540	1,164	97	3	-	26
18-19	15,837	11,949	3,194	579	71	9	35
20-24	33,346	16,981	10,187	4,376	1,301	396	105
25-29	18,758	6,043	5,567	3,921	1,862	1,275	90
30-34	8,952	2,532	2,144	1,717	1,165	1,354	40
35-39	3,165	726	627	532	401	864	15
40 AND OVER	623	93	73	92	68	273	4
UNKNOWN	43	13	6	1	-	2	21
BLACK[3]	20,247	10,011	5,391	2,670	1,196	911	68
UNDER 15	195	192	3	-	-	-	-
15-17	2,662	2,349	277	27	1	-	8
18-19	3,534	2,605	757	135	20	2	9
20-24	7,671	3,495	2,521	1,172	359	105	19
25-29	4,066	1,002	1,328	933	450	333	20
30-34	1,620	294	412	328	281	298	7
35-39	429	64	85	64	78	136	2
40 AND OVER	67	7	7	8	7	36	2
UNKNOWN	3	-	1	-	-	1	1
WHITE-HISPANIC	37,445	17,604	9,622	5,153	2,488	2,487	91
UNDER 15	332	318	14	-	-	-	-
15-17	4,987	4,332	597	52	1	-	5
18-19	6,192	4,323	1,518	298	36	6	11
20-24	13,321	5,996	4,366	2,041	659	216	43
25-29	7,513	1,856	2,193	1,737	969	740	18
30-34	3,417	575	701	763	586	782	10
35-39	1,341	167	200	216	191	564	3
40 AND OVER	333	33	30	46	46	178	-
UNKNOWN	9	4	3	-	-	1	1
WHITE NON-HISPANIC	30,588	19,140	6,839	2,908	989	588	124
UNDER 15	172	169	3	-	-	-	-
15-17	3,661	3,397	240	14	1	-	9
18-19	5,324	4,392	794	112	12	1	13
20-24	10,790	6,597	2,884	977	237	61	34
25-29	6,047	2,702	1,741	1,049	367	152	36
30-34	3,236	1,401	858	519	241	203	14
35-39	1,159	433	282	205	106	124	9
40 AND OVER	184	44	35	31	25	47	2
UNKNOWN	15	5	2	1	-	-	7
OTHER[3,4]	3,838	2,175	845	457	183	163	15
UNDER 15	26	25	-	-	-	-	1
15-17	408	361	42	4	-	-	1
18-19	599	482	90	24	2	-	1
20-24	1,188	693	296	144	39	12	4
25-29	884	376	239	156	64	44	5
30-34	525	194	135	84	48	61	3
35-39	178	38	42	39	23	36	-
40 AND OVER	30	6	1	6	7	10	-
UNKNOWN	-	-	-	-	-	-	-
NOT STATED[3]	822	432	214	98	24	21	33
UNDER 15	6	6	-	-	-	-	-
15-17	78	69	6	-	-	-	3
18-19	137	103	27	6	1	-	-
20-24	262	129	85	33	6	2	4
25-29	173	69	50	32	6	6	10
30-34	102	33	30	19	7	9	4
35-39	43	16	13	7	3	3	1
40 AND OVER	6	3	-	1	1	1	-
UNKNOWN	15	4	-	-	-	-	11

---

1 For statistical purposes, marital status is estimated by an inferential method. For details of the inferential method, see Berkov, Beth, "An Evaluation of California's Inferred Nonmarital Birth Statistics," *Vital and Health Statistics*, Series 2–(1985 in press), Department of Health and Human Services, National Center for Health Statistics.

2 Live births where race of mother was "White," and "Hispanic" or "Non-Hispanic" origin of mother was unknown are included only in the "All Races" category. There were 2,736 total live births and 345 nonmarital live births with this unknown designation. For this reason, subsequent race and "Not Stated" categories will not sum to the "All Races" total.

3 Includes live births to women of "Hispanic," "Non-Hispanic," and "unknown Hispanic" origin.

4 The counts of nonmarital births in the "Other" race group may be low due to the difficulty of applying inferential criteria to births in this group; see reference given in footnote 1.

Source: State of California, Department of Health Services, Birth Records.

Table 2–24

NUMBER OF LIVE BIRTHS BY ESTIMATED MARITAL STATUS,[1] RACE OF MOTHER, AND AGE OF MOTHER CALIFORNIA, SELECTED YEARS, 1966–1982

(By county of residence)

MARITAL STATUS[1] AND YEAR	ALL RACES[2]					BLACK					WHITE				
	ALL AGES[3]	15-19	20-24	25-34	35+	ALL AGES[3]	15-19	20-24	25-34	35+	ALL AGES[3]	15-19	20-24	25-34	35+
ALL LIVE BIRTHS															
1982	429,631	53,170	136,388	210,920	28,302	35,964	7,362	12,961	13,990	1,448	351,389	43,064	113,786	171,175	22,762
1981	420,418	55,004	137,056	202,568	24,755	35,735	7,719	12,910	13,481	1,369	344,676	44,370	114,730	165,036	19,851
1980	402,720	54,756	133,504	190,794	22,666	34,511	7,607	12,731	12,726	1,236	332,679	44,492	112,409	156,780	18,295
1979*	379,187	53,925	126,554	177,106	20,617	34,807	8,121	12,834	12,263	1,309	320,398	44,351	108,529	149,684	17,157
1976	332,105	52,854	113,994	147,906	16,454	29,851	8,121	10,889	9,485	1,063	284,419	43,628	99,147	127,249	13,811
1975	317,318	52,528	109,563	138,796	15,522	28,456	8,155	10,232	8,749	1,025	273,029	43,312	95,748	120,299	13,083
1972	306,375	52,329	110,639	126,279	16,268	26,870	8,062	9,495	7,829	1,180	266,038	43,318	97,510	110,908	13,771
1971	329,826	53,715	125,177	131,309	18,829	29,045	8,142	10,519	8,615	1,483	287,441	44,639	110,849	115,449	16,028
1970	362,652	61,013	137,283	142,027	21,539	32,133	9,073	11,483	9,554	1,715	317,168	50,942	122,103	125,320	18,366
1966	337,623	59,517	122,823	126,451	28,237	28,847	7,785	9,360	9,318	2,108	298,491	51,118	110,986	111,449	24,632
MARRIED[1]															
1982	336,346	25,503	103,042	183,210	24,471	15,717	1,166	5,290	8,304	949	283,011	22,815	89,562	150,835	19,702
1981	328,692	26,658	104,279	176,293	21,449	15,060	1,107	5,142	7,921	883	278,698	23,974	91,300	145,992	17,269
1980	319,347	27,740	103,384	168,098	19,854	15,011	1,181	5,262	7,765	788	273,215	25,125	91,234	140,504	16,151
1979*	304,693	28,063	100,026	158,192	18,158	15,429	1,346	5,458	7,682	920	267,396	25,938	90,062	135,995	15,183
1976	273,286	29,751	93,957	134,672	14,743	13,507	1,502	5,079	6,165	749	243,373	27,620	85,368	117,765	12,474
1975	264,464	30,979	91,996	127,327	13,997	13,438	1,644	5,078	5,971	723	236,473	28,705	83,738	111,992	11,902
1972	266,204	34,830	97,833	118,362	14,991	14,450	2,134	5,630	5,785	883	239,217	32,075	88,890	105,264	12,821
1971	289,914	36,989	111,955	123,422	17,410	16,595	2,404	6,569	6,470	1,142	260,919	33,954	101,919	109,935	14,987
1970	317,059	42,125	121,668	133,234	19,863	18,531	2,842	7,206	7,158	1,311	286,116	38,597	111,107	119,122	17,144
1966	305,819	46,098	112,520	119,869	26,610	19,723	3,647	6,910	7,458	1,690	276,287	42,587	103,274	106,867	23,465
UNMARRIED[1]															
1982	93,285	27,667	33,346	27,710	3,831	20,247	6,196	7,671	5,686	499	68,378	20,249	24,225	20,340	3,060
1981	91,526	28,346	32,777	26,275	3,306	20,675	6,612	7,768	5,560	486	65,978	20,396	23,430	19,044	2,582
1980	83,373	27,016	30,120	22,696	2,812	19,500	6,426	7,469	4,961	448	59,464	19,367	21,175	16,276	2,144
1979*	74,494	25,862	26,528	18,914	2,459	19,378	6,775	7,376	4,581	389	53,002	18,413	18,467	13,689	1,974
1976	58,819	23,103	20,037	13,234	1,711	16,344	6,619	5,810	3,320	314	41,046	16,008	13,779	9,484	1,337
1975	52,854	21,549	17,567	11,469	1,525	15,018	6,511	5,154	2,778	302	36,556	14,607	12,010	8,307	1,181
1972	40,171	17,499	12,806	7,917	1,277	12,420	5,928	3,865	2,044	297	26,821	11,243	8,620	5,644	950
1971	39,912	16,726	13,222	7,887	1,419	12,450	5,738	3,950	2,145	341	26,522	10,685	8,930	5,514	1,041
1970	45,593	18,888	15,615	8,793	1,676	13,602	6,231	4,277	2,396	404	31,052	12,345	10,996	6,198	1,222
1966	31,804	12,819	10,303	6,582	1,627	9,124	4,138	2,450	1,860	418	22,204	8,531	7,712	4,582	1,167

[1] For statistical purposes, marital status is estimated by an inferential method. For details of the inferential method, see Berkov, Beth, "An Evaluation of California's Inferred Nonmarital Birth Statistics," *Vital and Health Statistics*, Series 2–(1985 in press), Department of Health and Human Services, National Center for Health Statistics.

[2] Includes live births to women of all races including "White," "Black," "Other," and unknown race.

[3] Includes live births to mothers under 15 and of unknown age.

* 1979 live births with unknown race of mother were distributed in proportion to those with known race of mothers.

Source: State of California, Department of Health Services, Birth Records.

Table 2–25

NUMBER OF LIVE BIRTHS BY ESTIMATED MARITAL STATUS,[1] AND AGE OF MOTHER (DETAILED UNDER AGE 20) CALIFORNIA, SELECTED YEARS, 1966–1982

(By county of residence)

MARITAL[1] STATUS AND YEAR	TOTAL ALL AGES	UNDER 13	13	14	15	16	17	18	19	TOTAL UNDER 20
ALL LIVE BIRTHS										
1982	429,631	22	122	707	2,379	5,620	9,875	15,035	20,261	54,021
1981	420,418	20	134	722	2,552	5,915	10,272	15,431	20,834	55,880
1980	402,720	9	118	638	2,446	5,868	10,216	15,224	21,002	55,521
1979	379,187	17	135	654	2,450	5,796	10,192	14,933	20,554	54,731
1976	332,105	13	125	708	2,554	6,062	10,079	14,685	19,474	53,700
1975	317,318	9	138	722	2,623	5,845	10,296	14,950	18,814	53,397
1972	306,375	18	107	695	2,617	6,207	10,368	14,575	18,562	53,149
1971	329,826	13	98	639	2,317	5,804	10,292	15,334	19,968	54,465
1970	362,652	17	107	620	2,447	6,570	11,563	17,428	23,005	61,757
1966	337,623	18	101	453	1,853	5,083	10,201	17,132	25,248	60,089
MARRIED[1]										
1982	336,346	5	8	107	458	1,698	3,888	7,424	12,035	25,623
1981	328,892	2	16	93	503	1,767	4,097	7,853	12,438	26,769
1980	319,347	2	12	89	525	1,891	4,307	7,994	13,023	27,843
1979	304,693	-	17	96	535	1,880	4,431	8,165	13,052	28,176
1976	273,286	2	15	112	648	2,280	5,004	8,679	13,140	29,880
1975	264,464	1	10	130	716	2,370	5,405	9,205	13,283	31,120
1972	266,204	2	7	159	877	3,007	6,304	10,199	14,443	34,998
1971	289,914	-	7	111	757	2,892	6,445	11,107	15,788	37,107
1970	317,059	-	10	128	823	3,315	7,435	12,624	17,928	42,263
1966	305,819	1	10	89	762	3,108	7,505	13,844	21,479	46,798
UNMARRIED[1]										
1982	93,285	17	114	600	1,921	3,922	5,987	7,611	8,226	28,398
1981	91,526	18	118	629	2,049	4,148	6,175	7,578	8,396	29,111
1980	83,373	7	106	549	1,921	3,977	5,909	7,230	7,979	27,678
1979	74,494	17	118	558	1,915	3,916	5,761	6,768	7,502	26,555
1976	58,819	11	110	596	1,906	3,782	5,075	6,006	6,334	23,820
1975	52,854	8	128	592	1,907	3,475	4,891	5,745	5,531	22,277
1972	40,171	16	100	536	1,740	3,200	4,064	4,376	4,119	18,151
1971	39,912	13	91	528	1,560	2,912	3,847	4,227	4,180	17,358
1970	45,593	17	97	492	1,624	3,255	4,128	4,804	5,077	19,494
1966	31,804	17	91	364	1,091	1,975	2,696	3,288	3,769	13,291

---

[1] For statistical purposes, marital status is estimated by an inferential method. For details of the inferential method, see Berkov, Beth, "An Evaluation of California's Inferred Nonmarital Birth Statistics," *Vital and Health Statistics*, Series 2– (1985 in press), Department of Health and Human Services, National Center for Health Statistics.

Source: State of California, Department of Health Services, Birth Records.

Table 2–26

ESTIMATED LIVE BIRTHS TO UNMARRIED WOMEN[1] AS A PERCENT OF TOTAL LIVE BIRTHS BY RACE OF MOTHER AND AGE OF MOTHER CALIFORNIA, SELECTED YEARS, 1966–1982

(By place of residence)

RACE AND AGE	1982	1981	1980	1979*	1976	1975	1972	1971	1970	1966
ALL RACES[2]										
ALL AGES[3]	21.7	21.8	20.7	19.6	17.7	16.7	13.1	12.1	12.6	9.4
UNDER 15	85.9	87.3	86.5	86.0	84.8	83.8	79.5	84.3	81.5	82.5
15-17	66.2	66.0	63.7	62.9	57.6	54.7	46.9	45.2	43.8	33.6
18-19	44.9	44.0	42.0	40.2	36.1	33.4	25.6	23.8	24.4	16.7
20-24	24.4	23.9	22.6	20.7	17.6	16.0	11.6	10.6	11.4	8.4
25-29	13.9	13.7	12.5	11.3	9.4	8.5	6.2	5.8	6.0	5.2
30-34	11.8	11.7	10.7	9.5	8.0	7.6	6.4	6.4	6.5	5.3
35 AND OVER	13.5	13.4	12.4	11.9	10.4	9.8	7.8	7.5	7.8	5.8
BLACK										
ALL AGES[3]	56.3	57.9	56.5	55.7	54.8	52.8	46.2	42.9	42.3	31.6
UNDER 15	96.1	98.0	96.4	96.1	96.5	93.4	94.9	96.8	99.1	93.5
15-17	91.6	93.7	91.8	92.0	89.2	88.2	84.8	83.9	81.1	68.6
18-19	79.3	80.5	79.6	78.6	76.1	73.5	64.0	59.9	59.0	42.1
20-24	59.2	60.2	58.7	57.5	53.4	50.4	40.7	37.6	37.2	26.2
25-29	43.0	43.2	41.3	39.2	36.6	33.4	27.0	25.2	24.7	19.7
30-34	35.7	37.2	34.2	33.2	30.6	27.8	25.3	24.3	25.9	20.4
35 AND OVER	34.5	35.5	36.2	29.7	29.5	29.5	25.2	23.0	23.6	19.8
WHITE										
ALL AGES[3]	19.5	19.1	17.9	16.5	14.4	13.4	10.1	9.2	9.8	7.4
UNDER 15	83.7	83.2	83.6	81.3	78.4	79.0	70.2	76.5	70.6	73.3
15-17	61.4	60.6	57.9	56.4	50.4	46.7	37.6	35.6	34.6	25.2
18-19	40.0	38.6	36.5	34.2	29.5	27.2	19.6	18.3	19.3	13.6
20-24	21.3	20.6	18.8	17.0	13.9	12.5	8.8	8.1	9.0	6.9
25-29	12.3	12.0	10.7	9.5	7.6	7.0	5.0	4.6	4.9	4.1
30-34	11.0	10.8	9.7	8.5	7.0	6.8	5.3	5.2	5.1	4.1
35 AND OVER	13.4	13.0	11.7	11.5	9.6	9.0	6.9	6.5	6.7	4.7

[1] For statistical purposes, marital status is estimated by an inferential method. For details of the inferential method, see Berkov, Beth, "An Evaluation of California's Inferred Nonmarital Birth Statistics," *Vital and Health Statistics*, Series 2–(1985 in press), Department of Health and Human Services, National Center for Health Statistics.

[2] Includes live births to women of all races including "White," "Black," "Other," and unknown race.

[3] Includes live births to mothers of unknown age.

* 1979 live births with unknown race of mother were distributed in proportion to those with known race of mother.

Note: Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Birth Records.

Table 2–27

TOTAL LIVE BIRTHS AND ESTIMATED NUMBER AND PERCENT OF LIVE BIRTHS TO UNMARRIED WOMEN[1] BY RACE OF MOTHER CALIFORNIA COUNTIES, 1982

(By place of residence)

					NONMARITAL LIVE BIRTHS[1]							
	TOTAL LIVE BIRTHS				NUMBER				PERCENT OF ALL LIVE BIRTHS			
COUNTY	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC	ALL RACES[2,3]	BLACK[4]	WHITE HISPANIC	WHITE NON-HISPANIC
CALIFORNIA	429,631	35,964	130,714	217,939	93,285	20,247	37,445	30,588	21.7	56.3	28.6	14.0
ALAMEDA	18,220	3,934	2,557	8,900	4,856	2,331	655	1,396	26.7	59.3	25.6	15.7
ALPINE	20	-	-	13	2	-	-	1	*,**	-	-	*,**
AMADOR	246	1	5	226	27	-	-	22	11.0	-	-	9.7
BUTTE	2,205	19	185	1,892	382	6	33	327	17.3	*	17.8	17.3
CALAVERAS	286	1	17	254	28	-	3	21	9.8	-	*,**	8.3
COLUSA	262	-	97	150	30	-	13	16	11.5	-	*	10.7
CONTRA COSTA	9,972	1,171	974	6,834	1,789	674	205	831	17.9	57.6	21.0	12.2
DEL NORTE	336	-	29	264	84	-	7	53	25.0	-	*	20.1
EL DORADO	1,323	3	75	1,212	189	2	24	160	14.3	*,**	*	13.2
FRESNO	10,888	655	4,694	4,841	2,770	451	1,569	670	25.4	68.9	33.4	13.8
GLENN	385	1	87	288	43	-	10	30	11.2	-	*	10.4
HUMBOLDT	1,749	6	43	1,544	337	2	11	255	19.3	*,**	*	16.5
IMPERIAL	2,167	30	1,536	526	396	16	313	60	18.3	*	20.4	11.4
INYO	274	-	24	206	47	-	3	21	17.2	-	*,**	10.2
KERN	9,461	493	3,058	4,687	2,147	286	969	787	22.7	58.0	31.7	16.8
KINGS	1,830	91	664	983	415	52	218	139	22.7	*	32.8	14.1
LAKE	510	2	47	436	111	1	8	92	21.8	*,**	*	21.1
LASSEN	386	9	16	344	66	1	3	56	17.1	*,**	*,**	16.3
LOS ANGELES	139,600	17,894	62,279	46,482	38,420	10,861	19,337	7,048	27.5	60.7	31.0	15.2
MADERA	1,366	40	594	699	308	28	174	97	22.5	*	29.3	13.9
MARIN	2,419	76	118	1,684	292	35	13	194	12.1	*	11.0	11.5
MARIPOSA	150	-	4	141	35	-	1	31	23.3	-	*,**	22.0
MENDOCINO	1,169	2	107	990	260	2	15	210	22.2	*,**	14.0	21.2
MERCED	3,226	166	1,087	1,673	690	84	303	281	21.4	50.6	27.9	16.8
MODOC	153	1	14	127	19	-	2	14	12.4	-	*,**	11.0
MONO	159	-	4	144	9	-	-	8	5.7	-	-	5.6
MONTEREY	6,436	452	2,408	2,767	1,154	139	569	343	17.9	30.8	23.6	12.4
NAPA	1,342	5	234	1,057	162	2	32	123	12.1	*,**	13.7	11.6
NEVADA	862	1	42	799	98	-	5	90	11.4	-	*	11.3
ORANGE	33,989	610	8,964	21,117	4,880	202	2,252	2,220	14.4	33.1	25.1	10.5
PLACER	1,800	2	139	1,590	240	1	31	201	13.3	*,**	22.3	12.6
PLUMAS	264	3	8	244	35	3	-	31	13.3	*,**	-	12.7
RIVERSIDE	12,958	620	3,770	8,052	2,645	335	973	1,245	20.4	54.0	25.8	15.5
SACRAMENTO	14,255	1,386	1,614	9,896	3,106	726	562	1,665	21.8	52.4	34.8	16.8
SAN BENITO	496	-	312	168	95	-	69	23	19.2	-	22.1	13.7
SAN BERNARDINO	18,720	1,311	4,412	11,658	3,783	600	1,275	1,673	20.2	45.8	28.9	14.4
SAN DIEGO	33,795	2,291	7,785	19,907	5,984	1,063	1,846	2,599	17.7	46.4	23.7	13.1
SAN FRANCISCO	8,991	1,440	1,611	2,925	2,187	846	491	556	24.3	58.8	30.5	19.0
SAN JOAQUIN	7,090	486	1,754	3,855	1,563	284	548	632	22.0	58.4	31.2	16.4
SAN LUIS OBISPO	2,341	21	301	1,902	269	8	51	195	11.5	*	16.9	10.3
SAN MATEO	8,715	595	1,701	4,702	1,247	297	347	472	14.3	49.9	20.4	10.0
SANTA BARBARA	4,817	138	1,486	2,906	784	46	346	349	16.3	33.3	23.3	12.0
SANTA CLARA	22,538	909	5,881	12,169	4,180	393	1,910	1,522	18.5	43.2	32.5	12.5
SANTA CRUZ	3,329	21	1,016	1,454	642	10	235	221	19.3	*	23.1	15.2
SHASTA	1,919	12	69	1,741	331	7	7	280	17.2	*	*	16.1
SIERRA	59	-	3	56	5	-	-	5	*	-	-	*
SISKIYOU	691	3	44	599	83	3	5	66	12.0	*,**	*	11.0
SOLANO	4,783	561	430	3,204	873	243	73	492	18.3	43.3	17.0	15.6
SONOMA	4,818	40	506	3,915	704	17	99	523	14.6	*	19.6	13.6
STANISLAUS	5,258	66	1,232	3,716	925	32	243	626	17.6	*	19.7	16.8
SUTTER	973	13	162	612	142	6	34	81	14.6	*	21.0	13.2
TEHAMA	572	-	54	495	90	-	14	68	15.7	-	*	13.7
TRINITY	184	-	10	141	29	-	1	18	15.8	-	*,**	12.8
TULARE	5,621	80	2,656	2,703	1,360	47	797	489	24.2	*	30.0	18.1
TUOLUMNE	464	1	19	449	58	-	5	50	12.0	-	*	11.1
VENTURA	9,879	219	3,219	5,599	1,355	82	603	583	13.7	37.4	18.7	10.4
YOLO	1,817	37	464	1,216	333	13	109	198	18.3	*	23.5	16.3
YUBA	1,073	46	93	783	191	10	24	127	17.8	*	*	16.2

---

1 For statistical purposes, marital status is estimated by an inferential method. For details of the inferential method, see Berkov, Beth, "An Evaluation of California's Inferred Nonmarital Birth Statistics," *Vital and Health Statistics*, Series 2–(1985 in press), Department of Health and Human Services, National Center for Health Statistics.

2 Includes live births to women of all races including "White," "Black," "Other," and unknown race.

3 Live births where race of mother was "White," and "Hispanic" or "Non-Hispanic" origin of mother was unknown are included only in the "All Races" columns. There were 2,736 total live births and 345 nonmarital live births with this unknown designation.

4 Includes live births to women of "Hispanic," "Non-Hispanic," and "unknown Hispanic" origin.

* Percents are not calculated for base less than 100.

** Percents are not calculated for fewer than five events.

Note: Quantities more than 0 but less than 0.05 are represented as 0.0.

Source: State of California, Department of Health Services, Birth Records.

3. FETAL DEATHS

Page

Table 3–1. Fetal deaths by race/ethnicity of child and age of mother: California, 1982 . . . 230
3–2. Fetal deaths by Spanish/Hispanic origin of mother and age of mother: California, 1982 . . . 230
3–3. Fetal deaths–number, ratio, and percent distribution by age of mother: California, 1982 . . . 231
3–4. Fetal deaths by age of mother: California counties, 1982 . . . 232
3–5. Fetal deaths by birthweight, weeks of gestation, and race/ethnicity of child: California, 1982 . . . 233
3–6. Fetal deaths by birthweight, weeks of gestation, and Spanish/Hispanic origin of mother: California, 1982 . . . 235
3–7. Number and percent of fetal deaths by weeks of gestation: California, 1982 . . . 236
3–8. Fetal deaths by plurality of delivery, sex, and race/ethnicity of child: California, 1982 . . . 237
3–9. Fetal deaths by plurality of delivery, sex, and Spanish/Hispanic origin of mother: California, 1982 . . . 238
3–10. Fetal deaths by each cause and race/ethnicity of child: California, 1982 . . . 239
3–11. Fetal deaths by each cause and Spanish/Hispanic origin of mother: California, 1982 . . . 243

Table 3–1

FETAL DEATHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER CALIFORNIA, 1982

(By place of residence)

RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
CALIFORNIA	3,333	12	18	56	86	125	155	909	917	603	298	70	4	2	78
American Indian	33	–	–	1	–	1	3	10	6	8	3	1	–	–	–
Black	472	3	3	14	20	22	32	146	110	66	37	9	–	–	10
Cambodian	10	–	–	–	–	–	–	1	4	2	3	–	–	–	–
Chinese	34	–	–	–	–	–	3	3	12	13	2	–	–	–	1
Eskimo/Aleut	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Filipino	84	–	1	–	–	1	2	10	29	25	11	3	–	–	2
Indian (India)	27	–	–	–	1	–	1	11	5	5	2	1	–	1	–
Japanese	20	–	–	–	–	–	2	3	6	6	2	1	–	–	–
Korean	24	–	–	–	–	1	1	1	12	6	2	–	–	–	1
Pacific Islander	14	–	–	–	–	1	–	2	2	5	2	–	1	–	1
Thai	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–
Vietnamese	14	–	–	–	–	–	–	5	3	1	3	1	–	–	1
White	2,515	9	14	39	65	98	109	697	705	453	226	53	2	1	44
Other Asian	15	–	–	1	–	1	1	4	3	1	–	1	1	–	2
Other	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Not Stated	66	–	–	1	–	–	1	14	19	10	5	–	–	–	16

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–2

FETAL DEATHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER CALIFORNIA, 1982

(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
CALIFORNIA	3,333	12	18	56	86	125	155	909	917	603	298	70	4	2	78
Hispanic	949	5	9	19	27	43	43	242	247	154	100	25	1	–	34
Non-Hispanic	2,263	7	8	34	54	80	107	630	645	430	190	45	3	2	28
Not Stated	121	–	1	3	5	2	5	37	25	19	8	–	–	–	16

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–3

FETAL DEATHS
NUMBER, RATIO, AND PERCENT DISTRIBUTION
BY AGE OF MOTHER
CALIFORNIA, 1982

(By place of residence)

AGE OF MOTHER	FETAL DEATHS	RATIO[1]	PERCENT
Total	3,333	7.8	100.0
Under 15	12	14.1	0.4
15–19	440	8.3	13.2
15	18	7.6	0.5
16	56	10.0	1.7
17	86	8.7	2.6
18	125	8.3	3.8
19	155	7.7	4.7
20–24	909	6.7	27.3
25–29	917	6.8	27.5
30–34	603	7.9	18.1
35–39	298	12.3	8.9
40–44	70	18.7	2.1
45–49	4	a	0.1
50 and Over	2	a	0.1
Not Stated	78	...	2.3

1 Fetal death ratios are per 1,000 live births of each age group.

a Ratios not calculated for fewer than five events.

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Birth and Fetal Death Records.

Table 3—4

FETAL DEATHS BY AGE OF MOTHER
CALIFORNIA COUNTIES, 1982
(By place of residence)

COUNTY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	3,333	12	18	56	86	125	155	909	917	603	298	70	4	2	78
ALAMEDA	155	-	-	1	3	7	3	46	53	26	10	1	-	-	5
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BUTTE	17	-	-	-	1	1	2	4	5	1	3	-	-	-	-
CALAVERAS	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
COLUSA	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-
CONTRA COSTA	88	1	-	2	3	4	7	18	27	19	4	3	-	-	-
DEL NORTE	5	-	-	-	-	1	-	2	1	1	-	-	-	-	-
EL DORADO	11	-	-	-	-	1	-	2	3	4	1	-	-	-	-
FRESNO	87	1	4	4	2	4	6	26	21	11	5	2	1	-	-
GLENN	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
HUMBOLDT	10	-	-	-	1	-	-	3	3	2	1	-	-	-	-
IMPERIAL	20	-	1	-	1	-	1	11	5	1	-	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KERN	61	-	-	2	2	4	6	15	15	14	1	2	-	-	-
KINGS	19	-	-	1	-	-	1	5	4	5	2	1	-	-	-
LAKE	4	-	-	-	-	-	1	-	2	-	1	-	-	-	-
LASSEN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
LOS ANGELES	1,104	5	4	17	31	38	46	271	279	203	124	29	2	-	55
MADERA	14	-	-	1	-	-	1	2	3	4	2	1	-	-	-
MARIN	20	-	-	1	1	-	-	2	5	5	6	-	-	-	-
MARIPOSA	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-
MENDOCINO	10	-	-	-	-	1	1	2	3	2	1	-	-	-	-
MERCED	26	-	-	-	2	-	-	7	8	3	4	2	-	-	-
MODOC	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	44	-	-	-	-	1	3	9	18	6	4	2	-	-	1
NAPA	10	-	-	-	1	1	-	5	2	1	-	-	-	-	-
NEVADA	6	-	-	-	-	-	1	1	2	1	1	-	-	-	-
ORANGE	256	-	-	3	8	9	12	84	64	48	23	1	-	-	4
PLACER	11	-	-	-	-	1	1	2	2	3	2	-	-	-	-
PLUMAS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RIVERSIDE	84	-	1	1	4	1	7	23	25	13	7	1	-	-	1
SACRAMENTO	104	1	-	2	2	5	8	34	26	14	7	2	-	-	3
SAN BENITO	6	-	-	-	-	-	-	3	-	1	1	1	-	-	-
SAN BERNARDINO	118	1	1	3	2	3	5	36	32	23	10	2	-	-	-
SAN DIEGO	306	1	2	5	9	13	11	93	88	62	13	7	-	1	1
SAN FRANCISCO	103	-	-	4	1	2	5	24	27	20	14	-	-	-	6
SAN JOAQUIN	52	-	2	-	3	4	1	21	13	5	1	1	-	1	-
SAN LUIS OBISPO	17	-	-	1	-	1	-	3	6	5	1	-	-	-	-
SAN MATEO	60	-	-	1	-	-	2	11	22	15	6	3	-	-	-
SANTA BARBARA	33	-	-	-	1	-	1	9	13	6	3	-	-	-	-
SANTA CLARA	146	1	3	4	1	6	8	41	49	28	3	1	-	-	1
SANTA CRUZ	21	-	-	-	-	1	1	7	5	4	3	-	-	-	-
SHASTA	18	-	-	-	-	1	2	8	2	2	3	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	6	-	-	-	-	-	-	-	3	2	1	-	-	-	-
SOLANO	24	-	-	1	-	-	2	6	10	1	3	1	-	-	-
SONOMA	35	-	-	-	-	1	-	15	13	5	1	-	-	-	-
STANISLAUS	44	-	-	1	2	3	1	17	9	5	5	1	-	-	-
SUTTER	6	-		-	1	-	-	1	1	1	1	-	1	-	-
TEHAMA	7	-	-	-	-	-	-	3	3	-	-	1	-	-	-
TRINITY	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
TULARE	36	1	-	-	3	3	2	8	5	6	5	2	-	-	1
TUOLUMNE	8	-	-	-	-	-	-	-	4	2	2	-	-	-	-
VENTURA	81	-	-	1	1	5	6	17	28	13	7	1	-	-	-
YOLO	15	-	-	-	-	1	-	5	3	3	2	1	-	-	-
YUBA	5	-	-	-	-	1	-	2	1	1	-	-	-	-	-

Note: Includes only those fetal deaths of 20 weeks or more gestation.
Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–5

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION, AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL FETAL DEATHS	3,333	33	472	10	34	-	84	27	20
UNDER 1,500 GRAMS	1,555	14	273	5	16	-	28	12	12
UNDER 37 WEEKS	1,252	11	228	4	11	-	26	10	11
37-42 WEEKS	93	-	11	1	1	-	-	-	-
43 WEEKS AND OVER	12	1	2	-	-	-	-	-	-
NOT STATED	198	2	32	-	4	-	2	2	1
1,500-2,499 GRAMS	650	9	99	3	6	-	17	7	2
UNDER 37 WEEKS	334	3	47	1	3	-	8	4	-
37-42 WEEKS	238	4	45	1	3	-	8	2	1
43 WEEKS AND OVER	14	-	1	1	-	-	-	1	-
NOT STATED	64	2	6	-	-	-	1	-	1
2,500 GRAMS OR MORE	1,000	9	85	2	12	-	37	6	6
UNDER 37 WEEKS	141	-	18	-	2	-	4	-	1
37-42 WEEKS	674	7	56	2	7	-	23	5	5
43 WEEKS AND OVER	99	2	4	-	2	-	6	-	-
NOT STATED	86	-	7	-	1	-	4	1	-
NOT STATED	128	1	15	-	-	-	2	2	-
UNDER 37 WEEKS	64	-	6	-	-	-	-	1	-
37-42 WEEKS	16	-	2	-	-	-	-	-	-
43 WEEKS AND OVER	3	-	-	-	-	-	-	-	-
NOT STATED	45	1	7	-	-	-	2	1	-

Table 3–5 (Continued)

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION, AND RACE/ETHNICITY OF CHILD CALIFORNIA, 1982

(By place of residence)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL FETAL DEATHS	3,333	24	14	3	14	2,515	15	2	66
UNDER 1,500 GRAMS	1,555	14	7	2	5	1,125	10	-	32
UNDER 37 WEEKS	1,252	9	6	1	5	906	5	-	19
37-42 WEEKS	93	2	-	-	-	78	-	-	-
43 WEEKS AND OVER	12	-	-	-	-	9	-	-	-
NOT STATED	198	3	1	1	-	132	5	-	13
1,500-2,499 GRAMS	650	3	4	-	4	474	3	1	18
UNDER 37 WEEKS	334	1	1	-	3	254	1	1	7
37-42 WEEKS	238	2	3	-	1	164	1	-	3
43 WEEKS AND OVER	14	-	-	-	-	11	-	-	-
NOT STATED	64	-	-	-	-	45	1	-	8
2,500 GRAMS OR MORE	1,000	5	3	1	5	815	2	1	11
UNDER 37 WEEKS	141	-	-	-	-	116	-	-	-
37-42 WEEKS	674	4	2	1	4	549	1	1	7
43 WEEKS AND OVER	99	1	-	-	1	82	-	-	1
NOT STATED	86	-	1	-	-	68	1	-	3
NOT STATED	128	2	-	-	-	101	-	-	5
UNDER 37 WEEKS	64	2	-	-	-	53	-	-	2
37-42 WEEKS	16	-	-	-	-	14	-	-	-
43 WEEKS AND OVER	3	-	-	-	-	3	-	-	-
NOT STATED	45	-	-	-	-	31	-	-	3

Note: Includes only those fetal deaths of 20 weeks or more gestation.

"Not Stated" as to weeks of gestation categories includes not only those not stated, but also 35 fetal deaths of 53 weeks or more gestation. These latter categories reflect reporting inaccuracies rather than actual gestation periods.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–6

FETAL DEATHS BY BIRTHWEIGHT, WEEKS OF GESTATION, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1982

(By place of residence)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL FETAL DEATHS	3,333	6	859	6	78	2,263	121
UNDER 1,500 GRAMS	1,555	2	356	2	31	1,108	56
UNDER 37 WEEKS	1,252	2	273	2	19	916	40
37-42 WEEKS	93	-	28	-	2	62	1
43 WEEKS AND OVER	12	-	3	-	1	8	-
NOT STATED	198	-	52	-	9	122	15
1,500-2,499 GRAMS	650	1	159	1	16	436	37
UNDER 37 WEEKS	334	1	80	1	7	227	18
37-42 WEEKS	238	-	55	-	6	168	9
43 WEEKS AND OVER	14	-	3	-	-	11	-
NOT STATED	64	-	21	-	3	30	10
2,500 GRAMS OR MORE	1,000	3	316	3	29	629	20
UNDER 37 WEEKS	141	2	46	-	4	88	1
37-42 WEEKS	674	-	191	3	20	447	13
43 WEEKS AND OVER	99	1	39	-	3	53	3
NOT STATED	86	-	40	-	2	41	3
NOT STATED	128	-	28	-	2	90	8
UNDER 37 WEEKS	64	-	12	-	1	49	2
37-42 WEEKS	16	-	3	-	-	12	1
43 WEEKS AND OVER	3	-	2	-	-	1	-
NOT STATED	45	-	11	-	1	28	5

Note: Includes only those fetal deaths of 20 weeks or more gestation.

"Not Stated" as to weeks of gestation categories includes not only those not stated, but also 35 fetal deaths of 53 weeks or more gestation. These latter categories reflect reporting inaccuracies rather than actual gestation periods.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–7

NUMBER AND PERCENT OF FETAL DEATHS BY WEEKS OF GESTATION
CALIFORNIA, 1982

(By place of residence)

WEEKS OF GESTATION	FETAL DEATHS	PERCENT	
		All Fetal Deaths	Excluding Unknown Gestation
Total	3,333	100.0	100.0
Under 37 Weeks	1,791	53.7	60.9
37–42 Weeks	1,021	30.6	34.7
43 Weeks and Over	128	3.8	4.4
Not Stated[1]	393	11.8	. . .

[1] "Not Stated" includes not only those not stated, but also 35 fetal deaths of 53 weeks or more gestation. These latter categories reflect reporting inaccuracies rather than actual gestation periods.

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–8

FETAL DEATHS BY PLURALITY OF DELIVERY, SEX, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1982

(By place of residence)

RACE/ETHNICITY OF CHILD	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL RACES	3,333	1,555	1,778	3,069	1,428	1,641	257	120	137	7	7	-	-	-	-	-	-	-
AMERICAN INDIAN	33	18	15	29	15	14	4	3	1	-	-	-	-	-	-	-	-	-
BLACK	472	207	265	436	192	244	34	13	21	2	2	-	-	-	-	-	-	-
CAMBODIAN	10	7	3	9	6	3	1	1	-	-	-	-	-	-	-	-	-	-
CHINESE	34	14	20	29	12	17	5	2	3	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	84	40	44	75	32	43	8	7	1	1	1	-	-	-	-	-	-	-
INDIAN (INDIA)	27	17	10	24	15	9	3	2	1	-	-	-	-	-	-	-	-	-
JAPANESE	20	11	9	20	11	9	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	24	14	10	19	9	10	5	5	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	14	9	5	13	9	4	1	-	1	-	-	-	-	-	-	-	-	-
THAI	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	14	8	6	14	8	6	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,515	1,164	1,351	2,325	1,079	1,246	186	81	105	4	4	-	-	-	-	-	-	-
OTHER ASIAN	15	11	4	12	10	2	3	1	2	-	-	-	-	-	-	-	-	-
OTHER	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	66	32	34	60	28	32	6	4	2	-	-	-	-	-	-	-	-	-

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–9

FETAL DEATHS BY PLURALITY OF DELIVERY, SEX, AND SPANISH/HISPANIC ORIGIN OF MOTHER CALIFORNIA, 1982

(By place of residence)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL ORIGINS	3,333	1,555	1,778	3,069	1,428	1,641	257	120	137	7	7	-	-	-	-	-	-	-
CUBAN	6	3	3	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	859	389	470	804	371	433	53	16	37	2	2	-	-	-	-	-	-	-
PUERTO RICAN	6	4	2	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
OTHER SPANISH/ HISPANIC	78	43	35	71	40	31	7	3	4	-	-	-	-	-	-	-	-	-
NOT SPANISH/ HISPANIC	2,263	1,047	1,216	2,076	950	1,126	182	92	90	5	5	-	-	-	-	-	-	-
NOT STATED	121	69	52	106	60	46	15	9	6	-	-	-	-	-	-	-	-	-

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–10

FETAL DEATHS BY EACH CAUSE AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1982
(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
	TOTAL ALL CAUSES	3,333	33	472	10	34	-	84	27	20
079	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	1	-	-	-	-	-	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	1	-	-	-	-	-	-	-	-
239	NEOPLASM OF UNSPECIFIED NATURE	2	-	-	-	-	-	-	-	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	1	-	-	-	-	-	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	1	-	1	-	-	-	-	-	-
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES	1	-	-	-	-	-	-	-	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS	1	-	-	-	-	-	-	-	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE	2	-	-	-	-	-	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	8	-	1	-	1	-	-	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	69	-	3	-	1	-	1	2	-
741	SPINA BIFIDA	5	-	-	-	-	-	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	28	-	4	-	-	-	1	1	1
744	CONGENITAL ANOMALIES OF EAR, FACE AND NECK	2	-	-	-	-	-	-	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	3	-	-	-	-	-	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART	12	-	1	-	-	-	-	-	1
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	3	-	-	-	1	-	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	2	-	-	-	-	-	-	-	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	1	-	-	-	-	-	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	4	-	-	-	-	-	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	1	-	1	-	-	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	9	-	-	-	-	-	-	-	-
754	CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES	1	-	1	-	-	-	-	-	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS	2	-	-	-	-	-	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	9	-	1	-	-	-	-	-	-
758	CHROMOSOMAL ANOMALIES	14	-	2	-	1	-	-	-	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	90	2	5	1	-	-	3	1	-
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	156	1	22	-	1	-	1	6	2
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	287	5	45	2	2	-	9	1	2
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,263	14	188	4	14	-	34	9	11
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	44	-	9	-	-	-	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	7	-	-	1	1	-	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	109	3	26	-	-	-	-	2	-
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	1	-	-	-	-	-	-	-	-
767	BIRTH TRAUMA	7	-	1	-	-	-	1	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	195	2	33	-	1	-	7	1	-
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	21	-	9	-	-	-	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	14	-	1	-	-	-	-	-	-
772	FETAL AND NEONATAL HAEMORRHAGE	9	-	3	-	-	-	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	16	-	-	-	-	-	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	36	-	4	-	-	-	-	-	-

Table 3–10 (Continued)

FETAL DEATHS BY EACH CAUSE AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1982
(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	2	-	1	-	-	-	1	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM	1	-	-	-	-	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	15	-	-	-	1	-	-	1	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	877	6	110	2	10	-	26	3	3

Table 3–10 (Continued)

FETAL DEATHS BY EACH CAUSE AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1982
(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
	TOTAL ALL CAUSES	3,333	24	14	3	14	2,515	15	2	66
079	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	1	-	-	-	-	1	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	1	-	-	-	-	1	-	-	-
239	NEOPLASM OF UNSPECIFIED NATURE	2	-	-	-	-	2	-	-	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	1	-	-	-	-	1	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	1	-	-	-	-	-	-	-	-
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES	1	-	-	-	-	1	-	-	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS	1	-	-	-	-	1	-	-	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE	2	-	-	-	-	2	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	8	-	-	-	-	6	-	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	69	-	-	-	-	59	2	-	1
741	SPINA BIFIDA	5	-	-	-	-	5	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	28	-	1	-	-	20	-	-	-
744	CONGENITAL ANOMALIES OF EAR, FACE AND NECK	2	-	-	-	-	2	-	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	3	-	-	-	-	3	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART	12	-	-	-	-	9	1	-	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	3	-	-	-	-	2	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	2	-	-	-	-	2	-	-	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	1	-	-	-	-	1	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	4	-	-	-	-	4	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	1	-	-	-	-	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	9	-	-	-	-	9	-	-	-
754	CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES	1	-	-	-	-	-	-	-	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS	2	-	-	-	-	2	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	9	-	-	-	-	7	-	-	1
758	CHROMOSOMAL ANOMALIES	14	-	-	-	-	11	-	-	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	90	2	-	1	-	72	1	-	2
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	156	3	-	-	2	108	1	-	9
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	287	3	-	-	2	206	3	-	7
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,263	5	10	1	7	941	3	1	21
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	44	-	-	-	-	35	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	7	-	-	-	-	5	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	109	1	-	-	1	75	-	-	1
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	1	-	-	-	-	1	-	-	-
767	BIRTH TRAUMA	7	-	-	-	-	5	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	195	3	-	-	-	144	1	-	3
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	21	-	-	-	-	12	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	14	-	-	-	-	12	-	-	1
772	FETAL AND NEONATAL HAEMORRHAGE	9	-	-	-	-	6	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	16	-	-	-	-	16	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	36	-	-	-	-	32	-	-	-

Table 3-10 (Continued)

FETAL DEATHS BY EACH CAUSE AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1982
(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	2	-	-	-	-	-	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM	1	-	-	-	-	-	1	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	15	-	-	-	-	11	-	1	1
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	877	7	3	1	2	683	2	-	19

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

Table 3–11

FETAL DEATHS BY EACH CAUSE AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1982
(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
	TOTAL ALL CAUSES	3,333	6	859	6	78	2,263	121
079	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	1	-	-	-	-	1	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	1	-	1	-	-	-	-
239	NEOPLASM OF UNSPECIFIED NATURE	2	-	-	-	-	2	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	1	-	-	-	-	1	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	1	-	-	-	-	1	-
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES	1	-	-	-	-	1	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS	1	-	-	-	-	1	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE	2	-	-	-	-	2	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	8	-	-	-	-	7	1
740	ANENCEPHALUS AND SIMILAR ANOMALIES	69	-	23	-	4	41	1
741	SPINA BIFIDA	5	-	2	-	2	1	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	28	-	9	-	1	18	-
744	CONGENITAL ANOMALIES OF EAR, FACE AND NECK	2	-	1	-	-	1	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	3	-	-	-	-	3	-
746	OTHER CONGENITAL ANOMALIES OF HEART	12	-	3	-	-	9	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	3	-	-	-	-	3	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	2	-	-	-	-	2	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	1	-	1	-	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	4	-	-	-	-	4	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	1	-	-	-	-	1	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	9	-	1	-	1	7	-
754	CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES	1	-	-	-	-	1	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS	2	-	-	-	-	2	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	9	-	2	-	-	6	1
758	CHROMOSOMAL ANOMALIES	14	-	4	-	1	9	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	90	-	27	-	1	58	4
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	156	-	28	1	5	113	9
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	287	-	61	-	6	204	16
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	1,263	3	290	1	17	912	40
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY	44	-	13	-	-	31	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	7	-	1	-	-	6	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	109	1	25	-	1	78	4
766	DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT	1	-	1	-	-	-	-
767	BIRTH TRAUMA	7	-	2	-	-	5	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	195	1	48	1	5	136	4
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	21	-	6	-	-	13	2
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	14	-	3	-	-	10	1
772	FETAL AND NEONATAL HAEMORRHAGE	9	-	-	-	-	9	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	16	-	5	-	-	9	2
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	36	1	12	1	-	22	-

Table 3–11 (Continued)

FETAL DEATHS BY EACH CAUSE AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1982
(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	ALL RACES	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	2	-	-	-	-	2	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM	1	-	-	-	-	1	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	15	-	3	-	-	11	1
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	877	-	287	2	34	519	35

Note: Includes only those fetal deaths of 20 weeks or more gestation.

Source: State of California, Department of Health Services, Fetal Death Records.

4. INFANT DEATHS

Page

Table 4–1. Percent distribution of infant deaths by age and sex: California, 1982 246
4–2. Infant, neonatal, and postneonatal deaths, number, and rates: California, 1960–1982 247
4–3. Age-adjusted perinatal and infant mortality rates among single total births occurring in California by race of child: California Birth Cohorts, 1960, 1965–1982 248
4–4. Infant, neonatal, and postneonatal deaths from selected causes by age: California, 1982 250

Figure 4–A. Percent distribution of infant deaths by age and sex: California, 1982 246
4–B. Infant, neonatal, and postneonatal death rates: California, 1960–1982 247
4–C. Age-adjusted perinatal death rates by race of child: California Birth Cohorts, 1960, 1965–1982 249
4–D. Percent distribution of neonatal and postneonatal deaths by cause: California, 1982 252

Figure 4–A

PERCENT DISTRIBUTION OF INFANT DEATHS
BY AGE AND SEX
CALIFORNIA, 1982

(By place of residence)



Source. Table 4–1.

Table 4–1

PERCENT DISTRIBUTION OF INFANT DEATHS
BY AGE AND SEX
CALIFORNIA, 1982

(By place of residence)

AGE	NUMBER			PERCENT BY AGE AND SEX		
	Total	Male	Female	Total	Male	Female
Total	4,218	2,395	1,823	100.0	56.8	43.2
Under 1 Day	1,255	708	547	29.8	16.8	13.0
1–6 Days	910	490	420	21.6	11.6	10.0
7–27 Days	521	292	229	12.4	6.9	5.4
28 Days–11 Months	1,532	905	627	36.3	21.5	14.9
	PERCENT BY SEX			PERCENT BY AGE		
	Total	Male	Female	Total	Male	Female
Total	100.0	56.8	43.2	100.0	100.0	100.0
Under 1 Day	100.0	56.4	43.6	29.8	29.6	30.0
1–6 Days	100.0	53.8	46.2	21.6	20.5	23.0
7–27 Days	100.0	56.0	44.0	12.4	12.2	12.6
28 Days–11 Months	100.0	59.1	40.9	36.3	37.8	34.4

Note: Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Death Records.

Table 4–2

INFANT, NEONATAL, AND POSTNEONATAL DEATHS
NUMBER AND RATE
CALIFORNIA, 1960–1982

(By place of residence)

YEAR	NUMBER			RATE		
	Infant	Neonatal	Postneonatal	Infant	Neonatal	Postneonatal
1982	4,218	2,686	1,532	9.8	6.3	3.6
1981	4,276	2,711	1,565	10.2	6.4	3.7
1980	4,451	2,886	1,565	11.1	7.2	3.9
1979	4,278	2,788	1,490	11.3	7.4	3.9
1978	4,235	2,741	1,494	11.9	7.7	4.2
1977	4,192	2,752	1,440	12.1	7.9	4.1
1976	4,134	2,826	1,308	12.4	8.5	3.9
1975	4,256	2,919	1,337	13.4	9.2	4.2
1974	4,274	2,959	1,315	13.7	9.5	4.2
1973	4,351	3,065	1,286	14.6	10.3	4.3
1972	4,877	3,467	1,410	15.9	11.3	4.6
1971	5,440	3,922	1,518	16.5	11.9	4.6
1970	6,243	4,592	1,651	17.2	12.7	4.6
1969	6,466	4,798	1,668	18.3	13.6	4.7
1968	6,437	4,774	1,663	19.0	14.1	4.9
1967	6,582	4,891	1,691	19.6	14.5	5.0
1966	7,043	5,204	1,839	20.9	15.4	5.4
1965	7,845	5,720	2,125	22.1	16.1	6.0
1964	8,143	6,042	2,101	21.7	16.1	5.6
1963	8,488	6,333	2,155	22.3	16.6	5.7
1962	8,664	6,443	2,221	22.9	17.0	5.9
1961	8,871	6,570	2,301	23.3	17.2	6.0
1960	8,663	6,405	2,258	23.3	17.2	6.1

Note: Rates are per 1,000 live births.
Rates are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Birth and Death Records.

Figure 4–B

INFANT, NEONATAL, AND POSTNEONATAL DEATH RATES
CALIFORNIA, 1960–1982

(By place of residence)



17—79800

Source: Table 4–2.

Table 4–3

AGE ADJUSTED[1] PERINATAL AND INFANT MORTALITY RATES AMONG SINGLE TOTAL BIRTHS OCCURRING IN CALIFORNIA BY RACE OF CHILD CALIFORNIA BIRTH COHORTS, 1960, 1965–1982

RACE OF CHILD AND COHORT YEAR	TOTAL BIRTHS	LIVE BIRTHS	DEATH RATE[2]				
			Fetal[3,4]	Neonatal	Perinatal	Post-neonatal	Infant
All Races							
1982[a]	424,467	421,449	7.4 (0.1)	5.6 (0.1)	12.9 (0.2)	NA	NA
1981	415,857	412,705	7.9 (0.1)	5.7 (0.1)	13.6 (0.2)	3.5 (0.1)	9.2 (0.2)
1980	398,222	395,026	7.7 (0.2)	6.3 (0.1)	13.9 (0.2)	3.7 (0.1)	10.0 (0.2)
1979	374,596	371,585	8.0 (0.2)	6.4 (0.1)	14.4 (0.2)	3.6 (0.1)	10.1 (0.2)
1978	351,779	348,995	8.3 (0.2)	6.7 (0.1)	14.9 (0.2)	3.9 (0.1)	10.5 (0.2)
1977	343,559	340,827	8.4 (0.2)	7.2 (0.2)	15.5 (0.2)	4.3 (0.1)	11.4 (0.2)
1976	328,566	325,725	9.2 (0.2)	7.5 (0.2)	16.6 (0.2)	3.7 (0.1)	11.2 (0.2)
1975	314,119	311,395	9.1 (0.2)	8.2 (0.2)	17.3 (0.2)	4.0 (0.1)	12.2 (0.2)
1974	308,797	305,931	9.9 (0.2)	8.5 (0.2)	18.4 (0.3)	3.9 (0.1)	12.4 (0.2)
1973	295,170	292,436	9.9 (0.2)	9.3 (0.2)	19.1 (0.3)	3.9 (0.1)	13.2 (0.2)
1972	303,870	300,953	10.3 (0.2)	10.3 (0.2)	20.4 (0.3)	4.2 (0.1)	14.4 (0.2)
1971	326,820	323,606	10.5 (0.2)	10.5 (0.2)	20.8 (0.3)	3.9 (0.1)	14.3 (0.2)
1970	359,345	355,637	10.9 (0.2)	11.2 (0.2)	22.0 (0.3)	4.3 (0.1)	15.4 (0.2)
1969	349,512	345,792	11.2 (0.2)	12.3 (0.2)	23.4 (0.3)	4.2 (0.1)	16.4 (0.2)
1968	336,051	332,311	11.7 (0.2)	12.9 (0.2)	24.4 (0.3)	4.6 (0.1)	17.4 (0.2)
1967	332,956	329,253	11.6 (0.2)	12.9 (0.2)	24.3 (0.3)	4.4 (0.1)	17.3 (0.2)
1966	334,277	330,553	11.5 (0.2)	13.5 (0.2)	24.8 (0.3)	4.9 (0.1)	18.3 (0.2)
1965	351,658	347,491	12.0 (0.2)	14.0 (0.2)	25.9 (0.3)	5.0 (0.1)	19.0 (0.2)
1960	368,149	363,795	11.8 (0.2)	15.5 (0.2)	27.1 (0.3)	5.8 (0.1)	21.2 (0.2)
White Spanish[5]							
1982[a]	125,853	124,942	7.5 (0.2)	5.3 (0.2)	12.7 (0.3)	NA	NA
1981	124,974	124,030	8.0 (0.3)	5.6 (0.2)	13.6 (0.3)	3.2 (0.2)	8.8 (0.3)
1980	119,997	119,077	7.7 (0.3)	6.3 (0.2)	14.0 (0.4)	3.1 (0.2)	9.4 (0.3)
1979	107,140	106,296	8.0 (0.3)	5.9 (0.2)	13.9 (0.4)	3.3 (0.2)	9.2 (0.3)
1978	101,616	100,797	8.5 (0.3)	6.7 (0.3)	15.2 (0.4)	3.5 (0.2)	10.2 (0.3)
1977	101,509	100,655	9.0 (0.3)	6.7 (0.3)	15.6 (0.4)	3.7 (0.2)	10.4 (0.4)
1976	98,072	97,179	9.8 (0.3)	7.5 (0.3)	17.2 (0.4)	3.3 (0.2)	10.7 (0.3)
1975	90,698	89,844	9.9 (0.4)	7.6 (0.3)	17.4 (0.4)	4.0 (0.2)	11.6 (0.4)
1974	86,091	85,287	10.0 (0.4)	7.8 (0.3)	17.8 (0.5)	3.5 (0.2)	11.3 (0.4)
1973	78,093	77,343	10.1 (0.4)	8.4 (0.3)	18.4 (0.5)	3.6 (0.2)	12.0 (0.4)
1972	74,318	73,507	11.5 (0.4)	9.3 (0.4)	20.7 (0.5)	4.0 (0.2)	13.3 (0.4)
1971	74,577	73,793	11.0 (0.4)	9.8 (0.4)	20.6 (0.5)	3.9 (0.2)	13.7 (0.4)
1970	76,232	75,364	11.8 (0.4)	10.7 (0.4)	22.4 (0.6)	4.3 (0.2)	15.0 (0.4)
1969	71,016	70,162	12.3 (0.4)	11.4 (0.4)	23.6 (0.6)	4.1 (0.2)	15.5 (0.5)
1968	65,024	64,241	12.2 (0.4)	11.7 (0.4)	23.8 (0.6)	4.4 (0.3)	16.1 (0.5)
1967	62,775	61,980	12.8 (0.4)	11.5 (0.4)	24.1 (0.6)	5.0 (0.3)	16.4 (0.5)
1966	61,462	60,643	13.3 (0.5)	12.1 (0.4)	25.2 (0.6)	5.3 (0.3)	17.4 (0.5)
1965	62,512	61,680	13.1 (0.4)	13.1 (0.5)	26.1 (0.6)	5.3 (0.3)	18.4 (0.5)
1960	57,191	56,398	13.7 (0.5)	15.0 (0.5)	28.5 (0.7)	6.9 (0.4)	21.8 (0.5)
White Non-Spanish[4]							
1982[a]	210,561	209,175	6.9 (0.2)	5.2 (0.2)	12.1 (0.2)	NA	NA
1981	207,199	205,680	7.7 (0.2)	5.2 (0.2)	12.9 (0.3)	3.3 (0.1)	8.6 (0.2)
1980	200,632	199,141	7.0 (0.2)	5.3 (0.2)	12.3 (0.3)	3.6 (0.1)	8.9 (0.2)
1979	189,159	187,797	7.2 (0.2)	5.9 (0.2)	13.0 (0.3)	3.4 (0.1)	9.2 (0.2)
1978	189,535	188,211	7.4 (0.2)	5.6 (0.2)	12.9 (0.3)	3.6 (0.2)	9.2 (0.2)
1977	184,314	182,995	7.6 (0.2)	6.5 (0.2)	14.1 (0.3)	4.0 (0.2)	10.5 (0.3)
1976	176,983	175,657	8.0 (0.2)	6.7 (0.2)	14.7 (0.3)	3.6 (0.2)	10.3 (0.3)
1975	173,610	172,346	7.7 (0.2)	7.8 (0.2)	15.4 (0.3)	3.4 (0.2)	11.2 (0.3)
1974	175,503	173,977	9.3 (0.2)	8.3 (0.2)	17.5 (0.3)	3.6 (0.2)	11.8 (0.3)
1973	173,214	171,736	9.2 (0.2)	9.0 (0.2)	18.1 (0.4)	3.6 (0.2)	12.6 (0.3)
1972	184,950	183,383	9.0 (0.2)	9.8 (0.2)	18.7 (0.3)	3.7 (0.2)	13.4 (0.3)
1971	205,317	203,527	9.4 (0.2)	10.0 (0.2)	19.4 (0.3)	3.5 (0.1)	13.5 (0.3)
1970	233,076	230,923	9.8 (0.2)	10.6 (0.2)	20.3 (0.3)	3.8 (0.1)	14.4 (0.3)
1969	231,366	229,192	9.9 (0.2)	11.8 (0.2)	21.6 (0.3)	3.6 (0.1)	15.4 (0.3)
1968	227,341	225,014	10.8 (0.2)	12.5 (0.2)	23.2 (0.3)	4.2 (0.1)	16.7 (0.3)
1967	227,346	225,081	10.4 (0.2)	12.5 (0.2)	22.8 (0.3)	4.0 (0.1)	16.4 (0.3)
1966	229,535	227,279	10.2 (0.2)	12.9 (0.2)	22.9 (0.3)	4.3 (0.1)	17.1 (0.3)
1965	244,134	241,523	11.0 (0.2)	13.5 (0.2)	24.3 (0.3)	4.5 (0.1)	17.9 (0.3)
1960	269,319	266,426	10.8 (0.2)	14.7 (0.2)	25.4 (0.3)	5.1 (0.1)	19.8 (0.3)
Black							
1982[a]	40,587	40,155	11.6 (0.6)	9.0 (0.5)	20.5 (0.8)	NA	NA
1981	40,226	39,805	10.8 (0.6)	9.6 (0.5)	20.3 (0.8)	5.7 (0.4)	15.3 (0.7)
1980	38,862	38,316	13.6 (0.7)	11.3 (0.6)	24.8 (0.9)	6.4 (0.4)	17.6 (0.7)
1979	37,431	36,928	13.7 (0.7)	11.1 (0.6)	24.7 (0.9)	6.3 (0.4)	17.4 (0.7)
1978	36,148	35,675	13.8 (0.7)	12.6 (0.7)	26.2 (1.0)	5.7 (0.4)	18.2 (0.8)
1977	35,306	34,875	12.8 (0.7)	11.9 (0.6)	24.6 (0.9)	7.5 (0.5)	19.3 (0.8)
1976	33,442	32,956	15.5 (0.8)	13.1 (0.7)	25.4 (1.0)	5.8 (0.5)	18.9 (0.8)
1975	31,675	31,210	15.5 (0.8)	13.6 (0.8)	28.9 (1.1)	6.7 (0.5)	20.3 (0.9)
1974	30,702	30,284	14.7 (0.8)	12.5 (0.7)	27.0 (1.1)	6.4 (0.5)	18.8 (0.9)
1973	28,953	28,550	14.9 (0.8)	15.0 (0.8)	29.7 (1.2)	6.3 (0.5)	21.3 (1.0)
1972	29,498	29,076	15.6 (0.8)	17.1 (0.9)	32.4 (1.2)	7.2 (0.5)	24.2 (1.0)
1971	31,677	31,169	17.7 (0.8)	15.6 (0.8)	33.0 (1.1)	6.5 (0.5)	22.0 (0.9)
1970	34,830	34,266	17.5 (0.8)	16.9 (0.8)	34.1 (1.1)	6.8 (0.4)	23.6 (0.9)
1969	33,192	32,626	18.3 (0.8)	17.8 (0.8)	35.7 (1.1)	7.5 (0.5)	25.2 (0.9)
1968	30,883	30,357	18.2 (0.8)	18.2 (0.8)	36.1 (1.2)	7.1 (0.5)	25.2 (1.0)
1967	30,792	30,270	18.7 (0.8)	18.9 (0.8)	37.2 (1.2)	6.5 (0.5)	25.3 (1.0)
1966	31,309	30,737	19.3 (0.8)	19.8 (0.8)	38.7 (1.2)	8.2 (0.5)	27.8 (1.0)
1965	32,438	31,808	19.9 (0.8)	20.6 (0.8)	40.0 (1.1)	8.2 (0.5)	28.6 (1.0)
1960	29,434	28,859	19.8 (0.8)	23.3 (0.9)	42.6 (1.2)	8.6 (0.6)	31.7 (1.0)

---

1 Direct method of adjustment to 1960 California single total births by age of mother, excluding age unknown.
2 Fetal and perinatal death rates are per 1,000 total single births; neonatal and infant death rates are per 1,000 single live births; postneonatal death rates are per 1,000 infants surviving 28 days or more.
3 Fetal deaths under 20 weeks' gestation are excluded.
4 Fetal death rates include some induced terminations.
5 Not strictly comparable to the category "Mexican-American" used in this report for live births and fetal deaths. For method used to classify Spanish, see Robert W. Buechley, "A Reproducible Method of Counting Persons of Spanish Surname," *Journal of the American Statistical Association*, 55:88—97, 1961. Blacks with Spanish surnames included in "Black" race category.

a Provisional.
NA Not available.
Note: Figure in parenthesis is standard error of rate.
Source: State of California, Department of Health Services, Birth Cohort Records.

Figure 4–C

AGE-ADJUSTED PERINATAL DEATH RATES BY RACE OF CHILD CALIFORNIA BIRTH COHORTS, 1960, 1965–1982

(By place of occurrence)



a 1960 data.

Note: Continuous series only for 1965–1982.

Source: Table 4–3.

Table 4–4

INFANT, NEONATAL, AND POSTNEONATAL DEATHS FROM SELECTED CAUSES BY AGE CALIFORNIA, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	INFANT			NEONATAL[1]			POSTNEONATAL[2]		
		Number	Rate	Percent	Number	Rate	Percent	Number	Rate	Percent
001–999	Total, All Causes	4,218	981.8	100.0	2,686	625.2	100.0	1,532	356.6	100.0
740–759	CAUSES SPECIFIC TO PERINATAL PERIOD	1,039	241.8	24.6	748	174.1	27.8	291	67.7	19.0
740–759	Congenital anomalies	1,039	241.8	24.6	748	174.1	27.8	291	67.7	19.0
740–742	Anencephalus, spina bifida, and other nervous system	201	46.8	4.8	160	37.2	6.0	41	9.5	2.7
745–747	Heart/circulatory system	412	95.9	9.8	251	58.4	9.3	161	37.5	10.5
748	Respiratory system	90	20.9	2.1	82	19.1	3.1	8	1.9	0.5
750–751	Upper alimentary tract/digestive system	32	7.4	0.8	12	2.8	0.4	20	4.7	1.3
753	Urinary system	42	9.8	1.0	36	8.4	1.3	6	1.4	0.4
758	Chromosomal	95	22.1	2.3	61	14.2	2.3	34	7.9	2.2
759.8	Other specified	13	3.0	0.3	9	2.1	0.3	4	a	0.3
759 (Except 759.8)	Other and unspecified	74	17.2	1.8	66	15.4	2.5	8	1.9	0.5
Residual	Other congenital anomalies	80	18.6	1.9	71	16.5	2.6	9	2.1	0.6
760–779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1,835	427.1	43.5	1,733	403.4	64.5	102	23.7	6.7
760–764	Maternal conditions	214	49.8	5.1	211	49.1	7.9	3	a	0.2
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	13	3.0	0.3	12	2.8	0.4	1	a	0.1
761	Fetus or newborn affected by maternal complications of pregnancy	105	24.4	2.5	104	24.2	3.9	1	a	0.1
761.0–761.3	Incompetent cervix, premature rupture of membranes, oligohydramnios, and polyhydramnios	54	12.6	1.3	54	12.6	2.0	–	–	–
761.5	Multiple pregnancy	45	10.5	1.1	44	10.2	1.6	1	a	0.1
761.4, 761.6–761.9	Other	6	1.4	0.1	6	1.4	0.2	–	–	–
762	Fetus or newborn affected by complications of placenta, cord, and membranes	85	19.8	2.0	84	19.6	3.1	1	a	0.1
763	Fetus or newborn affected by other complications of labour and delivery	10	2.3	0.2	10	2.3	0.4	–	–	–
Residual	Other maternal conditions	1	a	b	1	a	b	–	–	–
765–779	Early infancy	1,621	377.3	38.4	1,522	354.3	56.7	99	23.0	6.5
765	Disorders relating to short gestation and unspecified low birthweight	303	70.5	7.2	301	70.1	11.2	2	a	0.1
767	Birth trauma	68	15.8	1.6	68	15.8	2.5	–	–	–
768	Intrauterine hypoxia and birth asphyxia	142	33.1	3.4	131	30.5	4.9	11	2.6	0.7
769	Respiratory distress syndrome	383	89.1	9.1	346	80.5	12.9	37	8.6	2.4
770	Other respiratory conditions of fetus and newborn	317	73.8	7.5	278	64.7	10.3	39	9.1	2.5
Residual	Other early infancy	408	95.0	9.7	398	92.6	14.8	10	2.3	0.7

Table 4–4 (Continued)

INFANT, NEONATAL, AND POSTNEONATAL DEATHS FROM SELECTED CAUSES BY AGE CALIFORNIA, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	INFANT			NEONATAL[1]			POSTNEONATAL[2]		
		Number	Rate	Percent	Number	Rate	Percent	Number	Rate	Percent
	CAUSES NOT SPECIFIC TO PERINATAL PERIOD	1,344	312.8	31.9	205	47.7	7.6	1,139	265.1	74.3
001–139	Infective and parasitic diseases	84	19.6	2.0	6	1.4	0.2	78	18.2	5.1
320–389	Diseases of the nervous system and sense organs	76	17.7	1.8	7	1.6	0.3	69	16.1	4.5
320–326	Inflammatory diseases of central nervous system	25	5.8	0.6	4	a	0.1	21	4.9	1.4
Residual	Other diseases of the nervous system and sense organs	51	11.9	1.2	3	a	0.1	48	11.2	3.1
390–459	Diseases of the circulatory system	82	19.1	1.9	33	7.7	1.2	49	11.4	3.2
430, 431	Subarachnoid and intracerebral haemorrhage	4	a	0.1	–	–	–	4	a	0.3
Residual	Other diseases of the circulatory system	78	18.2	1.8	33	7.7	1.2	45	10.5	2.9
460–519	Diseases of the respiratory system	158	36.8	3.7	33	7.7	1.2	125	29.1	8.2
480–486	Pneumonia	76	17.7	1.8	21	4.9	0.8	55	12.8	3.6
Residual	Other diseases of the respiratory system	82	19.1	1.9	12	2.8	0.4	70	16.3	4.6
520–579	Diseases of the digestive system	51	11.9	1.2	9	2.1	0.3	42	9.8	2.7
550–553	Hernia of abdominal cavity	9	2.1	0.2	4	a	0.1	5	1.2	0.3
Residual	Other diseases of the digestive system	42	9.8	1.0	5	1.2	0.2	37	8.6	2.4
780–799	Symptoms, signs, and ill-defined conditions	657	152.9	15.6	56	13.0	2.1	601	139.9	39.2
798	Sudden infant death syndrome	636	148.0	15.1	52	12.1	1.9	584	135.9	38.1
Residual	Other symptoms, signs, and ill-defined conditions	21	4.9	0.5	4	a	0.1	17	4.0	1.1
800–999	Accidents and adverse effects	127	29.6	3.0	18	4.2	0.7	109	25.4	7.1
800–949	Accidents	80	18.6	1.9	8	1.9	0.3	72	16.8	4.7
960–969	Homicide and injury purposely inflicted by other persons	40	9.3	0.9	8	1.9	0.3	32	7.4	2.1
Residual	Other accidents and adverse effects	7	1.6	0.2	2	a	0.1	5	1.2	0.3
	All other causes not specific to perinatal period	109	25.4	2.6	43	10.0	1.6	66	15.4	4.3

1 Deaths occurring during first 27 days of life.
2 Deaths occurring between the 28th day and the end of the first year of life.

a Rates are not calculated for fewer than five events.
b More than zero but less than 0.05.

Note: Rates are per 100,000 live births (1982 live births–429,631).
Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Death Records.

Figure 4—D

PERCENT DISTRIBUTION OF NEONATAL AND POSTNEONATAL DEATHS BY CAUSE CALIFORNIA, 1982

(By place of residence)



a 97.2 percent of this category is due to "sudden death (cause unknown)," ICD-798.0.

Note: Percents may not total to 100 due to independent rounding.
Source: Table 4–4.

5. DEATHS

Page

Table 5–1. Ten leading causes of death: California, 1981 and 1982 254
5–2. Five leading causes of death by sex and age: California, 1982 256
5–3. Age and sex-specific death rates and percent change: California, 1980–1982 .. 258
5–4. Deaths by sex, race, and age: California, 1982 259
5–5. Deaths by sex, race, and age: California counties, 1982 260
5–6. Deaths by month of death: California counties, 1982 274
5–7. Deaths from selected external causes of injury and poisoning: California counties, 1982 275
5–8. Deaths from selected causes: California counties, 1982 277
5–9. Deaths from each cause by sex and age: California, 1982 (microfiche) .... (inside back cover)

Figure 5–A. Percent distribution of the ten leading causes of death: California, 1982 255
5–B. Percent change in rate for the ten leading causes of death: California, 1981–1982 255

Table 5–1

TEN LEADING CAUSES OF DEATH CALIFORNIA, 1981 AND 1982

(By place of residence)

(Number and Rate, with Percent Change, and Percent Distribution)

CAUSE OF DEATH	NINTH REVISION INTERNATIONAL LIST NUMBER	NUMBER 1981	NUMBER 1982	PERCENT CHANGE 1981 TO 1982
All Causes	001–999	184,732	188,255	1.9
Diseases of the heart	390–398, 402, 404, 410–429	65,323	67,255	3.0
Malignant neoplasms	140–208	40,975	42,774	4.4
Cerebrovascular disease	430–438	15,858	15,605	–1.6
Accidents and adverse effects	800–949	10,319	9,836	–4.7
Chronic obstructive pulmonary disease and allied conditions	490–496	6,333	6,660	5.2
Influenza and pneumonia	480–487	5,616	5,469	–2.6
Chronic liver disease and cirrhosis	571	4,212	4,143	–1.6
Suicide	950–959	3,554	3,752	5.6
Homicide	960–969	3,196	2,864	–10.4
Atherosclerosis	440	2,736	2,669	–2.4
All other causes	Residual	26,610	27,228	2.3
		RATE		
All Causes	001–999	762.7	762.3	–0.1
Diseases of the heart	390–398, 402, 404, 410–429	269.7	272.3	1.0
Malignant neoplasms	140–208	169.2	173.2	2.4
Cerebrovascular disease	430–438	65.5	63.2	–3.5
Accidents and adverse effects	800–949	42.6	39.8	–6.6
Chronic obstructive pulmonary disease and allied conditions	490–496	26.1	27.0	3.4
Influenza and pneumonia	480–487	23.2	22.1	–4.7
Chronic liver disease and cirrhosis	571	17.4	16.8	–3.4
Suicide	950–959	14.7	15.2	3.4
Homicide	960–969	13.2	11.6	–12.1
Atheroscleriosis	440	11.3	10.8	–4.4
All other causes	Residual	109.9	110.2	0.3
		PERCENT		DIFFERENCE 1982 MINUS 1981
All Causes	001–999	100.0	100.0	. . .
Diseases of the heart	390–398, 402, 404, 410–429	35.4	35.7	0.3
Malignant neoplasms	140–208	22.2	22.7	0.5
Cerebrovascular disease	430–438	8.6	8.3	–0.3
Accidents and adverse effects	800–949	5.6	5.2	–0.4
Chronic obstructive pulmonary disease and allied conditions	490–496	3.4	3.5	0.1
Influenza and pneumonia	480–487	3.0	2.9	–0.1
Chronic liver disease and cirrhosis	571	2.3	2.2	–0.1
Suicide	950–959	1.9	2.0	0.1
Homicide	960–969	1.7	1.5	–0.2
Atherosclerosis	440	1.5	1.4	–0.1
All other causes	Residual	14.4	14.5	0.1

Note: Rates are per 100,000 population. Percents are rounded independently and may not add to totals.

Source: State of California, Department of Finance, *Population Estimates for California Counties, July 1, 1980–July 1, 1983, Report 83 E–2*, February 1984.

State of California, Department of Health Services, Death Records.

Figure 5–A

**PERCENT DISTRIBUTION OF
THE TEN LEADING CAUSES OF DEATH
CALIFORNIA, 1982**

(By place of residence)



Source: Table 5–1.

Figure 5–B

**PERCENT CHANGE IN RATE FOR
THE TEN LEADING CAUSES OF DEATH
CALIFORNIA, 1981–1982**



Source: Table 5–1.

Table 5–2

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE
CALIFORNIA, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		Number	Percent	Rank	Number	Percent	Rank
		UNDER 1					
	All Causes	2,395	100.0		1,823	100.0	
760–779	Certain conditions originating in the perinatal period	1,046	43.7	1	789	43.3	1
740–759	Congenital anomalies	546	22.8	2	493	27.0	2
798	Sudden infant death syndrome	390	16.3	3	246	13.5	3
800–949	Accidents and adverse effects	47	2.0	4	33	1.8	4
810–825	Motor vehicle accidents	10	0.4		8	0.4	
800–807, 826–949	All other accidents and adverse effects	37	1.5		25	1.4	
480–487	Pneumonia and influenza	45	1.9	5	32	1.8	5
	All other causes	321	13.4		230	12.6	
		1–4					
	All Causes	477	100.0		342	100.0	
800–949	Accidents and adverse effects	212	44.4	1	145	42.4	1
810–825	Motor vehicle accidents	70	14.7		59	17.3	
800–807, 826–949	All other accidents and adverse effects	142	29.8		86	25.1	
740–759	Congenital anomalies	53	11.1	2	44	12.9	2
140–208	Malignant neoplasms	52	10.9	3	35	10.2	3
960–969	Homicide	23	4.8	4	20	5.8	4
390–398, 402, 404-429	Diseases of the heart	15	3.1	5	13	3.8	5
	All other causes	122	25.6		85	24.9	
		5–14					
	All Causes	564	100.0		343	100.0	
800–949	Accidents and adverse effects	257	45.6	1	123	35.9	1
810–825	Motor vehicle accidents	134	23.8		79	23.0	
800–807, 826–949	All other accidents and adverse effects	123	21.8		44	12.8	
140–208	Malignant neoplasms	96	17.0	2	60	17.5	2
740–759	Congenital anomalies	37	6.6	3	29	8.5	3
960–969	Homicide	28	5.0	4	26	7.6	4
390–398, 402, 404–429	Diseases of the heart	13	2.3	5	10	2.9	5
	All other causes	133	23.6		95	27.7	
		15–24					
	All Causes	3,526	100.0		1,149	100.0	
800–949	Accidents and adverse effects	1,794	50.9	1	458	39.9	1
810–825	Motor vehicle accidents	1,304	37.0		355	30.9	
800–807, 826–949	All other accidents and adverse effects	490	13.9		103	9.0	
960–969	Homicide	658	18.7	2	141	12.3	2
950–959	Suicide	459	13.0	3	121	10.5	3
140–208	Malignant neoplasms	168	4.8	4	105	9.1	4
390–398, 402, 404–429	Diseases of the heart	74	2.1	5	46	4.0	5
	All other causes	373	10.6		278	24.2	
		25–34					
	All Causes	4,326	100.0		1,628	100.0	
800–949	Accidents and adverse effects	1,576	36.4	1	381	23.4	1
810–825	Motor vehicle accidents	832	19.2		228	14.0	
800–807, 826–949	All other accidents and adverse effects	744	17.2		153	9.4	
950–959	Suicide	718	16.6	2	240	14.7	3
960–969	Homicide	709	16.4	3	159	9.8	4
140–208	Malignant neoplasms	304	7.0	4	286	17.6	2
390–398, 402, 404–429	Diseases of the heart	225	5.2	5	78	4.8	5
	All other causes	794	18.4		484	29.7	

Table 5–2 (Continued)

FIVE LEADING CAUSES OF DEATH BY SEX AND AGE
CALIFORNIA, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MALE			FEMALE		
		Number	Percent	Rank	Number	Percent	Rank
		35–44					
	All Causes	4,091	100.0		2,197	100.0	
800–949	Accidents and adverse effects	817	20.0	1	281	12.8	2
810–825	Motor vehicle accidents	407	9.9		140	6.4	
800–807, 826–949	All other accidents and adverse effects	410	10.0		141	6.4	
390–398, 402, 404–429	Diseases of the heart	760	18.6	2	233	10.6	3
140–208	Malignant neoplasms	622	15.2	3	790	36.0	1
950–959	Suicide	410	10.0	4	180	8.2	4
960–969	Homicide	361	8.8	5	92[a]	4.2[a]	a
571	Chronic liver disease and cirrhosis	334[a]	8.2[a]	a	144	6.6	5
	All other causes	787	19.2		477	21.7	
		45–54					
	All Causes	7,587	100.0		4,452	100.0	
390–398, 402, 404–429	Diseases of the heart	2,601	34.3	1	727	16.3	2
140–208	Malignant neoplasms	1,940	25.6	2	2,028	45.6	1
800–949	Accidents and adverse effects	629	8.3	3	232	5.2	4
810–825	Motor vehicle accidents	285	3.8		94	2.1	
800–807, 826–949	All other accidents and adverse effects	344	4.5		138	3.1	
571	Chronic liver disease and cirrhosis	628	8.3	4	271	6.1	3
950–959	Suicide	306	4.0	5	162[a]	3.6[a]	a
430–438	Cerebrovascular disease	265[a]	3.5[a]	a	230	5.2	5
	All other causes	1,218	16.1		802	18.0	
		55–64					
	All Causes	16,622	100.0		10,710	100.0	
390–398, 402, 404–429	Diseases of the heart	6,542	39.4	1	2,600	24.3	2
140–208	Malignant neoplasms	4,998	30.1	2	4,582	42.8	1
571	Chronic liver disease and cirrhosis	797	4.8	3	454	4.2	4
430–438	Cerebrovascular disease	651	3.9	4	594	5.5	3
490–496	Chronic obstructive pulmonary disease and allied conditions	552	3.3	5	404	3.8	5
	All other causes	3,082	18.5		2,076	19.4	
		65–74					
	All Causes	24,670	100.0		17,802	100.0	
390–396, 402, 404–429	Diseases of the heart	9,969	40.4	1	5,942	33.4	1
140–208	Malignant neoplasms	7,141	28.9	2	5,891	33.1	2
430–438	Cerebrovascular disease	1,414	5.7	3	1,436	8.1	3
490–496	Chronic obstructive pulmonary disease and allied conditions	1,412	5.7	4	906	5.1	4
571	Chronic liver disease and cirrhosis	581	2.4	5	360	2.0	5
	All other causes	4,153	16.8		3,267	18.4	
		75 AND OVER					
	All Causes	35,893	100.0		47,541	100.0	
390–398, 402, 404–429	Diseases of the heart	15,414	42.9	1	21,906	46.1	1
140–208	Malignant neoplasms	6,979	19.4	2	6,680	14.1	3
430–438	Cerebrovascular disease	3,535	9.8	3	7,120	15.0	2
490–496	Chronic obstructive pulmonary disease and allied conditions	1,922	5.4	4	1,161[a]	2.4[a]	a
480–487	Pneumonia and influenza	1,668	4.6	5	2,113	4.4	4
440	Atherosclerosis	754[a]	2.1[a]	a	1,497	3.1	5
	All other causes	5,621	15.7		7,064	14.9	

a Not among five leading causes of death in this age-sex group.

Note: Percents are rounded independently and may not add to totals.
This table excludes 117 deaths of unknown age.

Source: State of California, Department of Health Services, Death Records.

Table 5–3

AGE- AND SEX-SPECIFIC DEATH RATES
AND PERCENT CHANGE
CALIFORNIA, 1980–1982

(By place of residence)

AGE (In Years)	1980			1981			1982		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
	RATE								
All Ages	784.3	851.3	719.2	762.7	824.8	702.4	762.3	823.1	703.0
Under 1	1,173.2	1,288.9	1,051.8	1,032.1	1,130.1	929.3	999.1	1,107.8	885.0
1–4	61.3	74.9	47.0	62.3	71.2	52.9	54.9	62.5	46.9
5–14	29.3	34.5	23.9	27.3	34.9	19.3	26.2	32.0	20.3
15–24	120.1	179.0	58.1	109.9	160.9	56.1	104.4	153.0	52.9
25–44	172.0	233.2	110.3	166.4	224.3	107.9	161.2	220.7	101.2
45–64	869.1	1,111.6	642.3	847.8	1,079.3	631.1	840.9	1,068.9	627.3
65–74	2,813.8	3,727.5	2,093.3	2,725.4	3,616.8	2,019.1	2,720.6	3,569.7	2,046.2
75–84	6,364.9	8,274.9	5,222.0	6,129.2	8,001.4	5,007.0	6,140.9	8,088.0	4,969.5
85 and Over	15,783.4	18,643.0	14,586.7	15,282.8	18,079.1	14,141.6	15,177.4	18,256.0	13,945.2

AGE (In Years)	PERCENT CHANGE					
	1980–1981			1981–1982		
	Total	Male	Female	Total	Male	Female
All Ages	−2.8	−3.1	−2.3	−0.1	−0.2	0.1
Under 1	−12.0	−12.3	−11.6	−3.2	−2.0	−4.8
1–4	1.6	−4.9	12.6	−11.9	−12.2	−11.3
5–14	−6.8	1.2	−19.2	−4.0	−8.3	5.2
15–24	−8.5	−10.1	−3.4	−5.0	−4.9	−5.7
25–44	−3.3	−3.8	−2.2	−3.1	−1.6	−6.2
45–64	−2.5	−2.9	−1.7	−0.8	−1.0	−0.6
65–74	−3.1	−3.0	−3.5	−0.2	−1.3	1.3
75–84	−3.7	−3.3	−4.1	0.2	1.1	−0.7
85 and Over	−3.2	−3.0	−3.1	0.7	1.0	−1.4

Note: Rates are per 100,000 population.

Source: State of California, Department of Health Services, Death Records.

State of California, Department of Finance, ***Population Projections for California Counties, Baseline 83***, October 1983; and ***Population Estimates for California Counties July 1, 1980 to July 1, 1983, Report 83 E–2***, February 1984. Baseline 83 projections have been adjusted to reflect the latest population estimates (Report 83 E–2).

Table 5–4

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA, 1982

(By place of residence)

SEX AND RACE	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
TOTAL	188,255	2,686	1,532	819	408	499	1,738	2,937	3,013	2,941	2,951	3,337	4,679	7,360	11,565	15,767	19,712	22,760	24,048	23,704	35,682	117
White[1]	169,107	2,106	1,198	661	348	412	1,477	2,464	2,456	2,351	2,394	2,719	3,827	6,231	10,008	13,980	17,678	20,705	22,065	22,073	33,849	105
Black	13,642	439	250	113	39	63	186	365	444	459	437	476	640	856	1,221	1,345	1,477	1,357	1,265	1,036	1,164	10
Indian	307	9	6	1	–	–	12	15	15	18	12	15	24	22	25	22	30	18	21	18	23	1
Chinese	1,383	11	15	5	2	2	12	12	15	21	13	19	35	53	81	105	185	204	216	176	201	–
Japanese	1,054	8	4	3	2	–	6	10	8	17	13	9	41	62	85	105	95	81	108	146	251	–
Filipino	972	23	12	4	2	7	18	19	17	26	19	28	26	35	43	56	78	183	191	121	64	–
Other	1,790	90	47	32	15	15	27	52	58	49	63	71	86	101	102	154	169	212	182	134	130	1
Male	100,233	1,490	905	477	246	318	1,280	2,246	2,237	2,089	1,986	2,105	2,973	4,614	7.085	9,537	11,721	12,949	12,729	10,896	12,268	82
White[1]	89,044	1,164	698	391	214	256	1,094	1,904	1,836	1,696	1,641	1,694	2,442	3,937	6,133	8,481	10,512	11,725	11,566	10,060	11,526	74
Black	7,762	246	153	65	19	47	129	269	328	311	274	324	402	520	755	780	859	733	647	466	428	7
Indian	156	4	2	1	–	–	10	6	10	9	8	8	13	10	13	12	14	11	10	9	5	1
Chinese	816	6	9	1	1	2	6	7	10	13	9	11	21	31	44	66	116	125	144	98	96	–
Japanese	561	5	3	3	1	–	4	9	5	10	8	2	16	30	40	68	72	52	66	65	102	–
Filipino	737	12	8	2	1	4	16	9	13	17	11	14	19	24	22	39	49	153	164	110	50	–
Other	1,157	53	32	14	10	9	21	42	35	33	35	52	60	62	78	91	99	150	132	88	61	–
Female	88,022	1,196	627	342	162	181	458	691	776	852	965	1,232	1,706	2,746	4,480	6,230	7,991	9,811	11,319	12,808	23,414	35
White[1]	80,063	942	500	270	134	156	383	560	620	655	753	1,025	1,385	2,294	3,875	5,499	7,166	8,980	10,499	12,013	22,323	31
Black	5,880	193	97	48	20	16	57	96	116	148	163	152	238	336	466	565	618	624	618	570	736	3
Indian	151	5	4	–	–	–	2	9	5	9	4	7	11	12	12	10	16	7	11	9	18	–
Chinese	567	5	6	4	1	–	6	5	5	8	4	8	14	22	37	39	69	79	72	78	105	–
Japanese	493	3	1	–	1	–	2	1	3	7	5	7	25	32	45	37	23	29	42	81	149	–
Filipino	235	11	4	2	1	3	2	10	4	9	8	14	7	11	21	17	29	30	27	11	14	–
Other	633	37	15	18	5	6	6	10	23	16	28	19	26	39	24	63	70	62	50	46	69	1

[1] The "White" category includes "Mexican," and "race not specified" or "unknown." No separate "Hispanic" or "Mexican" category is shown because there are indications that these categories were underreported.

Source: State of California, Department of Health Services, Death Records.

Table 5–5

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																			
		Under 1																			
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Alameda	9,397	109	67	18	18	14	71	100	126	145	164	165	219	363	610	816	976	1,113	1,217	1,180	1,894	12
White	7,332	72	29	15	11	9	48	68	81	86	109	105	156	257	412	590	728	888	966	1,027	1,667	8
Black	1,715	31	29	3	7	4	19	26	42	49	49	51	56	92	169	200	199	184	197	124	180	4
Indian	13	–	–	–	–	–	–	–	–	2	2	–	–	2	1	2	1	2	–	1	–	–
Chinese	147	–	4	–	–	–	1	1	–	3	1	1	4	4	15	8	27	15	27	15	21	–
Japanese	40	1	–	–	–	–	–	–	–	–	–	–	1	2	4	3	4	1	1	6	17	–
Filipino	75	1	3	–	–	–	2	2	–	3	2	3	1	4	4	5	11	14	14	4	2	–
Other	75	4	2	–	–	1	1	3	3	2	1	5	1	2	5	8	6	9	12	3	7	–
Male	4,868	64	41	8	9	9	55	80	86	102	99	104	134	229	374	501	571	608	626	534	627	7
White	3,690	43	20	8	6	6	36	55	57	58	65	60	100	169	252	372	422	470	485	463	539	4
Black	960	20	15	–	3	3	15	21	28	36	31	37	29	53	106	114	111	112	103	52	68	3
Indian	6	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	1	–	1	–	–
Chinese	93	–	3	–	–	–	1	1	–	3	1	1	3	2	8	6	19	8	19	10	8	–
Japanese	19	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	1	1	2	7	–
Filipino	55	–	1	–	–	–	2	1	–	2	1	2	1	4	1	3	10	10	11	4	2	–
Other	45	1	2	–	–	–	1	2	1	2	–	4	1	1	5	3	4	6	7	2	3	–
Female	4,529	45	26	10	9	5	16	20	40	43	65	61	85	134	236	315	405	505	591	646	1,267	5
White	3,642	29	9	7	5	3	12	13	24	28	44	45	56	88	160	218	306	418	481	564	1,128	4
Black	755	11	14	3	4	1	4	5	14	13	18	14	27	39	63	86	88	72	94	72	112	1
Indian	7	–	–	–	–	–	–	–	–	1	1	–	–	2	1	1	–	1	–	–	–	–
Chinese	54	–	1	–	–	–	–	–	–	–	–	–	1	2	7	2	8	7	8	5	13	–
Japanese	21	1	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	4	10	–
Filipino	20	1	2	–	–	–	–	1	–	1	1	1	–	–	3	2	1	4	3	–	–	–
Other	30	3	–	–	–	1	–	1	2	–	1	1	–	1	–	5	2	3	5	1	4	–
Alpine	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Amador	227	1	1	–	–	–	4	–	1	3	1	7	4	9	16	21	23	45	27	22	42	–
White	226	1	1	–	–	–	4	–	1	3	1	7	4	9	15	21	23	45	27	22	42	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Male	123	–	1	–	–	–	3	–	–	2	1	5	4	6	11	15	13	28	13	10	11	–
White	123	–	1	–	–	–	3	–	–	2	1	5	4	6	11	15	13	28	13	10	11	–
Female	104	1	–	–	–	–	1	–	1	1	–	2	–	3	5	6	10	17	14	12	31	–
White	103	1	–	–	–	–	1	–	1	1	–	2	–	3	4	6	10	17	14	12	31	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Butte	1,434	8	8	7	3	–	10	21	17	17	16	13	16	32	68	115	160	208	200	206	309	–
White	1,402	8	8	7	3	–	10	21	16	16	14	12	13	32	64	112	157	207	197	200	305	–
Black	19	–	–	–	–	–	–	–	–	–	1	1	2	–	2	2	3	–	2	3	3	–
Indian	6	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	–	2	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–
Male	793	6	4	5	2	–	8	14	13	12	10	10	12	22	40	72	101	125	113	103	121	–
White	777	6	4	5	2	–	8	14	12	12	9	9	10	22	38	71	99	125	112	100	119	–
Black	9	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	2	–	1	2	1	–
Indian	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Female	641	2	4	2	1	–	2	7	4	5	6	3	4	10	28	43	59	83	87	103	188	–
White	625	2	4	2	1	–	2	7	4	4	5	3	3	10	26	41	58	82	85	100	186	–
Black	10	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	–	1	1	2	–
Indian	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	1	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Calaveras	226	1	1	1	1	1	2	2	2	1	3	–	4	7	11	28	35	28	33	22	43	–
White	226	1	1	1	1	1	2	2	2	1	3	–	4	7	11	28	35	28	33	22	43	–
Male	142	–	1	–	1	–	2	2	–	1	2	–	2	5	8	18	18	24	26	13	19	–
White	142	–	1	–	1	–	2	2	–	1	2	–	2	5	8	18	18	24	26	13	19	–
Female	84	1	–	1	–	1	–	–	2	–	1	–	2	2	3	10	17	4	7	9	24	–
White	84	1	–	1	–	1	–	–	2	–	1	–	2	2	3	10	17	4	7	9	24	–
Colusa	133	–	1	–	–	–	1	–	2	1	2	2	3	12	12	8	9	20	21	17	21	1
White	128	–	1	–	–	–	1	–	2	1	2	2	3	11	10	8	9	20	20	16	21	1
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Male	87	–	–	–	–	–	–	–	2	1	2	1	2	10	9	8	8	15	11	10	8	–
White	82	–	–	–	–	–	–	–	2	1	2	1	2	9	7	8	8	15	10	9	8	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Colusa (Cont'd.)																						
Female	46	–	1	–	–	–	1	–	–	–	–	1	1	2	3	–	1	5	10	7	13	1
White	46	–	1	–	–	–	1	–	–	–	–	1	1	2	3	–	1	5	10	7	13	1
Contra Costa	4,920	53	43	12	7	12	58	75	81	65	94	102	134	224	317	409	571	584	641	568	866	2
White	4,439	38	35	7	4	9	54	63	66	53	81	90	109	188	270	368	509	529	606	533	827	–
Black	398	14	6	4	3	2	1	10	13	10	12	11	20	28	44	35	49	44	31	28	32	1
Indian	3	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Chinese	27	–	–	–	–	–	1	1	1	1	1	1	–	3	–	3	7	2	1	3	2	–
Japanese	21	–	–	–	–	–	–	–	–	1	–	–	–	3	2	3	3	4	1	–	4	–
Filipino	9	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	–
Other	23	1	2	–	–	1	2	–	1	–	–	–	3	2	1	–	2	4	2	1	–	1
Male	2,570	29	23	7	3	8	41	51	53	48	58	71	86	131	175	240	337	324	308	270	306	1
White	2,312	21	19	4	2	6	38	46	42	38	51	60	73	110	150	219	301	295	290	257	290	–
Black	217	8	3	3	1	1	1	4	9	9	7	10	11	16	23	18	29	23	15	10	15	1
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chinese	14	–	–	–	–	–	–	1	1	1	–	1	–	2	–	2	4	1	1	–	–	–
Japanese	8	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	–	–	1	–
Filipino	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–
Other	13	–	1	–	–	1	2	–	1	–	–	–	1	1	1	–	1	3	–	1	–	–
Female	2,350	24	20	5	4	4	17	24	28	17	36	31	48	93	142	169	234	260	335	298	560	1
White	2,127	17	16	3	2	3	16	17	24	15	30	30	36	78	120	149	208	234	316	276	537	–
Black	181	6	3	1	2	1	–	6	4	1	5	1	9	12	21	17	20	21	16	18	17	–
Indian	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chinese	13	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	3	1	–	3	2	–
Japanese	13	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	2	2	1	–	3	–
Filipino	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
Other	10	1	1	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	2	–	–	1
Del Norte	192	1	1	–	–	2	2	3	5	3	1	2	1	5	8	18	31	39	23	28	19	–
White	189	1	1	–	–	2	2	3	5	3	1	2	1	5	8	18	29	38	23	28	19	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Male	116	1	1	–	–	2	1	3	4	3	–	1	–	3	6	12	20	23	12	14	10	–
White	113	1	1	–	–	2	1	3	4	3	–	1	–	3	6	12	18	22	12	14	10	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Female	76	–	–	–	–	–	1	–	1	–	1	1	1	2	2	6	11	16	11	14	9	–
White	76	–	–	–	–	–	1	–	1	–	1	1	1	2	2	6	11	16	11	14	9	–
El Dorado	610	8	7	5	3	2	5	10	8	6	11	12	12	19	32	52	86	89	79	70	94	–
White	606	8	7	5	3	2	5	9	8	6	11	12	12	19	32	52	85	88	78	70	94	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Male	333	4	5	2	2	–	2	7	3	5	7	6	6	12	23	32	54	52	39	36	36	–
White	330	4	5	2	2	–	2	6	3	5	7	6	6	12	23	32	53	52	38	36	36	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	277	4	2	3	1	2	3	3	5	1	4	6	6	7	9	20	32	37	40	34	58	–
White	276	4	2	3	1	2	3	3	5	1	4	6	6	7	9	20	32	36	40	34	58	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Fresno	4,042	66	37	23	8	17	44	79	90	69	60	55	111	140	231	314	459	463	501	488	779	8
White	3,726	45	32	19	8	16	42	73	77	61	54	50	93	128	211	284	423	437	466	457	742	8
Black	210	11	3	3	–	1	1	4	7	7	5	3	13	5	15	24	30	20	23	19	16	–
Indian	11	1	1	–	–	–	–	1	1	–	–	1	1	1	–	–	–	–	1	–	3	–
Chinese	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	3	1	–
Japanese	33	1	–	–	–	–	–	–	1	–	–	–	–	1	4	3	1	1	2	6	13	–
Filipino	12	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	4	2	1	–
Other	40	7	1	1	–	–	1	1	3	1	1	1	4	5	–	1	3	3	3	1	3	–
Male	2,226	31	25	15	7	11	29	58	68	48	40	36	71	82	143	184	289	273	302	222	285	7
White	2,061	24	21	11	7	10	29	57	59	45	38	32	62	76	133	167	273	258	276	206	270	7
Black	112	4	3	3	–	1	–	–	6	3	2	2	6	1	8	14	14	11	16	11	7	–
Indian	6	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	1	–
Chinese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–
Japanese	15	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	2	2	5	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	1	–	–
Other	20	3	–	1	–	–	–	1	3	–	–	1	2	3	–	–	1	1	2	–	2	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
Fresno (Cont'd.)																						
Female	1,816	35	12	8	1	6	15	21	22	21	20	19	40	58	88	130	170	190	199	266	494	1
White	1,665	21	11	8	1	6	13	16	18	16	16	18	31	52	78	117	150	179	190	251	472	1
Black	98	7	–	–	–	–	1	4	1	4	3	1	7	4	7	10	16	9	7	8	9	–
Indian	5	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Chinese	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–
Japanese	18	1	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	–	–	4	8	–
Filipino	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	1	–
Other	20	4	1	–	–	–	1	–	–	1	1	–	2	2	–	1	2	2	1	1	1	–
Glenn	218	1	1	2	–	2	3	5	4	3	3	5	2	7	14	14	33	23	36	22	38	–
White	216	1	–	2	–	2	3	5	4	3	3	5	2	7	14	14	33	23	35	22	38	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Indian	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	125	–	–	2	–	2	2	5	2	1	2	3	1	5	6	10	23	15	19	13	14	–
White	124	–	–	2	–	2	2	5	2	1	2	3	1	5	6	10	23	15	18	13	14	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	93	1	1	–	–	–	1	–	2	2	1	2	1	2	8	4	10	8	17	9	24	–
White	92	1	–	–	–	–	1	–	2	2	1	2	1	2	8	4	10	8	17	9	24	–
Indian	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Humboldt	926	6	8	5	2	3	8	11	17	24	12	14	21	31	51	82	95	123	130	101	182	–
White	890	6	6	5	2	3	6	8	14	21	12	14	20	28	49	81	91	120	126	100	178	–
Black	4	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–
Indian	32	–	1	–	–	–	2	3	2	2	–	–	1	3	2	1	4	2	4	1	4	–
Male	505	3	5	3	1	1	4	8	15	16	10	10	14	20	33	49	58	79	65	49	62	–
White	488	3	3	3	1	1	2	8	12	14	10	10	14	19	32	48	56	78	64	49	61	–
Black	3	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Indian	14	–	1	–	–	–	2	–	2	1	–	–	–	1	1	1	2	1	1	–	1	–
Female	421	3	3	2	1	2	4	3	2	8	2	4	7	11	18	33	37	44	65	52	120	–
White	402	3	3	2	1	2	4	–	2	7	2	4	6	9	17	33	35	42	62	51	117	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Indian	18	–	–	–	–	–	–	3	–	1	–	–	1	2	1	–	2	1	3	1	3	–
Imperial	630	14	8	3	3	–	12	11	10	11	7	11	19	16	45	66	77	105	76	57	65	14
White	574	13	6	3	3	–	11	10	9	9	6	10	17	16	39	60	74	94	69	50	61	14
Black	35	1	2	–	–	–	1	–	–	2	–	–	2	–	4	3	3	8	2	4	3	–
Indian	9	–	–	–	–	–	–	1	1	–	1	1	–	–	2	2	–	–	1	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
Male	420	8	5	2	3	–	11	11	8	7	5	6	15	10	33	43	44	76	57	32	31	13
White	379	8	5	2	3	–	11	10	7	5	4	6	14	10	27	39	42	67	51	27	28	13
Black	22	–	–	–	–	–	–	–	–	2	–	–	1	–	4	2	2	6	1	2	2	–
Indian	8	–	–	–	–	–	–	1	1	–	1	–	–	–	2	2	–	–	1	–	–	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
Female	210	6	3	1	–	–	1	–	2	4	2	5	4	6	12	23	33	29	19	25	34	1
White	195	5	1	1	–	–	–	–	2	4	2	4	3	6	12	21	32	27	18	23	33	1
Black	13	1	2	–	–	–	1	–	–	–	–	–	1	–	–	1	1	2	1	2	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Inyo	196	3	1	2	–	–	2	2	2	–	–	6	5	7	11	17	20	31	31	18	38	–
White	190	3	–	1	–	–	2	2	2	–	–	6	4	7	11	17	20	30	30	18	37	–
Indian	6	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–
Male	108	2	–	2	–	–	2	1	1	–	–	3	5	4	7	9	16	19	18	9	10	–
White	105	2	–	1	–	–	2	1	1	–	–	3	4	4	7	9	16	18	18	9	10	–
Indian	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Female	88	1	1	–	–	–	–	1	1	–	–	3	–	3	4	8	4	12	13	9	28	–
White	85	1	–	–	–	–	–	1	1	–	–	3	–	3	4	8	4	12	12	9	27	–
Indian	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Kern	3,355	51	29	31	15	10	46	76	61	76	53	74	75	145	223	307	386	440	418	363	473	3
White	3,101	49	27	27	15	9	44	71	56	67	46	66	65	134	206	282	360	405	384	337	449	2
Black	206	2	1	3	–	1	2	4	4	9	7	7	10	9	17	23	25	24	23	16	18	1
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	35	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	8	9	10	4	–
Other	9	–	1	1	–	–	–	1	–	–	–	–	–	1	–	1	1	1	1	–	1	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
Kern (Cont'd.)																						
Male	1,919	29	19	14	10	6	33	57	45	64	40	46	44	99	140	193	242	267	241	184	144	2
White	1,763	27	18	13	10	5	31	55	40	57	35	40	38	91	133	181	227	241	221	163	136	1
Black	114	2	–	–	–	1	2	1	4	7	5	5	6	6	7	11	14	15	11	11	5	1
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Filipino	32	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	8	8	10	2	–
Other	7	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	1	1	1	–	–	–
Female	1,436	22	10	17	5	4	13	19	16	12	13	28	31	46	83	114	144	173	177	179	329	1
White	1,338	22	9	14	5	4	13	16	16	10	11	26	27	43	73	101	133	164	163	174	313	1
Black	92	–	1	3	–	–	–	3	–	2	2	2	4	3	10	12	11	9	12	5	13	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Kings	546	15	8	8	5	1	12	16	14	16	17	7	9	14	26	40	56	62	64	70	84	2
White	506	13	8	8	5	1	12	15	13	16	15	5	9	13	24	33	55	55	61	65	78	2
Black	33	1	–	–	–	–	–	1	1	–	2	2	–	1	2	4	1	6	2	5	5	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Filipino	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Male	304	8	5	3	3	1	8	11	13	11	14	6	6	7	15	25	32	34	24	44	32	2
White	277	7	5	3	3	1	8	10	13	11	13	4	6	7	13	19	31	31	22	39	29	2
Black	22	–	–	–	–	–	–	1	–	–	1	2	–	–	2	3	1	3	1	5	3	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Female	242	7	3	5	2	–	4	5	1	5	3	1	3	7	11	15	24	28	40	26	52	–
White	229	6	3	5	2	–	4	5	–	5	2	1	3	6	11	14	24	24	39	26	49	–
Black	11	1	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	3	1	–	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Lake	571	–	2	–	1	2	2	4	3	13	10	11	9	18	25	62	88	94	76	62	89	–
White	556	–	2	–	1	2	2	4	3	11	10	10	9	17	23	62	87	92	75	60	86	–
Black	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–
Indian	10	–	–	–	–	–	–	–	–	2	–	1	–	–	2	–	–	2	1	2	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Male	334	–	2	–	–	1	–	3	2	13	6	5	5	9	17	30	54	62	53	29	43	–
White	324	–	2	–	–	1	–	3	2	11	6	5	5	9	16	30	53	60	52	29	40	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Indian	6	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	2	1	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	237	–	–	–	1	1	2	1	1	–	4	6	4	9	8	32	34	32	23	33	46	–
White	232	–	–	–	1	1	2	1	1	–	4	5	4	8	7	32	34	32	23	31	46	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Indian	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–
Lassen	157	3	4	1	–	1	5	4	2	3	–	5	3	5	12	14	14	23	17	23	18	–
White	153	3	3	1	–	1	5	4	2	3	–	5	3	4	12	13	14	22	17	23	18	–
Black	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	93	2	2	–	–	1	4	4	1	3	–	4	1	4	10	9	10	14	7	10	7	–
White	90	2	1	–	–	1	4	4	1	3	–	4	1	3	10	8	10	14	7	10	7	–
Black	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Female	64	1	2	1	–	–	1	–	1	–	–	1	2	1	2	5	4	9	10	13	11	–
White	63	1	2	1	–	–	1	–	1	–	–	1	2	1	2	5	4	8	10	13	11	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Los Angeles	59,741	997	500	259	137	155	527	1,028	1,085	1,026	1,038	1,181	1,601	2,484	3,779	4,986	6,120	6,828	7,251	7,402	11,324	13
White	50,514	717	353	183	110	115	400	772	798	736	761	860	1,152	1,907	3,021	4,155	5,134	5,897	6,373	6,596	10,462	12
Black	7,424	242	126	57	20	34	108	219	260	249	258	266	370	483	650	682	777	711	673	599	639	1
Indian	45	2	–	–	–	–	3	3	2	2	–	3	6	5	–	2	6	2	4	3	2	–
Chinese	327	4	6	1	1	–	1	3	4	6	4	9	13	11	18	16	47	36	30	43	34	–
Japanese	566	1	1	2	1	–	2	7	6	10	4	5	19	34	40	56	61	43	59	82	133	–
Filipino	121	3	3	–	–	–	3	4	1	6	2	4	5	4	5	10	13	22	18	11	7	–
Other	744	28	11	16	5	6	10	20	14	17	29	34	36	40	45	65	82	97	74	68	47	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Los Angeles (Cont'd.)																						
Male	31,089	535	298	156	75	103	387	801	824	729	711	751	1,036	1,572	2,336	2,981	3,591	3,730	3,649	3,225	3,572	7
White	25,784	396	211	119	63	71	297	609	617	536	530	545	743	1,212	1,850	2,504	3,001	3,219	3,178	2,836	3,241	6
Black	4,189	138	75	30	9	28	77	168	189	165	157	175	248	300	418	378	450	367	329	261	226	1
Indian	18	1	–	–	–	–	2	1	1	1	–	2	2	2	–	–	2	1	2	1	–	–
Chinese	194	2	3	–	–	–	–	1	2	4	2	5	6	9	9	11	30	35	33	26	16	–
Japanese	332	1	1	2	–	–	2	6	5	7	3	2	11	20	20	36	51	26	36	44	59	–
Filipino	89	2	2	–	–	–	2	2	1	5	2	2	3	2	2	7	7	17	16	11	6	–
Other	483	15	6	5	3	4	7	14	9	11	17	20	23	27	37	45	50	65	55	46	24	–
Female	28,652	442	202	103	62	52	140	227	261	297	347	430	565	912	1,443	2,005	2,529	3,098	3,602	4,177	7,752	6
White	24,730	321	142	64	47	44	103	163	181	200	231	315	409	695	1,171	1,651	2,133	2,678	3,195	3,760	7,221	6
Black	3,235	104	51	27	11	6	31	51	71	84	101	91	122	183	232	304	327	344	344	338	413	–
Indian	27	1	–	–	–	–	1	2	1	1	–	1	4	3	–	2	4	1	2	2	2	–
Chinese	133	2	3	1	1	–	1	2	2	2	2	4	7	2	9	5	17	21	17	17	18	–
Japanese	234	–	–	–	1	–	–	1	1	3	1	3	8	14	20	20	10	17	23	38	74	–
Filipino	32	1	1	–	–	–	1	2	–	1	–	2	2	2	3	3	6	5	2	–	1	–
Other	261	13	5	11	2	2	3	6	5	6	12	14	13	13	8	20	32	32	19	22	23	–
Madera	522	7	6	5	2	2	6	9	12	15	8	10	8	14	28	57	58	77	56	52	90	–
White	485	7	6	5	2	2	6	9	12	14	7	10	8	13	24	49	54	72	54	48	83	–
Black	29	–	–	–	–	–	–	–	–	–	1	–	–	1	2	7	2	4	2	4	6	–
Indian	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–
Other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Male	314	4	6	5	2	1	4	8	10	11	6	6	6	11	21	32	39	50	30	22	40	–
White	293	4	6	5	2	1	4	8	10	10	5	6	6	10	18	27	37	46	29	20	39	–
Black	17	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	2	3	1	2	1	–
Indian	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	208	3	–	–	–	1	2	1	2	4	2	4	2	3	7	25	19	27	26	30	50	–
White	192	3	–	–	–	1	2	1	2	4	2	4	2	3	6	22	17	26	25	28	44	–
Black	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	5	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Marin	1,655	12	6	5	1	4	10	14	20	31	32	35	33	65	84	119	171	170	213	220	409	1
White	1,599	10	6	4	1	4	10	14	19	29	25	29	30	60	80	111	167	169	211	218	401	1
Black	34	2	–	–	–	–	–	–	1	1	4	4	3	4	–	4	4	1	2	1	3	–
Chinese	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	3	–
Japanese	5	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other	10	–	–	1	–	–	–	–	–	1	1	–	–	–	2	3	–	–	–	–	2	–
Male	769	4	2	2	1	3	8	7	14	17	24	20	21	39	49	64	89	93	101	93	118	–
White	737	3	2	2	1	3	8	7	13	16	18	17	19	35	46	60	87	92	100	92	116	–
Black	20	1	–	–	–	–	–	–	1	–	4	2	2	3	–	2	2	1	1	1	–	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
Japanese	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other	6	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–	1	–
Female	886	8	4	3	–	1	2	7	6	14	8	15	12	26	35	55	82	77	112	127	291	1
White	862	7	4	2	–	1	2	7	6	13	7	12	11	25	34	51	80	77	111	126	285	1
Black	14	1	–	–	–	–	–	–	–	1	–	2	1	1	–	2	2	–	1	–	3	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
Japanese	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Other	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–
Mariposa	111	1	1	–	–	–	1	–	2	1	–	–	2	2	5	12	18	19	13	17	17	–
White	110	1	1	–	–	–	1	–	2	1	–	–	2	2	5	12	18	19	12	17	17	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Male	60	–	1	–	–	–	1	–	2	1	–	–	1	2	2	5	9	13	8	9	6	–
White	59	–	1	–	–	–	1	–	2	1	–	–	1	2	2	5	9	13	7	9	6	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Female	51	1	–	–	–	–	–	–	–	–	–	–	1	–	3	7	9	6	5	8	11	–
White	51	1	–	–	–	–	–	–	–	–	–	–	1	–	3	7	9	6	5	8	11	–
Mendocino	646	7	2	1	3	–	9	6	6	8	11	9	12	10	39	52	66	91	82	95	137	–
White	634	7	2	1	3	–	8	6	6	8	10	9	11	10	37	51	64	91	81	93	136	–
Black	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–
Indian	7	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–	1	1	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Mendocino (Cont'd.)																						
Male	355	3	1	1	2	–	8	6	4	7	7	6	8	9	22	31	39	64	49	43	45	–
White	349	3	1	1	2	–	7	6	4	7	6	6	7	9	22	31	37	64	49	42	45	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Indian	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	291	4	1	–	1	–	1	–	2	1	4	3	4	1	17	21	27	27	33	52	92	–
White	285	4	1	–	1	–	1	–	2	1	4	3	4	1	15	20	27	27	32	51	91	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Merced	945	16	12	7	3	2	11	19	11	13	10	11	17	40	58	83	101	124	127	126	154	–
White	863	13	11	7	3	2	9	19	10	10	9	11	15	34	54	76	92	111	113	117	147	–
Black	58	3	–	–	–	–	2	–	1	3	1	–	2	4	2	4	6	9	9	6	6	–
Japanese	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	1	–
Filipino	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	2	–	–
Other	8	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	1	–	–
Male	529	6	9	3	2	1	8	15	8	10	7	9	14	26	32	52	70	66	73	60	58	–
White	478	5	9	3	2	1	7	15	8	9	6	9	12	22	30	46	64	58	64	53	55	–
Black	38	1	–	–	–	–	1	–	–	1	1	–	2	3	2	4	5	5	6	4	3	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Filipino	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–
Other	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–
Female	416	10	3	4	1	1	3	4	3	3	3	2	3	14	26	31	31	58	54	66	96	–
White	385	8	2	4	1	1	2	4	2	1	3	2	3	12	24	30	28	53	49	64	92	–
Black	20	2	–	–	–	–	1	–	1	2	–	–	–	1	–	–	1	4	3	2	3	–
Japanese	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	1	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Other	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Modoc	104	1	3	1	–	–	1	2	3	1	2	3	1	2	6	13	13	15	10	13	14	–
White	100	1	3	1	–	–	1	2	3	1	2	2	1	1	6	13	13	13	10	13	14	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Male	54	1	1	–	–	–	1	2	2	–	2	1	1	–	3	6	6	8	6	6	8	–
White	53	1	1	–	–	–	1	2	2	–	2	1	1	–	3	6	6	7	6	6	8	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	50	–	2	1	–	–	–	–	1	1	–	2	–	2	3	7	7	7	4	7	6	–
White	47	–	2	1	–	–	–	–	1	1	–	1	–	1	3	7	7	6	4	7	6	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Mono	31	1	–	–	–	–	1	2	2	1	3	–	1	1	1	4	4	1	3	4	2	–
White	28	1	–	–	–	–	1	1	2	1	3	–	–	1	1	3	4	1	3	4	2	–
Indian	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	19	1	–	–	–	–	1	1	–	1	2	–	1	1	–	4	3	–	1	2	1	–
White	17	1	–	–	–	–	1	1	–	1	2	–	–	1	–	3	3	–	1	2	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	12	–	–	–	–	–	–	1	2	–	1	–	–	–	1	–	1	1	2	2	1	–
White	11	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	1	1	2	2	1	–
Indian	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Monterey	2,046	28	28	10	3	6	25	47	48	31	35	42	31	75	118	149	185	246	263	265	411	–
White	1,881	26	24	9	2	6	24	40	38	26	30	37	27	63	102	132	171	225	249	253	397	–
Black	72	2	3	1	–	–	–	5	7	3	1	4	2	8	6	9	5	6	2	5	3	–
Indian	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Chinese	10	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	4	–
Japanese	11	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	2	2	1	2	–
Filipino	34	–	–	–	–	–	1	–	1	–	1	–	–	3	4	2	1	6	8	4	3	–
Other	36	–	1	–	1	–	–	1	2	2	2	1	2	1	3	2	6	6	2	2	2	–
Male	1,077	15	15	8	2	4	14	41	38	22	21	25	20	41	69	83	108	144	156	110	141	–
White	974	15	13	7	2	4	13	36	31	20	19	21	16	36	59	71	101	127	144	105	134	–
Black	41	–	2	1	–	–	–	3	5	1	1	4	2	3	3	7	2	3	1	1	2	–
Chinese	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	1	–
Japanese	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	2	1	–	–	–
Filipino	30	–	–	–	–	–	1	–	1	–	–	–	–	2	3	2	1	6	8	3	3	–
Other	20	–	–	–	–	–	–	1	1	1	1	–	2	–	2	–	3	5	2	1	1	–
Female	969	13	13	2	1	2	11	6	10	9	14	17	11	34	49	66	77	102	107	155	270	–
White	907	11	11	2	–	2	11	4	7	6	11	16	11	27	43	61	70	98	105	148	263	–
Black	31	2	1	–	–	–	–	2	2	2	–	–	–	5	3	2	3	3	1	4	1	–
Indian	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Chinese	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–
Filipino	4	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	–
Other	16	–	1	–	1	–	–	–	1	1	1	1	–	1	1	2	3	1	–	1	1	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
Napa	930	2	5	3	1	1	3	15	4	9	6	14	12	23	48	64	80	128	151	123	238	–
White	919	2	4	3	1	1	3	13	4	8	6	14	11	23	48	62	78	128	151	122	237	–
Black	5	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Male	465	–	3	1	1	–	1	11	3	6	5	10	5	11	29	40	44	80	79	53	83	–
White	458	–	2	1	1	–	1	9	3	6	5	10	5	11	29	38	43	80	79	53	82	–
Black	4	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	465	2	2	2	–	1	2	4	1	3	1	4	7	12	19	24	36	48	72	70	155	–
White	461	2	2	2	–	1	2	4	1	2	1	4	6	12	19	24	35	48	72	69	155	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Nevada	531	1	6	1	–	4	1	6	7	8	12	6	7	13	23	47	60	86	76	64	102	1
White	528	1	6	1	–	4	1	6	7	7	12	6	7	13	23	47	60	86	76	63	101	1
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Male	295	1	2	1	–	3	1	4	6	6	8	2	7	10	13	23	30	51	44	38	44	1
White	292	1	2	1	–	3	1	4	6	5	8	2	7	10	13	23	30	51	44	37	43	1
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Female	236	–	4	–	–	1	–	2	1	2	4	4	–	3	10	24	30	35	32	26	58	–
White	236	–	4	–	–	1	–	2	1	2	4	4	–	3	10	24	30	35	32	26	58	–
Orange	12,599	199	116	57	20	35	105	181	205	160	187	221	301	554	810	1,078	1,173	1,430	1,560	1,690	2,514	3
White	12,261	181	104	48	17	35	94	173	190	150	175	210	277	531	793	1,048	1,142	1,400	1,534	1,667	2,489	3
Black	92	2	3	7	–	–	3	4	5	5	1	3	10	6	5	12	7	5	10	1	3	–
Indian	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	1	–	–	–	–
Chinese	32	3	–	1	–	–	1	–	–	1	2	–	1	2	–	5	4	5	3	2	2	–
Japanese	42	1	–	–	–	–	1	–	–	–	4	–	2	4	4	4	2	4	1	8	7	–
Filipino	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	2	–	1	–	–
Other	159	12	9	1	3	–	6	4	10	4	5	8	8	10	7	9	14	13	12	11	13	–
Male	6,394	101	64	34	10	18	77	131	149	107	123	135	185	344	487	657	685	763	773	691	858	2
White	6,198	89	54	28	7	18	69	124	141	100	115	124	172	334	477	637	667	750	758	683	849	2
Black	51	2	3	6	–	–	1	3	3	4	–	3	4	2	2	8	1	2	5	–	2	–
Indian	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	–	–	–
Chinese	14	1	–	–	–	–	1	–	–	–	2	–	–	–	–	3	3	1	2	–	1	–
Japanese	23	–	–	–	–	–	–	–	–	–	3	–	–	2	3	3	2	1	1	3	5	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–
Other	99	9	7	–	3	–	6	4	5	3	3	8	7	5	5	6	9	7	7	4	1	–
Female	6,205	98	52	23	10	17	28	50	56	53	64	86	116	210	323	421	488	667	787	999	1,656	1
White	6,063	92	50	20	10	17	25	49	49	50	60	86	105	197	316	411	475	650	776	984	1,640	1
Black	41	–	–	1	–	–	2	1	2	1	1	–	6	4	3	4	6	3	5	1	1	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Chinese	18	2	–	1	–	–	–	–	–	1	–	–	1	2	–	2	1	4	1	2	1	–
Japanese	19	1	–	–	–	–	1	–	–	–	1	–	2	2	1	1	–	3	–	5	2	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Other	60	3	2	1	–	–	–	–	5	1	2	–	1	5	2	3	5	6	5	7	12	–
Placer	995	19	4	6	1	2	7	8	15	18	15	9	23	35	54	89	103	113	146	137	191	–
White	978	19	3	6	1	2	7	8	15	18	15	9	22	34	51	85	101	113	145	135	189	–
Black	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	–	1	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Male	549	11	2	3	1	2	7	7	11	15	11	6	14	21	33	47	58	62	87	76	75	–
White	538	11	1	3	1	2	7	7	11	15	11	6	13	21	31	45	57	62	86	75	73	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Female	446	8	2	3	–	–	–	1	4	3	4	3	9	14	21	42	45	51	59	61	116	–
White	440	8	2	3	–	–	–	1	4	3	4	3	9	13	20	40	44	51	59	60	116	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Plumas	164	–	2	–	–	–	3	–	6	1	3	2	2	10	17	20	21	20	19	21	17	–
White	160	–	2	–	–	–	3	–	6	1	3	2	2	10	16	18	21	20	19	21	16	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
Plumas (Cont'd.)																						
Male	93	–	2	–	–	–	1	–	4	1	1	2	2	6	6	14	16	13	9	11	5	–
White	92	–	2	–	–	–	1	–	4	1	1	2	2	6	6	13	16	13	9	11	5	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	71	–	–	–	–	–	2	–	2	–	2	–	–	4	11	6	5	7	10	10	12	–
White	68	–	–	–	–	–	2	–	2	–	2	–	–	4	10	5	5	7	10	10	11	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Riverside	6,817	98	45	34	13	14	68	91	75	88	81	82	153	199	347	511	849	926	966	943	1,227	7
White	6,511	88	43	32	12	12	64	82	62	79	77	76	133	177	327	485	812	892	933	915	1,203	7
Black	262	9	2	2	1	2	4	7	10	6	3	5	20	15	16	22	35	30	27	25	21	–
Indian	21	1	–	–	–	–	–	2	1	2	1	–	–	3	2	3	2	–	2	–	2	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	2	2	1	–
Other	9	–	–	–	–	–	–	–	2	–	–	1	–	2	1	–	–	–	2	1	–	–
Male	3,802	52	28	15	7	10	51	76	54	65	49	53	100	139	217	299	509	548	567	481	475	7
White	3,626	47	27	15	6	9	49	69	45	57	47	48	87	126	205	284	489	527	547	469	466	7
Black	146	4	1	–	1	1	2	5	8	6	2	4	13	9	10	12	20	17	15	9	7	–
Indian	12	1	–	–	–	–	–	2	1	1	–	–	–	2	1	2	–	–	1	–	1	–
Japanese	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Filipino	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	2	2	1	–
Other	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	1	–	–
Female	3,015	46	17	19	6	4	17	15	21	23	32	29	53	60	130	212	340	378	399	462	752	–
White	2,885	41	16	17	6	3	15	13	17	22	30	28	46	51	122	201	323	365	386	446	737	–
Black	116	5	1	2	–	1	2	2	2	–	1	1	7	6	6	10	15	13	12	16	14	–
Indian	9	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	2	–	1	–	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other	4	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Sacramento	6,142	78	52	27	15	14	61	87	108	100	90	97	203	280	446	561	676	761	742	712	1,027	5
White	5,512	53	34	18	13	13	52	74	95	83	79	87	171	246	383	492	617	698	673	664	963	4
Black	406	18	13	4	2	1	8	12	9	16	9	9	21	26	45	48	40	29	31	25	39	1
Indian	16	1	–	–	–	–	–	–	1	–	1	–	3	2	2	2	1	1	1	1	–	–
Chinese	73	1	–	–	–	–	–	–	–	–	–	–	2	3	4	6	7	13	16	10	11	–
Japanese	49	–	–	–	–	–	–	–	1	–	–	–	3	1	7	6	4	2	6	6	13	–
Filipino	28	–	–	1	–	–	–	–	–	–	–	–	–	–	1	3	2	10	8	2	1	–
Other	58	5	5	4	–	–	1	1	2	1	1	1	3	2	4	4	5	8	7	4	–	–
Male	3,392	49	34	14	10	12	41	59	78	68	59	65	136	180	286	326	395	461	405	346	366	2
White	3,028	31	20	8	9	11	34	51	70	60	54	60	116	160	256	285	354	420	368	319	340	2
Black	233	14	9	3	1	1	6	7	7	7	4	4	14	16	23	30	28	18	13	11	17	–
Indian	9	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–	–	–	1	1	–	–
Chinese	38	1	–	–	–	–	–	–	–	–	–	–	2	1	1	3	6	6	7	7	4	–
Japanese	20	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	1	3	3	4	–
Filipino	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	8	7	2	1	–
Other	43	3	5	3	–	–	1	1	1	1	–	1	1	1	3	3	2	8	6	3	–	–
Female	2,750	29	18	13	5	2	20	28	30	32	31	32	67	100	160	235	281	300	337	366	661	3
White	2,484	22	14	10	4	2	18	23	25	23	25	27	55	86	127	207	263	278	305	345	623	2
Black	173	4	4	1	1	–	2	5	2	9	5	5	7	10	22	18	12	11	18	14	22	1
Indian	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	2	1	1	–	–	–	–
Chinese	35	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	1	7	9	3	7	–
Japanese	29	–	–	–	–	–	–	–	1	–	–	–	3	1	5	3	–	1	3	3	9	–
Filipino	7	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	–
Other	15	2	–	1	–	–	–	–	1	–	1	–	2	1	1	1	3	–	1	1	–	–
San Benito	182	1	2	2	2	1	6	3	1	3	2	3	6	4	11	12	19	20	28	21	34	1
White	177	1	2	2	2	1	6	3	1	3	2	3	6	4	11	11	19	20	25	21	33	1
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Male	111	1	1	2	–	1	5	3	1	3	1	1	4	2	6	8	12	10	22	15	13	–
White	109	1	1	2	–	1	5	3	1	3	1	1	4	2	6	8	12	10	20	15	13	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Female	71	–	1	–	2	–	1	–	–	–	1	2	2	2	5	4	7	10	6	6	21	1
White	68	–	1	–	2	–	1	–	–	–	1	2	2	2	5	3	7	10	5	6	20	1
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
San Bernardino	7,349	139	73	37	17	22	100	142	106	123	107	114	184	298	427	644	793	838	935	928	1,317	5
White	7,007	116	67	34	17	18	88	125	91	109	92	99	172	277	400	623	758	810	911	907	1,288	5
Black	289	20	6	3	–	4	11	15	11	14	10	13	12	17	21	20	30	23	19	19	21	–
Indian	11	2	–	–	–	–	1	–	1	–	1	1	–	–	4	–	1	–	–	–	–	–
Chinese	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–
Filipino	11	–	–	–	–	–	–	1	1	–	1	–	–	–	2	–	–	3	1	2	–	–
Other	23	1	–	–	–	–	–	1	2	–	2	1	–	4	–	1	3	1	2	–	5	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																			
		Under 1																			
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
San Bernardino (Cont'd.)																					
Male	4,076	72	43	26	12	14	79	109	78	85	74	70	114	190	272	390	477	486	531	448	501	5
White	3,867	60	37	24	12	11	72	95	65	76	67	63	107	176	255	376	455	470	518	434	489	5
Black	178	9	6	2	–	3	6	13	9	9	5	6	7	14	14	13	19	12	10	12	9	–
Indian	10	2	–	–	–	–	1	–	1	–	1	1	–	–	3	–	1	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Filipino	7	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	2	1	2	–	–
Other	11	1	–	–	–	–	–	1	2	–	–	–	–	–	–	1	1	1	1	–	3	–
Female	3,273	67	30	11	5	8	21	33	28	38	33	44	70	108	155	254	316	352	404	480	816	–
White	3,140	56	30	10	5	7	16	30	26	33	25	36	65	101	145	247	303	340	393	473	799	–
Black	111	11	–	1	–	1	5	2	2	5	5	7	5	3	7	7	11	11	9	7	12	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Filipino	4	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Other	12	–	–	–	–	–	–	–	–	–	2	1	–	4	–	–	2	–	1	–	2	–
San Diego	13,815	206	98	69	28	42	117	228	185	180	190	222	331	496	829	1,158	1,464	1,706	1,866	1,761	2,626	13
White	13,048	153	74	57	23	35	102	197	162	161	165	190	296	454	788	1,078	1,386	1,640	1,795	1,702	2,578	12
Black	502	35	20	10	2	2	12	22	18	15	15	19	18	29	32	54	48	41	40	40	29	1
Indian	21	1	–	–	–	–	–	1	–	1	–	1	3	–	1	2	2	–	2	3	4	–
Chinese	23	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	4	4	4	3	3	–
Japanese	27	1	–	–	–	–	–	–	–	–	–	1	2	4	1	5	1	4	3	2	3	–
Filipino	74	6	1	–	1	4	2	3	2	1	3	8	6	1	2	2	11	5	7	6	3	–
Other	120	10	3	2	2	1	1	5	3	2	7	3	5	7	5	14	12	12	15	5	6	–
Male	7,354	124	50	39	16	26	92	174	133	119	127	126	205	323	501	706	872	995	993	813	911	9
White	6,906	90	37	32	12	21	80	154	114	108	112	106	185	303	473	657	829	955	955	786	888	9
Black	287	22	11	7	1	–	9	15	15	8	10	13	10	14	21	35	29	23	19	13	12	–
Indian	10	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	1	–	1	2	2	–
Chinese	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	2	2	2	–
Japanese	11	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	2	2	1	–	–
Filipino	47	3	–	–	1	4	2	1	2	–	–	5	4	–	1	2	5	4	6	5	2	–
Other	80	8	2	–	2	1	1	3	2	2	5	2	4	5	5	6	7	8	8	4	5	–
Female	6,461	82	48	30	12	16	25	54	52	61	63	96	126	173	328	452	592	711	873	948	1,715	4
White	6,142	63	37	25	11	14	22	43	48	53	53	84	111	151	315	421	557	685	840	916	1,690	3
Black	215	13	9	3	1	2	3	7	3	7	5	6	8	15	11	19	19	18	21	27	17	1
Indian	11	1	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	–	1	1	2	–
Chinese	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	2	1	1	–
Japanese	16	–	–	–	–	–	–	–	–	–	–	1	2	4	–	1	1	2	1	1	3	–
Filipino	27	3	1	–	–	–	–	2	–	1	3	3	2	1	1	–	6	1	1	1	1	–
Other	40	2	1	2	–	–	–	2	1	–	2	1	1	2	–	8	5	4	7	1	1	–
San Francisco	7,663	48	48	16	5	13	29	51	117	137	119	149	200	282	468	557	742	947	1,087	1,054	1,587	7
White	5,880	25	26	9	2	7	17	34	82	91	82	99	127	184	324	389	542	722	848	870	1,394	6
Black	842	11	13	6	1	3	3	7	21	30	28	34	44	60	90	99	101	89	91	54	56	1
Indian	17	–	1	–	–	–	1	–	2	3	1	2	–	2	1	1	2	–	–	–	1	–
Chinese	570	1	4	1	1	1	5	5	6	7	1	5	11	20	30	42	72	88	90	83	97	–
Japanese	67	–	1	–	–	–	1	–	–	–	2	–	3	3	5	4	2	8	7	15	16	–
Filipino	168	5	1	–	–	–	2	3	4	2	1	5	7	5	13	12	13	24	34	22	15	–
Other	119	6	2	–	1	2	–	2	2	4	4	4	8	8	5	10	10	16	17	10	8	–
Male	4,109	32	30	9	4	9	23	36	90	101	89	104	138	182	275	359	431	538	611	486	558	4
White	3,010	17	16	7	2	5	13	25	65	70	63	68	89	121	190	251	304	400	443	388	470	3
Black	501	6	9	1	–	2	3	5	15	21	20	28	27	38	54	62	66	44	58	25	16	1
Indian	8	–	–	–	–	–	1	–	1	1	1	2	–	–	1	1	–	–	–	–	–	–
Chinese	338	1	2	1	1	1	3	2	5	4	1	2	8	11	16	26	43	54	61	44	52	–
Japanese	34	–	1	–	–	–	1	–	–	–	–	–	2	1	3	3	1	7	5	4	6	–
Filipino	130	4	1	–	–	–	2	2	3	1	1	–	6	4	8	9	10	20	29	19	11	–
Other	88	4	1	–	1	1	–	2	1	4	3	4	6	7	3	7	7	13	15	6	3	–
Female	3,554	16	18	7	1	4	6	15	27	36	30	45	62	100	193	198	311	409	476	568	1,029	3
White	2,870	8	10	2	–	2	4	9	17	21	19	31	38	63	134	138	238	322	405	482	924	3
Black	341	5	4	5	1	1	–	2	6	9	8	6	17	22	36	37	35	45	33	29	40	–
Indian	9	–	1	–	–	–	–	–	1	2	–	–	–	2	–	–	2	–	–	–	1	–
Chinese	232	–	2	–	–	–	2	3	1	3	–	3	3	9	14	16	29	34	29	39	45	–
Japanese	33	–	–	–	–	–	–	–	–	–	2	–	1	2	2	1	1	1	2	11	10	–
Filipino	38	1	–	–	–	–	–	1	1	1	–	5	1	1	5	3	3	4	5	3	4	–
Other	31	2	1	–	–	1	–	–	1	–	1	–	2	1	2	3	3	3	2	4	5	–
San Joaquin	3,282	35	29	17	4	15	41	53	45	53	66	48	69	124	209	288	345	433	429	389	589	1
White	2,894	26	26	14	3	12	35	51	40	36	54	39	58	109	189	252	315	374	370	347	543	1
Black	167	5	1	1	1	2	2	2	3	8	6	5	5	8	14	17	21	25	16	9	16	–
Indian	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–	–
Chinese	31	–	–	–	–	–	–	–	2	–	2	–	–	1	1	7	1	3	5	2	7	–
Japanese	18	–	–	–	–	–	–	–	–	–	–	–	2	1	–	4	1	1	3	3	3	–
Filipino	113	1	1	–	–	–	2	–	–	7	3	2	–	2	2	4	3	23	28	23	12	–
Other	54	3	1	2	–	1	2	–	–	2	1	2	3	3	1	3	4	6	7	5	8	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
San Joaquin (Cont'd.)																						
Male	1,911	23	16	8	3	8	34	37	34	38	49	27	44	63	134	183	235	264	258	201	251	1
White	1,632	18	14	7	2	6	29	36	31	24	39	20	38	55	121	159	216	217	211	165	223	1
Black	110	2	1	1	1	2	1	1	3	8	6	4	2	5	8	10	15	16	10	7	7	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Chinese	23	–	–	–	–	–	–	–	–	–	2	–	–	1	1	6	1	3	3	1	5	–
Japanese	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	1	3	1	1	–
Filipino	98	–	1	–	–	–	2	–	–	5	2	1	–	1	2	3	1	21	26	22	11	–
Other	35	3	–	–	–	–	2	–	–	1	–	2	3	1	1	2	1	5	5	5	4	–
Female	1,371	12	13	9	1	7	7	16	11	15	17	21	25	61	75	105	110	169	171	188	338	–
White	1,262	8	12	7	1	6	6	15	9	12	15	19	20	54	68	93	99	157	159	182	320	–
Black	57	3	–	–	–	–	1	1	–	–	–	1	3	3	6	7	6	9	6	2	9	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Chinese	8	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	2	1	2	–
Japanese	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	2	2	–
Filipino	15	1	–	–	–	–	–	–	–	2	1	1	–	1	–	1	2	2	2	1	1	–
Other	19	–	1	2	–	1	–	–	–	1	1	–	–	2	–	1	3	1	2	–	4	–
San Luis Obispo	1,388	8	7	5	3	2	10	23	19	11	14	22	31	46	55	113	171	194	188	179	287	–
White	1,362	8	7	5	3	2	10	23	18	11	12	22	28	45	54	113	167	188	184	177	285	–
Black	12	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	2	2	2	–	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Filipino	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	2	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	766	6	5	2	1	2	9	21	12	9	8	13	13	26	36	63	99	112	105	106	118	–
White	747	6	5	2	1	2	9	21	11	9	6	13	12	26	35	63	95	107	102	104	118	–
Black	8	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	2	1	1	–	–	–
Filipino	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	2	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	622	2	2	3	2	–	1	2	7	2	6	9	18	20	19	50	72	82	83	73	169	–
White	615	2	2	3	2	–	1	2	7	2	6	9	16	19	19	50	72	81	82	73	167	–
Black	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
San Mateo	4,513	46	29	12	13	8	33	49	68	61	49	79	100	187	326	441	479	536	556	551	889	1
White	4,089	34	19	8	12	3	24	39	54	48	37	59	83	156	294	396	440	489	517	526	850	1
Black	243	5	5	2	–	3	2	6	9	10	8	16	8	22	27	23	24	26	15	9	23	–
Indian	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Chinese	28	–	–	1	–	–	1	–	1	–	–	–	2	1	2	3	2	3	3	5	4	–
Japanese	23	–	–	–	1	–	–	–	–	–	–	1	2	–	1	3	2	1	3	3	6	–
Filipino	56	1	3	1	–	–	3	1	1	2	1	1	–	6	1	4	4	11	10	5	1	–
Other	70	6	2	–	–	2	1	3	3	1	3	2	5	2	1	12	7	5	8	2	5	–
Male	2,372	18	20	9	12	4	23	36	52	33	35	49	58	111	191	293	297	296	283	240	311	1
White	2,120	16	12	6	11	1	18	28	41	28	27	38	50	93	173	259	274	268	257	223	296	1
Black	135	1	4	2	–	2	2	4	8	4	5	9	4	14	13	17	13	12	7	6	8	–
Indian	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Chinese	16	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	2	2	2	3	1	–
Japanese	10	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	1	2	3	–
Filipino	44	–	3	1	–	–	2	1	1	1	1	1	–	3	1	4	3	9	9	4	–	–
Other	44	1	1	–	–	1	–	3	1	–	2	1	3	1	1	9	5	4	7	1	3	–
Female	2,141	28	9	3	1	4	10	13	16	28	14	30	42	76	135	148	182	240	273	311	578	–
White	1,969	18	7	2	1	2	6	11	13	20	10	21	33	63	121	137	166	221	260	303	554	–
Black	108	4	1	–	–	1	–	2	1	6	3	7	4	8	14	6	11	14	8	3	15	–
Indian	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	12	–	–	1	–	–	1	–	–	–	–	–	1	1	–	1	–	1	1	2	3	–
Japanese	13	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	2	1	2	1	3	–
Filipino	12	1	–	–	–	–	1	–	–	1	–	–	–	3	–	–	1	2	1	1	1	–
Other	26	5	1	–	–	1	1	–	2	1	1	1	2	1	–	3	2	1	1	1	2	–
Santa Barbara	2,365	24	19	10	3	6	14	44	40	25	22	42	54	76	117	152	212	281	315	331	578	–
White	2,285	20	19	8	3	5	13	41	37	23	19	40	49	73	112	146	209	269	306	322	571	–
Black	48	3	–	1	–	1	1	3	2	1	1	2	2	–	3	6	3	6	3	5	5	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Japanese	9	1	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	1	1	1	–
Filipino	10	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	3	4	–	–	–
Other	11	–	–	1	–	–	–	–	–	–	2	–	1	1	–	–	–	2	1	2	1	–
Male	1,194	16	11	7	2	4	9	36	32	17	11	31	33	48	68	95	117	161	158	135	203	–
White	1,148	13	11	5	2	3	9	34	29	15	10	30	30	46	65	92	117	153	152	131	201	–
Black	24	2	–	1	–	1	–	2	2	1	–	1	–	–	2	3	–	4	2	2	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Japanese	5	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
Filipino	7	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	2	2	–	–	–
Other	8	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	2	1	1	1	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Santa Barbara (Cont'd.)																						
Female	1,171	8	8	3	1	2	5	8	8	8	11	11	21	28	49	57	95	120	157	196	375	–
White	1,137	7	8	3	1	2	4	7	8	8	9	10	19	27	47	54	92	116	154	191	370	–
Black	24	1	–	–	–	–	1	1	–	–	1	1	2	–	1	3	3	2	1	3	4	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
Santa Clara	7,815	110	74	42	19	26	77	141	131	137	112	170	225	334	508	695	734	905	891	939	1,541	4
White	7,309	90	59	34	17	22	69	125	115	114	98	146	211	300	471	661	688	844	840	906	1,496	3
Black	166	7	10	4	1	1	2	6	4	6	7	11	6	15	14	11	17	14	10	9	11	–
Indian	9	–	–	–	–	–	1	–	3	1	–	1	–	–	–	–	1	–	–	–	1	1
Chinese	55	1	–	1	–	1	1	1	1	3	1	3	–	4	2	5	8	8	8	2	5	–
Japanese	81	2	2	1	–	–	–	1	–	4	1	1	2	5	8	5	5	5	15	10	14	–
Filipino	90	4	–	1	1	1	3	2	2	2	3	3	2	5	3	4	10	21	13	6	4	–
Other	105	6	3	1	–	1	1	6	6	7	2	3	4	5	10	9	5	13	5	6	10	–
Male	4,053	65	41	24	14	14	50	106	99	92	70	109	140	189	308	430	432	498	446	423	499	4
White	3,767	52	32	17	13	12	44	93	86	78	60	92	130	172	291	418	412	454	418	408	482	3
Black	95	4	5	4	1	–	1	5	4	6	5	8	4	7	8	7	7	7	2	4	6	–
Indian	6	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	1	–	–	–	–	1
Chinese	31	1	–	–	–	1	1	1	1	1	1	2	–	2	1	1	3	5	8	1	1	–
Japanese	33	2	1	1	–	–	–	1	–	2	1	–	–	1	2	2	2	4	9	2	3	–
Filipino	55	1	–	1	–	–	3	–	1	1	1	1	2	4	1	1	5	19	6	4	4	–
Other	66	5	3	1	–	1	–	6	5	4	2	5	4	3	5	1	2	9	3	4	3	–
Female	3,762	45	33	18	5	12	27	35	32	45	42	61	85	145	200	265	302	407	445	516	1,042	–
White	3,542	38	27	17	4	10	25	32	29	36	38	54	81	128	180	243	276	390	422	498	1,014	–
Black	71	3	5	–	–	1	1	1	–	–	2	3	2	8	6	4	10	7	8	5	5	–
Indian	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–
Chinese	24	–	–	1	–	–	–	–	–	2	–	1	–	2	1	4	5	3	–	1	4	–
Japanese	48	–	1	–	–	–	–	–	–	2	–	1	2	4	6	3	3	1	6	8	11	–
Filipino	35	3	–	–	1	1	–	2	1	1	2	2	–	1	2	3	5	2	7	2	–	–
Other	39	1	–	–	–	–	1	–	1	3	–	–	–	2	5	8	3	4	2	2	7	–
Santa Cruz	1,664	22	12	5	2	2	10	24	19	31	25	22	20	41	77	113	165	190	237	258	386	3
White	1,637	18	10	5	2	2	10	21	19	30	23	22	19	40	77	111	164	188	236	255	382	3
Black	9	4	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Indian	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Japanese	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–
Filipino	6	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	1	1	1	–
Other	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Male	848	14	9	4	1	1	7	14	12	22	18	11	11	27	41	70	87	102	123	123	149	2
White	830	13	7	4	1	1	7	12	12	21	16	11	11	26	41	69	86	100	122	121	147	2
Black	6	1	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Indian	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Filipino	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	–
Other	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Female	816	8	3	1	1	1	3	10	7	9	7	11	9	14	36	43	78	88	114	135	237	1
White	807	5	3	1	1	1	3	9	7	9	7	11	8	14	36	42	78	88	114	134	235	1
Black	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Indian	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Shasta	1,108	10	6	3	1	3	13	9	17	9	19	15	33	39	80	100	126	156	171	128	170	–
White	1,094	10	6	3	1	3	12	9	17	9	19	15	32	38	79	97	123	154	170	128	169	–
Black	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	–	–
Indian	6	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	623	5	3	2	–	2	11	6	11	7	12	9	17	26	43	58	80	97	96	79	59	–
White	614	5	3	2	–	2	10	6	11	7	12	9	17	26	42	55	77	96	96	79	59	–
Black	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–
Indian	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	485	5	3	1	1	1	2	3	6	2	7	6	16	13	37	42	46	59	75	49	111	–
White	480	5	3	1	1	1	2	3	6	2	7	6	15	12	37	42	46	58	74	49	110	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Indian	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Sierra	15	1	–	–	1	–	–	–	–	–	–	–	1	–	–	2	2	4	2	–	2	–
White	14	1	–	–	1	–	–	–	–	–	–	–	1	–	–	1	2	4	2	–	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Sierra (Cont'd.)																						
Male	13	–	–	–	1	–	–	–	–	–	–	–	1	–	–	2	2	4	1	–	2	–
White	12	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	2	4	1	–	2	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
White	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Siskiyou	403	5	2	1	1	2	3	5	2	2	10	9	10	12	33	32	47	59	58	49	61	–
White	390	5	2	1	1	2	3	4	2	2	9	7	10	12	32	31	47	57	57	48	58	–
Black	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–
Indian	9	–	–	–	–	–	–	1	–	–	1	2	–	–	1	1	–	–	–	1	2	–
Male	221	3	1	1	–	1	3	5	1	2	8	4	4	8	18	20	33	37	32	17	23	–
White	214	3	1	1	–	1	3	4	1	2	7	3	4	8	17	19	33	37	31	17	22	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Indian	5	–	–	–	–	–	–	1	–	–	1	1	–	–	1	1	–	–	–	–	–	–
Female	182	2	1	–	1	1	–	–	1	–	2	5	6	4	15	12	14	22	26	32	38	–
White	176	2	1	–	1	1	–	–	1	–	2	4	6	4	15	12	14	20	26	31	36	–
Black	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Indian	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–
Solano	1,668	27	16	7	6	6	11	31	34	32	29	25	44	66	113	170	191	218	215	202	225	–
White	1,434	20	12	5	4	5	9	27	26	23	25	19	38	55	91	148	158	183	188	189	209	–
Black	161	5	4	2	–	–	1	3	6	6	2	5	5	9	18	14	25	21	17	7	11	–
Chinese	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Filipino	34	1	–	–	–	1	–	1	–	1	–	–	1	1	2	3	3	7	8	2	3	–
Other	31	1	–	–	2	–	1	–	2	1	2	1	–	1	1	5	3	4	1	4	2	–
Male	922	13	7	4	1	3	11	24	21	26	19	16	27	42	71	103	113	140	106	89	86	–
White	775	9	4	3	1	3	9	21	17	19	18	12	22	34	61	90	95	111	88	80	78	–
Black	99	3	3	1	–	–	1	2	4	5	1	3	4	6	9	10	13	16	9	5	4	–
Chinese	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Filipino	26	1	–	–	–	–	–	1	–	1	–	–	1	1	–	1	2	7	7	2	2	–
Other	16	–	–	–	–	–	1	–	–	1	–	1	–	1	–	2	2	3	1	2	2	–
Female	746	14	9	3	5	3	–	7	13	6	10	9	17	24	42	67	78	78	109	113	139	–
White	659	11	8	2	3	2	–	6	9	4	7	7	16	21	30	58	63	72	100	109	131	–
Black	62	2	1	1	–	–	–	1	2	1	1	2	1	3	9	4	12	5	8	2	7	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Filipino	8	–	–	–	–	1	–	–	–	–	–	–	–	–	2	2	1	–	1	–	1	–
Other	15	1	–	–	2	–	–	–	2	–	2	–	–	–	1	3	1	1	–	2	–	–
Sonoma	2,934	24	15	11	6	3	19	30	27	26	17	37	54	96	136	194	342	427	411	408	649	2
White	2,894	24	14	11	5	3	19	27	25	25	17	37	53	92	131	193	338	423	408	404	643	2
Black	21	–	–	–	1	–	–	1	2	–	–	–	1	3	4	–	2	3	–	2	2	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Chinese	4	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Filipino	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other	8	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	1	1	1	1	–
Male	1,534	18	8	6	4	1	15	23	21	19	14	23	37	54	83	113	207	240	207	200	241	–
White	1,510	18	7	6	3	1	15	21	19	19	14	23	36	51	80	113	204	239	205	197	239	–
Black	12	–	–	–	1	–	–	1	2	–	–	–	1	2	3	–	1	–	–	1	–	–
Chinese	4	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	–
Female	1,400	6	7	5	2	2	4	7	6	7	3	14	17	42	53	81	135	187	204	208	408	2
White	1,384	6	7	5	2	2	4	6	6	6	3	14	17	41	51	80	134	184	203	207	404	2
Black	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	1	2	–
Indian	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Filipino	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Stanislaus	2,355	37	15	6	7	7	36	34	30	25	31	38	53	103	134	195	239	306	314	284	460	1
White	2,313	37	15	5	7	7	34	32	30	25	31	36	51	102	130	190	237	301	308	279	455	1
Black	22	–	–	–	–	–	1	–	–	–	–	–	1	1	2	4	2	3	4	2	2	–
Indian	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Chinese	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	2	–
Japanese	3	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–
Other	5	–	–	1	–	–	–	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neonatal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Unknown
Stanislaus (Cont'd.)																						
Male	1,325	19	11	4	2	5	27	26	27	20	18	20	29	65	88	116	155	179	190	153	170	1
White	1,296	19	11	3	2	5	26	24	27	20	18	19	28	64	85	111	154	175	185	151	168	1
Black	16	–	–	–	–	–	1	–	–	–	–	–	–	1	1	4	1	3	3	1	1	–
Chinese	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–
Japanese	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Filipino	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–
Other	4	–	–	1	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Female	1,030	18	4	2	5	2	9	8	3	5	13	18	24	38	46	79	84	127	124	131	290	–
White	1,017	18	4	2	5	2	8	8	3	5	13	17	23	38	45	79	83	126	123	128	287	–
Black	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	1	1	–
Indian	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Japanese	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Sutter	449	3	3	1	2	2	5	7	10	9	4	8	9	20	26	41	33	57	60	60	88	1
White	423	3	3	1	1	1	4	6	9	9	4	7	7	20	23	38	33	56	56	56	85	1
Black	6	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	2	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Japanese	8	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	1	3	–
Other	11	–	–	–	1	–	–	1	1	–	–	1	1	–	2	–	–	–	3	1	–	–
Male	245	–	2	1	2	1	4	7	8	8	4	6	6	14	18	23	19	30	34	29	28	1
White	227	–	2	1	1	–	3	6	7	8	4	5	5	14	17	21	19	29	31	26	27	1
Black	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Japanese	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	1	1	–
Other	10	–	–	–	1	–	–	1	1	–	–	1	1	–	1	–	–	–	3	1	–	–
Female	204	3	1	–	–	1	1	–	2	1	–	2	3	6	8	18	14	27	26	31	60	–
White	196	3	1	–	–	1	1	–	2	1	–	2	2	6	6	17	14	27	25	30	58	–
Black	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tehama	437	5	4	–	3	1	6	3	7	4	6	6	8	15	30	41	39	67	65	51	76	–
White	435	5	4	–	3	1	6	3	7	4	6	6	8	14	29	41	39	67	65	51	76	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Male	254	4	2	–	2	1	3	2	5	3	4	2	6	13	18	24	24	43	36	30	32	–
White	252	4	2	–	2	1	3	2	5	3	4	2	6	12	17	24	24	43	36	30	32	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Female	183	1	2	–	1	–	3	1	2	1	2	4	2	2	12	17	15	24	29	21	44	–
White	183	1	2	–	1	–	3	1	2	1	2	4	2	2	12	17	15	24	29	21	44	–
Trinity	97	–	1	1	–	–	1	–	1	1	3	2	1	7	7	8	8	18	16	7	14	1
White	96	–	1	1	–	–	1	–	1	1	3	2	1	7	7	7	8	18	16	7	14	1
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Male	56	–	1	–	–	–	–	–	1	–	1	2	1	4	6	6	6	11	8	3	5	1
White	55	–	1	–	–	–	–	–	1	–	1	2	1	4	6	5	6	11	8	3	5	1
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	41	–	–	1	–	–	1	–	–	1	2	–	–	3	1	2	2	7	8	4	9	–
White	41	–	–	1	–	–	1	–	–	1	2	–	–	3	1	2	2	7	8	4	9	–
Tulare	2,071	43	24	14	7	12	38	39	35	33	36	31	63	79	98	160	208	251	272	277	351	–
White	1,995	42	24	14	7	12	38	38	31	30	35	31	60	74	91	158	199	240	260	267	344	–
Black	42	1	–	–	–	–	–	–	2	2	–	–	1	4	5	2	6	6	5	5	3	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Japanese	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	–
Filipino	17	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	2	4	6	2	–	–
Other	10	–	–	–	–	–	–	1	–	1	–	–	2	–	2	–	1	1	–	1	1	–
Male	1,173	22	12	10	4	8	29	28	24	26	27	24	42	51	65	96	123	145	163	141	133	–
White	1,130	22	12	10	4	8	29	28	22	25	26	24	41	47	60	94	119	139	154	136	130	–
Black	21	–	–	–	–	–	–	–	1	1	–	–	–	3	4	2	3	1	3	2	1	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–
Filipino	13	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	4	5	2	–	–
Other	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–
Female	898	21	12	4	3	4	9	11	11	7	9	7	21	28	33	64	85	106	109	136	218	–
White	865	20	12	4	3	4	9	10	9	5	9	7	19	27	31	64	80	101	106	131	214	–
Black	21	1	–	–	–	–	–	–	1	1	–	–	1	1	1	–	3	5	2	3	2	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Filipino	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–
Other	5	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	1	–
Tuolumne	316	1	2	–	1	1	1	1	2	6	4	2	8	12	19	21	38	48	53	36	59	1
White	314	1	2	–	1	1	1	1	2	6	4	2	8	12	19	21	38	48	52	35	59	1
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table 5–5 (Continued)

DEATHS BY SEX, RACE, AND AGE
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY, SEX, AND RACE[1]	TOTAL ALL AGES	AGE IN YEARS																				
		Under 1																				
		Neo-natal	1–11 Months	1–4	5–9	10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and Over	Un-known
Tuolumne (Cont'd.)																						
Male	185	1	1	–	1	–	–	1	1	4	3	1	6	6	9	16	24	37	29	20	25	–
White	183	1	1	–	1	–	–	1	1	4	3	1	6	6	9	16	24	37	28	19	25	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Indian	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Female	131	–	1	–	–	1	1	–	1	2	1	1	2	6	10	5	14	11	24	16	34	1
White	131	–	1	–	–	1	1	–	1	2	1	1	2	6	10	5	14	11	24	16	34	1
Ventura	3,385	67	24	22	8	17	27	63	46	47	63	60	87	126	204	279	356	424	452	439	570	4
White	3,301	63	24	22	8	15	25	60	42	42	60	56	83	122	194	276	348	413	447	433	564	4
Black	48	4	–	–	–	1	2	3	3	4	2	4	3	1	6	3	4	2	2	1	3	–
Indian	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Japanese	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	1	–
Filipino	13	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	2	5	1	2	1	–
Other	15	–	–	–	–	–	–	–	1	–	–	–	–	2	2	–	1	3	2	3	1	–
Male	1,863	39	17	9	6	12	21	50	39	37	50	34	52	79	131	174	205	248	234	219	205	2
White	1,809	37	17	9	6	12	21	47	35	33	47	32	51	77	123	172	201	242	232	213	200	2
Black	30	2	–	–	–	–	–	3	3	4	2	2	1	1	5	2	2	–	–	1	2	–
Chinese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Filipino	8	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	1	2	1	–
Other	12	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	3	1	3	1	–
Female	1,522	28	7	13	2	5	6	13	7	10	13	26	35	47	73	105	151	176	218	220	365	2
White	1,492	26	7	13	2	3	4	13	7	9	13	24	32	45	71	104	147	171	215	220	364	2
Black	18	2	–	–	–	1	2	–	–	–	–	2	2	–	1	1	2	2	2	–	1	–
Indian	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Filipino	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
Yolo	806	11	7	3	3	1	11	17	10	12	11	14	19	23	49	82	86	103	101	106	137	–
White	773	10	7	2	3	1	10	15	9	11	10	13	18	23	46	79	85	98	100	102	131	–
Black	17	–	–	–	–	–	–	1	–	1	–	1	1	–	2	1	–	5	–	3	2	–
Indian	3	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–
Filipino	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Other	6	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	3	–
Male	456	3	4	3	3	1	6	14	8	9	7	10	11	13	26	53	52	61	56	54	62	–
White	438	3	4	2	3	1	6	12	7	8	7	9	10	13	25	52	52	58	55	51	60	–
Black	11	–	–	–	–	–	–	1	–	1	–	1	1	–	1	1	–	3	–	2	–	–
Indian	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other	3	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	350	8	3	–	–	–	5	3	2	3	4	4	8	10	23	29	34	42	45	52	75	–
White	335	7	3	–	–	–	4	3	2	3	3	4	8	10	21	27	33	40	45	51	71	–
Black	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	2	–
Indian	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chinese	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Japanese	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Filipino	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Yuba	414	6	7	1	1	1	4	6	7	7	5	6	15	12	32	41	56	48	56	45	58	–
White	398	5	6	1	1	1	4	6	6	6	5	6	15	10	32	38	55	44	54	45	58	–
Black	11	1	–	–	–	–	–	–	1	1	–	–	–	2	–	2	–	4	–	–	–	–
Indian	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Male	245	2	3	1	1	1	3	4	4	6	5	5	9	7	20	22	38	32	36	24	22	–
White	235	2	3	1	1	1	3	4	4	5	5	5	9	5	20	20	38	29	34	24	22	–
Black	7	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	3	–	–	–	–
Chinese	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Filipino	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Female	169	4	4	–	–	–	1	2	3	1	–	1	6	5	12	19	18	16	20	21	36	–
White	163	3	3	–	–	–	1	2	2	1	–	1	6	5	12	18	17	15	20	21	36	–
Black	4	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
Indian	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

---

[1] The "White" category includes "Mexican" and "race not specified" or "unknown." No seperate "Hispanic" or "Mexican" category is shown because there are indications that these categories were underreported.

Source: State of California, Department of Health Services, Death Records.

Table 5–6

DEATHS BY MONTH OF DEATH
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY	TOTAL DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
California	188,255	17,128	14,977	16,521	16,098	15,837	15,228	15,452	15,119	14,652	15,385	15,369	16,489
Alameda	9,397	899	736	809	829	837	765	744	762	699	779	722	816
Alpine	2	–	–	–	–	–	–	–	–	1	–	–	1
Amador	227	24	23	19	23	15	21	16	22	20	18	12	14
Butte	1,434	148	109	123	117	123	134	116	131	99	105	95	134
Calaveras	226	20	21	16	21	16	16	19	24	15	18	20	20
Colusa	133	8	8	10	13	17	14	8	12	17	11	12	3
Contra Costa	4,920	452	407	428	440	414	391	394	384	383	386	427	414
Del Norte	192	17	6	17	22	16	22	21	16	11	15	14	15
El Dorado	610	50	53	52	57	33	60	64	48	42	46	41	64
Fresno	4,042	374	347	333	333	338	296	302	332	300	371	335	381
Glenn	218	19	21	14	17	23	11	16	13	17	25	19	23
Humboldt	926	77	78	82	79	67	82	84	80	72	75	69	81
Imperial	630	67	50	47	52	63	51	53	48	46	52	41	60
Inyo	196	18	15	19	17	19	15	18	17	12	11	17	18
Kern	3,355	291	274	299	308	284	249	283	258	269	264	292	284
Kings	546	29	34	48	53	44	36	45	39	42	64	52	60
Lake	571	60	43	52	49	48	41	48	52	30	43	47	58
Lassen	157	10	13	15	10	15	19	10	16	15	11	9	14
Los Angeles	59,741	5,458	4,856	5,250	4,949	5,070	4,782	4,896	4,792	4,817	4,864	4,826	5,181
Madera	522	50	56	35	38	33	41	47	46	38	40	48	50
Marin	1,655	155	135	144	135	141	147	122	128	114	135	143	156
Mariposa	111	5	10	9	10	5	10	9	9	11	18	8	7
Mendocino	646	51	53	57	59	64	59	61	55	43	42	47	55
Merced	945	75	64	96	84	75	72	77	79	64	79	83	97
Modoc	104	8	3	10	6	5	8	10	8	15	9	15	7
Mono	31	2	4	3	1	4	5	2	1	3	3	1	2
Monterey	2,046	175	179	182	172	166	157	184	150	140	174	185	182
Napa	930	94	71	56	86	76	77	78	81	77	69	83	82
Nevada	531	44	38	54	54	46	55	26	28	45	42	50	49
Orange	12,599	1,066	1,008	1,063	1,068	1,086	1,094	1,063	1,051	989	1,021	997	1,093
Placer	995	91	82	77	95	86	88	93	80	70	72	80	81
Plumas	164	17	19	7	16	10	16	11	17	14	13	11	13
Riverside	6,817	626	536	572	605	531	548	552	553	539	570	590	595
Sacramento	6,142	568	448	558	545	525	477	505	508	473	477	537	521
San Benito	182	23	6	16	21	18	13	18	8	15	18	12	14
San Bernardino	7,349	632	624	678	657	561	601	566	605	553	600	632	640
San Diego	13,815	1,252	1,089	1,204	1,099	1,227	1,117	1,185	1,137	1,082	1,163	1,135	1,125
San Francisco	7,663	746	555	698	633	642	650	595	599	607	583	641	714
San Joaquin	3,282	313	251	318	289	239	266	255	260	264	294	244	289
San Luis Obispo	1,388	115	101	109	122	137	118	103	94	119	131	109	130
San Mateo	4,513	428	373	420	415	359	355	368	321	325	351	359	439
Santa Barbara	2,365	228	172	220	202	215	177	179	202	168	212	196	194
Santa Clara	7,815	692	615	677	696	691	628	657	643	608	599	632	677
Santa Cruz	1,664	175	128	166	136	109	134	127	149	106	147	120	167
Shasta	1,108	109	71	93	81	79	82	114	99	80	101	103	96
Sierra	15	–	1	1	2	–	3	–	2	1	2	–	3
Siskiyou	403	31	28	37	36	31	40	29	33	26	34	32	46
Solano	1,668	160	117	163	153	125	119	138	135	126	153	133	146
Sonoma	2,934	265	249	282	257	242	259	240	210	210	218	239	263
Stanislaus	2,355	213	197	207	217	203	179	193	166	199	204	177	200
Sutter	449	41	44	28	44	37	33	35	35	39	34	42	37
Tehama	437	44	32	39	40	33	37	39	38	34	40	34	27
Trinity	97	7	10	9	15	4	7	9	6	11	7	7	5
Tulare	2,071	184	149	181	182	181	153	194	160	158	158	188	183
Tuolumne	316	26	18	38	25	25	24	27	23	30	25	25	30
Ventura	3,385	298	257	278	303	265	267	307	264	261	290	267	328
Yolo	806	69	55	68	68	81	69	71	64	54	66	79	62
Yuba	414	29	35	35	42	38	38	26	26	34	33	35	43

Source: State of California, Department of Health Services, Death Records.

Table 5–7

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING CALIFORNIA COUNTIES, 1982

(By place of occurrence)

COUNTY	ACCIDENTAL DEATHS (800—869, 880—929)	TRANSPORT ACCIDENTS			NONTRANSPORT ACCIDENTS						
		Total (800—848)	Motor Vehicle (810—825)	Other (800—807, 826—848)	Total (850—869, 880—928)	Poisoning by Solids and Liquids (850—866)	Poisoning by Gases and Vapors (867—869)	Falls (880—888)	Fire and Flames (890—899)	Drowning (910)	Other (900—909, 911—928)
California	9,547	5,409	4,955	454	4,028	971	62	1,013	387	647	948
Alameda	310	151	140	11	155	31	2	58	15	18	31
Alpine	3	1	—	1	2	—	—	—	—	1	1
Amador	6	4	4	—	2	—	—	—	—	—	2
Butte	73	40	37	3	31	1	—	11	5	4	10
Calaveras	15	12	11	1	3	—	—	1	—	1	1
Colusa	4	3	3	—	1	—	—	—	—	—	1
Contra Costa	214	114	101	13	99	18	—	21	10	10	40
Del Norte	16	11	4	7	5	1	—	1	—	1	2
El Dorado	52	35	31	4	17	1	—	2	1	6	7
Fresno	321	188	182	6	127	23	5	18	18	26	37
Glenn	14	7	6	1	7	1	1	2	1	—	2
Humboldt	69	43	32	11	26	2	—	7	6	2	9
Imperial	105	63	59	4	40	7	—	3	3	22	5
Inyo	23	15	13	2	8	1	—	5	—	—	2
Kern	298	218	195	23	79	6	1	12	9	21	30
Kings	62	48	45	3	13	4	—	4	—	2	3
Lake	36	23	16	7	12	2	—	—	3	2	5
Lassen	18	15	12	3	3	1	—	—	—	1	1
Los Angeles	2,568	1,234	1,188	46	1,301	476	12	288	141	161	223
Madera	50	26	24	2	23	1	2	5	5	6	4
Marin	77	30	28	2	44	3	1	17	3	9	11
Mariposa	12	10	6	4	2	1	—	—	—	—	1
Mendocino	63	37	33	4	26	—	—	6	3	8	9
Merced	68	44	36	8	23	1	—	4	3	8	7
Modoc	11	7	7	—	4	—	—	—	—	—	4
Mono	12	11	8	3	1	—	—	—	—	—	1
Monterey	136	87	82	5	48	8	1	15	3	8	13
Napa	66	39	34	5	27	1	—	12	1	5	8
Nevada	43	26	20	6	16	1	—	3	2	5	5
Orange	524	289	278	11	229	72	2	59	15	39	42
Placer	75	46	36	10	28	1	—	7	—	4	16
Plumas	25	17	10	7	6	—	—	2	—	1	3
Riverside	406	275	247	28	128	26	1	27	8	26	40
Sacramento	276	173	159	14	98	15	2	29	14	9	29
San Benito	19	17	14	3	2	1	—	—	—	—	1
San Bernardino	495	356	326	30	135	21	6	35	16	17	40
San Diego	657	382	341	41	270	65	11	57	12	46	79
San Francisco	307	83	79	4	218	71	3	65	30	11	38
San Joaquin	211	121	108	13	90	15	1	24	11	25	14
San Luis Obispo	94	67	64	3	26	2	1	4	2	9	8
San Mateo	142	61	59	2	77	16	2	26	8	8	17
Santa Barbara	131	88	74	14	43	6	1	18	—	5	13
Santa Clara	364	204	184	20	154	18	—	63	10	32	31
Santa Cruz	93	43	38	5	49	5	—	9	2	10	23
Shasta	75	54	47	7	20	5	—	7	—	3	5
Sierra	4	2	1	1	2	1	—	—	—	—	1
Siskiyou	39	25	14	11	14	2	—	5	2	—	5
Solano	75	42	39	3	31	3	—	13	2	6	7
Sonoma	129	80	75	5	48	5	1	10	7	18	7
Stanislaus	174	109	104	5	65	8	—	20	5	14	18
Sutter	30	22	16	6	8	—	—	3	1	2	2
Tehama	32	24	24	—	8	1	—	2	2	1	2
Trinity	20	15	7	8	5	—	—	—	1	3	1
Tulare	142	94	91	3	47	8	4	11	4	14	6
Tuolumne	25	19	14	5	6	1	—	1	—	2	2
Ventura	155	101	93	8	53	10	—	15	3	10	15
Yolo	49	35	35	—	13	—	2	5	—	4	2
Yuba	34	23	21	2	10	2	—	1	—	1	6

Table 5–7 (Continued)

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING CALIFORNIA COUNTIES, 1982

(By place of occurrence)

COUNTY	LATE EFFECTS OF ACCIDENTAL INJURY (929)	MEDICAL				SUICIDE (950–959)	HOMICIDE (960–969)	LEGAL INTERVENTION (970–978)	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (980–989)	INJURY RESULTING FROM OPERATIONS OF WAR (890–999)
		Total (870–879, 930–949)	Misadventures: Surgical and Medical (870–876)	Adverse Patient Reaction						
				Surgical and Medical (878–879)	Drugs, Medicaments, and Biological Substances (930–949)					
California	110	280	87	175	18	3,776	2,886	35	288	1
Alameda	4	13	6	7	—	164	135	5	31	—
Alpine	—	—	—	—	—	—	—	—	—	—
Amador	—	—	—	—	—	—	—	—	—	—
Butte	2	3	1	2	—	19	12	—	—	—
Calaveras	—	—	—	—	—	4	2	—	2	—
Colusa	—	—	—	—	—	2	1	—	—	—
Contra Costa	1	6	—	4	2	90	53	1	5	—
Del Norte	—	—	—	—	—	1	1	—	1	—
El Dorado	—	—	—	—	—	14	7	—	—	—
Fresno	6	11	3	8	—	68	75	—	4	—
Glenn	—	—	—	—	—	5	2	—	—	—
Humboldt	—	3	—	2	1	19	19	3	2	—
Imperial	2	1	—	1	—	12	8	—	2	—
Inyo	—	—	—	—	—	4	3	—	—	—
Kern	1	10	1	9	—	64	60	—	4	—
Kings	1	—	—	—	—	8	14	—	—	—
Lake	1	—	—	—	—	12	—	—	1	—
Lassen	—	1	1	—	—	3	1	—	—	—
Los Angeles	33	66	24	41	1	1,155	1,476	3	24	1
Madera	1	—	—	—	—	8	12	—	—	—
Marin	3	2	—	2	—	41	6	—	15	—
Mariposa	—	—	—	—	—	1	1	—	—	—
Mendocino	—	—	—	—	—	10	2	—	2	—
Merced	1	—	—	—	—	14	6	—	—	—
Modoc	—	—	—	—	—	4	1	—	—	—
Mono	—	—	—	—	—	4	—	—	—	—
Monterey	1	6	2	3	1	52	35	1	—	—
Napa	—	3	1	2	—	23	3	—	2	—
Nevada	1	—	—	—	—	13	4	—	—	—
Orange	6	10	2	7	1	270	89	2	4	—
Placer	1	1	—	1	—	22	1	—	—	—
Plumas	2	—	—	—	—	4	4	—	—	—
Riverside	3	6	4	1	1	142	70	2	—	—
Sacramento	5	11	3	8	—	149	86	1	16	—
San Benito	—	—	—	—	—	5	—	—	—	—
San Bernardino	4	10	6	4	—	162	111	1	54	—
San Diego	5	20	12	7	1	307	126	6	24	—
San Francisco	6	36	9	25	2	175	114	1	27	—
San Joaquin	—	4	1	3	—	48	58	—	23	—
San Luis Obispo	1	1	—	1	—	31	9	—	—	—
San Mateo	4	2	—	1	1	88	35	2	13	—
Santa Barbara	—	4	—	3	1	52	18	—	—	—
Santa Clara	6	12	1	10	1	134	72	4	9	—
Santa Cruz	1	4	—	4	—	30	8	—	—	—
Shasta	1	—	—	—	—	25	5	—	1	—
Sierra	—	—	—	—	—	1	—	—	—	—
Siskiyou	—	1	1	—	—	6	7	—	—	—
Solano	2	6	4	1	1	43	16	—	4	—
Sonoma	1	3	1	1	1	50	11	—	6	—
Stanislaus	—	12	3	8	1	38	20	1	—	—
Sutter	—	—	—	—	—	6	5	—	—	—
Tehama	—	2	1	1	—	4	3	—	1	—
Trinity	—	—	—	—	—	2	4	—	—	—
Tulare	1	—	—	—	—	22	34	—	—	—
Tuolumne	—	1	—	1	—	7	2	—	—	—
Ventura	1	8	—	6	2	81	32	—	9	—
Yolo	1	—	—	—	—	11	2	2	2	—
Yuba	1	1	—	1	—	7	5	—	—	—

Note: Numbers in parentheses appearing in column headings are Ninth Revision International Classification of Diseases numbers.

Source: State of California, Department of Health Services, Death Records.

Table 5–8

DEATHS FROM SELECTED CAUSES CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
001–999	Total, All Causes	188,255	762.3	9,397	2	227	1,434	226	133	4,920	192	610	4,042	218	926	630
001–139	Infectious and Parasitic Diseases	1,466	5.9	91	–	3	10	2	1	58	1	8	30	2	6	8
007–009	Certain other intestinal infections	40	0.2	5	–	–	–	–	–	1	–	–	–	–	–	2
010–018	Tuberculosis	200	0.8	7	–	–	2	–	–	4	–	2	8	–	–	1
036	Meningococcal infection	22	0.1	2	–	–	–	–	–	–	–	–	–	–	–	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1 072.2, 138, 139.0	Central nervous system viral diseases	87	0.4	7	–	–	1	1	1	5	–	–	–	–	1	–
070	Viral hepatitis	131	0.5	8	–	–	–	–	–	3	–	1	2	–	–	2
090–097	Syphilis	20	0.1	1	–	–	–	–	–	2	–	–	–	–	–	–
Remainder of 001–139	Other infectious and parasitic diseases	966	3.9	61	–	3	7	1	–	43	1	5	20	2	5	3
140–208	Neoplasms, Malignant	42,774	173.2	2,125	1	51	333	56	28	1,273	49	157	904	43	214	129
140–149	Lip, oral cavity, and pharynx	953	3.9	51	–	–	5	2	–	21	–	3	24	–	2	8
151	Stomach	1,521	6.2	73	–	3	9	2	1	35	–	4	39	2	3	2
150, 152–159	Other digestive organs and peritoneum	9,148	37.0	478	–	13	66	10	6	280	13	29	197	5	50	22
162	Trachea, bronchus, and lung	10,980	44.5	520	–	12	92	20	7	325	11	48	227	13	50	40
160, 161, 163–165	Other respiratory and intrathoracic organs	437	1.8	22	–	–	2	–	–	12	–	2	7	–	3	–
174–175	Breast	3,887	31.0[a,b]	205	–	5	34	6	3	136	4	12	62	3	13	13
180	Cervix uteri	423	3.4[b]	21	–	–	1	–	–	16	–	1	13	–	2	–
179, 181, 182	Other parts of uterus	633	5.1[b]	31	–	1	7	1	1	26	1	3	8	2	3	–
183–184	Other female genital organs	1,210	9.7[b]	67	–	–	9	1	1	28	2	6	26	1	4	2
185–187	Male genital organs	2,446	20.1[b]	115	–	2	30	2	2	75	3	8	62	3	15	10
188–189	Bladder and other urinary organs	1,720	7.0	77	–	2	11	2	2	47	2	9	29	7	10	4
170–173, 190–199	Other and unspecified sites	5,395	21.8	268	–	9	39	5	2	143	11	20	110	3	39	16
201	Hodgkin's disease	194	0.8	7	–	1	2	–	–	7	–	–	3	–	–	–
204–208	Leukemia	1,679	6.8	80	–	3	10	3	–	49	1	5	46	2	11	6
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	2,148	8.7	110	1	–	16	2	3	73	1	7	51	2	9	6
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	663	2.7	36	–	–	6	3	–	24	–	–	12	2	–	1
240–279	Endocrine, Nutritional, and Metabolic Diseases and Immunity Disorders	3,552	14.4	175	–	6	27	2	1	100	7	12	82	6	23	6
250	Diabetes mellitus	2,655	10.8	139	–	3	17	1	1	67	6	6	57	4	13	3
240–246, 251–279	Other endocrine, nutritional, and metabolic diseases and immunity disorders	897	3.6	36	–	3	10	1	–	33	1	6	25	2	10	3
280–289	Diseases of the Blood and Blood-Forming Organs	550	2.2	26	–	–	5	–	–	22	–	–	12	–	6	5
280–285	Anemias	252	1.0	16	–	–	3	–	–	7	–	–	4	–	2	3
286–289	Other diseases of blood and blood-forming organs	298	1.2	10	–	–	2	–	–	15	–	–	8	–	4	2
290–319	Mental Disorders	1,463	5.9	95	–	–	12	1	1	35	–	3	31	2	6	3
320–389	Diseases of the Nervous System and Sense Organs	2,301	9.3	129	–	3	19	1	–	82	3	13	49	3	9	12
320–322	Meningitis	106	0.4	3	–	–	–	–	–	4	–	–	2	–	–	–
323, 324, 326	Other inflammatory diseases of the central nervous system	64	0.3	2	–	1	–	–	–	3	–	–	1	–	1	2
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	2,131	8.6	124	–	2	19	1	–	75	3	13	46	3	8	10

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
390–459	Diseases of the Circulatory System	88,787	359.5	4,611	–	122	662	105	68	2,091	83	239	1,851	106	416	268
390–398, 402, 404–429	Diseases of the heart	67,255	272.3	3,488	–	86	459	83	55	1,564	62	206	1,381	78	284	211
390–398	Rheumatic fever and rheumatic heart disease	821	3.3	33	–	–	3	1	1	16	–	2	20	2	3	3
402, 404	Hypertensive heart disease with or without renal disease	2,831	11.5	270	–	1	7	–	–	99	2	–	57	–	7	6
410–411	Acute ischaemic heart disease	22,389	90.7	862	–	42	171	33	31	564	23	87	456	27	118	101
412	Old myocardial infarction	116	0.5	4	–	1	2	–	–	4	–	–	3	1	–	–
413	Angina pectoris	40	0.2	1	–	–	–	–	–	–	–	–	4	–	–	–
414	Other forms of chronic ischaemic heart disease	25,502	103.3	1,739	–	23	173	34	13	590	15	65	651	34	86	55
424	Other diseases of endocardium	914	3.7	53	–	4	13	3	1	23	1	2	21	1	3	–
415–423, 425–429	All other forms of heart disease	14,642	59.3	526	–	13	90	12	9	308	21	50	167	13	67	46
401, 403	Hypertension with or without renal disease	714	2.9	40	–	1	9	–	–	12	–	1	21	–	9	–
430–438	Cerebrovascular disease	15,605	63.2	846	–	25	149	14	11	367	12	27	294	22	93	42
440	Atherosclerosis	2,669	10.8	123	–	7	26	3	–	71	4	11	98	2	12	9
441–448	Other diseases of arteries, arterioles, and capillaries	2,102	8.5	96	–	3	18	5	2	68	3	12	50	2	15	5
451–459	Diseases of veins and lymphatics and other diseases of circulatory system	442	1.8	18	–	–	1	–	–	9	–	2	7	2	3	1
460–519	Diseases of the Respiratory System	13,741	55.6	627	–	10	146	22	16	401	16	44	271	9	75	42
466	Acute bronchitis and bronchiolitis	81	0.3	3	–	1	–	–	–	2	–	–	3	–	–	–
487	Influenza	66	0.3	–	–	–	2	–	1	1	–	–	5	–	–	–
480, 483	Viral pneumonia	86	0.3	5	–	–	–	–	–	3	–	–	4	–	–	–
481, 482	Bacterial pneumonia	477	1.9	29	–	–	3	–	–	9	–	–	8	–	–	–
484–486	Other and unspecified pneumonia	4,840	19.6	215	–	3	47	9	4	147	6	20	80	5	10	11
490	Bronchitis, unspecified	40	0.2	2	–	–	–	–	–	1	–	–	1	–	1	–
491	Chronic bronchitis	418	1.7	20	–	–	2	–	–	14	1	1	8	–	3	–
492	Emphysema	1,653	6.7	88	–	2	25	1	–	38	–	4	31	–	13	9
493	Asthma	383	1.6	18	–	1	1	–	–	8	1	–	9	–	5	1
494–496	Other chronic obstructive pulmonary disease and allied conditions	4,166	16.9	171	–	3	45	9	7	121	4	13	85	2	32	15
515	Postinflammatory pulmonary fibrosis	434	1.8	20	–	–	3	–	1	20	2	2	13	–	2	2
Remainder of 460–519	Other diseases of the respiratory system	1,097	4.4	56	–	–	18	3	3	37	2	4	24	2	9	4
520–579	Diseases of the Digestive System	8,347	33.8	419	–	8	57	6	5	229	5	32	174	8	30	34
531–533	Ulcer of stomach and duodenum	895	3.6	47	–	2	9	–	–	21	–	2	23	–	4	2
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	486	2.0	31	–	–	3	1	–	11	–	–	9	1	1	1
571	Chronic liver disease and cirrhosis	4,143	16.8	191	–	3	21	1	1	107	3	12	80	1	18	22
574–575	Cholelithiasis and other disorders of gallbladder	273	1.1	9	–	–	1	–	–	10	–	2	4	1	–	1
Remainder of 520–579	Other diseases of the digestive system	2,550	10.3	141	–	3	23	4	4	80	2	16	58	5	9	8
580–629	Diseases of the Genitourinary System	2,494	10.1	112	–	3	16	4	1	69	2	6	46	1	13	7
580	Acute glomerulonephritis	9	c	1	–	–	–	–	–	–	–	–	–	–	–	1
581	Nephrotic syndrome	13	0.1	–	–	–	–	–	–	–	–	–	–	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis, and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	188	0.8	7	–	–	–	–	–	4	–	–	4	–	2	3
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	1,004	4.1	59	–	2	7	3	1	24	1	2	27	–	6	2
590	Infections of kidney	251	1.0	7	–	–	1	–	–	8	1	2	2	–	1	–
591, 593	Hydronephrosis and other disorders of kidney and ureter	123	0.5	9	–	–	1	–	–	6	–	–	2	–	–	–
600	Hyperplasia of prostate	85	0.7[b]	1	–	1	–	1	–	1	–	–	1	–	2	–
Remainder of 580–629	Other diseases of the genitourinary system	821	3.3	28	–	–	7	–	–	26	–	2	10	1	4	1

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	California		Alameda	Alpine	Amador	Butte	Calaveras	Colusa	Contra Costa	Del Norte	El Dorado	Fresno	Glenn	Humboldt	Imperial
		Number	Rate													
630–676	Complications of Pregnancy, Childbirth, and the Puerperium	43	1.0[d]	1	–	–	–	–	–	–	–	–	2	–	–	–
740–759	Congenital Anomalies	1,545	6.3	54	–	1	13	–	–	39	–	3	43	–	5	7
760–779	Certain Conditions Originating in the Perinatal Period	1,841	4.3[e]	77	–	–	4	2	–	35	1	5	45	–	4	10
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System, and Connective Tissue	777	3.1	51	–	2	10	–	–	27	–	2	22	–	4	3
780–799	Symptoms, Signs, and Ill-Defined Conditions	1,136	4.6	66	–	1	5	4	1	32	5	4	25	4	5	6
798.0	Sudden infant death syndrome (SIDS)	637	1.5[e]	36	–	–	1	–	–	16	1	3	9	1	3	2
Remainder of 780–799	Other symptoms, signs, and ill-defined conditions	499	2.0	30	–	1	4	4	1	16	4	1	16	3	2	4
800–949	Accidents and Adverse Effects	9,836	39.8	358	1	16	81	12	8	246	17	40	298	25	67	67
810–819	Motor vehicle traffic accidents	4,766	19.3	153	–	11	42	9	2	108	5	24	161	13	28	28
820–825	Motor vehicle nontraffic accidents	188	0.8	2	–	–	2	–	–	4	–	3	7	–	–	5
800–807, 826–838, 840–848	Other transport accidents	491	2.0	21	–	1	5	–	4	18	5	2	12	–	8	2
850–858	Accidental poisoning by drugs, medicaments, and biologicals	889	3.6	28	–	–	1	1	–	17	1	2	15	2	2	6
930–949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	17	0.1	1	–	–	–	–	–	2	–	–	–	–	1	–
860–869	Accidental poisoning by other solid and liquid substances, gases, and vapors	126	0.5	2	–	–	1	–	–	3	–	–	8	1	1	–
870–876	Misadventures to patients during surgical and medical care	85	0.3	5	–	–	–	–	–	–	–	1	2	1	–	1
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	177	0.7	10	–	–	1	–	1	5	–	–	8	1	2	–
Remainder of 800–949	All other accidents and adverse effects	3,097	12.5	136	1	4	29	2	1	89	6	8	85	7	25	25
950–959	Suicide	3,752	15.2	170	–	–	19	4	3	94	1	17	69	5	19	10
960–969	Homicide	2,864	11.6	143	–	1	8	–	–	56	1	4	72	2	17	10
970–978	Legal Intervention	37	0.1	5	–	–	–	–	–	1	–	–	–	–	3	–
980–989	Injury Undetermined Whether Accidentally or Purposely Inflicted	285	1.2	26	–	–	1	2	–	6	1	1	4	–	2	2
990–999	Injury Resulting from Operations of War	1	c	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
001–999	Total, All Causes	196	3,355	546	571	157	59,741	522	1,655	111	646	945	104	31	2,046	930
001–139	Infectious and Parasitic Diseases	3	37	5	2	1	439	3	10	–	5	7	1	–	12	9
007–009	Certain other intestinal infections	–	–	–	–	–	16	–	–	–	–	–	–	–	–	1
010–018	Tuberculosis	1	2	1	1	–	70	2	–	–	1	3	–	–	3	1
036	Meningococcal infection	–	1	–	–	–	8	–	–	–	1	–	1	–	–	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	2	4	–	–	–	33	–	1	–	1	–	–	–	1	1
070	Viral hepatitis	–	2	–	–	–	54	–	2	–	–	–	–	–	1	–
090–097	Syphilis	–	–	1	–	–	6	–	1	–	–	1	–	–	–	–
Remainder of 001–139	Other infectious and parasitic diseases	–	28	3	1	1	252	1	6	–	2	3	–	–	7	6
140–208	Neoplasms, Malignant	43	724	90	162	36	13,079	110	397	26	158	213	23	10	430	191
140–149	Lip, oral cavity, and pharynx	1	17	2	2	1	321	2	9	–	4	3	–	1	11	1
151	Stomach	–	19	5	6	1	537	3	10	2	5	13	–	–	20	6
150, 152–159	Other digestive organs and peritoneum	6	127	19	38	8	2,954	21	72	6	33	38	4	1	90	31
162	Trachea, bronchus, and lung	16	207	17	44	6	3,134	25	95	6	43	68	4	1	117	53
160, 161, 163–165	Other respiratory and intrathoracic organs	1	9	1	5	–	138	–	4	–	4	3	1	–	4	2
174–175	Breast	2	59	5	10	4	1,259	8	46	–	5	16	5	1	40	16
180	Cervix uteri	–	8	1	3	–	146	2	2	–	3	–	–	–	8	–
179, 181, 182	Other parts of uterus	2	9	–	2	–	205	2	8	–	4	–	–	1	9	4
183–184	Other female genital organs	–	10	3	5	1	374	2	19	–	4	4	–	–	10	5
185–187	Male genital organs	3	51	1	15	4	686	12	17	2	5	20	2	2	27	14
188–189	Bladder and other urinary organs	2	28	2	4	2	511	2	21	–	9	7	1	–	15	9
170–173, 190–199	Other and unspecified sites	8	104	17	16	3	1,573	13	49	7	26	25	5	2	44	31
201	Hodgkin's disease	–	1	–	–	–	62	2	5	–	–	1	–	–	3	1
204–208	Leukemia	1	37	5	4	4	505	7	21	1	8	10	–	–	10	9
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	1	38	12	8	2	674	9	19	2	5	5	1	1	22	9
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	1	9	2	2	1	166	5	7	–	1	2	–	–	4	5
240–279	Endocrine, Nutritional, and Metabolic Diseases and Immunity Disorders	4	49	12	15	2	1,131	16	25	4	10	27	2	–	39	21
250	Diabetes mellitus	2	36	10	10	2	944	13	15	3	3	20	2	–	28	16
240–246, 251–279	Other endocrine, nutritional, and metabolic diseases and immunity disorders	2	13	2	5	–	187	3	10	1	7	7	–	–	11	5
280–289	Diseases of the Blood and Blood-Forming Organs	–	10	1	3	–	135	1	1	1	1	4	–	–	7	5
280–285	Anemias	–	4	1	1	–	66	–	–	–	1	3	–	–	4	3
286–289	Other diseases of blood and blood-forming organs	–	6	–	2	–	69	1	1	1	–	1	–	–	3	2
290–319	Mental Disorders	2	19	3	2	1	437	4	22	–	5	7	2	–	12	9
320–389	Diseases of the Nervous System and Sense Organs	1	50	12	5	1	607	9	25	2	7	10	2	1	23	21
320–322	Meningitis	1	3	–	–	–	39	–	–	–	–	–	–	–	2	–
323, 324, 326	Other inflammatory diseases of the central nervous system	–	1	1	–	–	18	–	–	–	–	1	–	–	2	1
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	–	46	11	5	1	550	9	25	2	7	9	2	1	19	20

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
390–459	Diseases of the Circulatory System	91	1,477	230	240	68	29,403	233	745	55	281	431	51	9	940	435
390–398, 402, 404–429	Diseases of the heart	68	1,173	157	181	54	22,879	175	505	43	202	322	36	6	630	307
390–398	Rheumatic fever and rheumatic heart disease	–	13	1	3	1	276	3	7	1	1	2	1	–	8	5
402, 404	Hypertensive heart disease with or without renal disease	1	43	1	11	2	1,375	8	13	3	13	10	1	–	19	8
410–411	Acute ischaemic heart disease	28	402	38	69	13	6,550	74	169	15	64	132	18	2	265	68
412	Old myocardial infarction	–	–	–	–	1	33	–	3	–	1	2	–	–	–	–
413	Angina pectoris	–	1	–	–	–	15	–	–	–	–	–	1	–	–	–
414	Other forms of chronic ischaemic heart disease	30	493	79	64	22	7,706	69	209	17	78	123	9	–	210	139
424	Other diseases of endocardium	–	15	–	1	2	218	3	9	1	3	7	1	–	19	4
415–423, 425–429	All other forms of heart disease	9	206	38	33	13	6,706	18	95	6	42	46	5	4	109	83
401, 403	Hypertension with or without renal disease	1	10	1	3	2	243	1	6	1	3	9	1	–	3	1
430–438	Cerebrovascular disease	19	202	50	42	9	4,919	41	169	7	55	71	11	2	213	98
440	Atherosclerosis	–	37	18	1	2	778	10	34	2	6	14	2	–	48	9
441–448	Other diseases of arteries, arterioles, and capillaries	3	45	3	13	1	480	5	26	1	15	12	1	1	33	18
451–459	Diseases of veins and lymphatics and other diseases of circulatory system	–	10	1	–	–	104	1	5	1	–	3	–	–	13	2
460–519	Diseases of the Respiratory System	20	255	36	41	8	3,748	27	138	7	76	77	4	–	157	101
466	Acute bronchitis and bronchiolitis	1	2	1	–	–	18	–	1	–	–	–	–	–	–	–
487	Influenza	–	1	–	–	–	15	–	1	–	–	–	1	–	2	–
480, 483	Viral pneumonia	–	1	–	–	–	21	–	1	–	–	–	–	–	2	–
481, 482	Bacterial pneumonia	–	6	2	2	–	162	1	3	–	4	2	–	–	7	3
484–486	Other and unspecified pneumonia	8	82	7	9	2	1,444	4	57	1	24	26	1	–	57	47
490	Bronchitis, unspecified	–	1	–	–	–	6	–	1	–	–	1	–	–	1	1
491	Chronic bronchitis	1	4	–	5	–	127	–	1	–	–	1	–	–	2	1
492	Emphysema	4	51	3	12	1	382	6	19	–	17	11	1	–	19	5
493	Asthma	2	5	1	1	–	102	2	4	–	2	3	–	–	4	2
494–496	Other chronic obstructive pulmonary disease and allied conditions	2	78	16	8	5	1,106	12	37	4	23	20	1	–	46	30
515	Postinflammatory pulmonary fibrosis	1	9	–	2	–	113	1	1	–	1	1	–	–	5	4
Remainder of 460–519	Other diseases of the respiratory system	1	15	6	2	–	252	1	12	2	5	12	–	–	12	8
520–579	Diseases of the Digestive System	8	169	26	33	9	2,475	28	65	5	28	35	4	2	100	38
531–533	Ulcer of stomach and duodenum	1	16	2	4	1	296	3	5	1	1	4	–	–	15	3
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	–	11	3	2	–	107	1	3	–	6	1	–	–	7	5
571	Chronic liver disease and cirrhosis	5	80	12	18	5	1,347	12	38	3	13	17	1	2	37	22
574–575	Cholelithiasis and other disorders of gallbladder	–	7	2	1	–	84	1	–	–	1	1	2	–	4	1
Remainder of 520–579	Other diseases of the digestive system	2	55	7	8	3	641	11	19	1	7	12	1	–	37	7
580–629	Diseases of the Genitourinary System	2	61	10	11	3	827	4	29	–	6	15	1	–	17	10
580	Acute glomerulonephritis	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–
581	Nephrotic syndrome	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis, and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	1	2	–	1	–	76	–	3	–	–	–	–	–	1	1
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	1	25	8	7	1	305	2	11	–	2	11	1	–	8	4
590	Infections of kidney	–	4	–	–	1	76	–	3	–	1	2	–	–	2	1
591, 593	Hydronephrosis and other disorders of kidney and ureter	–	6	–	–	1	26	–	3	–	–	1	–	–	1	1
600	Hyperplasia of prostate	–	1	1	–	–	30	–	1	–	–	–	–	–	1	–
Remainder of 580–629	Other diseases of the genitourinary system	–	23	1	3	–	307	2	8	–	3	1	–	–	4	3

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Inyo	Kern	Kings	Lake	Lassen	Los Angeles	Madera	Marin	Mariposa	Mendocino	Merced	Modoc	Mono	Monterey	Napa
630–676	Complications of Pregnancy, Childbirth, and the Puerperium	–	–	–	–	–	17	–	–	–	–	–	–	–	–	1
740–759	Congenital Anomalies	1	19	8	2	2	530	1	9	–	3	8	2	–	19	1
760–779	Certain Conditions Originating in the Perinatal Period	3	45	7	–	3	718	6	6	1	5	10	–	1	20	3
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System, and Connective Tissue	3	20	4	–	1	221	1	14	–	2	1	–	–	11	5
780–799	Symptoms, Signs, and Ill-Defined Conditions	–	25	4	3	3	336	2	4	–	2	4	2	1	16	3
798.0	Sudden infant death syndrome (SIDS)	–	10	4	2	3	209	2	1	–	–	2	2	–	6	2
Remainder of 780–799	Other symptoms, signs, and ill-defined conditions	–	15	–	1	–	127	–	3	–	2	2	–	1	10	1
800–949	Accident and Adverse Effects	11	262	70	32	14	2,836	56	98	7	41	72	6	6	154	49
810–819	Motor vehicle traffic accidents	7	153	50	15	9	1,282	27	39	5	19	31	4	4	88	24
820–825	Motor vehicle nontraffic accidents	–	7	2	–	–	49	–	2	–	–	3	–	–	3	–
800–807, 826–838, 840–848	Other transport accidents	–	10	2	–	2	84	–	3	–	1	6	–	1	4	1
850–858	Accidental poisoning by drugs, medicaments, and biologicals	–	5	4	2	1	448	1	1	1	–	2	–	–	8	2
930–949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–
860–869	Accidental poisoning by other solid and liquid substances, gases, and vapors	–	4	1	–	–	25	2	2	–	–	1	–	–	3	–
870–876	Misadventures to patients during surgical and medical care	–	1	–	1	1	23	–	2	–	–	–	–	–	2	1
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	–	9	–	–	–	45	–	1	–	–	4	–	–	3	2
Remainder of 800–949	All other accidents and adverse effects	4	73	11	14	1	878	26	48	1	21	25	2	1	42	19
950–959	Suicide	2	58	9	14	3	1,153	6	39	3	10	14	3	1	49	18
960–969	Homicide	1	61	17	2	1	1,443	10	8	–	3	8	1	–	34	3
970–978	Legal intervention	–	1	–	–	–	5	–	–	–	–	–	–	–	1	–
980–989	Injury undetermined whether accidentally or purposely inflicted	–	4	–	2	–	34	–	13	–	2	–	–	–	1	2
990–999	Injury resulting from operations of war	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
001–999	Total, All Causes	531	12,599	995	164	6,817	6,142	182	7,349	13,815	7,663	3,282	1,388	4,513	2,365	7,815
001–139	Infectious and Parasitic Diseases	4	87	8	1	37	60	–	36	104	98	35	9	38	16	53
007–009	Certain other intestinal infections	–	1	–	–	2	–	–	–	1	4	–	–	–	1	–
010–018	Tuberculosis	–	18	1	–	3	11	–	3	16	11	9	1	5	1	3
036	Meningococcal infection	–	–	–	–	–	–	–	1	1	–	1	–	2	1	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	–	3	2	–	2	2	–	1	2	2	–	1	3	–	3
070	Viral hepatitis	–	10	–	–	3	4	–	3	8	9	2	2	6	1	2
090–097	Syphilis	–	–	–	–	–	–	–	–	1	4	1	–	1	–	–
Remainder of 001–139	Other infectious and parasitic diseases	4	55	5	1	27	43	–	28	75	68	22	5	21	12	45
140–208	Neoplasms, Malignant	135	3,021	213	50	1,507	1,493	37	1,611	3,264	1,743	711	358	1,127	522	1,866
140–149	Lip, oral cavity, and pharynx	1	76	2	2	28	30	–	32	68	50	8	9	33	11	38
151	Stomach	1	97	6	2	48	54	2	33	109	65	23	6	49	21	79
150, 152–159	Other digestive organs and peritoneum	36	606	52	13	333	279	6	317	672	426	162	77	235	116	390
162	Trachea, bronchus, and lung	39	792	52	13	389	449	9	450	893	401	204	86	285	121	456
160, 161, 163–165	Other respiratory and intrathoracic organs	1	33	3	–	14	14	1	23	29	12	7	2	17	6	20
174–175	Breast	7	298	22	4	125	126	4	139	300	162	47	27	87	61	187
180	Cervix uteri	1	23	2	2	10	17	–	22	23	17	2	2	11	2	29
179, 181, 182	Other parts of uterus	2	42	8	–	17	24	–	19	46	23	16	5	17	12	20
183–184	Other female genital organs	7	102	7	2	47	39	1	49	96	51	11	10	28	12	47
185–187	Male genital organs	9	172	10	3	98	74	4	107	179	85	43	26	57	29	90
188–189	Bladder and other urinary organs	5	144	6	1	64	51	1	69	139	73	34	11	49	24	72
170–173, 190–199	Other and unspecified sites	15	372	23	6	201	192	4	220	405	219	101	59	140	56	263
201	Hodgkin's disease	1	18	1	1	7	2	–	12	7	6	3	1	5	3	8
204–208	Leukemia	4	101	10	–	49	59	2	69	141	61	23	14	46	17	66
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	6	145	9	1	77	83	3	50	157	92	27	23	68	31	101
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	2	43	6	–	29	20	–	22	56	24	13	12	15	13	39
240–279	Endocrine, Nutritional, and Metabolic Diseases and Immunity Disorders	5	208	23	3	98	123	6	150	239	150	76	29	81	52	156
250	Diabetes mellitus	4	146	14	3	68	90	6	107	161	101	61	17	52	34	111
240–246, 251–279	Other endocrine, nutritional, and metabolic diseases and immunity disorders	1	62	9	–	30	33	–	43	78	49	15	12	29	18	45
280–289	Diseases of the Blood and Blood-Forming Organs	2	37	5	1	25	18	1	14	56	26	12	3	19	11	21
280–285	Anemias	–	14	1	–	9	8	–	6	24	15	4	2	10	5	14
286–289	Other diseases of blood and blood-forming organs	2	23	4	1	16	10	1	8	32	11	8	1	9	6	7
290–319	Mental Disorders	2	69	5	4	39	62	1	47	110	89	24	11	26	30	68
320–389	Diseases of the Nervous System and Sense Organs	7	123	12	1	78	91	–	93	179	93	31	20	60	57	123
320–322	Meningitis	–	7	–	–	5	2	–	5	6	7	3	–	5	2	4
323, 324, 326	Other inflammatory diseases of the central nervous system	–	5	–	–	1	7	–	–	4	3	1	–	1	1	3
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	7	111	12	1	72	82	–	88	169	83	27	20	54	54	116

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
390–459	Diseases of the Circulatory System	237	5,991	484	62	3,308	2,741	80	3,371	6,321	3,537	1,487	638	2,087	1,111	3,585
390–398, 402, 404–429	Diseases of the heart	174	4,610	341	48	2,523	2,073	58	2,581	4,621	2,679	1,100	467	1,548	771	2,733
390–398	Rheumatic fever and rheumatic heart disease	2	72	2	–	39	18	1	35	69	20	16	3	24	11	29
402, 404	Hypertensive heart disease with or without renal disease	8	83	10	–	49	66	4	63	118	79	23	13	69	24	117
410–411	Acute ischaemic heart disease	48	2,010	104	22	890	833	26	1,002	1,797	939	341	148	526	221	841
412	Old myocardial infarction	–	5	–	1	1	7	–	6	9	2	2	1	3	7	4
413	Angina pectoris	–	1	–	–	1	3	–	3	1	–	1	–	–	–	5
414	Other forms of chronic ischaemic heart disease	81	1,607	164	14	1,177	765	16	1,136	1,875	1,178	532	184	692	256	870
424	Other diseases of endocardium	4	54	8	1	29	32	1	24	80	50	29	9	28	13	47
415–423, 425–429	All other forms of heart disease	31	773	53	10	337	349	10	312	672	411	156	109	206	239	820
401, 403	Hypertension with or without renal disease	6	54	4	1	23	24	1	28	48	35	11	4	10	9	24
430–438	Cerebrovascular disease	48	971	94	8	539	493	11	573	1,191	623	273	107	405	261	638
440	Atherosclerosis	1	156	19	1	111	73	7	103	233	80	53	38	58	35	87
441–448	Other diseases of arteries, arterioles, and capillaries	8	164	23	3	88	68	3	71	191	98	34	16	50	29	85
451–459	Diseases of veins and lymphatics and other diseases of circulatory system	–	36	3	1	24	10	–	15	37	22	16	6	16	6	18
460–519	Diseases of the Respiratory System	47	962	71	10	566	465	13	587	1,128	572	247	92	327	177	571
466	Acute bronchitis and bronchiolitis	–	7	–	–	5	1	–	7	4	8	4	–	6	–	1
487	Influenza	–	8	–	–	2	6	–	–	4	2	1	1	3	1	2
480, 483	Viral pneumonia	–	5	1	–	2	1	1	3	5	2	–	–	1	3	4
481, 482	Bacterial pneumonia	2	27	1	–	18	15	2	14	29	27	11	2	6	6	22
484–486	Other and unspecified pneumonia	19	360	29	–	230	118	3	212	329	206	83	24	108	64	244
490	Bronchitis, unspecified	–	2	1	–	1	2	–	2	2	2	2	1	2	1	3
491	Chronic bronchitis	1	38	–	1	15	9	–	16	46	10	10	6	10	6	7
492	Emphysema	6	117	16	4	66	56	3	67	144	89	15	11	33	23	58
493	Asthma	4	14	2	1	13	16	1	14	41	13	7	3	20	4	14
494–496	Other chronic obstructive pulmonary disease and allied conditions	10	284	15	2	157	190	1	179	389	133	74	36	106	48	160
515	Postinflammatory pulmonary fibrosis	1	33	1	1	14	9	1	22	45	15	9	3	9	8	14
Remainder of 460–519	Other diseases of the respiratory system	4	67	5	1	43	42	1	51	90	65	31	5	23	13	42
520–579	Diseases of the Digestive System	27	540	41	10	280	286	12	338	597	468	182	63	234	90	367
531–533	Ulcer of stomach and duodenum	1	72	5	–	46	25	–	27	57	44	16	3	21	5	32
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	2	35	4	2	18	12	–	24	44	30	9	6	15	6	20
571	Chronic liver disease and cirrhosis	10	249	14	4	125	152	6	168	276	238	86	36	123	49	186
574–575	Cholelithiasis and other disorders of gallbladder	–	18	1	–	9	9	1	15	14	16	3	1	8	3	14
Remainder of 520–579	Other diseases of the digestive system	14	166	17	4	82	88	5	104	206	140	68	17	67	27	115
580–629	Diseases of the Genitourinary System	6	175	9	1	85	95	2	99	202	98	44	19	57	28	81
580	Acute glomerulonephritis	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
581	Nephrotic syndrome	–	–	–	–	2	1	–	–	2	4	–	–	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis, and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	–	11	–	–	4	1	–	6	21	4	4	3	9	2	2
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	2	53	4	1	29	45	2	47	73	39	24	7	23	9	36
590	Infections of kidney	2	25	1	–	11	12	–	9	28	11	–	3	3	3	11
591, 593	Hydronephrosis and other disorders of kidney and ureter	–	7	–	–	3	5	–	5	9	12	2	1	6	2	6
600	Hyperplasia of prostate	–	5	–	–	4	2	–	7	5	5	1	2	1	1	4
Remainder of 580–629	Other diseases of the genitourinary system	2	74	4	–	31	29	–	25	63	23	13	3	14	11	22

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Nevada	Orange	Placer	Plumas	Riverside	Sacramento	San Benito	San Bernardino	San Diego	San Francisco	San Joaquin	San Luis Obispo	San Mateo	Santa Barbara	Santa Clara
630–676	Complications of Pregnancy, Childbirth, and the Puerperium	–	6	–	–	–	–	–	2	2	2	1	–	1	–	5
740–759	Congenital Anomalies	1	139	9	–	47	40	3	82	117	41	26	8	33	16	73
760–779	Certain Conditions Originating in the Perinatal Period	–	128	12	–	68	52	–	93	136	25	22	3	32	15	72
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System, and Connective Tissue	4	30	2	–	20	24	3	32	65	40	13	7	22	13	29
780–799	Symptoms, Signs, and Ill-Defined Conditions	7	52	8	3	32	41	1	47	111	41	29	7	24	10	51
798.0	Sudden infant death syndrome (SIDS)	3	37	3	1	18	19	–	30	52	20	13	5	15	6	37
Remainder of 780–799	Other symptoms, signs, and ill-defined conditions	4	15	5	2	14	22	1	17	59	21	16	2	9	4	14
800–949	Accidents and Adverse Effects	28	607	56	10	384	295	18	415	666	324	206	69	193	129	402
810–819	Motor vehicle traffic accidents	13	302	20	3	225	161	13	249	312	92	101	41	71	61	198
820–825	Motor vehicle nontraffic accidents	1	14	3	–	7	6	1	11	23	2	2	1	2	4	5
800–807, 826–838, 840–848	Other transport accidents	5	29	7	–	18	15	1	11	48	6	12	5	19	11	37
850–858	Accidental poisoning by drugs, medicaments, and biologicals	1	75	1	–	20	11	1	25	55	55	13	2	11	7	14
930–949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	–	1	–	–	–	–	–	–	1	1	–	–	1	–	1
860–869	Accidental poisoning by other solid and liquid substances, gases, and vapors	–	4	–	–	4	2	–	8	17	6	4	1	7	1	2
870–876	Misadventures to patients during surgical and medical care	–	4	–	–	7	3	–	3	8	5	1	–	1	–	–
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	–	7	1	1	2	6	–	3	7	18	6	1	2	3	7
Remainder of 800–949	All other accidents and adverse effects	8	171	24	6	101	91	2	105	195	139	67	18	79	42	138
950–959	Suicide	11	272	23	6	138	146	4	159	308	162	42	30	92	55	168
960–969	Homicide	6	102	7	2	73	73	1	103	125	103	60	10	36	20	70
970–978	Legal intervention	–	3	–	–	1	1	–	1	6	1	–	–	1	–	4
980–989	Injury undetermined whether accidentally or purposely inflicted	–	4	1	–	2	16	–	47	23	26	21	–	8	–	11
990–999	Injury resulting from operations of war	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
001–999	Total, All Causes	1,664	1,108	15	403	1,668	2,934	2,355	449	437	97	2,071	316	3,385	806	414
001–139	Infectious and Parasitic Diseases	11	3	1	3	17	16	16	1	5	–	26	2	17	6	2
007–009	Certain other intestinal infections	–	–	–	–	1	–	1	–	1	–	1	–	1	1	–
010–018	Tuberculosis	–	–	–	–	3	–	3	–	–	–	1	–	2	–	–
036	Meningococcal infection	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–
045, 046, 047, 048, 049, 053.0, 053.1, 054.3, 054.7, 055.0, 056.0, 062, 063, 064, 072.1, 072.2, 138, 139.0	Central nervous system viral diseases	–	–	–	1	3	1	1	–	–	–	1	–	–	–	–
070	Viral hepatitis	2	–	–	–	–	–	–	–	–	–	2	–	1	–	1
090–097	Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 001--139	Other infectious and parasitic diseases	9	3	1	2	9	14	10	1	4	–	21	2	13	4	1
140–208	Neoplasms, Malignant	384	273	3	96	376	691	478	103	98	15	420	85	788	162	89
140–149	Lip, oral cavity, and pharynx	12	6	–	–	7	16	5	3	1	–	9	–	11	3	1
151	Stomach	12	5	–	3	8	19	19	2	2	–	18	1	28	6	3
150, 152–159	Other digestive organs and peritoneum	72	56	–	12	71	134	92	23	18	5	93	12	174	33	16
162	Trachea, bronchus, and lung	94	85	–	29	110	190	132	32	29	7	101	29	216	47	39
160, 161, 163–165	Other respiratory and intrathoracic organs	3	–	–	–	5	9	4	–	1	–	5	–	7	1	–
174–175	Breast	38	23	–	11	31	60	40	4	12	–	17	3	63	14	3
180	Cervix uteri	5	1	–	1	2	6	3	–	–	1	9	–	3	1	1
179, 181, 182	Other parts of uterus	9	2	–	2	4	7	3	4	3	–	7	2	9	–	–
183–184	Other female genital organs	19	7	–	1	7	23	11	3	3	1	17	3	18	2	2
185–187	Male genital organs	26	18	1	6	20	52	37	10	6	–	38	9	36	7	6
188–189	Bladder and other urinary organs	19	8	–	7	10	24	19	3	4	–	14	4	36	11	3
170–173, 190–199	Other and unspecified sites	45	39	1	11	57	80	73	10	10	–	54	14	106	22	9
201	Hodgkin's disease	2	2	–	–	3	3	3	1	–	1	3	–	5	1	–
204–208	Leukemia	16	8	–	5	21	25	22	2	5	–	16	3	47	6	3
200, 202, 203	Other malignant neoplasm of lymphatic and haematopoietic tissues	12	13	1	8	20	43	15	6	4	–	19	5	29	8	3
210–239	Benign Neoplasms, Carcinoma in Situ, and Neoplasms of Uncertain Behavior and of Unspecified Nature	11	4	–	–	8	13	13	1	1	1	8	1	13	3	3
240–279	Endocrine, Nutritional, and Metabolic Diseases and Immunity Disorders	38	15	–	5	46	45	43	8	11	3	47	5	58	17	8
250	Diabetes mellitus	26	10	–	5	38	29	37	8	9	3	37	2	38	11	6
240–246, 251–279	Other endocrine, nutritional, and metabolic diseases and immunity disorders	12	5	–	–	8	16	6	–	2	–	10	3	20	6	2
280–289	Diseases of the Blood and Blood-Forming Organs	5	2	1	–	5	12	6	2	1	1	6	–	11	1	1
280–285	Anemias	–	1	–	–	2	5	6	1	–	–	1	–	5	–	1
286–289	Other diseases of blood and blood-forming organs	5	1	1	–	3	7	–	1	1	1	5	–	6	1	–
290–319	Mental Disorders	22	10	–	3	17	32	13	–	4	1	22	–	29	6	3
320–389	Diseases of the Nervous System and Sense Organs	17	9	–	8	21	37	41	3	4	4	16	6	51	13	4
320–322	Meningitis	1	–	–	–	1	1	–	–	–	–	–	–	2	1	–
323, 324, 326	Other inflammatory diseases of the central nervous system	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–
325, 330–337, 340–389	Other diseases of the nervous system and sense organs	16	8	–	8	20	36	41	3	4	4	15	6	47	12	4

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
390–459	Diseases of the Circulatory System	779	515	5	175	748	1,396	1,127	220	208	40	960	149	1,519	381	194
390–398, 402, 404–429	Diseases of the heart	572	378	4	129	548	996	818	164	157	28	731	111	1,136	301	160
390–398	Rheumatic fever and rheumatic heart disease	5	3	–	2	8	7	10	3	2	1	8	1	22	2	–
402, 404	Hypertensive heart disease with or without renal disease	43	3	–	6	7	34	17	5	3	–	23	1	40	1	–
410–411	Acute ischaemic heart disease	183	133	–	40	244	336	298	50	57	8	257	54	372	116	71
412	Old myocardial infarction	1	–	–	–	3	–	1	–	–	–	3	–	2	1	–
413	Angina pectoris	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
414	Other forms of chronic ischaemic heart disease	185	142	2	59	182	382	288	69	63	16	314	22	329	120	54
424	Other diseases of endocardium	8	6	–	–	7	23	23	3	1	–	7	2	9	4	4
415–423, 425–429	All other forms of heart disease	147	91	2	22	97	213	181	34	31	3	113	31	361	57	31
401, 403	Hypertension with or without renal disease	8	2	–	3	5	7	8	2	1	–	4	–	12	2	–
430–438	Cerebrovascular disease	141	104	–	32	145	294	224	37	27	3	170	22	280	54	27
440	Atherosclerosis	36	14	–	3	20	66	27	9	14	6	31	8	40	11	2
441–448	Other diseases of arteries, arterioles, and capillaries	22	16	1	7	26	25	30	7	8	2	20	7	47	12	3
451–459	Diseases of veins and lymphatics and other diseases of circulatory system	–	1	–	1	4	8	20	1	1	1	4	1	4	1	2
460–519	Diseases of the Respiratory System	128	90	–	25	125	275	219	21	35	14	171	24	297	70	38
466	Acute bronchitis and bronchiolitis	1	–	–	–	1	2	–	–	–	–	1	–	1	–	–
487	Influenza	–	–	–	–	–	2	1	–	–	–	1	–	3	–	–
480, 483	Viral pneumonia	1	1	–	–	3	5	3	–	–	–	5	1	2	–	–
481, 482	Bacterial pneumonia	8	3	–	–	5	3	8	–	3	3	6	2	10	2	1
484–486	Other and unspecified pneumonia	53	22	–	7	25	105	72	5	6	6	58	6	85	21	14
490	Bronchitis, unspecified	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
491	Chronic bronchitis	4	2	–	1	1	10	11	2	1	–	6	2	9	3	–
492	Emphysema	12	22	–	2	20	34	30	2	7	2	12	2	38	14	6
493	Asthma	3	3	–	3	4	10	2	1	3	1	1	–	11	2	–
494–496	Other chronic obstructive pulmonary disease and allied conditions	35	30	–	11	41	66	81	4	13	–	63	8	98	24	13
515	Postinflammatory pulmonary fibrosis	2	5	–	1	7	10	3	1	–	1	4	1	11	–	–
Remainder of 460–519	Other diseases of the respiratory system	9	2	–	–	16	28	7	6	2	1	14	2	29	4	4
520–579	Diseases of the Digestive System	69	45	1	22	75	133	96	26	14	7	88	16	135	38	15
531–533	Ulcer of stomach and duodenum	7	3	–	3	7	12	14	4	1	1	11	–	12	4	–
550–553, 560	Hernia of abdominal cavity and intestinal obstruction without mention of hernia	4	6	–	–	9	8	5	4	1	1	6	1	9	–	1
571	Chronic liver disease and cirrhosis	37	13	–	14	36	58	46	9	6	2	41	6	57	20	6
574–575	Cholelithiasis and other disorders of gallbladder	3	2	–	–	1	4	4	–	3	1	5	1	5	–	–
Remainder of 520–579	Other diseases of the digestive system	18	21	1	5	22	51	27	9	3	2	25	8	52	14	8
580–629	Diseases of the Genitourinary System	14	19	1	8	24	39	19	4	3	2	21	5	42	9	5
580	Acute glomerulonephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	Nephrotic syndrome	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
582–583, 587	Chronic glomerulonephritis, nephritis, and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	2	4	–	2	4	2	–	–	–	–	–	–	2	–	–
584–586, 588–589	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	5	5	1	5	9	8	10	2	3	1	9	4	22	3	3
590	Infections of kidney	1	6	–	–	1	4	1	–	–	–	4	–	–	2	1
591, 593	Hydronephrosis and other disorders of kidney and ureter	2	–	–	–	–	–	–	–	–	–	2	1	1	1	1
600	Hyperplasia of prostate	1	–	–	1	–	3	1	–	–	–	1	–	–	–	–
Remainder of 580–629	Other diseases of the genitourinary system	3	4	–	–	10	22	7	2	–	1	4	–	17	3	–

Table 5–8 (Continued)

DEATHS FROM SELECTED CAUSES
CALIFORNIA COUNTIES, 1982

(By place of residence)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	Santa Cruz	Shasta	Sierra	Siskiyou	Solano	Sonoma	Stanislaus	Sutter	Tehama	Trinity	Tulare	Tuolumne	Ventura	Yolo	Yuba
630–676	Complications of Pregnancy, Childbirth, and the Puerperium	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
740–759	Congenital Anomalies	9	6	–	1	12	19	28	5	4	–	18	1	31	4	2
760–779	Certain Conditions Originating in the Perinatal Period	18	6	1	4	20	15	21	2	3	–	30	1	37	10	4
680–709, 710–739	Diseases of the Skin, Subcutaneous Tissue, Musculoskeletal System, and Connective Tissue	5	4	–	3	8	13	6	1	–	–	12	–	11	6	–
780–799	Symptoms, Signs and Ill-Defined Conditions	15	7	–	4	8	11	5	3	5	–	19	3	18	6	5
798.0	Sudden infant death syndrome (SIDS)	5	6	–	1	7	7	2	1	3	–	13	1	11	4	2
Remainder of 780–799	Other symptoms, signs, and ill-defined conditions	10	1	–	3	1	4	3	2	2	–	6	2	7	2	3
800–949	Accident and Adverse Effects	94	71	2	34	88	119	166	34	33	5	149	8	200	52	29
810–819	Motor vehicle traffic accidents	33	44	2	13	42	62	91	21	15	2	89	3	95	32	19
820–825	Motor vehicle nontraffic accidents	1	–	–	1	1	3	1	–	2	–	2	–	6	–	–
800–807, 826–838, 840–848	Other transport accidents	6	6	–	5	2	8	7	4	–	1	4	–	28	3	1
850–858	Accidental poisoning by drugs, medicaments, and biologicals	5	6	–	1	2	5	8	–	1	–	8	–	10	–	2
930–949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	–	–	–	–	1	1	1	–	–	–	–	–	2	–	–
860–869	Accidental poisoning by other solid and liquid substances, gases, and vapors	–	1	–	1	–	2	2	–	–	–	6	–	1	3	–
870–876	Misadventures to patients during surgical and medical care	–	1	–	1	2	1	2	–	2	–	1	2	–	–	–
878–879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	4	–	–	–	1	2	5	–	1	–	–	1	6	1	–
Remainder of 800–949	All other accidents and adverse effects	45	13	–	12	37	35	49	9	12	2	39	2	52	13	7
950–959	Suicide	38	23	–	5	41	50	35	6	4	1	24	8	84	17	7
960–969	Homicide	7	5	–	7	21	13	21	9	3	3	33	2	36	2	5
970–978	Legal intervention	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–
980–989	Injury undetermined whether accidentally or purposely inflicted	–	1	–	–	6	5	–	–	1	–	–	–	8	2	–
990–999	Injury resulting from operations of war	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

a Twenty-two male deaths were assigned Ninth Revision International List Number 175.

b Sex-specific rates (per 100,000 population). California male and female populations for 1982 were estimated to be 12,176,800 and 12,520,200 respectively.

c Less than 0.050.

d Per 10,000 live births (1982 live births–429,631).

e Per 1,000 live births.

Source: State of California, Department of Finance, ***Population Projections for California Counties by Age and Sex, Baseline 83***, October 1983.
State of California, Department of Finance, ***Population Estimates of California Counties, July 1, 1980 to July 1, 1983, Report 83 E–2***, February 1984.
Baseline 83 population projections have been adjusted to reflect the more recent population estimates (Report 83 E–2).
State of California, Department of Health Services, Death Records.

6. SOURCES, QUALITY AND LIMITATIONS OF DATA

VITAL STATISTICS REGISTRATION

History of Vital Statistics Registration

Less than a decade after the formation of California State Government in 1850, a law was enacted requiring the state registration of vital events. The law was repealed in 1860; registration of births and deaths was then done by local offices and was incomplete. Effective statewide registration of births, deaths, and marriages began in California in 1905 when the Bureau of Vital Statistics was established to direct the maintenance of a statewide registration and reporting system. Statewide registration and reporting of births, deaths, and marriages has continued without interruption since that date. California was admitted to the United States Death Registration Area in 1906, to the Birth Registration Area in 1919, to the Marriage Registration Area in 1957, and to the Divorce Registration Area in 1968.

In 1962, a statewide reporting system for divorces and annulments was established. Because the report of final decree contained very few items of information, only a limited index and simple counts by county were available. A more extensive divorce reporting system went into effect in 1966, requiring that initial complaints and final decrees be reported. In 1978 the Legislature sharply reduced the scope of California's marriage dissolution reporting system and in that same year California was dropped from the U. S. Divorce Registration Area. Since 1978, county clerks report to the State Registrar only type of final decree, county case number, spouses' names, and date decree granted. The Family Law Act of 1969, implemented January 1, 1970, removed adversary proceedings, changed the name of the decrees of marital dissolution, and reduced the waiting period from initial filing to final decree.

From 1905 through 1939, a stillbirth required filing both a birth and a death certificate. The birth certificate contained an item requiring the attendant at birth to indicate whether or not the child was born alive. Processing of these birth certificates was exactly the same as for certificates of live birth, except that they were excluded from the live birth tabulations. Beginning in 1940, stillbirths were registered on a Certificate of Stillbirth, which has been known as a Certificate of Fetal Death since 1952.

Registration Systems at Present

In California, the registration of vital events is uniformly governed by statutory provisions set forth in Division 9 of the California Health and Safety Code. The Director of Health Services is the State Registrar of Vital Statistics. Forms, standards, and guidelines are provided by the Office of State Registrar, State Department of Health Services. (See "The Vital Statistics System in California," inside front cover, for further functional definitions.)

Live Birth, Death, and Fetal Death Registration

Births, deaths, and fetal deaths are registered with the local registrar in the county where the event took place. Registration forms are furnished by the State Registrar. Local registrars prepare and maintain copies of original certificates; original certificates are then mailed to the State Registrar, indexed, and filed as permanent records.

The Health and Safety Code names local health officers of approved full-time local health departments as local registrars. Forty-five of California's 58 counties have approved full-time local health departments. In the 13 counties (Alpine, Amador, Calaveras, Glenn, Lake, Lassen, Mariposa, Modoc, Mono, San Benito, Sierra, Siskiyou, and Trinity) without approved full-time health departments, local registrars are appointed by the State Registrar.

Each live birth must be registered with the local registrar within ten days following the birth. For births occurring in a hospital, the hospital administrator or designee is responsible for registering the birth. For out-of-hospital births, the physician or other person in attendance is responsible for the registration; if no attendant is present, one of the parents must complete the registration (Health and Safety Code, Division 9, Chapter 3, Article 1).

Each fetal death in which the fetus has advanced to or beyond the 20th week of uterogestation must be registered with the local registrar within five days following delivery, prior to any disposition of the fetus (Health and Safety Code, Division 9, Chapter 4, Article 1). It is the responsibility of the attending physician or the coroner to certify the cause of death. It is the responsibility of the funeral director, or person acting in lieu thereof, to obtain all information other than that in the medical and health section, and to register the certificate.

Each death must be registered with the local registrar within five days after the death occurs, prior to any disposition of the human remains. The persons charged with this responsibility are the funeral director, or person acting in lieu thereof, and the physician in attendance or the coroner (Health and Safety Code, Division 9, Chapter 5, Article 1).

It is the responsibility of the physician last in attendance to complete the medical and health section of the death certificate, including the cause of death. However, in the event that no physician was in attendance within 20 days of the death, or the physician is unable to state the cause of death, the death becomes a coroner's case. In all cases where suicide or homicide is suspected, or where there was an accident or injury, it is the coroner's duty to investigate the death.

Marriage and Marriage Dissolution Registration

Licensed marriages are registered in the county in which the marriage license was issued; the county recorder is the local registrar of marriages. The county clerk is responsible for issuing the license to marry and obtaining information required on the Certificate of Registry of Marriage, which is furnished by the State Registrar. Each marriage must be registered with the local registrar by the person performing the ceremony within four days after the ceremony (Health and Safety Code, Division 9, Chapter 6, Article 2). The county recorder is responsible for transmitting the Certificate of Registry of Marriage to the State Registrar.

As of January 1, 1984, nonlicensed marriages have been registered in the county where the authorization took place. Prior to this time, nonlicensed marriages were registered in the county where the marriage took place. The person officiating at the marriage must file a Certificate of Confidential Marriage with the county clerk within four days of the ceremony. The Certificate is provided by the State Registrar. It is filed by the county clerk as a ". . .permanent record which shall not be open to public inspection except upon order of the superior court issued upon a showing of good cause." The number of certificates filed is reported by the county clerk to the State Registrar on forms provided by the Registrar. (Legislation which took effect January 1, 1982 changed procedures for Section 4213 marriages. See Data Matters Topical Report, *California Nonlicensed Marriages—A First Look at Their Characteristics*, No. 81-10037, December, 1981, State of California, Department of Health Services, Center for Health Statistics).

Certificates of Final Decree of Dissolution of Marriage, Judgment of Nullity, or Legal Separation are transmitted to the State Registrar by the county clerk of the county in which the decree was granted.

Because of a staffing shortage and a higher priority assigned to birth and death analysis, statistical compilation and analysis of data from the certificates of marriage and dissolution of marriage have not been included in this report. Subsequent publications will make these data available as they are released from the Office of State Registrar.

SOURCES AND QUALITY OF VITAL STATISTICS DATA

Records

Vital statistics records of the State Department of Health Services are the source of data presented in this report. These records include certificates of live birth, death, fetal death, registry of marriage, and reports of marriage dissolution granted.

Births, Deaths, and Fetal Deaths

Certificates of live birth, death, and fetal death that occur out of state are reallocated to the state of residence. In this report, events occurring out of state to California residents are included in tables subtitled "by place of residence." Mortality and natality data have been tabulated by place of residence since 1945; in all years since then, except 1947, reallocated certificates have been included in California residence data.

Reallocation of birth, death, and fetal death certificates to the state of residence has been virtually complete within the United States since 1955. This was made possible by a cooperative program among the states to exchange copies of certificates for nonresident events. There is no reallocation of records for events occurring in foreign countries.

California birth registration is considered to be complete for births occurring in California, and nearly so for out-of-state births to California residents. An extensive study of the completeness of birth registration was conducted by the Bureau of the Census.[7] It found that during a five-year period in the United States, birth registration was 99.2 percent complete.

Death registration is considered to be almost 100 percent complete because a death certificate must be filed before a burial permit is issued. Some underregistration may occur for deaths of children under one year of age, and particularly to children dying in the first day of life.

Though no thorough study of the completeness of California's fetal death registration has been conducted recently, it appears that the legally mandated death registration of fetuses that have advanced to or beyond the 20th week of gestation is not complete. The extent and consistency of such nonreporting is unknown at this time.

---

[7] U. S., Department of Commerce, Bureau of the Census, ***Test of Birth Registration Completeness, 1964–1968***, PHC (E)–2, 1973.

California Birth Cohort File

In population research, a cohort is a group of individuals who have experienced the same significant demographic event during a specific period of time (usually a year), and who may be identified as a group at successive later dates by this common demographic experience. Cohort studies enable accurate descriptions of changes occurring in a specific group of individuals over time. The most common and important cohort is a birth cohort, persons born during the same year or years.

Since 1965, the Center for Health Statistics has linked California's live births and infant deaths on computer tapes to create the California Birth Cohort File. Each cohort consists of records of all the live births and fetal deaths of 20 or more weeks' gestation that occur in a calendar year. The death records of infants in the cohort who die during their first year of life are then matched and linked to their live birth records to complete the California Birth Cohort File. Rates computed from this file are a direct measure of the incidence of infant loss because they represent a follow-up of the mortality experience of a particular group (cohort) of infants from birth to one year of age.

The Birth Cohort File may be used to compute fetal, neonatal, perinatal, postneonatal, and infant mortality rates for a number of characteristics of the mother and child that are only available on the birth and fetal death certificates, such as age of mother, age of father, birth order, place of delivery, trimester prenatal care began, birthweight, gestational age, and race/ethnicity.

Studies have shown that the designation of race/ethnicity for the birth certificate is more accurate than for the death certificate.[8] The Birth Cohort File enables more accurate death rates by race of child, since race for both the numerator and the denominator are taken from the birth certificate information. The category "White Spanish" for race of child in the Birth Cohort data is not strictly comparable to "Mexican-American" used in this report for live births and fetal deaths. The Birth Cohort assignment is made by computer identification of Spanish surname,[9] while for live births and fetal deaths, race of child is generated from mothers' and/or fathers' identification of their own race/ethnicity from multiple-choice lists.

Quality Control Procedures

Because about a million California certificates are processed annually, errors can be introduced into vital statistics data unless provisions are made for appropriate quality control measures. Selected certificate information is key-entered and verified onto computer tapes which are then edited for completeness and accuracy. Finally, a sample of records is reviewed to identify random errors. Error rates in the aggregate are less than one percent, and identified errors are corrected.

---

[8] Frank D. Norris and Paul W. Shipley, "A Closer Look at Race Differentials in California's Infant Mortality, 1965–67," ***Health Services and Mental Health Administration Health Reports***, Vol. 86, No. 9: 810–814, September 1971; Frost, F. and Shy, K. K.: "Racial Differences Between Linked Birth and Infant Death Records in Washington State," ***American Journal of Public Health***, Vol. 70, No. 9: 974–976, September 1980.

[9] For method used to classify Spanish, see Robert W. Buechley, "A Reproducible Method of Counting Persons of Spanish Surname," ***Journal of the American Statistical Association***, 55:88–97, 1961. Blacks with Spanish surnames are included in "Black" race category.

Population

Vital statistics provide better measures of health status when they are related to the characteristics of the population. Because human populations vary in size and composition, and the number of vital events that occur depends on both these factors, *rates* or *ratios* are used to make accurate comparisons. These control for population variability by reporting the number of events *per unit of population* (or other standard denominator).

The population data used as denominators for calculating rates of vital events per unit of population are prepared by the Population Research Unit of the California Department of Finance. The data employed include the resident military and civilian populations, as of July 1, for each year.

Quite often the most appropriate and current population denominators are not readily available and modifications must be made to existing population data. To arrive at the most appropriate population estimate with suitable age-sex detail, it was necessary to incorporate the most current county population estimates, which do not provide age-sex detail, with the latest population projections, which do. The projections, for each given year, were brought up or down to match the latest county population estimates. This procedure was followed for the years 1980–1982. Intercensal years prior to 1980 have already been adjusted by the Population Research Unit to reflect the respective censuses and were used as adjusted. This Office revises its population denominators as the population data are revised by the Population Research Unit. For these reasons, care should be taken when comparing rates to earlier publications.

LIMITATIONS OF DATA

Limitations of the data must be recognized before valid interpretation is possible. For vital statistics data, these limitations are related to difficulties in reporting and classifying information and to some underregistration of events. It is necessary to exercise particular caution when evaluating vital statistics trend data because medical concepts, legal codes, definitions concerning vital statistics events, estimates of the population, race, and methods of assigning causes of death change over time.

Cause of Death

One of the most important uses of vital statistics data is the study of trends over time in the number and rate of deaths, by cause of death. Vital statistics trend research yields invaluable information on the health status of the population, and discloses which health and medical programs are succeeding. Even more importantly, studies of cause-of-death trends help identify emerging public health problems, so that remedial strategies can be developed and needed resources focused and applied.

However, vital statistics trend data are complicated by technical difficulties which limit the comparability of data over time. Changes in the method of assigning or coding causes of death are perhaps the greatest concern.

Cause-of-death statistics are derived from the medical certification information reported on the death or fetal death certificate by the attending physician or coroner. The medical certification item on certificates of death and fetal death makes provision for the reporting of three causes of death—immediate, intervening, and underlying—plus additional information related to the cause of death. The cause of death selected for coding and tabulating in this report is the "underlying cause of death," which is generally defined as the disease or injury which initiated the sequence of morbid events leading directly to death.

Causes of death are coded according to the *Ninth Revision International Classification of Diseases (ICD)*, and the *Vital Statistics Instruction Manual Part 2a, Instructions for Classifying the Underlying Cause of Death, 1981*. For the years 1969–1978, the causes of death were coded using the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.

Since its inception in 1898, the classification of diseases has been revised approximately every ten years. Each of the decennial revisions has produced some break in the comparability of cause-of-death statistics. These discontinuities have complicated the interpretation of trends in cause-of-death statistics over time. To facilitate trend analyses, comparability ratios between consecutive revisions of the *International Classification* may be calculated and applied. Ratios between the *Ninth Revision* and the *Eighth Revision* have not been calculated for California mortality data. However, the National Center for Health Statistics has published comparability ratios between the *Ninth* and the *Eighth Revisions* for deaths in the United States as a whole.[10] For an approximation, the ratios for the United States may be used to adjust California data for comparability between coding by the *Ninth Revision* (1979 to 1982), and coding by the *Eighth Revision* (1969–1978). For comparing the latter to 1960–1968 California deaths, see *Data Matters Topical Report*, "Comparability Between 7th and 8th Revisions, International Classification of Diseases," No. 725-0192-601, March 1976, State of California, Department of Health Services, Center for Health Statistics.

Tabulations of Cause of Death

Deaths by cause are presented in this report in several levels of detail. The table headed "Deaths from Each Cause by Sex and Age" presents the frequency of deaths assigned to each underlying cause of death in the Ninth Revision of the ICD for which there were one or more deaths in 1982. All fourth-digit subcategories are included. This table can be found on the microfiche attached to the inside of the back cover of this report.

Variability of Rates

Vital statistics rates are sensitive to variations in the size of both the numerator (the number of vital events that occurred), and the denominator (the estimated population, or the number of births). For example, in small counties a variation of only a few cases in the numerator can cause a relatively large shift in a rate, while in a large county, it may cause no change at all. Alternatively, a minor revision in the estimate of the population in a small county may cause a relatively major change in a vital rate in that county.

---

[10] NCHS, "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revisions of the International Classification of Diseases," ***Monthly Vital Statistics Report***, Vol. 28, No. 11, Supplement, February 29, 1980.

All vital rates previously published for the years 1970 through 1981 which are included in this publication have been recalculated, using revised population estimates, adjusted upward to the 1980 Census. Recalculated rates for some counties may differ from those previously published even more than the statewide rates do.

Rates and ratios based on the number of births, instead of the population, are not subject to variability caused by changes in the size of estimated denominators. However, in small counties, these rates are just as sensitive to small shifts in the numerator as are rates based on the population, since few births occur in counties with small populations, and the denominator is correspondingly small.

Sampling Error and Vital Statistics

The number of births and deaths for an area reported in California's Vital Statistics represents complete counts; as such, they are not subject to sampling error, although they are subject to errors in the registration process. However, when the figures are used for analytic purposes, such as comparison of rates over a time period or for different areas, the number of events that actually occurred may be considered as one of a larger series of possible results that could have arisen under the same circumstances.[11] The probable range of values may be estimated from the actual figures according to certain statistical assumptions. The problem of small frequencies is well presented in the Technical Appendix to "The Vital Statistics of the United States, 1978, Volume I, Natality"[12] and is repeated here.

> "In general, distributions of vital events may be assumed to follow the binomial distribution. Estimates of standard error and tests of significance under this assumption are described in most standard statistics texts. When the number of events is large, the standard error, expressed as a percent of the number or rate, is usually small.
>
> "When the number of events is small (perhaps less than 100) and the probability of such an event is small, considerable caution must be observed in interpreting the conditions described by the figures. Events of rare nature may be assumed to follow a Poisson probability distribution. For this distribution, a simple approximation may be used to estimate the error as follows:

---

[11] National Office of Vital Statistics: "Standard Error of the Age-Adjusted Death Rate" by C. L. Chiang. *Vital Statistics—Special Reports*, Vol. 47, No. 9, Public Health Service. Washington, DC, August 1961.

[12] National Center for Health Statistics: *Vital Statistics of the United States, 1978*, Vol. I, DHHS Publ. No. (PHS) 82–1100, Public Health Service, Washington, DC, 1982.

"If N is the number of births and R is the corresponding rate, the chances are 19 in 20 that

"1. The 'true' number of events lies between

$$N - 2\sqrt{N} \text{ and } N + 2\sqrt{N}$$

"2. The 'true' rate lies between

$$\text{"}R - 2\frac{R}{\sqrt{N}} \text{ and } R + 2\frac{R}{\sqrt{N}}$$

"If the rate R corresponding to N events is compared with the rate S corresponding to M events, the difference between the two rates may be regarded as statistically significant if it exceeds

$$2\sqrt{\frac{R^2}{N} + \frac{S^2}{M}}$$

"For example, suppose that the observed birth rate for Area A was 15.0 per 1,000 population and that this rate was based on 20 recorded births. Given prevailing conditions, the chances are 19 in 20 that the 'true' or underlying birth rate for that area lies between 8.3 and 21.7 per 1,000 population. Let it be further supposed that the birth rate for Area A of 15.0 per 1,000 population were being compared with a rate of 20.0 per 1,000 population for Area B which is based on 10 recorded births. While the difference between the rates for the two areas is 5.0, this difference is less than twice the standard error of the difference

$$2\sqrt{\frac{(15.0)^2}{20} + \frac{(20.0)^2}{10}}$$

of the two rates which is computed to be 14.3. From this, it is concluded that the difference between the rates for the two areas is not statistically significant."

Time Periods and Geographic Bases

Before 1947, births and deaths were tabulated by year of registration. In 1947 births were tabulated by year of occurrence, while deaths were tabulated by year of registration. Beginning in 1948, births, deaths, fetal deaths, marriages, and marriage dissolutions have been tabulated by the calendar year in which the event occurred.

From 1949 through 1967, deaths in hospitals, sanitariums, and all other institutions were allocated to the previous residence regardless of the decedent's length of stay in the institution. Since 1968, deaths occurring in hospitals, sanitariums, and other resident institutions have been allocated to the last previous residence, unless the decedent resided in the institution for at least one year. All deaths in penal institutions and mental hospitals are allocated to the previous place of residence regardless of the length of stay in the institution.

Race and Ethnicity

Since 1979, information on the race and ethnicity of the father and mother has been reported voluntarily on the birth certificates. This information was mandatory prior to 1979. The percent of birth certificates with race and ethnicity reported was 96.5 in 1979, 98.3 in 1980, and 98.6 in 1981 and 99.2 in 1982. The information obtained from the race and ethnicity items on both the birth and death certificates reflects the certificate informant's own responses.

From 1970 to 1977, the race of father and mother on the birth certificate was coded independently, and the race of child was generated from the parents' codes. Starting in 1978 ethnicity was added to the coding scheme. Race and ethnicity of both parents were then used to generate the race and ethnicity of the newborn child. In 1982, the race/ethnicity categories used for births and fetal deaths were changed in order to be comparable with those used with the 1980 Census and hence, differ greatly from the 1981 categories.

In 1981, race/ethnicity was classified into eight categories for statistical analysis purposes: White, Black, Mexican/American, American Indian, Chinese, Japanese, Filipino, and Other. Statistically speaking, these groups were mutually exclusive, that is, an individual birth could be classified in only one of these categories. For example, the reporting of Mexican/American precluded being classified as White or any of the other groups. However, in 1982, the reporting of race/ethnicity and the reporting of Spanish/Hispanic origin were made completely independent of each other. A birth identified as one of the race/ethnicity groups could also be identified as Spanish/ Hispanic origin (Mexican, Puerto Rican, Cuban, and other Spanish/Hispanic); conversely, a live birth identified as Spanish/Hispanic origin would also be identified as one of the race/ethnicity groups. As a result, a number of the live birth and fetal death tables in this report tabulated by race/ethnicity are repeated for Spanish/Hispanic origin.

In order to get comparable race/ethnicity categories for 1981 and 1982, a scheme was designed to recode the 1982 classifications so that live births could be redistributed into the 1981 mutually exclusive categories (Figure A). In regrouping 1982 data to make it comparable with the 1981 classification, whether a Black person is self-identified as Hispanic or non-Hispanic, Black still takes precedence. (Current rules require that the Black race designation always takes precedence over all the other race groups. A birth to a Black parent is always classified as Black regardless of the race/ethnicity of the other parent.)

The regrouping scheme is as follows:

FIGURE A

1982	Regrouped to be Comparable With 1981
White, Mexican/American	Mexican/American
White, Non-Mexican/American	White
Black, Mexican/American	Black
Black, Non-Mexican/American	Black
American Indian, Mexican/American	Mexican/American
American Indian, Non-Mexican/American	American Indian
Chinese, Mexican/American	Mexican/American
Chinese, Non-Mexican/American	Chinese
Japanese, Mexican/American	Mexican/American
Japanese, Non-Mexican/American	Japanese
Filipino, Mexican/American	Mexican/American
Filipino, Non-Mexican/American	Filipino
Other, Mexican/American	Mexican/American
Other, Non-Mexican/American	Other

When comparing the percent distribution of births in 1981 and 1982 on the basis of this recoding scheme, a lack of comparability was found for American Indians. This race category constituted 0.98 percent of all live births in 1982 compared to only 0.51 percent in 1981. It has not been established if this was a real increase or the result of an improvement in the identification of American Indian births. Most likely, it was a combination of the two. In 1982, administrative procedures were implemented that required some hospitals to document American Indian births in order to be compensated for various child care services.

In this report, tabulations of live births distributed by race/ethnicity are based on the newly adopted categories and are not comparable with tabulations for earlier years. Included in this report are other sets of tabulations created by utilizing the recoding scheme which allow for comparisons with data for prior years (Tables 7–1 and 7–2 and microfiche).

For purposes of statistical classifications, entries of "Race Not Specified" and "Unknown" on death certificates are included in the mortality data as "White." Also, entries of "Mexican" are classified as "White" in death tabulations because there are indications that the "Mexican" category has been consistently underreported.

Age

The death certificate contains both the age and the date of birth of the decedent; for computer tabulations, the age at death is generated from the difference between the date of birth and the date of death. For infants living less than 24 hours and for other deaths where date of birth is not reported, the stated age is accepted.

Length of Gestation

Length of gestation is calculated for live births and fetal deaths by subtracting the date the last normal menses began from the date of birth. The accuracy of this calculation is contingent upon the mother's recall of her last menstrual period. If only the month and year are given, the day is imputed. If a date is not reported, no calculation is made. The calculation is made in completed weeks of gestation.

7. APPENDIX

Page

DEFINITIONS 304

RATES AND RATIOS 306

CERTIFICATES AND LISTS OF VARIABLES

Figure 7–A. Certificate of live birth, 1982 308
7–B. Certificate of live birth medical data supplemental worksheet 309
7–C. Statistical information available for live births, 1982 311
7–D. Certificate of fetal death, 1982 312
7–E. Certificate of fetal death medical data supplemental worksheet 313
7–F. Statistical information available for fetal deaths, 1982 315
7–G. Certificate of death, 1982 316
7–H. Statistical information available for deaths, 1982 317

RACE/ETHNICITY COMPARABILITY TABLES

Table 7–1. Live births by race of child, previous live birth, and age of mother: California, 1982 318
Live births by race of child, previous live births, and age of mother: California counties, 1982 (microfiche) . . . . (inside back cover)
7–2. Live births by race of child and sex: California counties, 1982 319

CERTIFICATES AND LISTS OF VARIABLES

The vital statistics data presented in this report constitute only a part of the information reported on vital records. Other variables which were processed for births, deaths, and fetal deaths are shown in this section. Tabulations and cross-tabulations for most of these items can be provided for at cost, upon request.

DEFINITIONS

Following is a glossary of technical terms used in this report:

Place of occurrence:	The place where the event occurred (regardless of place of residence).
Place of residence:	The place where a person lives or maintains legal residency. For live births and fetal deaths, the mother's residence is used.

Births

Childbearing age:	Women 15 through 44 years of age.
Fetal death:	A death prior to the complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy); the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. If the fetus is of 20 weeks or more gestational age, the death must be registered with the local registrar. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3.
Live birth:	The complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy) which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3.
Total births:	Total deliveries: live births plus fetal deaths.
Live birth order:	The number of live births delivered by this mother including the current birth.
Low birthweight:	A live birth or fetal death weighing less than 2,500 grams (5 pounds, 8 ounces). (Prior to 1979, low birthweight was 2,500 grams or less. The new definition complies with a change adopted by the National Center for Health Statistics, beginning with 1979 data.)
Premature:	A live birth or fetal death occurring before the 37th week of gestation.

Deaths

Maternal death:	A death resulting from complications of pregnancy or childbirth.
Fetal death:	(See Births.)
Neonatal death:	A death occurring during the first 27 days of life.
Postneonatal death:	A death occurring between the 28th day and the end of the first year of life.
Perinatal deaths:	All fetal deaths of 20 or more weeks' gestation, plus neonatal deaths.
Infant death:	A death occurring during the first year of life.

RATES AND RATIOS

Birth Rates and Ratios

Age-specific birth rate $$= \frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$$

Fetal death ratio $$= \frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \times 1{,}000$$

General fertility rate $$= \frac{\text{number of live births}}{\text{estimated female population 15–44 years old}} \times 1{,}000$$

Live birth rate (crude birth rate) $$= \frac{\text{number of live births}}{\text{estimated total population}} \times 1{,}000$$

Total fertility rate = sum of each age-specific birth rate multiplied by the number of years in each age group (e.g., for 5-year groups, 15–19, 20–24, . . . 40–44, the sum of the birth rates for each age group is multiplied by 5).

Death Rates and Ratios

Age-adjusted death rate (direct method) $$= \frac{\text{total number of expected deaths in a standard population (if the persons in this population had experienced the same age-specific death rates as the population being adjusted)}}{\text{total standard population}} \times 100{,}000$$

Age-specific death rate $$= \frac{\text{number of deaths in specific age group}}{\text{estimated population in that age group}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

Death rate (crude death rate) $$= \frac{\text{number of deaths}}{\text{estimated total population}} \times 1{,}000$$

Death rate from a specific cause $$= \frac{\text{number of deaths from a specific cause}}{\text{estimated total population}} \times 100{,}000$$

$$\text{Fetal death ratio} = \text{(See Births)}$$

$$\text{Infant death rate} = \frac{\text{number of deaths under 1 year of age}}{\text{total number of live births}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

$$\text{Maternal death rate} = \frac{\begin{array}{l}\text{number of deaths due to complications}\\ \text{of pregnancy and childbirth}\end{array}}{\text{total number of live births}} \times 10{,}000$$

$$\text{Neonatal death rate} = \frac{\text{number of deaths under 28 days of age}}{\text{total number of live births}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

$$\text{Postneonatal death rate} = \frac{\begin{array}{l}\text{number of deaths between 28 days of age}\\ \text{and 1 year of age}\end{array}}{\text{total number of live births}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

$$\text{Perinatal death rate} = \frac{\begin{array}{l}\text{number of fetal deaths of 20 or more}\\ \text{weeks' gestation, plus neonatal deaths}\end{array}}{\text{total number of births}} \times 1{,}000 \text{ (or 100,000, as specified)}$$



104 -

STATE BIRTH CERTIFICATE NUMBER

CERTIFICATE OF LIVE BIRTH
STATE OF CALIFORNIA

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS CHILD

1A. NAME OF CHILD—FIRST
1B. MIDDLE
1C. LAST
2. SEX
3A. THIS BIRTH, SINGLE, TWIN, ETC.
3B. IF MULTIPLE, THIS CHILD 1ST, 2ND, ETC.
4A. DATE OF BIRTH—MONTH, DAY, YEAR
4B. HOUR—(24 HOUR CLOCK TIME)

PLACE OF BIRTH

5A. PLACE OF BIRTH—NAME OF HOSPITAL OR FACILITY
5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)
5C. CITY OR TOWN
5D. COUNTY

FATHER OF CHILD

6A. NAME OF FATHER—FIRST
6B. MIDDLE
6C. LAST
7. STATE OF BIRTH
8. AGE OF FATHER

MOTHER OF CHILD

9A. NAME OF MOTHER—FIRST
9B. MIDDLE
9C. LAST (BIRTH NAME)
10. STATE OF BIRTH
11. AGE OF MOTHER

PARENT'S CERTIFICATION

I CERTIFY THAT I HAVE REVIEWED THE STATED INFORMATION AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE
12A. PARENT OR OTHER INFORMANT—SIGNATURE
12B. RELATIONSHIP TO CHILD
12C. DATE SIGNED

ATTENDANT'S CERTIFICATION

I CERTIFY THAT I ATTENDED THIS BIRTH AND THAT THE CHILD WAS BORN ALIVE AT THE HOUR, DATE AND PLACE STATED
13A. PHYSICIAN OR OTHER ATTENDANT—SIGNATURE—DEGREE OR TITLE
13B. LICENSE NUMBER
13C. DATE SIGNED
14.
13D. TYPED NAME AND ADDRESS

LOCAL REGISTRAR

15. DEATH—ENTER DATE OF DEATH
16. LOCAL REGISTRAR—SIGNATURE
17. DATE ACCEPTED FOR REGISTRATION

CONFIDENTIAL INFORMATION FOR PUBLIC HEALTH USE ONLY

FATHER

18. RACE/ETHNICITY
19. SPANISH/HISPANIC ☐ NO
20A. USUAL OCCUPATION
20B. KIND OF BUSINESS OR INDUSTRY

MOTHER

21. RACE/ETHNICITY
22. SPANISH/HISPANIC ☐ NO
23A. USUAL OCCUPATION
23B. KIND OF BUSINESS OR INDUSTRY
24A. RESIDENCE (STREET, NUMBER OR LOCATION)
24C. COUNTY
24D. CITY OR TOWN
24E. STATE
24F. ZIP CODE

MEDICAL DATA

25A. DATE LAST NORMAL MENSES BEGAN: MONTH | DAY | YEAR
25B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND . . . 8TH, 9TH)
26. BIRTHWEIGHT — GRAMS
27. PREGNANCY HISTORY (COMPLETE EACH SECTION)
LIVE BIRTHS (DO NOT COUNT THIS CHILD): NOW LIVING (NUMBER) A; NOW DEAD (NUMBER) B
OTHER TERMINATIONS (EXCLUDE INDUCED ABORTIONS): BEFORE 20 WKS (NUMBER) C; AFTER 20 WKS (NUMBER) D
DATE OF LAST LIVE BIRTH: MONTH | DAY | YEAR — E
DATE OF LAST TERMINATION: MONTH | YEAR — F
ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 28 THRU 32 FROM THE VS 10A SUPPLEMENTAL WORKSHEET: IF NONE CHECK—NONE
28. CESAREAN SECTION ☐ NO
29. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES ☐ NONE
30. BIRTH INJURY TO CHILD ☐ NONE
31. COMPLICATIONS OF LABOR AND DELIVERY ☐ NONE
32. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD ☐ NONE

STATE REGISTRAR

A. B. C. D. E. F. CENSUS TRACT

NOTICE: THE INFORMATION YOU PROVIDE IN COMPLETING THE BOTTOM HALF OF THE BIRTH CERTIFICATE WILL BE KEPT STRICTLY CONFIDENTIAL AND WILL BE USED FOR HEALTH AND MEDICAL PURPOSES ONLY.

VS 10 (REV.1-82)

PENALTY FOR UNAUTHORIZED RELEASE. $500 FINE OR SIX MONTHS IMPRISONMENT

Figure 7–A

CERTIFICATE OF LIVE BIRTH, 1982

Figure 7—B

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

IF ANY ITEMS 28 THROUGH 32 ON CERTIFICATE OF LIVE BIRTH (FORM VS 10) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORK SHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 28. IF CESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Elective* Primary	3	Nonelective Primary
2	Elective* Repeat	4	Nonelective Repeat

* Cesarean section before or at onset of labor.

Item 29. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as many codes as are appropriate)

01	Placental Complications	09	Pulmonary
02	Pre-Eclampsia/Eclampsia/Toxemia	10	Syphilis
03	Hemoglobinopathy	11	Rubella
04	Urinary Tract/Kidney Infection	12	Rh (D) Iso-Immunization
05	Anemia Less Than 10 GM HB	13	Unspecified Uterine Bleeding Not Associated with Labor
06	Transport of Mother From Another Hospital After Onset of Labor	14	Renal Disease
07	Heart Disease/Essential Hypertension	15	Previous Cesarean Section
08	Diabetes	16	Other

Item 30. BIRTH INJURY TO CHILD (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 31. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	8	Transport of Infant to Another Hospital Within 24 Hours of Birth
		9	Other

Item 32. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD (Use Codes on Reverse Side of This Sheet)

Do not enter any identification by name or
number of the patient on this work sheet.

Figure 7–B (Continued)

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORK SHEET

Item 32. CONGENITAL ANOMALIES (ICD-9). Circle up to five most important anomalies.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Figure 7–C

STATISTICAL INFORMATION AVAILABLE FOR LIVE BIRTHS, 1982

VARIABLE	CERTIFICATE ITEM NUMBER
THIS CHILD	
Name of child (first, middle, last)	1A,B,C
Sex of child	2
Single, twin, triplet, quadruplet, quintuplet or more	3A
If multiple birth, birth order	3B
Date of birth (month, day, year)	4A
Race/ethnicity of child (determined by race/ethnicity of mother and father)	18,21,
Spanish/Hispanic origin (determined by Spanish/Hispanic origin of mother)	22
Birthweight (in grams)	26
PLACE OF BIRTH	
Maternity hospital or facility	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/ethnicity	21
Spanish/Hispanic origin	22
Usual residence	24C,E
Request omission from solicitation lists	14
FATHER OF CHILD	
Age	8
Race/ethnicity	18
Spanish/Hispanic origin	19
ATTENDANT'S CERTIFICATION	
Type of certifier	13A
LOCAL REGISTRAR	
Date of death if infant died	15
MEDICAL DATA	
First day of last normal menses	25A
Completed days of gestation	4A,25A
Month of pregnancy prenatal care began	25B
Previous deliveries to this mother	27A,B,C,D
Date of last live birth	27E
Date of last termination	27F
Complications of pregnancy	29
Complications of labor and delivery	31
Caesarean section	28
Birth injury to child	30
Congenital malformation	32



CERTIFICATE OF FETAL DEATH

STATE FILE NUMBER
STATE OF CALIFORNIA
LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS FETUS	1A. NAME—FIRST	1B. MIDDLE	1C. LAST	
	2. SEX	3A. THIS DELIVERY, SINGLE, TWIN, ETC.	3B. IF MULTIPLE, THIS FETUS 1ST, 2ND, ETC.	4A. DATE OF DELIVERY—MONTH, DAY, YEAR 4B. HOUR (24 HOUR CLOCK TIME)
PLACE OF DELIVERY	5A. PLACE OF DELIVERY—NAME OF HOSPITAL	5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)		
	5C. CITY OR TOWN	5D. COUNTY		
FATHER	6A. NAME OF FATHER—FIRST	6B. MIDDLE	6C. LAST	7. STATE OF BIRTH 8. AGE OF FATHER
MOTHER	9A. NAME OF MOTHER—FIRST	9B. MIDDLE	9C. LAST (BIRTHNAME)	10. STATE OF BIRTH 11. AGE OF MOTHER
CERTIFICATION	I CERTIFY THAT THIS FETUS WAS BORN DEAD AT THE HOUR, DATE AND PLACE STATED AND FROM THE CAUSES STATED.	12A. PHYSICIAN OR CORONER—DEGREE OR TITLE AND TYPED NAME	12B. DATE SIGNED	
FUNERAL DIRECTOR AND LOCAL REGISTRAR	13. DISPOSITION	14. DATE (MONTH, DAY, YEAR)	15. NAME AND ADDRESS OF CEMETERY OR CREMATORY	
	16. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH)	17. LOCAL REGISTRAR—SIGNATURE	18. DATE ACCEPTED BY LOCAL REGISTRAR	

CONFIDENTIAL HEALTH AND MEDICAL INFORMATION

CAUSE OF DEATH	19. FETAL DEATH WAS CAUSED BY	ENTER ONLY ONE CAUSE PER LINE FOR A, B AND C
	FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH.	IMMEDIATE CAUSE (A)
	FETAL AND/OR MATERNAL CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST.	DUE TO, OR AS A CONSEQUENCE OF (B) DUE TO, OR AS A CONSEQUENCE OF (C)
	20. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER—CONTRIBUTION TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN 19A.	21. AUTOPSY (SPECIFY YES OR NO)

FATHER	22. RACE/ETHNICITY	23. SPANISH/HISPANIC ☐ NO	24A. USUAL OCCUPATION	24B. KIND OF BUSINESS OR INDUSTRY
MOTHER	25. RACE/ETHNICITY	26. SPANISH/HISPANIC ☐ NO	27A. USUAL OCCUPATION	27B. KIND OF BUSINESS OR INDUSTRY
	28A. RESIDENCE (STREET, NUMBER OR LOCATION)	28B. CITY OR TOWN	28C. STATE 28D. ZIP CODE	28E. COUNTY

MEDICAL DATA	29A. DATE LAST NORMAL MENSES BEGAN MONTH | DAY | YEAR	29B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND . . . 8TH, 9TH	30. BIRTHWEIGHT GRAMS	31. PREGNANCY HISTORY (COMPLETE EACH SECTION) LIVE BIRTHS (DO NOT COUNT THIS CHILD) OTHER TERMINATIONS (EXCLUDE INDUCED ABORTIONS)
	ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 32 THRU 36 FROM THE VS 10A SUPPLEMENTAL WORKSHEET, IF NONE CHECK—NONE		32. CESAREAN SECTION ☐ NO	NOW LIVING (NUMBER) A NOW DEAD (NUMBER) B BEFORE 20 WKS (NUMBER) C AFTER 20 WKS (NUMBER) D
	33. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES ☐ NONE		34. BIRTH INJURY TO CHILD ☐ NONE	DATE OF LAST LIVE BIRTH MONTH | DAY | YEAR E DATE OF LAST TERMINATION MONTH | YEAR F
	35. COMPLICATIONS OF LABOR AND DELIVERY ☐ NONE		36. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD ☐ NONE	

STATE REGISTRAR	A.	B.	C.	D.	E.	F.	CENSUS TRACT

VS 12 (REV 1-82) **PENALTY FOR UNAUTHORIZED RELEASE, $500 FINE OR SIX MONTHS IMPRISONMENT.** 23265-449 10-81 20M CAM ① OSP

Figure 7–D

CERTIFICATE OF FETAL DEATH, 1982

Figure 7–E

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

IF ANY OF ITEMS 32 THROUGH 36 ON CERTIFICATE OF FETAL DEATH (FORM VS 12) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORK SHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 32. IF CESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Elective* Primary	3	Nonelective Primary
2	Elective* Repeat	4	Nonelective Repeat

* Cesarean section before or at onset of labor.

Item 33. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as many codes as are appropriate)

01	Placental Complications	09	Pulmonary
02	Pre-Eclampsia/Eclampsia/Toxemia	10	Syphilis
03	Hemoglobinopathy	11	Rubella
04	Urinary Tract/Kidney Infection	12	Rh (D) Iso-Immunization
05	Anemia Less Than 10 GM HB	13	Unspecified Uterine Bleeding Not Associated with Labor
06	Transport of Mother From Another Hospital After Onset of Labor	14	Renal Disease
		15	Previous Cesarean Section
07	Heart Disease/Essential Hypertension	16	Other
08	Diabetes		

Item 34. BIRTH INJURY TO FETUS (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 35. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	9	Other

Item 36. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Use Codes on Reverse Side of This Sheet)

Do not enter any identification by name or
number of the patient on this work sheet.

VS 12A (7/82)

Figure 7–E (Continued)

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

Item 36. CONGENITAL ANOMALIES (ICD-9). Circle up to five most important anomalies.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Figure 7–F

STATISTICAL INFORMATION AVAILABLE FOR FETAL DEATHS, 1982

VARIABLE	CERTIFICATE ITEM NUMBER
THIS FETUS	
Name (first, middle, last)	1A,B,C
Sex	2
Single, twin, triplet, quadruplet, quintuplet, or more	3A
If multiple birth, birth order	3B
Date of delivery (month, day, year)	4A
Race/Ethnicity of child (determined by race/ethnicity of mother and father)	22,25
Spanish/Hispanic origin (determined by Spanish/Hispanic origin of mother)	26
Birthweight	30
PLACE OF DELIVERY	
Maternity hospital code	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/Ethnicity	25
Spanish/Hispanic origin	26
County of residence	28E
FATHER OF CHILD	
Age	8
Race/Ethnicity	22
Spanish/Hispanic origin	23
MEDICAL AND HEALTH DATA	
Type of certifier	12A
Underlying cause of death	19C
Autopsy	21
Date last normal menses began	29A
Completed days of gestation	4A,29A
Month of pregnancy prenatal care began	29B
Previous deliveries to this mother	31A,B,C,D
Date of last live birth	31E
Date of last termination	31F
Caesarean section	32
Complications of pregnancy	33
Birth injury	34
Complications of labor and delivery	35
Congenital malformations	36



CERTIFICATE OF DEATH
STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

DECEDENT PERSONAL DATA

1A. NAME OF DECEDENT—FIRST
1B. MIDDLE
1C. LAST
2A. DATE OF DEATH (MONTH, DAY, YEAR)
2B. HOUR
3. SEX
4. RACE
5. ETHNICITY
6. DATE OF BIRTH
7. AGE YEARS
IF UNDER 1 YEAR MONTHS DAYS
IF UNDER 24 HOURS HOURS MINUTES
8. BIRTHPLACE OF DECEDENT (STATE OR FOREIGN COUNTRY)
9. NAME AND BIRTHPLACE OF FATHER
10. BIRTH NAME AND BIRTHPLACE OF MOTHER
11. CITIZEN OF WHAT COUNTRY
12. SOCIAL SECURITY NUMBER
13. MARITAL STATUS
14. NAME OF SURVIVING SPOUSE (IF WIFE, ENTER BIRTH NAME)
15. PRIMARY OCCUPATION
16. NUMBER OF YEARS THIS OCCUPATION
17. EMPLOYER (IF SELF-EMPLOYED, SO STATE)
18. KIND OF INDUSTRY OR BUSINESS

USUAL RESIDENCE

19A. USUAL RESIDENCE—STREET ADDRESS (STREET AND NUMBER OR LOCATION)
19B.
19C. CITY OR TOWN
19D. COUNTY
19E. STATE
20. NAME AND ADDRESS OF INFORMANT—RELATIONSHIP

PLACE OF DEATH

21A. PLACE OF DEATH
21B. COUNTY
21C. STREET ADDRESS (STREET AND NUMBER OR LOCATION)
21D. CITY OR TOWN

CAUSE OF DEATH

22. DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR A, B, AND C)
IMMEDIATE CAUSE
(A)
CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST
DUE TO, OR AS A CONSEQUENCE OF
(B)
DUE TO, OR AS A CONSEQUENCE OF
(C)
APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH
24. WAS DEATH REPORTED TO CORONER?
25. WAS BIOPSY PERFORMED?
26. WAS AUTOPSY PERFORMED?
23. OTHER CONDITIONS CONTRIBUTING BUT NOT RELATED TO THE IMMEDIATE CAUSE OF DEATH
27. WAS OPERATION PERFORMED FOR ANY CONDITION IN ITEMS 22 OR 23? TYPE OF OPERATION DATE

PHYSICIAN'S CERTIFICATION

28A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED.
I ATTENDED DECEDENT SINCE (ENTER MO. DA. YR.)
I LAST SAW DECEDENT ALIVE (ENTER MO. DA. YR.)
28B. PHYSICIAN—SIGNATURE AND DEGREE OR TITLE
28C. DATE SIGNED
28D. PHYSICIAN'S LICENSE NUMBER
28E. TYPE PHYSICIAN'S NAME AND ADDRESS

INJURY INFORMATION

CORONER'S USE ONLY

29. SPECIFY ACCIDENT, SUICIDE, ETC.
30. PLACE OF INJURY
31. INJURY AT WORK
32A. DATE OF INJURY—MONTH, DAY, YEAR
32B. HOUR
33. LOCATION (STREET AND NUMBER OR LOCATION AND CITY OR TOWN)
34. DESCRIBE HOW INJURY OCCURRED (EVENTS WHICH RESULTED IN INJURY)
35A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED. AS REQUIRED BY LAW I HAVE HELD AN (INQUEST-INVESTIGATION)
35B. CORONER—SIGNATURE AND DEGREE OR TITLE
35C. DATE SIGNED

36. DISPOSITION
37. DATE—MONTH, DAY, YEAR
38. NAME AND ADDRESS OF CEMETERY OR CREMATORY
39. EMBALMER'S LICENSE NUMBER AND SIGNATURE
40. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH)
41. LOCAL REGISTRAR—SIGNATURE
42. DATE ACCEPTED BY LOCAL REGISTRAR

STATE REGISTRAR

A.	B.	C.	D.	E.	F.

VS-11 (10-78)

Figure 7–G

CERTIFICATE OF DEATH, 1982

Figure 7–H

STATISTICAL INFORMATION AVAILABLE FOR DEATHS, 1982

VARIABLE	CERTIFICATE ITEM NUMBER
DECEDENT PERSONAL DATA	
Name of decedent (first, middle, last)	1A,B,C
Date of death (month, day, year)	2A
Sex	3
Race/ethnicity	4
Date of birth	6
Age	7
Birthplace	8
Father's surname	9
Mother's maiden surname	10
Social security number	12
Marital status	13
Initials of surviving spouse	14
Occupation code	15
Years in occupation	16
USUAL RESIDENCE	
County of residence	19D
PLACE OF DEATH	
Type of facility	21A
County of occurrence	21B
MEDICAL AND HEALTH DATA	
Underlying cause of death	22C
Special medical indicator	22,23
Reported to coroner	24
Biopsy performed	25
Autopsy performed	26
Operation performed	27
Accident, suicide, or homicide	29
Place of injury	30
Work injury	31
Date of injury	32A
County where injury occurred	33
Type of certifier	28B,35B
Cause of death group code	22
Days between injury and death	2A,32A

Table 7–1

LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS, AND AGE OF MOTHER
CALIFORNIA, 1982
(By place of residence)

RACE AND PREVIOUS LIVE BIRTHS	Total	AGE OF MOTHER													
		Under 15	15	16	17	18	19	20–24	25–29	30–34	35–39	40–44	45–49	50 and Over	Not Stated
California	429,631	851	2,379	5,620	9,875	15,035	20,261	136,388	134,830	76,090	24,205	3,734	209	11	143
White	209,441	172	555	1,622	3,179	5,412	8,100	64,075	71,236	41,112	12,437	1,438	55	1	47
None	97,226	169	542	1,517	2,784	4,456	6,232	36,329	29,577	12,524	2,841	234	4	–	17
One	69,148	2	12	95	359	853	1,583	20,895	26,293	15,004	3,751	285	5	–	11
Two	27,955	–	–	2	25	78	230	5,395	10,882	8,214	2,836	279	8	1	5
Three	9,107	–	–	–	1	8	23	976	3,080	3,258	1,492	260	7	–	2
Four or More	5,078	–	–	–	–	–	2	210	1,101	1,916	1,446	371	31	–	1
Not Stated	927	1	1	8	10	17	30	270	303	196	71	9	–	–	11
Black	41,246	213	533	1,005	1,608	2,225	2,707	14,736	11,127	5,337	1,492	241	14	–	8
None	17,701	209	504	920	1,331	1,713	1,856	6,730	3,127	1,038	242	26	4	–	1
One	12,219	4	24	81	239	429	670	5,023	3,820	1,578	313	35	1	–	2
Two	6,393	–	2	3	32	68	148	2,128	2,428	1,223	319	39	1	–	2
Three	2,764	–	–	1	1	6	24	608	1,059	771	253	40	1	–	–
Four or More	2,012	–	–	–	–	1	3	202	634	705	359	99	7	–	2
Not Stated	157	–	3	–	5	8	6	45	59	22	6	2	–	–	1
Mexican-American	134,969	432	1,196	2,762	4,630	6,635	8,259	47,356	36,891	18,461	6,736	1,475	83	4	49
None	49,529	411	1,110	2,473	3,788	4,814	5,326	20,082	8,479	2,375	554	97	1	–	19
One	39,221	19	83	268	754	1,562	2,332	17,181	11,877	4,124	891	113	7	–	10
Two	23,293	–	2	14	73	223	493	7,124	9,129	4,735	1,286	200	9	–	5
Three	11,271	–	–	1	3	16	77	2,159	4,375	3,233	1,199	195	9	1	3
Four or More	11,220	–	–	–	–	2	9	655	2,911	3,933	2,780	865	57	3	5
Not Stated	435	2	1	6	12	18	22	155	120	61	26	5	–	–	7
Other	40,583	27	83	198	401	677	1,084	9,301	14,446	10,434	3,303	550	57	6	16
None	17,347	26	76	185	325	517	788	4,978	6,512	3,162	675	90	6	1	6
One	12,972	–	7	9	60	135	244	2,836	4,683	3,869	1,012	105	8	–	4
Two	5,881	–	–	2	12	22	39	1,056	1,937	1,953	751	105	2	–	2
Three	2,269	–	–	–	1	1	9	296	793	720	377	67	4	–	1
Four or More	1,932	–	–	–	–	–	–	82	462	688	474	181	37	5	3
Not Stated	182	1	–	2	3	2	4	53	59	42	14	2	–	–	–
Unknown	3,392	7	12	33	57	86	111	920	1,130	746	237	30	–	–	23
None	1,560	7	11	31	49	70	86	520	467	247	60	7	–	–	5
One	1,042	–	–	1	6	14	18	286	401	246	65	5	–	–	–
Two	434	–	–	–	–	2	3	75	159	140	51	4	–	–	–
Three	143	–	–	–	–	–	1	12	46	54	23	6	–	–	1
Four or More	95	–	–	–	–	–	–	3	22	32	30	8	–	–	–
Not Stated	118	–	1	1	2	–	3	24	35	27	8	–	–	–	17

Note: This table enables the user to make a direct comparison of births from 1981 to 1982. The birth tables in Chapter 2 use recently adopted race/ethnicity and Spanish/Hispanic origin categories that prohibit a direct comparison of births for these two years. Similar comparability tables for counties can be found on microfiche at the back of this report.

Source: State of California, Department of Health Services, Birth Records.

Table 7–2

LIVE BIRTHS BY RACE OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982

(By place of residence)

COUNTY	ALL RACES			WHITE			BLACK			MEXICAN-AMERICAN			AMERICAN INDIAN			CHINESE			JAPANESE			FILIPINO			OTHER			UNKNOWN		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
California	429,631	219,867	209,764	209,441	107,576	101,865	41,246	21,073	20,173	134,969	68,642	66,327	4,224	2,153	2,071	7,017	3,598	3,419	3,667	1,877	1,790	9,657	4,985	4,672	16,018	8,229	7,789	3,392	1,734	1,658
Alameda	18,220	9,364	8,856	8,189	4,235	3,954	4,313	2,204	2,109	2,950	1,533	1,417	121	63	58	594	284	310	150	77	73	636	317	319	859	440	419	408	211	197
Alpine	20	12	8	13	8	5	–	–	–	–	–	–	7	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Amador	246	125	121	203	101	102	1	–	1	20	10	10	18	12	6	–	–	–	1	1	–	1	1	–	–	–	–	2	–	2
Butte	2,205	1,159	1,046	1,776	927	849	35	22	13	269	138	131	45	31	14	9	4	5	8	3	5	3	–	3	13	7	6	47	27	20
Calaveras	286	151	135	238	129	109	3	1	2	28	14	14	11	5	6	1	–	1	2	1	1	1	1	–	1	–	1	1	–	1
Colusa	262	135	127	137	70	67	–	–	–	111	56	55	6	4	2	–	–	–	–	–	–	–	–	–	6	4	2	2	1	1
Contra Costa	9,972	5,113	4,859	6,354	3,277	3,077	1,312	642	670	1,264	626	638	65	33	32	268	141	127	114	68	46	237	135	102	289	152	137	69	39	30
Del Norte	336	153	183	233	109	124	1	1	–	46	16	30	53	27	26	–	–	–	1	–	1	–	–	–	2	–	2	–	–	–
El Dorado	1,323	651	672	1,186	583	603	4	2	2	91	48	43	11	4	7	–	–	–	8	2	6	17	10	7	6	2	4	–	–	–
Fresno	10,888	5,581	5,307	4,361	2,261	2,100	730	360	370	5,079	2,587	2,492	79	40	39	48	31	17	71	31	40	71	40	31	449	231	218	–	–	–
Glenn	385	188	197	271	134	137	2	1	1	101	47	54	8	5	3	1	–	1	–	–	–	–	–	–	1	–	1	1	1	–
Humboldt	1,749	906	843	1,466	765	701	18	9	9	91	48	43	138	68	70	2	–	2	6	5	1	9	3	6	16	7	9	3	1	2
Imperial	2,167	1,133	1,034	474	249	225	42	16	26	1,600	844	756	25	12	13	9	3	6	2	1	1	4	3	1	10	5	5	1	–	1
Inyo	274	148	126	189	100	89	–	–	–	34	21	13	49	27	22	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
Kern	9,461	4,790	4,671	5,179	2,576	2,603	557	295	262	3,367	1,743	1,624	136	75	61	21	10	11	25	9	16	106	48	58	66	33	33	4	1	3
Kings	1,830	937	893	894	461	433	114	60	54	735	377	358	18	6	12	7	4	3	4	2	2	48	22	26	10	5	5	–	–	–
Lake	510	258	252	399	194	205	3	2	1	79	50	29	20	12	8	1	–	1	2	–	2	2	–	2	1	–	1	3	–	3
Lassen	386	203	183	320	164	156	10	5	5	33	20	13	14	9	5	–	–	–	1	1	–	2	1	1	6	3	3	–	–	–
Los Angeles	139,600	71,286	68,314	48,857	25,129	23,728	19,319	9,907	9,812	58,325	29,582	28,743	590	288	302	2,288	1,175	1,113	1,366	683	683	2,761	1,439	1,322	5,113	2,607	2,506	981	476	505
Madera	1,366	691	675	644	320	324	53	30	23	635	320	315	20	11	9	3	3	–	1	1	–	3	3	–	4	2	2	3	1	2
Marin	2,419	1,285	1,134	2,015	1,064	951	112	59	53	120	63	57	7	3	4	25	13	12	27	17	10	21	11	10	62	37	25	30	18	12
Mariposa	150	80	70	136	73	63	–	–	–	9	5	4	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mendocino	1,169	573	596	935	458	477	6	3	3	152	72	80	55	30	25	2	1	1	3	1	2	2	1	1	4	2	2	10	5	5
Merced	3,226	1,608	1,618	1,511	763	748	195	100	95	1,216	594	622	20	7	13	9	5	4	8	4	4	13	8	5	253	126	127	1	1	–
Modoc	153	83	70	118	62	56	1		1	19	12	7	13	8	5	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
Mono	159	91	68	134	79	55	–	–	–	10	5	5	12	6	6	–	–	–	2	1	1	–	–	–	1	–	1	–	–	–
Monterey	6,436	3,362	3,074	2,498	1,288	1,210	611	314	297	2,575	1,362	1,213	47	21	26	29	14	15	49	29	20	180	91	89	323	176	147	124	67	57
Napa	1,342	703	639	968	507	461	11	8	3	307	159	148	18	6	12	2	1	1	6	5	1	15	8	7	11	6	5	4	3	1
Nevada	862	428	434	778	389	389	4	1	3	60	32	28	6	3	3	4	–	4	2	1	1	–	–	–	2	2	–	6	–	6
Orange	33,989	17,374	16,615	20,169	10,244	9,925	864	454	410	9,584	4,898	4,686	161	87	74	405	212	193	363	181	182	317	171	146	2,092	1,109	983	34	18	16
Placer	1,800	903	897	1,498	756	742	10	5	5	213	104	109	35	12	23	8	6	2	15	8	7	6	4	2	11	5	6	4	3	1
Plumas	264	147	117	238	131	107	6	4	2	11	8	3	4	2	2	–	–	–	1	1	–	–	–	–	4	1	3	–	–	–
Riverside	12,958	6,506	6,452	7,293	3,652	3,641	784	401	383	4,325	2,191	2,134	158	76	82	37	22	15	45	19	26	85	47	38	194	84	110	37	14	23
Sacramento	14,255	7,325	6,930	9,028	4,665	4,363	1,709	855	854	2,099	1,089	1,010	179	99	80	426	208	218	145	72	73	207	99	108	442	229	213	20	9	11
San Benito	496	253	243	147	80	67	1	1	–	338	165	173	2	1	1	–	–	–	–	–	–	2	1	1	–	–	–	6	5	1
San Bernardino	18,720	9,570	9,150	10,674	5,505	5,169	1,546	777	769	5,152	2,580	2,572	219	119	100	67	38	29	80	42	38	145	76	69	303	157	146	534	276	258
San Diego	33,795	17,281	16,514	18,027	9,284	8,743	2,928	1,479	1,449	8,904	4,501	4,403	673	332	341	222	112	110	258	140	118	1,455	724	731	1,310	696	614	18	13	5
San Francisco	8,991	4,538	4,453	3,251	1,622	1,629	1,671	827	844	1,070	545	525	35	14	21	1,154	606	548	128	75	53	845	432	413	750	370	380	87	47	40
San Joaquin	7,090	3,637	3,453	3,504	1,808	1,696	564	298	266	2,012	1,023	989	110	53	57	49	31	18	36	16	20	164	76	88	647	329	318	4	3	1
San Luis Obispo	2,341	1,188	1,153	1,776	934	842	42	12	30	377	172	205	62	31	51	14	6	8	14	8	6	30	12	18	21	11	10	5	2	3
San Mateo	8,715	4,487	4,228	4,603	2,375	2,228	696	359	337	1,657	817	840	41	25	16	397	211	186	135	70	65	675	361	314	439	235	204	72	34	38
Santa Barbara	4,817	2,476	2,341	2,578	1,353	1,225	216	121	95	1,719	844	875	42	16	26	30	15	15	42	21	21	68	36	32	101	54	47	21	16	5
Santa Clara	22,538	11,556	10,982	11,002	5,630	5,372	1,240	639	601	6,685	3,434	3,251	193	104	89	660	335	325	318	160	158	878	467	411	1,429	711	718	133	76	57
Santa Cruz	3,329	1,730	1,599	1,759	902	857	49	25	24	1,123	585	538	24	15	9	10	5	5	24	13	11	26	13	13	27	16	11	287	156	131
Shasta	1,919	939	980	1,656	800	856	21	9	12	128	69	59	87	45	42	4	2	2	11	6	5	2	2	–	7	3	4	3	3	–
Sierra	59	31	28	55	28	27	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Siskiyou	691	360	331	552	288	264	8	5	3	76	36	40	46	27	19	2	1	1	1	–	1	1	1	–	5	2	3	–	–	–
Solano	4,783	2,485	2,298	2,900	1,505	1,395	687	348	339	574	307	267	75	42	33	48	24	24	45	24	21	327	170	157	118	59	59	9	6	3
Sonoma	4,818	2,539	2,279	3,723	1,978	1,745	93	52	41	693	352	341	67	33	34	23	14	9	32	18	14	29	17	12	99	45	54	59	30	29
Stanislaus	5,258	2,680	2,578	3,439	1,759	1,680	105	59	46	1,425	719	706	62	32	30	33	14	19	10	7	3	22	8	14	153	81	72	9	1	8
Sutter	973	447	526	565	259	306	21	14	7	200	85	115	51	24	27	2	–	2	10	7	3	2	1	1	105	49	56	17	8	9
Tehama	572	309	263	464	259	205	1	1	–	82	37	45	20	9	11	1	–	1	1	1	–	1	1	–	–	–	–	2	1	1
Trinity	184	96	88	147	77	70	–	–	–	14	8	6	20	10	10	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2
Tulare	5,621	2,957	2,664	2,500	1,346	1,154	95	49	46	2,896	1,495	1,406	23	16	7	13	5	8	10	3	7	54	26	28	26	15	11	4	2	2
Tuolumne	484	256	228	421	223	198	2	2	–	37	20	17	14	6	8	2	1	1	1	1	–	–	–	–	7	3	4	–	–	–
Ventura	9,879	5,099	4,780	5,196	2,702	2,494	310	170	140	3,549	1,809	1,740	100	44	56	66	34	32	60	33	27	152	87	65	148	79	69	298	141	157
Yolo	1,817	918	899	1,089	544	545	49	25	24	572	299	273	14	7	7	18	5	13	15	7	8	14	6	8	31	16	15	15	9	6
Yuba	1,073	583	490	711	392	319	71	40	31	124	63	61	90	50	40	3	2	1	6	1	5	18	5	13	40	23	17	10	7	3

Note: This table enables the user to make a direct comparison of births from 1981 to 1982. The birth tables in Chapter 2 use recently adopted race/ethnicity and Spanish/Hispanic origin categories that prohibit a direct comparison of births for these two years.

Source: State of California, Department of Health Services, Birth Records

VITAL STATISTICS REGISTRATION IN CALIFORNIA

RECORD	PERSONS RESPONSIBLE FOR COMPLETING RECORDS	PERSONS RESPONSIBLE FOR FILING RECORD WITH LOCAL REGISTRAR	LOCAL REGISTRARS–TRANSMIT RECORDS TO STATE
Certificate of Live Birth.	Attending physician or parent for unattended birth.	Attending physician or parent for unattended birth.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Fetal Death.	Funeral director and physician or coroner for medical certification.	Funeral director or person acting in lieu of the director.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Death.	Funeral director and physician or coroner for medical certification.	Funeral director or person acting in lieu of the director.	Directors of full-time approved local health departments in 45 of California's 58 counties; others appointed by State Registrar.
Certificate of Registry of Marriage.	Persons applying for license and clerk of county issuing license.	Minister or other person performing marriage ceremony.	County recorder of county in which marriage license was issued.
Copy of the Final Dissolution of Marriage, of Legal Separation, and of Declaration of Nullity.	Attorney for party obtaining the final decree.	Attorney for party obtaining the final decree.	County clerk of county granting decree.

Source: *Statutory Provisions Relating to Vital Statistics,* 1983, State of California, Office of State Registrar, 410 N Street, Sacramento, CA 95814.

79890-449 4-85 CSP 650 LDA

8/19/85 S0865-1

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
1-999	ALL CAUSES		188,255	4,218	819	408	499	1,730	2,937	3,013	2,941	2,951	3,337	4,679	7,360	11,565	15,767	19,712	22,760	24,048	23,704	19,714	11,462	3,706	720	117
		M	100,233	2,395	477	246	318	1,280	2,246	2,237	2,089	1,986	2,105	2,973	4,614	7,085	9,537	11,721	12,949	12,729	10,896	7,503	3,613	909	163	82
		F	88,022	1,823	342	162	181	450	691	776	852	965	1,232	1,706	2,746	4,480	6,230	7,991	9,811	11,319	12,808	12,211	7,849	2,797	557	35
1-139	TOTAL, INFECTIOUS AND PARASITIC DISEASES		1,466	84	29	7	10	13	24	40	50	37	46	44	76	109	132	143	130	160	133	121	50	23	2	1
		M	794	45	17	5	4	6	13	22	30	32	25	30	50	64	75	76	57	85	66	53	23	13	-	1
		F	672	39	12	2	6	7	11	18	20	5	21	14	26	45	57	67	73	75	67	68	27	10	2	-
1-9	INTESTINAL INFECTIOUS DISEASES		54	24	5	-	-	2	-	1	1	1	1	-	-	5	4	1	1	3	1	4	-	-	-	-
		M	26	13	4	-	-	2	-	-	-	1	-	-	-	2	1	-	-	2	-	1	-	-	-	-
		F	28	11	1	-	-	-	-	1	1	-	1	-	-	3	3	1	1	1	1	3	-	-	-	-
3	OTHER SALMONELLA INFECTIONS		11	1	-	-	-	-	-	1	-	-	-	-	-	3	1	1	1	1	-	2	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
		F	7	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-
3.0	SALMONELLA GASTROENTERITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
3.1	SALMONELLA SEPTICAEMIA		6	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
3.2	LOCALIZED SALMONELLA INFECTIONS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4	SHIGELLOSIS		2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4.9	UNSPECIFIED		2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	OTHER FOOD POISONING (BACTERIAL)		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
5.1	BOTULISM		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
8	INTESTINAL INFECTIONS DUE TO OTHER ORGANISMS		12	-	4	-	-	2	-	-	1	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-
		M	7	-	3	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	5	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
8.4	OTHER SPECIFIED BACTERIA		2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.5	BACTERIAL ENTERITIS, UNSPECIFIED		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.6	ENTERITIS DUE TO SPECIFIED VIRUS		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.8	OTHER ORGANISM, NOT ELSEWHERE CLASSIFIED		8	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
		M	5	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
9	ILL-DEFINED INTESTINAL INFECTIONS		28	22	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	-	-
		M	14	12	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	14	10	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-
9.0	INFECTIOUS COLITIS, ENTERITIS AND GASTROENTERITIS		27	21	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	-	-
		M	13	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	14	10	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-
9.2	INFECTIOUS DIARRHOEA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18	TUBERCULOSIS		200	-	1	-	1	-	-	5	3	5	8	2	15	21	20	21	23	31	23	11	4	6	-	-
		M	136	-	-	-	-	-	-	4	2	4	5	2	11	16	16	12	13	19	15	9	4	4	-	-
		F	64	-	1	-	1	-	-	1	1	1	3	-	4	5	4	9	10	12	8	2	-	2	-	-
10	PRIMARY TUBERCULOUS INFECTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
10.0	PRIMARY TUBERCULOUS COMPLEX		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
11	PULMONARY TUBERCULOSIS		155	-	-	-	-	-	-	4	3	4	6	2	10	15	17	17	19	25	17	7	4	5	-	-
		M	110	-	-	-	-	-	-	3	2	3	4	2	8	12	14	9	11	17	12	5	4	4	-	-
		F	45	-	-	-	-	-	-	1	1	1	2	-	2	3	3	8	8	8	5	2	-	1	-	-
11.2	TUBERCULOSIS OF LUNG WITH CAVITATION		7	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
11.3	TUBERCULOSIS OF BRONCHUS		5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
11.4	TUBERCULOUS FIBROSIS OF LUNG		12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	4	3	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
11.5	TUBERCULOUS BRONCHIECTASIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
11.6	TUBERCULOUS PNEUMONIA (ANY FORM)		25	-	-	-	-	-	-	1	2	2	1	-	1	2	3	1	1	3	3	2	2	1	-	-
		M	21	-	-	-	-	-	-	1	2	1	1	-	1	2	3	1	1	3	2	1	2	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-
11.9	UNSPECIFIED		105	-	-	-	-	-	-	3	1	2	5	1	8	9	12	12	17	15	10	4	2	4	-	-
		M	72	-	-	-	-	-	-	2	-	2	3	1	6	7	9	6	9	10	8	3	2	4	-	-
		F	33	-	-	-	-	-	-	1	1	-	2	-	2	2	3	6	8	5	2	1	-	-	-	-
12	OTHER RESPIRATORY TUBERCULOSIS		4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
12.0	TUBERCULOUS PLEURISY		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
12.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
13	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM		8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	-	-	-	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-
13.0	TUBERCULOUS MENINGITIS		8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	-	-	-	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-
14	TUBERCULOSIS OF INTESTINES, PERITONEUM AND MESENTERIC GLANDS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
15	TUBERCULOSIS OF BONES AND JOINTS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
15.7	OTHER BONE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
15.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
17	TUBERCULOSIS OF OTHER ORGANS		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
17.0	SKIN AND SUBCUTANEOUS CELLULAR TISSUE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
17.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
18	MILIARY TUBERCULOSIS		26	-	1	-	1	-	-	1	-	1	2	-	3	4	3	-	1	3	3	3	-	-	-	-
		M	14	-	-	-	-	-	-	1	-	1	1	-	2	2	2	-	1	-	1	3	-	-	-	-
		F	12	-	1	-	1	-	-	-	-	-	1	-	1	2	1	-	-	3	2	-	-	-	-	-
18.9	UNSPECIFIED		26	-	1	-	1	-	-	1	-	1	2	-	3	4	3	-	1	3	3	3	-	-	-	-
		M	14	-	-	-	-	-	-	1	-	1	1	-	2	2	2	-	1	-	1	3	-	-	-	-
		F	12	-	1	-	1	-	-	-	-	-	1	-	1	2	1	-	-	3	2	-	-	-	-	-
27	OTHER ZOONOTIC BACTERIAL DISEASES		16	-	-	-	-	-	-	-	-	1	1	1	1	-	1	3	2	2	3	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	1	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	2	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
27.0	LISTERIOSIS		14	-	-	-	-	-	-	-	-	1	1	1	1	-	1	3	1	2	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	-	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	2	-	-	-	-	-
27.1	ERYSIPELOTHRIX INFECTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
27.2	PASTEURELLOSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
30-41	OTHER BACTERIAL DISEASES		603	29	12	2	3	4	10	5	12	5	7	9	23	34	45	60	65	74	74	74	38	16	1	1
		M	293	16	8	1	2	2	3	2	8	5	2	3	15	19	23	27	31	37	36	28	16	8	-	1
		F	310	13	4	1	1	2	7	3	4	-	5	6	8	15	22	33	34	37	38	46	22	8	1	-
30	LEPROSY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
30.0	LEPROMATOUS (TYPE L)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
31	DISEASES DUE TO OTHER MYCOBACTERIA		14	-	1	-	-	-	-	-	1	1	-	-	-	2	1	4	1	2	1	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	-	1	-	-	-	-	-	-
		F	7	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-
31.0	PULMONARY		8	-	1	-	-	-	-	-	1	-	-	-	-	2	1	2	-	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
31.1	CUTANEOUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
31.9	UNSPECIFIED		5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
34	STREPTOCOCCAL SORE THROAT AND SCARLATINA		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.0	STREPTOCOCCAL SORE THROAT		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	ERYSIPELAS		3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
36	MENINGOCOCCAL INFECTION		22	3	4	-	-	2	3	1	1	2	1	-	1	1	1	1	1	-	-	-	-	-	-	-
		M	11	1	2	-	-	2	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	11	2	2	-	-	-	2	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
36.0	MENINGOCOCCAL MENINGITIS		7	-	1	-	-	1	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
36.2	MENINGOCOCCAEMIA		12	3	2	-	-	1	1	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
		M	6	1	1	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	6	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
36.3	WATERHOUSE-FRIDERICHSEN SYNDROME, MENINGOCOCCAL		3	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
37	TETANUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
38	SEPTICAEMIA		534	25	7	2	2	2	5	4	7	2	6	9	19	29	41	51	61	69	70	71	37	15	-	-
		M	254	14	6	1	2	-	2	2	3	2	1	3	11	16	21	24	30	34	35	25	15	7	-	-
		F	280	11	1	1	-	2	3	2	4	-	5	6	8	13	20	27	31	35	35	46	22	8	-	-
38.0	STREPTOCOCCAL SEPTICAEMIA		10	2	1	-	-	1	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-
		M	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
		F	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
38.1	STAPHYLOCOCCAL SEPTICAEMIA		50	-	2	-	-	-	-	-	1	1	1	3	1	2	6	4	7	4	9	3	6	-	-	-
		M	21	-	2	-	-	-	-	-	1	1	-	1	-	-	4	2	3	2	3	1	1	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	4	2	6	2	5	-	-	-
38.2	PNEUMOCOCCAL SEPTICAEMIA		12	-	2	1	-	-	-	-	2	-	-	-	1	2	-	2	-	-	-	1	1	-	-	-
		M	6	-	1	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
		F	6	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-
38.3	SEPTICAEMIA DUE TO ANAEROBES		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
38.4	SEPTICAEMIA DUE TO OTHER GRAM-NEGATIVE ORGANISMS		76	5	-	-	-	-	-	2	-	-	-	2	4	1	6	6	8	12	11	13	4	2	-	-
		M	39	3	-	-	-	-	-	1	-	-	-	1	2	-	3	1	6	8	6	5	2	1	-	-
		F	37	2	-	-	-	-	-	1	-	-	-	1	2	1	3	5	2	4	5	8	2	1	-	-
38.8	OTHER SPECIFIED SEPTICAEMIAS		8	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	1	1	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-
38.9	UNSPECIFIED SEPTICAEMIA		376	18	2	1	2	1	5	1	4	-	5	4	13	22	27	38	45	51	47	52	25	13	-	-
		M	178	10	2	-	2	-	2	1	1	-	1	1	8	14	14	19	20	23	25	18	11	6	-	-
		F	198	8	-	1	-	1	3	-	3	-	4	3	5	8	13	19	25	28	22	34	14	7	-	-
39	ACTINOMYCOTIC INFECTIONS		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
39.1	PULMONARY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
39.8	OF OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
40	OTHER BACTERIAL DISEASES		12	-	-	-	-	-	2	-	-	-	-	-	1	1	1	2	2	1	1	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-	-	-
		F	6	-	-	-	-	-	2	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-
40.0	GAS GANGRENE		5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
40.2	WHIPPLE'S DISEASE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
40.8	OTHER BACTERIAL DISEASES		4	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	BACTERIAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE		12	1	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	1	2	-	1	1	1	-
		M	7	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	1	1	-	-
		F	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-
41.0	STREPTOCOCCUS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.1	STAPHYLOCOCCUS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
41.3	FRIEDLANDER'S BACILLUS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
41.6	PROTEUS (MIRABILIS) (MORGANII)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
41.7	PSEUDOMONAS		2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
41.9	BACTERIAL INFECTION, UNSPECIFIED		4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
45-49	POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM		50	-	2	1	2	1	1	2	3	1	1	2	3	3	5	8	6	8	-	1	-	-	-	-
		M	28	-	1	1	-	-	1	1	2	1	-	2	2	1	4	5	2	5	-	-	-	-	-	-
		F	22	-	1	-	2	1	-	1	1	-	1	-	1	2	1	3	4	3	-	1	-	-	-	-
45	ACUTE POLIOMYELITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
45.9	ACUTE POLIOMYELITIS, UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
46	SLOW VIRUS INFECTION OF CENTRAL NERVOUS SYSTEM		23	-	-	-	1	-	-	-	1	-	-	2	2	2	2	7	3	3	-	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	1	-	-	2	1	1	1	4	1	2	-	-	-	-	-	-
		F	10	-	-	-	1	-	-	-	-	-	-	-	1	1	1	3	2	1	-	-	-	-	-	-
46.1	JAKOB-CREUTZFELDT DISEASE		21	-	-	-	-	-	-	-	-	-	-	2	2	2	2	7	3	3	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	1	2	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
46.2	SUBACUTE SCLEROSING PANENCEPHALITIS		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46.3	PROGRESSIVE MULTIFOCAL LEUCOENCEPHALOPATHY		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	MENINGITIS DUE TO ENTEROVIRUS		3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
47.9	UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
48	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM		5	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
49	OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM		17	-	2	1	1	-	1	2	2	1	-	-	-	1	1	-	2	2	-	1	-	-	-	-
		M	10	-	1	1	-	-	1	1	1	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-
		F	7	-	1	-	1	-	-	1	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
49.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
49.9	UNSPECIFIED		16	-	2	1	1	-	1	2	2	1	-	-	-	1	1	-	1	2	-	1	-	-	-	-
		M	10	-	1	1	-	-	1	1	1	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-
		F	6	-	1	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
50-57	VIRAL DISEASES ACCOMPANIED BY EXANTHEM		59	4	4	1	-	-	3	3	3	3	3	-	3	8	5	4	3	3	3	4	2	-	-	-
		M	23	1	2	1	-	-	1	1	-	3	1	-	-	3	2	2	-	1	2	3	-	-	-	-
		F	36	3	2	-	-	-	2	2	3	-	2	-	3	5	3	2	3	2	1	1	2	-	-	-
52	CHICKENPOX		11	2	2	1	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-
		M	4	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	7	2	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
53	HERPES ZOSTER		11	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	2	1	2	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
		F	8	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	2	1	1	1	-	-	-
53.9	HERPES ZOSTER WITHOUT MENTION OF COMPLICATION		11	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	2	1	2	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
		F	8	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	2	1	1	1	-	-	-
54	HERPES SIMPLEX		37	2	2	-	-	-	-	3	3	2	3	-	2	4	5	4	3	1	2	1	-	-	-	-
		M	16	1	2	-	-	-	-	1	-	2	1	-	-	1	2	2	-	1	2	1	-	-	-	-
		F	21	1	-	-	-	-	-	2	3	-	2	-	2	3	3	2	3	-	-	-	-	-	-	-
54.3	HERPETIC MENINGOENCEPHALITIS		24	1	2	-	-	-	-	1	1	2	2	-	2	3	1	3	3	1	1	1	-	-	-	-
		M	11	1	2	-	-	-	-	1	-	2	-	-	-	-	-	2	-	1	1	1	-	-	-	-
		F	13	-	-	-	-	-	-	-	1	-	2	-	2	3	1	1	3	-	-	-	-	-	-	-
54.7	WITH OTHER COMPLICATIONS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54.9	HERPES SIMPLEX WITHOUT MENTION OF COMPLICATION		12	1	-	-	-	-	-	2	1	-	1	-	-	1	4	1	-	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-
		F	7	1	-	-	-	-	-	2	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
70-79	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE		191	16	2	-	2	5	6	8	10	10	10	10	16	14	22	16	9	12	10	9	3	-	1	-
		M	103	9	2	-	-	1	5	5	5	9	6	9	10	4	11	12	3	5	3	3	1	-	-	-
		F	88	7	-	-	2	4	1	3	5	1	4	1	6	10	11	4	6	7	7	6	2	-	1	-
70	VIRAL HEPATITIS		131	6	1	-	1	2	5	6	8	6	8	9	14	12	21	10	7	8	4	3	-	-	-	-
		M	73	4	1	-	-	-	4	4	4	6	4	8	10	4	10	6	2	3	1	2	-	-	-	-
		F	58	2	-	-	1	2	1	2	4	-	4	1	4	8	11	4	5	5	3	1	-	-	-	-
70.0	VIRAL HEPATITIS A WITH HEPATIC COMA		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
70.1	VIRAL HEPATITIS A WITHOUT MENTION OF HEPATIC COMA		9	-	-	-	-	-	-	-	1	-	-	1	1	-	3	1	-	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
70.2	VIRAL HEPATITIS B WITH HEPATIC COMA		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70.3	VIRAL HEPATITIS B WITHOUT MENTION OF HEPATIC COMA		68	1	1	-	-	1	-	3	3	5	4	5	8	9	12	6	4	2	3	1	-	-	-	-
		M	41	1	1	-	-	-	-	3	1	5	3	4	4	3	8	5	2	-	-	1	-	-	-	-
		F	27	-	-	-	-	1	-	-	2	-	1	1	4	6	4	1	2	2	3	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
70.6	UNSPECIFIED VIRAL HEPATITIS WITH		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	HEPATIC COMA	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70.9	UNSPECIFIED VIRAL HEPATITIS WITHOUT		51	4	-	-	1	1	5	3	3	1	4	3	4	3	6	3	3	4	1	2	-	-	-	-
	MENTION OF HEPATIC COMA	M	25	2	-	-	-	-	4	1	2	1	1	3	4	1	1	-	-	3	1	1	-	-	-	-
		F	26	2	-	-	1	1	1	2	1	-	3	-	-	2	5	3	3	1	-	1	-	-	-	-
75	INFECTIOUS MONONUCLEOSIS		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
78	OTHER DISEASES DUE TO VIRUSES AND		34	4	1	-	1	2	1	1	2	4	2	1	2	1	1	5	1	2	1	2	-	-	-	-
	CHLAMYDIAE	M	18	-	1	-	-	-	1	1	1	3	2	1	-	-	1	5	1	1	-	-	-	-	-	-
		F	16	4	-	-	1	2	-	-	1	1	-	-	2	1	-	-	-	1	1	2	-	-	-	-
78.5	CYTOMEGALIC INCLUSION DISEASE		28	4	1	-	-	2	1	1	2	4	1	1	1	1	1	5	1	2	-	-	-	-	-	-
		M	17	-	1	-	-	-	1	1	1	3	1	1	-	-	1	5	1	1	-	-	-	-	-	-
		F	11	4	-	-	-	2	-	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
78.8	OTHER		6	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	2	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-
79	VIRAL INFECTION IN CONDITIONS		24	6	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	4	4	3	-	1	-
	CLASSIFIED ELSEWHERE AND OF	M	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-
	UNSPECIFIED SITE	F	13	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	2	3	2	-	1	-
79.9	UNSPECIFIED		24	6	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	4	4	3	-	1	-
		M	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-
		F	13	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	2	3	2	-	1	-
80-88	RICKETTSIOSES AND OTHER ARTHROPOD-BORNE		3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	DISEASES	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82	TICK-BORNE RICKETTSIOSES		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
82.0	SPOTTED FEVERS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
84	MALARIA		2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84.0	FALCIPARUM MALARIA (MALIGNANT TERTIAN)		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84.6	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90-99	SYPHILIS AND OTHER VENEREAL DISEASES		23	2	1	-	-	-	-	-	-	-	1	1	-	2	1	1	3	7	2	2	-	-	-	-
		M	12	1	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	4	1	-	-	-	-	-
		F	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	2	-	-	-	-
90	CONGENITAL SYPHILIS		4	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90.4	JUVENILE NEUROSYPHILIS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
90.5	OTHER LATE CONGENITAL SYPHILIS,		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	SYMPTOMATIC	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90.9	CONGENITAL SYPHILIS, UNSPECIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93	CARDIOVASCULAR SYPHILIS		11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	2	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-
93.0	ANEURYSM OF AORTA, SPECIFIED AS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	SYPHILITIC	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
93.1	SYPHILITIC AORTITIS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-
93.2	SYPHILITIC ENDOCARDITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
93.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
93.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
94	NEUROSYPHILIS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
94.0	TABES DORSALIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
94.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
97	OTHER AND UNSPECIFIED SYPHILIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
97.0	LATE SYPHILIS, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
98	GONOCOCCAL INFECTIONS		2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98.0	ACUTE, OF LOWER GENITOURINARY TRACT		2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99	OTHER VENEREAL DISEASES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
99.1	LYMPHOGRANULOMA VENEREUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
110-118	MYCOSES		107	3	-	1	1	-	2	3	3	1	3	9	9	12	17	14	11	7	4	5	2	-	-	-
		M	76	1	-	1	1	-	1	2	1	1	1	6	8	10	12	10	5	5	4	5	2	-	-	-
		F	31	2	-	-	-	-	1	1	2	-	2	3	1	2	5	4	6	2	-	-	-	-	-	-
112	CANDIDIASIS		39	2	-	-	-	-	-	1	1	-	2	2	2	3	5	3	6	5	1	4	2	-	-	-
		M	21	1	-	-	-	-	-	-	-	-	-	1	1	3	3	-	2	3	1	4	2	-	-	-
		F	18	1	-	-	-	-	-	1	1	-	2	1	1	-	2	3	4	2	-	-	-	-	-	-
112.2	OF OTHER UROGENITAL SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
112.4	OF LUNG		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
112.5	DISSEMINATED		30	2	-	-	-	-	-	1	1	-	2	2	1	3	4	2	4	4	1	2	1	-	-	-
		M	15	1	-	-	-	-	-	-	-	-	-	1	1	3	2	-	1	2	1	2	1	-	-	-
		F	15	1	-	-	-	-	-	1	1	-	2	1	-	-	2	2	3	2	-	-	-	-	-	-
112.8	OF OTHER SITES		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
112.9	OF UNSPECIFIED SITE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
114	COCCIDIOIDOMYCOSIS		22	-	-	-	-	-	2	-	2	1	-	2	3	4	7	1	-	-	-	-	-	-	-	-
		M	18	-	-	-	-	-	1	-	1	1	-	1	3	3	7	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
117	OTHER MYCOSES		46	1	-	1	1	-	-	2	-	-	1	5	4	5	5	10	5	2	3	1	-	-	-	-
		M	37	-	-	1	1	-	-	2	-	-	1	4	4	4	2	9	3	2	3	1	-	-	-	-
		F	9	1	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	-	-	-	-	-	-	-
117.3	ASPERGILLOSIS		12	-	-	1	-	-	-	-	-	-	-	1	1	1	-	2	4	-	1	1	-	-	-	-
		M	11	-	-	1	-	-	-	-	-	-	-	1	1	1	-	2	3	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
117.5	CRYPTOCOCCOSIS		13	-	-	-	1	-	-	1	-	-	-	2	1	1	2	2	-	1	2	-	-	-	-	-
		M	12	-	-	-	1	-	-	1	-	-	-	2	1	1	1	2	-	1	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
117.7	ZYGOMYCOSIS (PHYCOMYCOSIS OR MUCORMYCOSIS)		6	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
117.9	OTHER AND UNSPECIFIED		15	1	-	-	-	-	-	-	-	-	1	1	1	3	2	4	1	1	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	1	-	1	2	1	3	-	1	-	-	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
120-129	HELMINTHIASES		10	-	-	1	-	1	1	3	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	1	-	-	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	ECHINOCOCCOSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122.8	ECHINOCOCCUS, UNSPECIFIED, OF LIVER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
123	OTHER CESTODE INFECTION		8	-	-	1	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123.1	CYSTICERCOSIS		8	-	-	1	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127	OTHER INTESTINAL HELMINTHIASES		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
127.2	STRONGYLOIDIASIS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
130-136	OTHER INFECTIOUS AND PARASITIC DISEASES		93	6	2	1	1	1	1	7	13	9	11	5	3	8	6	5	1	3	6	3	1	-	-	-
		M	56	4	-	1	1	1	1	5	11	8	8	1	1	6	2	-	1	2	2	1	-	-	-	-
		F	37	2	2	-	-	-	-	2	2	1	3	4	2	2	4	5	-	1	4	2	1	-	-	-
130	TOXOPLASMOSIS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
135	SARCOIDOSIS		32	-	-	-	-	1	-	-	4	1	3	4	1	4	4	3	1	1	4	1	-	-	-	-
		M	10	-	-	-	-	1	-	-	2	-	1	1	-	2	1	-	1	-	1	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	2	1	2	3	1	2	3	3	-	1	3	1	-	-	-	-
136	OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES		60	6	2	1	1	-	1	7	9	8	8	-	2	4	2	2	-	2	2	2	1	-	-	-
		M	46	4	-	1	1	-	1	5	9	8	7	-	1	4	1	-	-	2	1	1	-	-	-	-
		F	14	2	2	-	-	-	-	2	-	-	1	-	1	-	1	2	-	-	1	1	1	-	-	-
136.1	BEHCET'S SYNDROME		2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
136.2	SPECIFIC INFECTIONS BY FREE-LIVING AMOEBAE		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136.3	PNEUMOCYSTOSIS		50	4	1	1	-	-	1	6	9	8	8	-	1	3	2	2	-	2	1	1	-	-	-	-
		M	41	2	-	1	-	-	1	4	9	8	7	-	1	3	1	-	-	2	1	1	-	-	-	-
		F	9	2	1	-	-	-	-	2	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-
136.9	UNSPECIFIED		7	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-
		M	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
137-139	LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES		57	-	-	-	-	1	-	2	1	-	-	3	2	2	6	9	6	10	7	7	-	1	-	-
		M	27	-	-	-	-	1	-	1	1	-	-	3	2	1	2	5	2	4	2	2	-	1	-	-
		F	30	-	-	-	-	-	-	1	-	-	-	-	-	1	4	4	4	6	5	5	-	-	-	-
137	LATE EFFECTS OF TUBERCULOSIS		36	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	5	7	5	5	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	1	1	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	4	5	4	4	-	-	-	-
137.0	LATE EFFECTS OF RESPIRATORY OR UNSPECIFIED TUBERCULOSIS		36	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	5	7	5	5	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	1	1	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	4	5	4	4	-	-	-	-
138	LATE EFFECTS OF POLIOMYELITIS		11	-	-	-	-	-	-	-	1	-	-	3	1	1	1	1	1	2	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	1	-	-	3	1	1	1	1	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
139	LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES		10	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	1	2	2	-	1	-	-
		M	7	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
139.0	LATE EFFECTS OF VIRAL ENCEPHALITIS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
139.8	LATE EFFECTS OF OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES		9	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-
		M	6	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
140-239	NEOPLASMS		43,437	17	93	83	82	130	155	241	371	578	864	1,466	2,551	4,203	5,497	6,588	6,600	5,640	4,285	2,644	1,089	225	26	9
		M	22,630	9	56	48	53	83	92	139	175	266	375	701	1,268	2,162	2,897	3,590	3,632	3,050	2,239	1,225	462	94	10	4
		F	20,807	8	37	35	29	47	63	102	196	312	489	765	1,283	2,041	2,600	2,998	2,968	2,590	2,046	1,419	627	131	16	5
140-149	MALIGNANT NEOPLASM OF LIP, ORAL CAVITY AND PHARNYX		953	-	-	-	-	-	2	1	8	8	18	39	77	127	159	187	126	77	69	35	16	3	1	-
		M	607	-	-	-	-	-	2	1	6	6	9	26	51	86	99	126	76	44	42	22	9	2	-	-
		F	346	-	-	-	-	-	-	-	2	2	9	13	26	41	60	61	50	33	27	13	7	1	1	-
140	MALIGNANT NEOPLASM OF LIP		9	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	2	1	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
140.1	LOWER LIP, VERMILION BORDEM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
140.9	LIP, UNSPECIFIED, VERMILION BORDER		7	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1	1	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
141	MALIGNANT NEOPLASM OF TONGUE		223	-	-	-	-	-	-	-	1	1	4	6	18	30	39	45	35	17	13	7	6	-	1	-
		M	126	-	-	-	-	-	-	-	1	1	2	4	11	16	23	24	17	9	10	4	4	-	-	-
		F	97	-	-	-	-	-	-	-	-	-	2	2	7	14	16	21	18	8	3	3	2	-	1	-
141.0	BASE OF TONGUE		21	-	-	-	-	-	-	-	-	-	-	-	2	4	5	3	4	1	2	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	2	1	2	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-	-	-	-
141.9	TONGUE, UNSPECIFIED		202	-	-	-	-	-	-	-	1	1	4	6	16	26	34	42	31	16	11	7	6	-	1	-
		M	113	-	-	-	-	-	-	-	1	1	2	4	9	13	21	23	15	8	8	4	4	-	-	-
		F	89	-	-	-	-	-	-	-	-	-	2	2	7	13	13	19	16	8	3	3	2	-	1	-
142	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLANDS		63	-	-	-	-	-	-	-	1	3	3	4	1	7	6	9	8	3	9	5	3	1	-	-
		M	39	-	-	-	-	-	-	-	-	2	1	2	-	4	4	7	7	1	8	2	-	1	-	-
		F	24	-	-	-	-	-	-	-	1	1	2	2	1	3	2	2	1	2	1	3	3	-	-	-
142.0	PAROTID GLAND		50	-	-	-	-	-	-	-	1	2	2	4	1	4	4	6	6	2	9	5	3	1	-	-
		M	30	-	-	-	-	-	-	-	-	1	1	2	-	2	2	5	5	1	8	2	-	1	-	-
		F	20	-	-	-	-	-	-	-	1	1	1	2	1	2	2	1	1	1	1	3	3	-	-	-
142.1	SUBMANDIBULAR GLAND		5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
142.9	SITE UNSPECIFIED		8	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	1	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
143	MALIGNANT NEOPLASM OF GUM		20	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	1	2	3	3	-	1	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	2	1	-	1	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	1	2	-	-	-	-
143.0	UPPER GUM		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
143.1	LOWER GUM		13	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	1	1	-	1	-	1	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	1	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-
143.9	GUM, UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
144	MALIGNANT NEOPLASM OF FLOOR OF MOUTH		44	-	-	-	-	-	-	-	-	-	1	6	2	8	5	8	4	4	3	3	-	-	-	-
		M	27	-	-	-	-	-	-	-	-	-	1	6	-	6	2	5	2	1	2	2	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	3	1	1	-	-	-	-
144.9	PART UNSPECIFIED		44	-	-	-	-	-	-	-	-	-	1	6	2	8	5	8	4	4	3	3	-	-	-	-
		M	27	-	-	-	-	-	-	-	-	-	1	6	-	6	2	5	2	1	2	2	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	3	1	1	-	-	-	-
145	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH		130	-	-	-	-	-	-	-	-	-	-	2	10	19	19	31	16	14	11	3	4	1	-	-
		M	83	-	-	-	-	-	-	-	-	-	-	1	5	14	12	23	11	8	5	2	2	-	-	-
		F	47	-	-	-	-	-	-	-	-	-	-	1	5	5	7	8	5	6	6	1	2	1	-	-
145.0	CHEEK MUCOSA		5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-
145.2	HARD PALATE		8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	2	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
145.3	SOFT PALATE		19	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	2	2	2	-	1	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	1	1	-	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	1	-	-	-	-	-
145.4	UVULA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
145.5	PALATE, UNSPECIFIED		14	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	-	2	1	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	1	-	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-
145.6	RETROMOLAR AREA		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
145.9	MOUTH, UNSPECIFIED		81	-	-	-	-	-	-	-	-	-	-	2	6	13	12	18	12	7	7	2	1	1	-	-
		M	53	-	-	-	-	-	-	-	-	-	-	1	2	11	7	14	8	5	4	1	-	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	1	4	2	5	4	4	2	3	1	1	1	-	-
146	MALIGNANT NEOPLASM OF OROPHARYNX		174	-	-	-	-	-	-	-	-	1	3	8	12	24	34	38	25	9	13	7	-	-	-	-
		M	118	-	-	-	-	-	-	-	-	-	1	4	8	19	24	28	16	6	7	5	-	-	-	-
		F	56	-	-	-	-	-	-	-	-	1	2	4	4	5	10	10	9	3	6	2	-	-	-	-
146.0	TONSIL		95	-	-	-	-	-	-	-	-	1	1	5	7	11	15	25	15	2	10	3	-	-	-	-
		M	66	-	-	-	-	-	-	-	-	-	-	3	4	9	11	18	11	1	6	3	-	-	-	-
		F	29	-	-	-	-	-	-	-	-	1	1	2	3	2	4	7	4	1	4	-	-	-	-	-
146.1	TONSILLAR FOSSA		8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
146.2	TONSILLAR PILLARS (ANTERIOR) (POSTERIOR)		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
146.3	VALLECULA		6	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
146.9	OROPHARYNX UNSPECIFIED		63	-	-	-	-	-	-	-	-	-	2	3	4	12	14	7	8	6	3	4	-	-	-	-
		M	41	-	-	-	-	-	-	-	-	-	1	1	4	9	9	6	4	4	1	2	-	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	1	2	-	3	5	1	4	2	2	2	-	-	-	-
147	MALIGNANT NEOPLASM OF NASOPHARYNX		84	-	-	-	-	-	1	1	5	3	3	10	8	14	12	11	7	3	4	-	2	-	-	-
		M	63	-	-	-	-	-	1	1	4	3	2	6	6	9	11	8	5	2	3	-	2	-	-	-
		F	21	-	-	-	-	-	-	-	1	-	1	4	2	5	1	3	2	1	1	-	-	-	-	-
147.1	POSTERIOR WALL		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
147.9	NASOPHARYNX, UNSPECIFIED		83	-	-	-	-	-	1	1	5	3	2	10	8	14	12	11	7	3	4	-	2	-	-	-
		M	63	-	-	-	-	-	1	1	4	3	2	6	6	9	11	8	5	2	3	-	2	-	-	-
		F	20	-	-	-	-	-	-	-	1	-	-	4	2	5	1	3	2	1	1	-	-	-	-	-
148	MALIGNANT NEOPLASM OF HYPOPHARYNX		88	-	-	-	-	-	-	-	-	-	2	1	11	10	17	16	15	9	6	1	-	-	-	-
		M	65	-	-	-	-	-	-	-	-	-	1	1	8	10	9	13	11	8	3	1	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	1	-	3	-	8	3	4	1	3	-	-	-	-	-
148.0	POSTCRICOID REGION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
148.1	PYRIFORM SINUS		40	-	-	-	-	-	-	-	-	-	1	1	6	5	9	6	7	2	2	1	-	-	-	-
		M	32	-	-	-	-	-	-	-	-	-	1	1	5	5	5	5	5	2	2	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	-	-	-	-	-	-	-
148.2	ARYEPIGLOTTIC FOLD, HYPOPHARYNGEAL ASPECT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
148.9	HYPOPHARYNX, UNSPECIFIED		46	-	-	-	-	-	-	-	-	-	1	-	5	5	8	10	7	6	4	-	-	-	-	-
		M	32	-	-	-	-	-	-	-	-	-	-	-	3	5	4	8	6	5	1	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	1	-	2	-	4	2	1	1	3	-	-	-	-	-
149	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX		118	-	-	-	-	-	1	-	-	-	1	1	14	12	22	26	15	14	6	5	1	-	-	-
		M	70	-	-	-	-	-	1	-	-	-	-	1	12	7	11	17	7	7	2	4	1	-	-	-
		F	48	-	-	-	-	-	-	-	-	-	1	-	2	5	11	9	8	7	4	1	-	-	-	-
149.0	PHARYNX, UNSPECIFIED		118	-	-	-	-	-	1	-	-	-	1	1	14	12	22	26	15	14	6	5	1	-	-	-
		M	70	-	-	-	-	-	1	-	-	-	-	1	12	7	11	17	7	7	2	4	1	-	-	-
		F	48	-	-	-	-	-	-	-	-	-	1	-	2	5	11	9	8	7	4	1	-	-	-	-
150-159	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM		10,669	1	3	1	2	2	16	26	32	82	134	268	492	928	1,210	1,600	1,735	1,527	1,384	873	361	62	9	1
		M	5,607	-	1	1	2	1	8	14	20	47	77	155	283	545	686	905	948	815	596	350	127	21	4	1
		F	5,062	1	2	-	-	1	8	12	12	35	57	113	209	383	524	695	787	712	788	523	234	41	5	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
150	MALIGNANT NEOPLASM OF OESOPHAGUS		720	-	-	-	-	-	-	-	1	2	8	21	44	75	117	137	114	98	55	30	15	3	-	-
		M	488	-	-	-	-	-	-	-	-	1	6	17	33	56	79	92	82	69	33	14	6	-	-	-
		F	232	-	-	-	-	-	-	-	1	1	2	4	11	19	38	45	32	29	22	16	9	3	-	-
150.3	UPPER THIRD		5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
150.4	MIDDLE THIRD		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
150.5	LOWER THIRD		13	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	3	-	-	3	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-
150.9	OESOPHAGUS, UNSPECIFIED		698	-	-	-	-	-	-	-	1	2	8	20	43	75	114	131	108	97	55	27	15	2	-	-
		M	476	-	-	-	-	-	-	-	-	1	6	16	33	56	77	88	78	69	33	13	6	-	-	-
		F	222	-	-	-	-	-	-	-	1	1	2	4	10	19	37	43	30	28	22	14	9	2	-	-
151	MALIGNANT NEOPLASM OF STOMACH		1,521	-	-	-	-	-	2	7	6	21	29	37	82	132	185	220	252	195	174	120	49	9	1	-
		M	925	-	-	-	-	-	1	3	4	12	13	27	58	84	122	149	163	112	96	57	21	3	-	-
		F	596	-	-	-	-	-	1	4	2	9	16	10	24	48	63	71	89	83	78	63	28	6	1	-
151.0	CARDIA		37	-	-	-	-	-	-	-	-	-	-	-	12	5	2	5	1	4	6	2	-	-	-	-
		M	31	-	-	-	-	-	-	-	-	-	-	-	11	4	2	5	-	3	5	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-	-	-
151.1	PYLORUS		2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
151.2	PYLORIC ANTRUM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
151.3	FUNDUS OF STOMACH		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
151.9	STOMACH, UNSPECIFIED		1,478	-	-	-	-	-	2	7	6	20	29	37	70	126	182	214	251	190	167	118	49	9	1	-
		M	889	-	-	-	-	-	1	3	4	11	13	27	47	79	119	143	163	108	91	56	21	3	-	-
		F	589	-	-	-	-	-	1	4	2	9	16	10	23	47	63	71	88	82	76	62	28	6	1	-
152	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM		79	-	-	-	-	-	-	1	1	1	3	2	10	11	7	10	9	9	13	1	1	-	-	-
		M	45	-	-	-	-	-	-	1	1	1	3	2	7	6	3	8	4	4	5	-	-	-	-	-
		F	34	-	-	-	-	-	-	-	-	-	-	-	3	5	4	2	5	5	8	1	1	-	-	-
152.0	DUODENUM		33	-	-	-	-	-	-	-	1	1	1	-	3	3	3	6	5	4	4	1	1	-	-	-
		M	18	-	-	-	-	-	-	-	1	1	1	-	2	2	1	5	2	2	1	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	3	1	1	-	-	-
152.1	JEJUNUM		11	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	-	4	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	2	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	2	-	-	-	-	-
152.2	ILEUM		8	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-	-	1	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-	-	1	-	-	-	-	-
152.9	SMALL INTESTINE, UNSPECIFIED		27	-	-	-	-	-	-	1	-	-	-	1	4	5	2	2	3	5	4	-	-	-	-	-
		M	14	-	-	-	-	-	-	1	-	-	-	1	3	3	-	1	2	2	1	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	3	3	-	-	-	-	-
153	MALIGNANT NEOPLASM OF COLOR		4,028	-	-	-	1	-	5	7	11	27	42	79	157	304	385	575	680	614	536	411	158	32	4	-
		M	1,943	-	-	-	1	-	3	5	6	15	17	38	78	177	200	298	331	327	221	158	54	12	2	-
		F	2,085	-	-	-	-	-	2	2	5	12	25	41	79	127	185	277	349	287	315	253	104	20	2	-
153.0	HEPATIC FLEXURE		5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
153.1	TRANSVERSE COLON		76	-	-	-	-	-	-	-	-	-	-	-	4	8	7	14	8	12	5	14	2	2	-	-
		M	27	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	1	7	-	3	2	2	-	-
		F	49	-	-	-	-	-	-	-	-	-	-	-	4	5	4	8	7	5	5	11	-	-	-	-
153.2	DESCENDING COLON		99	-	-	-	-	-	-	-	-	-	-	1	5	11	10	14	9	19	13	12	3	2	-	-
		M	46	-	-	-	-	-	-	-	-	-	-	-	2	5	7	6	5	10	3	7	-	1	-	-
		F	53	-	-	-	-	-	-	-	-	-	-	1	3	6	3	8	4	9	10	5	3	1	-	-
153.3	SIGMOID COLON		333	-	-	-	-	-	-	1	1	3	2	7	8	27	36	41	60	53	48	30	15	1	-	-
		M	157	-	-	-	-	-	-	-	-	2	-	3	4	16	21	20	29	29	15	14	4	-	-	-
		F	176	-	-	-	-	-	-	1	1	1	2	4	4	11	15	21	31	24	33	16	11	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
153.4	CAECUM		186	-	-	-	-	-	-	1	-	2	3	3	4	17	15	29	27	21	28	25	9	1	1	-
		M	74	-	-	-	-	-	-	1	-	1	1	1	1	9	8	14	8	10	7	8	4	1	-	-
		F	112	-	-	-	-	-	-	-	-	1	2	2	3	8	7	15	19	11	21	17	5	-	1	-
153.5	APPENDIX		11	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	3	1	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-
153.6	ASCENDING COLON		304	-	-	-	1	-	-	-	2	3	3	4	13	18	22	42	60	41	50	28	10	6	1	-
		M	137	-	-	-	1	-	-	-	-	3	-	1	5	11	12	20	25	19	23	9	5	2	1	-
		F	167	-	-	-	-	-	-	-	2	-	3	3	8	7	10	22	35	22	27	19	5	4	-	-
153.7	SPLENIC FLEXURE		7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-
153.9	COLON, UNSPECIFIED		3,007	-	-	-	-	-	5	5	8	19	33	64	120	221	292	432	512	465	389	301	119	20	2	-
		M	1,491	-	-	-	-	-	3	4	6	9	16	33	64	132	147	231	262	250	172	116	39	6	1	-
		F	1,516	-	-	-	-	-	2	1	2	10	17	31	56	89	145	201	250	215	217	185	80	14	1	-
154	MALIGNANT NEOPLASM OF RECTUM, RECTOSIGMOID JUNCTION AND ANUS		851	-	-	-	-	-	2	2	2	6	8	18	47	74	89	109	134	111	125	76	39	8	1	-
		M	476	-	-	-	-	-	-	1	1	3	6	7	25	44	51	70	89	63	68	26	17	4	1	-
		F	375	-	-	-	-	-	2	1	1	3	2	11	22	30	38	39	45	48	57	50	22	4	-	-
154.0	RECTOSIGMOID JUNCTION		166	-	-	-	-	-	-	-	1	-	2	3	13	15	25	22	22	18	21	14	7	2	1	-
		M	102	-	-	-	-	-	-	-	1	-	2	1	10	14	14	14	18	13	7	2	4	1	1	-
		F	64	-	-	-	-	-	-	-	-	-	-	2	3	1	11	8	4	5	14	12	3	1	-	-
154.1	RECTUM		642	-	-	-	-	-	1	2	1	5	5	15	30	53	60	81	108	89	97	59	31	5	-	-
		M	361	-	-	-	-	-	-	1	-	3	3	6	15	28	36	54	69	49	57	24	13	3	-	-
		F	281	-	-	-	-	-	1	1	1	2	2	9	15	25	24	27	39	40	40	35	18	2	-	-
154.2	ANAL CANAL		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
154.3	ANUS, UNSPECIFIED		28	-	-	-	-	-	-	-	-	1	1	-	1	4	3	4	4	2	4	3	-	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	-	1	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	1	-	-	1	3	2	2	2	2	3	3	-	1	-	-
154.8	OTHER		13	-	-	-	-	-	1	-	-	-	-	-	2	2	1	2	-	1	3	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-
		F	9	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	-	1	-	-	1	-	-	-
155	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS		623	1	3	1	1	1	5	6	7	10	19	31	40	59	60	101	89	77	53	37	21	-	1	-
		M	389	-	1	1	1	-	4	3	6	7	15	18	29	32	38	69	57	47	32	23	6	-	-	-
		F	234	1	2	-	-	1	1	3	1	3	4	13	11	27	22	32	32	30	21	14	15	-	1	-
155.0	LIVER, PRIMARY		322	1	3	1	1	-	5	3	7	7	11	16	24	28	35	58	50	36	18	13	5	-	-	-
		M	228	-	1	1	1	-	4	1	6	6	10	9	19	17	26	44	34	25	14	8	2	-	-	-
		F	94	1	2	-	-	-	1	2	1	1	1	7	5	11	9	14	16	11	4	5	3	-	-	-
155.1	INTRAHEPATIC BILE DUCTS		79	-	-	-	-	-	-	-	-	1	2	5	4	8	7	12	12	9	9	8	2	-	-	-
		M	36	-	-	-	-	-	-	-	-	-	1	3	3	2	3	7	5	4	4	4	-	-	-	-
		F	43	-	-	-	-	-	-	-	-	1	1	2	1	6	4	5	7	5	5	4	2	-	-	-
155.2	LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY		222	-	-	-	-	1	-	3	-	2	6	10	12	23	18	31	27	32	26	16	14	-	1	-
		M	125	-	-	-	-	-	-	2	-	1	4	6	7	13	9	18	18	18	14	11	4	-	-	-
		F	97	-	-	-	-	1	-	1	-	1	2	4	5	10	9	13	9	14	12	5	10	-	1	-
156	MALIGNANT NEOPLASM OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS		449	-	-	-	-	-	-	2	2	-	2	8	17	36	53	63	67	69	72	34	20	3	1	-
		M	152	-	-	-	-	-	-	1	1	-	1	3	4	9	24	20	26	28	23	7	5	-	-	-
		F	297	-	-	-	-	-	-	1	1	-	1	5	13	27	29	43	41	41	49	27	15	3	1	-
156.0	GALLBLADDER		213	-	-	-	-	-	-	-	-	-	1	6	6	22	24	28	35	29	28	20	11	2	1	-
		M	50	-	-	-	-	-	-	-	-	-	-	1	1	3	6	6	13	8	7	4	1	-	-	-
		F	163	-	-	-	-	-	-	-	-	-	1	5	5	19	18	22	22	21	21	16	10	2	1	-
156.1	EXTRAHEPATIC BILE DUCTS		140	-	-	-	-	-	-	-	1	-	-	-	10	8	19	22	17	30	24	4	4	1	-	-
		M	59	-	-	-	-	-	-	-	-	-	-	-	3	2	11	7	6	17	10	1	2	-	-	-
		F	81	-	-	-	-	-	-	-	1	-	-	-	7	6	8	15	11	13	14	3	2	1	-	-
156.2	AMPULLA OF VATER		43	-	-	-	-	-	-	-	-	-	1	2	1	4	5	5	8	5	7	3	2	-	-	-
		M	25	-	-	-	-	-	-	-	-	-	1	2	-	3	4	3	3	2	4	1	2	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	3	3	2	-	-	-	-
156.9	BILIARY TRACT, PART UNSPECIFIED		53	-	-	-	-	-	-	2	1	-	-	-	-	2	5	8	7	5	13	7	3	-	-	-
		M	18	-	-	-	-	-	-	1	1	-	-	-	-	1	3	4	4	1	2	1	-	-	-	-
		F	35	-	-	-	-	-	-	1	-	-	-	-	-	1	2	4	3	4	11	6	3	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
157	MALIGNANT NEOPLASM OF PANCREAS		2,194	-	-	-	-	1	-	1	2	13	20	65	86	221	291	355	362	330	246	143	50	6	1	1
		M	1,100	-	-	-	-	1	-	-	1	7	14	40	45	130	159	183	183	155	106	57	15	2	1	1
		F	1,094	-	-	-	-	-	-	1	1	6	6	25	41	91	132	172	179	175	140	86	35	4	-	-
157.0	HEAD OF PANCREAS		87	-	-	-	-	-	-	-	-	-	-	3	3	1	7	11	17	15	14	8	6	2	-	-
		M	40	-	-	-	-	-	-	-	-	-	-	2	3	-	3	4	8	7	7	4	1	1	-	-
		F	47	-	-	-	-	-	-	-	-	-	-	1	-	1	4	7	9	8	7	4	5	1	-	-
157.1	BODY OF PANCREAS		6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
157.2	TAIL OF PANCREAS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
157.4	ISLETS OF LANGERHANS		13	-	-	-	-	-	-	-	-	-	2	-	-	2	1	2	3	1	2	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	1	-	-	-	-	-
157.9	PART UNSPECIFIED		2,087	-	-	-	-	1	-	1	2	13	18	62	83	215	283	340	341	314	229	135	44	4	1	1
		M	1,049	-	-	-	-	1	-	-	1	7	13	38	42	127	155	178	172	148	97	53	14	1	1	1
		F	1,038	-	-	-	-	-	-	1	1	6	5	24	41	88	128	162	169	166	132	82	30	3	-	-
158	MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM		44	-	-	-	-	-	1	-	-	1	1	4	3	4	9	7	5	4	2	3	-	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	1	1	1	2	5	4	2	1	1	2	-	-	-	-
		F	24	-	-	-	-	-	1	-	-	1	-	3	2	2	4	3	3	3	1	1	-	-	-	-
158.0	RETROPERITONEUM		30	-	-	-	-	-	1	-	-	1	1	3	1	3	6	6	2	3	1	2	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	1	-	1	1	4	3	1	-	-	2	-	-	-	-
		F	17	-	-	-	-	-	1	-	-	1	-	3	-	2	2	3	1	3	1	-	-	-	-	-
158.8	SPECIFIED PARTS OF PERITONEUM		5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
158.9	PERITONEUM, UNSPECIFIED		9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	-	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
159	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM		160	-	-	-	-	-	1	-	-	1	2	3	6	12	14	23	23	20	28	18	8	1	-	-
		M	69	-	-	-	-	-	-	-	-	1	1	2	3	5	5	12	11	9	11	6	3	-	-	-
		F	91	-	-	-	-	-	1	-	-	-	1	1	3	7	9	11	12	11	17	12	5	1	-	-
159.0	INTESTINAL TRACT, PART UNSPECIFIED		113	-	-	-	-	-	1	-	-	1	2	-	1	8	12	20	18	14	22	9	5	-	-	-
		M	47	-	-	-	-	-	-	-	-	1	1	-	-	3	4	12	8	7	7	2	2	-	-	-
		F	66	-	-	-	-	-	1	-	-	-	1	-	1	5	8	8	10	7	15	7	3	-	-	-
159.1	SPLEEN, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
159.9	ILL-DEFINED		46	-	-	-	-	-	-	-	-	-	-	3	5	4	2	3	4	6	6	9	3	1	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	3	2	4	4	1	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	1	4	2	5	2	1	-	-
160-165	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS		11,417	2	1	-	-	2	1	9	25	81	188	432	808	1,380	1,856	2,032	1,892	1,374	806	377	121	25	1	4
		M	7,452	1	1	-	-	2	-	6	16	48	107	255	512	894	1,178	1,371	1,245	950	545	240	65	16	-	-
		F	3,965	1	-	-	-	-	1	3	9	33	81	177	296	486	678	661	647	424	261	137	56	9	1	4
160	MALIGNANT NEOPLASM OF NASAL CAVITIES, MIDDLE EAR AND ACCESSORY SINUSES		53	-	-	-	-	-	-	-	1	-	-	1	4	10	9	8	10	5	3	1	1	-	-	-
		M	33	-	-	-	-	-	-	-	1	-	-	1	4	7	2	7	4	2	3	1	1	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	3	7	1	6	3	-	-	-	-	-	-
160.0	NASAL CAVITIES		5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
160.1	AUDITORY TUBE, MIDDLE EAR AND MASTOID AIR CELLS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
160.2	MAXILLARY SINUS		31	-	-	-	-	-	-	-	-	-	-	1	2	7	5	4	5	4	3	-	-	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	1	2	5	1	3	3	1	3	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	2	3	-	-	-	-	-	-
160.3	ETHMOIDAL SINUS		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
160.5	SPHENOIDAL SINUS		4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
160.9	ACCESSORY SINUS, UNSPECIFIED		10	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	4	1	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-
161	MALIGNANT NEOPLASM OF LARYNX		294	-	-	-	-	-	-	-	-	2	2	6	18	48	43	54	57	34	20	7	2	1	-	-
		M	228	-	-	-	-	-	-	-	-	1	2	5	15	34	34	38	45	27	18	6	2	1	-	-
		F	66	-	-	-	-	-	-	-	-	1	-	1	3	14	9	16	12	7	2	1	-	-	-	-
161.0	GLOTTIS		4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
161.1	SUPRAGLOTTIS		21	-	-	-	-	-	-	-	-	-	1	1	1	2	3	4	4	3	1	1	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	3	2	1	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-	-	-	-	-
161.2	SUBGLOTTIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
161.9	LARYNX, UNSPECIFIED		268	-	-	-	-	-	-	-	-	2	1	5	15	46	39	50	52	31	19	5	2	1	-	-
		M	212	-	-	-	-	-	-	-	-	1	1	4	14	32	33	36	42	25	17	4	2	1	-	-
		F	56	-	-	-	-	-	-	-	-	1	-	1	1	14	6	14	10	6	2	1	-	-	-	-
162	MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS AND LUNG		10,980	1	-	-	-	-	1	5	22	73	183	421	783	1,314	1,792	1,957	1,814	1,323	778	367	117	24	1	4
		M	7,129	1	-	-	-	-	-	3	13	43	102	246	491	848	1,133	1,317	1,187	916	521	232	61	15	-	-
		F	3,851	-	-	-	-	-	1	2	9	30	81	175	292	466	659	640	627	407	257	135	56	9	1	4
162.0	TRACHEA		15	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	2	2	-	1	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
162.2	MAIN BRONCHUS		23	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	6	1	3	-	1	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	3	1	3	-	1	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	-	-	-	-	-	-	-
162.3	UPPER LOBE, BRONCHUS OR LUNG		288	-	-	-	-	-	-	-	-	-	4	12	25	44	45	47	44	35	28	3	-	1	-	-
		M	203	-	-	-	-	-	-	-	-	-	3	7	16	34	27	33	32	29	18	3	-	1	-	-
		F	85	-	-	-	-	-	-	-	-	-	1	5	9	10	18	14	12	6	10	-	-	-	-	-
162.4	MIDDLE LOBE, BRONCHUS OR LUNG		23	-	-	-	-	-	-	-	-	-	1	-	1	-	3	8	5	2	3	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	1	-	1	-	2	5	4	2	1	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	-	-	-	-	-
162.5	LOWER LOBE, BRONCHUS OR LUNG		135	-	-	-	-	-	-	-	-	-	-	4	6	12	19	27	30	20	13	4	-	-	-	-
		M	100	-	-	-	-	-	-	-	-	-	-	-	3	10	17	22	22	12	11	3	-	-	-	-
		F	35	-	-	-	-	-	-	-	-	-	-	4	3	2	2	5	8	8	2	1	-	-	-	-
162.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
162.9	BRONCHUS AND LUNG, UNSPECIFIED		10,495	1	-	-	-	-	1	5	22	73	178	405	748	1,256	1,721	1,861	1,727	1,263	731	359	116	23	1	4
		M	6,783	1	-	-	-	-	-	3	13	43	98	239	469	802	1,085	1,248	1,124	870	488	226	60	14	-	-
		F	3,712	-	-	-	-	-	1	2	9	30	80	166	279	454	636	613	603	393	243	133	56	9	1	4
163	MALIGNANT NEOPLASM OF PLEURA		40	-	-	-	-	-	-	1	-	2	1	-	2	4	4	7	8	7	4	-	-	-	-	-
		M	28	-	-	-	-	-	-	1	-	2	1	-	1	3	3	5	7	2	3	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	5	1	-	-	-	-	-
163.0	PARIETAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
163.9	PLEURA, UNSPECIFIED		39	-	-	-	-	-	-	1	-	2	1	-	2	4	4	7	7	7	4	-	-	-	-	-
		M	27	-	-	-	-	-	-	1	-	2	1	-	1	3	3	5	6	2	3	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	5	1	-	-	-	-	-
164	MALIGNANT NEOPLASM OF THYMUS, HEART AND MEDIASTINUM		50	1	1	-	-	2	-	3	2	4	2	4	1	4	8	6	3	5	1	2	1	-	-	-
		M	34	-	1	-	-	2	-	2	2	2	2	3	1	2	6	4	2	3	-	1	1	-	-	-
		F	16	1	-	-	-	-	-	1	-	2	-	1	-	2	2	2	1	2	1	1	-	-	-	-
164.0	THYMUS		13	-	1	-	-	-	-	-	1	2	1	3	1	-	3	1	-	-	-	-	-	-	-	-
		M	9	-	1	-	-	-	-	-	1	-	1	2	1	-	2	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
164.1	HEART		11	1	-	-	-	-	-	2	-	-	-	1	-	1	2	-	2	2	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-
		F	6	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
164.9	MEDIASTINUM, PART UNSPECIFIED		26	-	-	-	-	2	-	1	1	2	1	-	-	3	3	5	1	3	1	2	1	-	-	-
		M	20	-	-	-	-	2	-	1	1	2	1	-	-	2	2	3	1	3	-	1	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE CF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
170-175	MALIGNANT NEOPLASM OF BONE, CONNECTIVE TISSUE, SKIN AND BREAST		4,999	1	8	1	16	33	35	46	119	167	222	262	429	585	617	661	552	497	331	257	125	32	3	-
		M	691	-	6	-	8	21	24	26	36	36	32	47	49	59	72	74	68	47	37	31	14	3	1	-
		F	4,308	1	2	1	8	12	11	20	83	131	190	215	380	526	545	587	484	450	294	226	111	29	2	-
170	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE		127	-	1	-	11	22	16	6	4	7	4	3	6	4	6	10	9	6	6	5	-	1	-	-
		M	83	-	1	-	6	13	13	4	4	5	3	3	4	4	4	6	5	3	1	4	-	-	-	-
		F	44	-	-	-	5	9	3	2	-	2	1	-	2	-	2	4	4	3	5	1	-	1	-	-
170.0	BONES OF SKULL AND FACE		5	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170.1	LOWER JAW BONE		9	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	3	1	1	-	-	-	-
		M	5	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-
170.2	VERTEBRAL COLUMN, EXCLUDING SACRUM AND COCCYX		4	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170.3	RIBS, STERNUM AND CLAVICLE		3	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170.4	LONG BONES OF UPPER LIMB AND SCAPULA		4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
170.6	PELVIC BONES, SACRUM AND COCCYX		14	-	-	-	1	2	1	1	1	-	1	-	-	-	1	2	2	-	2	-	-	-	-	-
		M	10	-	-	-	1	2	1	-	1	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
170.7	LOWER LIMB, LONG BONES		22	-	-	-	6	6	4	-	1	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-
		M	15	-	-	-	4	4	3	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
		F	7	-	-	-	2	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
170.9	SITE UNSPECIFIED		66	-	-	-	3	14	9	5	2	5	1	1	3	3	3	6	4	2	2	2	-	1	-	-
		M	43	-	-	-	1	7	7	4	2	3	-	1	2	3	3	3	3	1	1	2	-	-	-	-
		F	23	-	-	-	2	7	2	1	-	2	1	-	1	-	-	3	1	1	1	-	-	1	-	-
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE		253	-	7	1	5	11	6	4	12	7	6	12	12	19	28	24	38	30	16	10	3	1	1	-
		M	132	-	5	-	2	8	4	4	8	3	4	8	9	7	14	18	15	8	7	4	2	1	1	-
		F	121	-	2	1	3	3	2	-	4	4	2	4	3	12	14	6	23	22	9	6	1	-	-	-
171.0	HEAD, FACE AND NECK		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
171.2	UPPER LIMB, INCLUDING SHOULDER		9	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
171.3	LOWER LIMB, INCLUDING HIP		23	-	-	-	-	-	-	-	3	1	1	-	1	3	4	1	4	3	1	1	-	-	-	-
		M	11	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	2	1	1	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	2	-	1	-	1	2	1	-	2	2	-	1	-	-	-	-
171.4	THORAX		8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
171.5	ABDOMEN		6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
171.6	PELVIS		9	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	2	3	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-
171.9	SITE UNSPECIFIED		194	-	7	1	4	11	5	4	8	6	5	11	10	14	24	17	27	20	12	5	2	1	-	-
		M	104	-	5	-	2	8	3	4	7	2	4	7	8	4	11	13	11	5	6	2	1	1	-	-
		F	90	-	2	1	2	3	2	-	1	4	1	4	2	10	13	4	16	15	6	3	1	-	-	-
172	MALIGNANT MELANOMA OF SKIN		582	-	-	-	-	-	12	21	35	32	35	49	52	48	60	70	56	45	36	22	7	2	-	-
		M	358	-	-	-	-	-	7	16	23	23	19	32	33	36	40	35	33	25	20	13	2	1	-	-
		F	224	-	-	-	-	-	5	5	12	9	16	17	19	12	20	35	23	20	16	9	5	1	-	-
172.2	EAR AND EXTERNAL AURICULAR CANAL		6	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
172.3	OTHER AND UNSPECIFIED PARTS OF FACE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
172.4	SCALP AND NECK		21	-	-	-	-	-	1	1	1	2	1	-	1	-	4	3	1	2	1	2	1	-	-	-
		M	17	-	-	-	-	-	1	1	1	2	-	-	1	-	4	2	-	2	1	2	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-
172.5	TRUNK, EXCEPT SCROTUM		29	-	-	-	-	-	1	-	5	3	2	3	2	2	1	4	2	3	1	-	-	-	-	-
		M	21	-	-	-	-	-	-	-	4	3	-	3	2	1	1	4	2	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	2	1	-	-	-	-	-
172.6	UPPER LIMB INCLUDING SHOULDER		16	-	-	-	-	-	-	-	-	-	2	1	1	1	3	2	2	2	-	1	1	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	1	-	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	1	-	-	-	-
172.7	LOWER LIMB INCLUDING HIP		22	-	-	-	-	-	-	-	2	-	1	2	2	3	1	6	1	-	1	3	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	1	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	2	-	1	1	1	1	1	5	-	-	-	2	-	-	-	-
172.9	SITE UNSPECIFIED		482	-	-	-	-	-	10	19	27	27	29	43	46	42	49	54	48	37	30	15	4	2	-	-
		M	292	-	-	-	-	-	6	14	18	18	18	27	28	32	31	27	26	20	17	9	-	1	-	-
		F	190	-	-	-	-	-	4	5	9	9	11	16	18	10	18	27	22	17	13	6	4	1	-	-
173	OTHER MALIGNANT NEOPLASM OF SKIN		150	-	-	-	-	-	-	2	2	5	6	4	3	11	18	20	17	18	11	16	14	3	-	-
		M	96	-	-	-	-	-	-	2	1	5	5	4	2	8	13	12	10	9	7	8	9	1	-	-
		F	54	-	-	-	-	-	-	-	1	-	1	-	1	3	5	8	7	9	4	8	5	2	-	-
173.0	SKIN OF LIP		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
173.1	EYELID, INCLUDING CANTHUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
173.2	EAR AND EXTERNAL AURICULAR CANAL		16	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	3	2	1	2	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	3	1	1	2	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
173.3	SKIN OF OTHER AND UNSPECIFIED PARTS OF FACE		16	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	2	3	3	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	-	-	-
173.4	SCALP AND SKIN OF NECK		51	-	-	-	-	-	-	-	-	1	1	-	2	8	6	12	5	7	4	3	-	2	-	-
		M	34	-	-	-	-	-	-	-	-	1	1	-	1	7	4	9	2	4	3	1	-	1	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	1	2	-	1	-	-
173.5	SKIN OF TRUNK, EXCEPT SCROTUM		6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-
173.6	SKIN OF UPPER LIMB, INCLUDING SHOULDER		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
173.7	SKIN OF LOWER LIMB, INCLUDING HIP		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
173.9	SITE UNSPECIFIED		52	-	-	-	-	-	-	2	2	4	3	4	-	1	5	7	5	6	1	6	6	-	-	-
		M	34	-	-	-	-	-	-	2	1	4	3	4	-	-	5	2	3	2	1	3	4	-	-	-
		F	18	-	-	-	-	-	-	-	1	-	-	-	-	1	-	5	2	4	-	3	2	-	-	-
174	MALIGNANT NEOPLASM OF FEMALE BREAST		3,865	1	-	-	-	-	1	13	66	116	170	194	355	499	504	534	427	396	260	202	100	25	2	-
		F	3,865	1	-	-	-	-	1	13	66	116	170	194	355	499	504	534	427	396	260	202	100	25	2	-
174.0	NIPPLE AND AREOLA		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
174.9	BREAST, UNSPECIFIED		3,864	1	-	-	-	-	1	13	66	116	170	193	355	499	504	534	427	396	260	202	100	25	2	-
		F	3,864	1	-	-	-	-	1	13	66	116	170	193	355	499	504	534	427	396	260	202	100	25	2	-
175	MALIGNANT NEOPLASM OF MALE BREAST		22	-	-	-	-	-	-	-	-	-	1	-	1	4	1	3	5	2	2	2	1	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	1	-	1	4	1	3	5	2	2	2	1	-	-	-
179-189	MALIGNANT NEOPLASM OF GENITOURINARY ORGANS		6,432	2	6	6	-	10	9	31	40	66	79	152	274	426	643	874	1,035	1,008	914	560	239	53	4	1
		M	3,580	1	3	2	-	5	6	15	9	24	13	40	105	172	276	445	634	644	625	368	150	39	3	1
		F	2,852	1	3	4	-	5	3	16	31	42	66	112	169	254	367	429	401	364	289	192	89	14	1	-
179	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED		307	-	-	-	-	-	1	-	3	2	6	8	12	22	37	52	46	46	34	28	8	2	-	-
		F	307	-	-	-	-	-	1	-	3	2	6	8	12	22	37	52	46	46	34	28	8	2	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
180	MALIGNANT NEOPLASM OF CERVIX UTERI		423	-	-	-	-	-	1	7	16	21	32	35	43	38	51	40	46	38	29	14	12	-	-	-
		F	423	-	-	-	-	-	1	7	16	21	32	35	43	38	51	40	46	38	29	14	12	-	-	-
180.0	ENDOCERVIX		6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-
180.9	CERVIX UTERI, UNSPECIFIED		417	-	-	-	-	-	1	7	16	21	32	35	41	38	51	38	46	36	29	14	12	-	-	-
		F	417	-	-	-	-	-	1	7	16	21	32	35	41	38	51	38	46	36	29	14	12	-	-	-
181	MALIGNANT NEOPLASM OF PLACENTA		4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182	MALIGNANT NEOPLASM OF BODY OF UTERUS		322	-	-	-	-	-	-	-	-	-	3	9	12	24	49	68	49	54	29	16	7	2	-	-
		F	322	-	-	-	-	-	-	-	-	-	3	9	12	24	49	68	49	54	29	16	7	2	-	-
182.0	CORPUS UTERI, EXCEPT ISTHMUS		322	-	-	-	-	-	-	-	-	-	3	9	12	24	49	68	49	54	29	16	7	2	-	-
		F	322	-	-	-	-	-	-	-	-	-	3	9	12	24	49	68	49	54	29	16	7	2	-	-
183	MALIGNANT NEOPLASM OF OVARY AND OTHER UTERINE ADNEXA		1,121	1	-	-	-	1	-	4	9	14	18	50	79	134	156	188	161	131	97	57	21	-	-	-
		F	1,121	1	-	-	-	1	-	4	9	14	18	50	79	134	156	188	161	131	97	57	21	-	-	-
183.0	OVARY		1,092	1	-	-	-	1	-	4	9	13	18	48	75	129	153	184	155	129	95	57	21	-	-	-
		F	1,092	1	-	-	-	1	-	4	9	13	18	48	75	129	153	184	155	129	95	57	21	-	-	-
183.2	FALLOPIAN TUBE		28	-	-	-	-	-	-	-	-	1	-	1	4	5	3	4	6	2	2	-	-	-	-	-
		F	28	-	-	-	-	-	-	-	-	1	-	1	4	5	3	4	6	2	2	-	-	-	-	-
183.3	BROAD LIGAMENT		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
184	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS		89	-	-	-	-	1	-	-	1	-	3	-	2	5	5	9	17	11	9	14	8	4	-	-
		F	89	-	-	-	-	1	-	-	1	-	3	-	2	5	5	9	17	11	9	14	8	4	-	-
184.0	VAGINA		31	-	-	-	-	1	-	-	-	-	-	-	1	3	3	4	5	3	4	4	2	1	-	-
		F	31	-	-	-	-	1	-	-	-	-	-	-	1	3	3	4	5	3	4	4	2	1	-	-
184.1	LABIA MAJORA		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
184.3	CLITORIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
184.4	VULVA, UNSPECIFIED		40	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	8	7	4	7	6	3	-	-
		F	40	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	8	7	4	7	6	3	-	-
184.8	OTHER		6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	1	-	-	-	-
184.9	SITE UNSPECIFIED		10	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	2	1	-	2	-	-	-	-
		F	10	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	2	1	-	2	-	-	-	-
185	MALIGNANT NEOPLASM OF PROSTATE		2,369	1	-	-	-	-	-	-	-	-	-	5	31	74	162	305	417	476	472	278	118	26	3	1
		M	2,369	1	-	-	-	-	-	-	-	-	-	5	31	74	162	305	417	476	472	278	118	26	3	1
186	MALIGNANT NEOPLASM OF TESTIS		51	-	-	-	-	5	6	13	7	10	2	1	3	1	-	1	-	2	-	-	-	-	-	-
		M	51	-	-	-	-	5	6	13	7	10	2	1	3	1	-	1	-	2	-	-	-	-	-	-
186.9	OTHER AND UNSPECIFIED		51	-	-	-	-	5	6	13	7	10	2	1	3	1	-	1	-	2	-	-	-	-	-	-
		M	51	-	-	-	-	5	6	13	7	10	2	1	3	1	-	1	-	2	-	-	-	-	-	-
187	MALIGNANT NEOPLASM OF PENIS AND OTHER MALE GENITAL ORGANS		26	-	-	-	-	-	-	-	-	1	-	-	4	4	2	2	4	1	5	3	-	-	-	-
		M	26	-	-	-	-	-	-	-	-	1	-	-	4	4	2	2	4	1	5	3	-	-	-	-
187.4	PENIS, PART UNSPECIFIED		19	-	-	-	-	-	-	-	-	-	-	-	4	3	2	1	3	-	4	2	-	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	4	3	2	1	3	-	4	2	-	-	-	-
187.6	SPERMATIC CORD		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
187.7	SCROTUM		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
187.8	OTHER		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
187.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
188	MALIGNANT NEOPLASM OF BLADDER		906	-	-	-	-	-	-	-	-	2	5	11	36	42	84	102	165	129	156	111	50	12	1	-
		M	632	-	-	-	-	-	-	-	-	2	3	9	28	33	55	80	123	95	103	66	26	9	-	-
		F	274	-	-	-	-	-	-	-	-	-	2	2	8	9	29	22	42	34	53	45	24	3	1	-
188.7	URACHUS		2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
188.9	PART UNSPECIFIED		904	-	-	-	-	-	-	-	-	2	5	10	36	41	84	102	165	129	156	111	50	12	1	-
		M	630	-	-	-	-	-	-	-	-	2	3	8	28	32	55	80	123	95	103	66	26	9	-	-
		F	274	-	-	-	-	-	-	-	-	-	2	2	8	9	29	22	42	34	53	45	24	3	1	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
189	MALIGNANT NEOPLASM OF KIDNEY AND OTHER		814	-	6	6	-	2	-	6	3	16	10	33	52	82	97	107	130	120	83	39	15	7	-	-
	AND UNSPECIFIED URINARY ORGANS	M	502	-	3	2	-	-	-	2	2	11	8	25	39	60	57	57	90	70	45	21	6	4	-	-
		F	312	-	3	4	-	2	-	4	1	5	2	8	13	22	40	50	40	50	38	18	9	3	-	-
189.0	KIDNEY, EXCEPT PELVIS		748	-	6	6	-	2	-	6	3	15	10	31	50	78	90	101	115	111	70	34	13	7	-	-
		M	468	-	3	2	-	-	-	2	2	11	8	23	37	58	54	54	83	65	39	17	6	4	-	-
		F	280	-	3	4	-	2	-	4	1	4	2	8	13	20	36	47	32	46	31	17	7	3	-	-
189.1	RENAL PELVIS		7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
189.2	URETER		39	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	12	7	8	4	-	-	-	-
		M	21	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	5	4	4	3	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	3	4	1	-	-	-	-
189.3	URETHRA		16	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	2	2	4	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	3	-	-	-	-	-
189.9	SITE UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
190-199	MALIGNANT NEOPLASM OF OTHER AND		4,283	1	41	25	22	22	26	32	58	73	102	157	246	422	550	629	643	535	372	204	93	26	2	2
	UNSPECIFIED SITES	M	2,192	1	26	18	14	14	16	17	36	41	55	82	132	224	315	346	326	260	153	68	39	8	-	1
		F	2,091	-	15	7	8	8	10	15	22	32	47	75	114	198	235	283	317	275	219	136	54	18	2	1
190	MALIGNANT NEOPLASM OF EYE		40	-	1	1	-	-	-	-	-	-	1	-	3	1	6	8	5	5	6	2	-	1	-	-
		M	21	-	1	1	-	-	-	-	-	-	-	-	2	1	5	4	2	3	2	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	3	2	4	2	-	1	-	-
190.1	ORBIT		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
190.5	RETINA		3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
190.7	LACRIMAL DUCT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
190.9	PART UNSPECIFIED		31	-	-	-	-	-	-	-	-	-	1	-	3	1	5	6	3	5	4	2	-	1	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	1	3	2	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	2	2	2	2	-	1	-	-
191	MALIGNANT NEOPLASM OF BRAIN		965	1	21	17	16	17	14	20	33	34	34	46	67	107	136	157	107	88	32	13	5	-	-	-
		M	534	1	13	11	9	11	6	10	21	23	21	27	40	50	81	88	57	46	12	6	1	-	-	-
		F	431	-	8	6	7	6	8	10	12	11	13	19	27	57	55	69	50	42	20	7	4	-	-	-
191.0	CEREBRUM, EXCEPT LOBES AND VENTRICLES		56	1	-	1	2	1	1	1	-	2	2	2	5	4	4	11	9	7	1	2	-	-	-	-
		M	33	1	-	-	-	1	-	-	-	1	1	2	3	4	2	6	4	7	-	1	-	-	-	-
		F	23	-	-	1	2	-	1	1	-	1	1	-	2	-	2	5	5	-	1	1	-	-	-	-
191.1	FRONTAL LOBE		57	-	-	-	-	1	1	1	2	5	2	3	6	8	7	8	6	5	1	-	1	-	-	-
		M	31	-	-	-	-	1	1	1	-	4	2	1	1	4	3	7	4	2	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	2	1	-	2	5	4	4	1	2	3	1	-	1	-	-	-
191.2	TEMPORAL LOBE		31	-	-	-	-	-	-	2	-	1	2	1	2	2	5	11	3	2	-	-	-	-	-	-
		M	18	-	-	-	-	-	-	1	-	-	1	1	1	1	4	4	3	2	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	1	-	1	1	-	1	1	1	7	-	-	-	-	-	-	-	-
191.3	PARIETAL LOBE		16	-	-	-	-	-	-	-	1	-	1	-	-	5	4	3	-	1	-	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	-	-	4	2	2	-	-	-	1	-	-	-	-
191.4	OCCIPITAL LOBE		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
191.5	VENTRICLE		6	-	1	-	-	1	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191.6	CEREBELLUM		52	-	9	8	4	6	3	4	-	1	2	1	1	1	4	2	3	3	-	-	-	-	-	-
		M	29	-	4	6	3	4	2	1	-	1	2	-	1	-	1	-	2	2	-	-	-	-	-	-
		F	23	-	5	2	1	2	1	3	-	-	-	1	-	1	3	2	1	1	-	-	-	-	-	-
191.7	BRAIN STEM		14	-	2	4	-	1	-	1	2	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
		M	13	-	2	4	-	1	-	1	2	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
191.8	OTHER		8	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	-	-	2	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
191.9	BRAIN, UNSPECIFIED		718	-	9	4	10	7	9	10	26	24	25	36	52	87	111	114	84	69	27	10	4	-	-	-
		M	392	-	7	1	6	4	3	6	17	16	15	20	33	40	69	64	43	32	10	5	1	-	-	-
		F	326	-	2	3	4	3	6	4	9	8	10	16	19	47	42	50	41	37	17	5	3	-	-	-
192	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM		29	-	-	-	1	1	1	1	1	-	1	2	-	2	4	2	4	5	4	-	-	-	-	-
		M	16	-	-	-	1	-	1	-	1	-	1	1	-	2	2	2	1	2	2	-	-	-	-	-
		F	13	-	-	-	-	1	-	1	-	-	-	1	-	-	2	-	3	3	2	-	-	-	-	-
192.0	CRANIAL NERVES		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192.1	CEREBRAL MENINGES		16	-	-	-	-	-	-	-	1	-	-	1	-	-	4	1	4	3	2	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	2	1	-	-	-	-	-
192.2	SPINAL CORD		10	-	-	-	1	-	-	1	-	-	1	1	-	1	-	1	-	2	2	-	-	-	-	-
		M	7	-	-	-	1	-	-	-	-	-	1	1	-	1	-	1	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
192.9	PART UNSPECIFIED		2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	MALIGNANT NEOPLASM OF THYROID GLAND		94	-	-	-	-	-	-	-	-	1	-	4	6	8	10	5	18	14	16	7	4	-	1	-
		M	31	-	-	-	-	-	-	-	-	-	-	1	5	3	1	3	5	7	4	2	-	-	-	-
		F	63	-	-	-	-	-	-	-	-	1	-	3	1	5	9	2	13	7	12	5	4	-	1	-
194	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES		71	-	18	4	5	2	1	-	1	1	4	7	2	2	6	7	8	1	2	-	-	-	-	-
		M	43	-	12	3	4	1	-	-	1	-	2	3	1	2	3	4	6	1	-	-	-	-	-	-
		F	28	-	6	1	1	1	1	-	-	1	2	4	1	-	3	3	2	-	2	-	-	-	-	-
194.0	SUPRARENAL GLAND		61	-	16	4	3	2	1	-	1	1	3	6	1	2	5	6	7	1	2	-	-	-	-	-
		M	35	-	11	3	2	1	-	-	1	-	1	2	-	2	2	4	5	1	-	-	-	-	-	-
		F	26	-	5	1	1	1	1	-	-	1	2	4	1	-	3	2	2	-	2	-	-	-	-	-
194.1	PARATHYROID GLAND		2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
194.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
194.4	PINEAL GLAND		4	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
194.9	SITE UNSPECIFIED		2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES		240	-	-	-	-	-	1	1	1	1	1	4	11	15	29	31	43	39	33	14	13	3	-	-
		M	98	-	-	-	-	-	1	1	1	-	1	2	5	11	14	17	17	12	8	4	4	-	-	-
		F	142	-	-	-	-	-	-	-	-	1	-	2	6	4	15	14	26	27	25	10	9	3	-	-
195.0	HEAD, FACE AND NECK		73	-	-	-	-	-	-	1	-	-	-	3	5	6	7	11	13	11	8	3	3	2	-	-
		M	40	-	-	-	-	-	-	1	-	-	-	2	3	6	5	6	7	2	4	2	2	-	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	1	2	-	2	5	6	9	4	1	1	2	-	-
195.1	THORAX		15	-	-	-	-	-	-	-	-	1	-	-	-	1	2	6	-	3	1	-	-	1	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	-	2	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-	-	1	-	-
195.2	ABDOMEN		117	-	-	-	-	-	-	-	1	-	1	1	4	6	17	10	22	20	22	7	6	-	-	-
		M	39	-	-	-	-	-	-	-	1	-	1	-	2	4	6	4	9	6	4	1	1	-	-	-
		F	78	-	-	-	-	-	-	-	-	-	-	1	2	2	11	6	13	14	18	6	5	-	-	-
195.3	PELVIS		29	-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	7	4	2	4	4	-	-	-
		M	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	6	2	2	3	3	-	-	-
195.4	UPPER LIMB		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
195.5	LOWER LIMB		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
195.8	OTHER SPECIFIED SITES		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
199	MALIGNANT NEOPLASM WITHOUT		2,844	-	1	3	-	2	9	10	22	36	61	94	157	287	359	419	458	383	279	168	71	22	1	2
	SPECIFICATION OF SITE	M	1,449	-	-	3	-	2	8	6	12	18	30	48	79	155	209	228	238	189	125	56	34	8	-	1
		F	1,395	-	1	-	-	-	1	4	10	18	31	46	78	132	150	191	220	194	154	112	37	14	1	1
199.0	DISSEMINATED		171	-	-	1	-	-	1	-	3	1	1	7	9	13	29	25	24	21	23	6	7	-	-	-
		M	93	-	-	1	-	-	-	-	2	1	-	4	5	7	13	15	16	13	11	2	3	-	-	-
		F	78	-	-	-	-	-	1	-	1	-	1	3	4	6	16	10	8	8	12	4	4	-	-	-
199.1	OTHER		2,673	-	1	2	-	2	8	10	19	35	60	87	148	274	330	394	434	362	256	162	64	22	1	2
		M	1,356	-	-	2	-	2	8	6	10	17	30	44	74	148	196	213	222	176	114	54	31	8	-	1
		F	1,317	-	1	-	-	-	-	4	9	18	30	43	74	126	134	181	212	186	142	108	33	14	1	1
200-208	MALIGNANT NEOPLASM OF LYMPHATIC AND		4,021	2	28	43	40	56	59	86	77	85	107	134	198	288	389	521	545	540	412	275	111	19	6	-
	HAEMATOPOIETIC TISSUE	M	2,178	1	15	24	27	37	32	54	48	54	73	82	121	157	235	278	299	256	207	123	49	4	2	-
		F	1,843	1	13	19	13	19	27	32	29	31	34	52	77	131	154	243	246	284	205	152	62	15	4	-
200	LYMPHOSARCOMA AND RETICULOSARCOMA		485	-	3	6	4	5	5	13	10	7	10	20	21	44	45	70	71	71	39	28	11	2	-	-
		M	275	-	3	5	2	4	5	11	7	5	10	13	11	25	27	36	40	36	21	9	5	-	-	-
		F	210	-	-	1	2	1	-	2	3	2	-	7	10	19	18	34	31	35	18	19	6	2	-	-
200.0	RETICULOSARCOMA		257	-	-	1	-	2	1	5	7	5	3	14	15	26	28	38	40	37	16	12	6	1	-	-
		M	140	-	-	1	-	2	1	3	5	3	3	10	8	17	16	18	24	15	7	4	3	-	-	-
		F	117	-	-	-	-	-	-	2	2	2	-	4	7	9	12	20	16	22	9	8	3	1	-	-
200.1	LYMPHOSARCOMA		183	-	-	4	1	3	4	6	1	1	6	3	6	13	16	28	25	28	20	15	2	1	-	-
		M	106	-	-	3	-	2	4	6	1	1	6	1	3	7	10	15	12	17	12	5	1	-	-	-
		F	77	-	-	1	1	1	-	-	-	-	-	2	3	6	6	13	13	11	8	10	1	1	-	-
200.2	BURKITT'S TUMOUR		15	-	3	1	2	-	-	2	1	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-
		M	12	-	3	1	1	-	-	2	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
200.8	OTHER NAMED VARIANTS		30	-	-	-	1	-	-	-	1	-	-	2	-	3	-	4	6	6	3	1	3	-	-	-
		M	17	-	-	-	1	-	-	-	-	-	-	1	-	1	-	3	4	4	2	-	1	-	-	-
		F	13	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	2	2	1	1	2	-	-	-
201	HODGKIN'S DISEASE		194	-	-	-	2	7	4	23	14	14	15	12	9	11	16	15	14	20	10	7	1	-	-	-
		M	105	-	-	-	1	3	3	14	11	8	12	7	6	8	7	5	4	5	6	4	1	-	-	-
		F	89	-	-	-	1	4	1	9	3	6	3	5	3	3	9	10	10	15	4	3	-	-	-	-
201.5	NODULAR SCLEROSIS		3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
201.6	MIXED CELLULARITY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
201.7	LYMPHOCYTIC DEPLETION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
201.9	UNSPECIFIED		189	-	-	-	2	6	4	23	13	14	15	12	9	11	15	14	14	19	10	7	1	-	-	-
		M	104	-	-	-	1	3	3	14	10	8	12	7	6	8	7	5	4	5	6	4	1	-	-	-
		F	85	-	-	-	1	3	1	9	3	6	3	5	3	3	8	9	10	14	4	3	-	-	-	-
202	OTHER MALIGNANT NEOPLASM OF LYMPHOID		958	-	3	4	3	6	9	11	15	16	26	31	61	77	107	150	122	126	113	53	18	4	3	-
	AND HISTIOCYTIC TISSUE	M	519	-	2	2	1	5	4	11	9	9	17	18	46	41	68	80	64	58	52	20	9	2	1	-
		F	439	-	1	2	2	1	5	-	6	7	9	13	15	36	39	70	58	68	61	33	9	2	2	-
202.0	NODULAR LYMPHOMA		32	-	-	-	-	-	-	-	-	1	1	1	5	4	3	7	3	1	4	2	-	-	-	-
		M	17	-	-	-	-	-	-	-	-	1	1	1	4	1	1	3	3	-	1	1	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	-	1	3	1	-	-	-	-
202.1	MYCOSIS FUNGOIDES		17	-	-	-	-	-	1	-	-	-	1	1	3	-	-	2	3	6	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	2	3	-	-	-	-	-	-
		F	8	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	1	3	-	-	-	-	-	-
202.2	SEZARY'S DISEASE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
202.3	MALIGNANT HISTIOCYTOSIS		13	-	1	1	2	1	-	1	2	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
		M	9	-	-	1	1	1	-	1	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
		F	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
202.4	LEUKAEMIC RETICULOENDOTHELIOSIS		11	-	-	-	-	-	-	-	1	-	1	1	1	1	1	2	-	1	2	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
202.8	OTHER LYMPHOMAS		868	-	2	3	1	5	8	9	12	15	23	28	51	72	101	131	112	115	105	50	18	4	3	-
		M	464	-	2	1	-	4	4	9	7	8	15	15	37	39	64	71	57	52	49	18	9	2	1	-
		F	404	-	-	2	1	1	4	-	5	7	8	13	14	33	37	60	55	63	56	32	9	2	2	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
202.9	OTHER AND UNSPECIFIED		13	-	-	-	-	-	-	1	-	-	-	-	1	-	1	6	2	2	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	-
203	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS		705	-	-	-	-	-	-	-	1	3	12	15	40	47	79	110	132	115	77	52	19	3	-	-
		M	357	-	-	-	-	-	-	-	-	3	7	9	18	22	48	56	70	49	40	25	9	1	-	-
		F	348	-	-	-	-	-	-	-	1	-	5	6	22	25	31	54	62	66	37	27	10	2	-	-
203.0	MULTIPLE MYELOMA		699	-	-	-	-	-	-	-	1	3	11	15	40	46	77	109	132	115	76	52	19	3	-	-
		M	354	-	-	-	-	-	-	-	-	3	6	9	18	21	47	56	70	49	40	25	9	1	-	-
		F	345	-	-	-	-	-	-	-	1	-	5	6	22	25	30	53	62	66	36	27	10	2	-	-
203.1	PLASMA CELL LEUKAEMIA		4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
203.8	OTHER IMMUNOPROLIFERATIVE NEOPLASMS		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
204	LYMPHOID LEUKAEMIA		454	1	12	22	18	17	12	13	4	6	9	7	14	17	44	39	52	62	40	42	19	3	1	-
		M	258	-	5	13	14	12	8	7	3	2	5	5	10	9	34	19	32	33	18	20	8	-	1	-
		F	196	1	7	9	4	5	4	6	1	4	4	2	4	8	10	20	20	29	22	22	11	3	-	-
204.0	ACUTE		167	1	12	22	18	17	12	13	4	6	8	3	7	4	7	8	8	5	4	4	4	-	-	-
		M	93	-	5	13	14	12	8	7	3	2	4	2	4	2	4	3	3	3	1	1	2	-	-	-
		F	74	1	7	9	4	5	4	6	1	4	4	1	3	2	3	5	5	2	3	3	2	-	-	-
204.1	CHRONIC		256	-	-	-	-	-	-	-	-	-	1	4	7	12	35	26	40	51	30	34	13	2	1	-
		M	149	-	-	-	-	-	-	-	-	-	1	3	6	6	29	13	27	26	15	16	6	-	1	-
		F	107	-	-	-	-	-	-	-	-	-	-	1	1	6	6	13	13	25	15	18	7	2	-	-
204.9	UNSPECIFIED		31	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	6	6	4	2	1	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	2	3	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	1	2	1	-	-
205	MYELOID LEUKAEMIA		783	-	7	5	9	12	23	17	26	26	25	33	36	63	58	94	98	87	81	51	25	5	2	-
		M	411	-	3	2	7	6	10	6	16	19	18	19	21	34	25	54	50	43	44	23	11	-	-	-
		F	372	-	4	3	2	6	13	11	10	7	7	14	15	29	33	40	48	44	37	28	14	5	2	-
205.0	ACUTE		509	-	5	4	8	6	18	13	17	14	18	14	21	37	39	57	65	65	52	37	14	4	1	-
		M	260	-	2	2	6	3	8	4	12	11	12	7	12	21	15	34	31	29	25	18	8	-	-	-
		F	249	-	3	2	2	3	10	9	5	3	6	7	9	16	24	23	34	36	27	19	6	4	1	-
205.1	CHRONIC		218	-	2	1	1	4	4	4	9	11	7	17	15	21	16	25	27	17	18	11	6	1	1	-
		M	126	-	1	-	1	3	1	2	4	7	6	12	9	11	10	17	14	11	11	4	2	-	-	-
		F	92	-	1	1	-	1	3	2	5	4	1	5	6	10	6	8	13	6	7	7	4	1	1	-
205.2	SUBACUTE		13	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	3	2	1	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-
205.3	MYELOID SARCOMA		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
205.9	UNSPECIFIED		41	-	-	-	-	1	1	-	-	1	-	2	-	3	3	7	3	3	9	3	5	-	-	-
		M	17	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	2	2	7	1	1	-	-	-
		F	24	-	-	-	-	1	-	-	-	-	-	2	-	3	3	5	1	1	2	2	4	-	-	-
206	MONOCYTIC LEUKAEMIA		46	-	1	-	1	2	-	2	-	-	-	-	3	4	3	1	9	8	7	5	-	-	-	-
		M	28	-	-	-	-	2	-	1	-	-	-	-	2	2	2	1	9	3	2	4	-	-	-	-
		F	18	-	1	-	1	-	-	1	-	-	-	-	1	2	1	-	-	5	5	1	-	-	-	-
206.0	ACUTE		35	-	1	-	1	1	-	2	-	-	-	-	3	3	3	-	6	7	5	3	-	-	-	-
		M	18	-	-	-	-	1	-	1	-	-	-	-	2	1	2	-	6	2	1	2	-	-	-	-
		F	17	-	1	-	1	-	-	1	-	-	-	-	1	2	1	-	-	5	4	1	-	-	-	-
206.1	CHRONIC		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
206.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
206.9	UNSPECIFIED		8	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	3	-	1	2	-	-	-	-
		M	7	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	3	-	-	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
207	OTHER SPECIFIED LEUKAEMIA		25	-	-	-	-	-	-	-	-	-	1	1	-	2	4	5	5	3	4	-	-	-	-	-
		M	18	-	-	-	-	-	-	-	-	-	1	1	-	-	3	3	5	2	3	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1	-	-	-	-	-
207.0	ACUTE ERYTHRAEMIA AND ERYTHROLEUKAEMIA		17	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	3	3	3	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	2	2	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
207.1	CHRONIC ERTHRAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
207.2	MEGAKARYOCYTIC LEUKAEMIA		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
207.8	OTHER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
208	LEUKAEMIA OF UNSPECIFIED CELL TYPE		371	1	2	6	3	7	6	7	7	13	9	15	14	23	33	37	42	48	41	37	18	2	-	-
		M	207	1	2	2	2	5	2	4	2	8	3	10	7	16	21	24	25	27	21	18	6	1	-	-
		F	164	-	-	4	1	2	4	3	5	5	6	5	7	7	12	13	17	21	20	19	12	1	-	-
208.0	ACUTE		227	1	-	3	2	3	5	6	5	9	9	12	10	14	22	26	24	31	21	15	8	1	-	-
		M	127	1	-	-	1	2	2	4	1	5	3	8	5	10	14	16	15	19	9	9	2	1	-	-
		F	100	-	-	3	1	1	3	2	4	4	6	4	5	4	8	10	9	12	12	6	6	-	-	-
208.1	CHRONIC		10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	3	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-
208.2	SUBACUTE		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
208.8	OTHER		9	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	4	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
		F	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-
208.9	UNSPECIFIED		120	-	2	3	1	4	-	1	2	4	-	3	3	8	9	9	16	13	19	15	7	1	-	-
		M	70	-	2	2	1	3	-	-	1	3	-	2	1	5	6	7	9	6	11	7	4	-	-	-
		F	50	-	-	1	-	1	-	1	1	1	-	1	2	3	3	2	7	7	8	8	3	1	-	-
210-229	BENIGN NEOPLASMS		162	2	1	-	-	3	2	5	-	3	5	4	4	19	16	29	16	22	19	9	3	-	-	-
		M	79	1	1	-	-	1	2	4	-	2	4	1	1	13	7	12	6	9	9	4	2	-	-	-
		F	83	1	-	-	-	2	-	1	-	1	1	3	3	6	9	17	10	13	10	5	1	-	-	-
211	BENIGN NEOPLASM OF OTHER PARTS OF DIGESTIVE SYSTEM		7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	2	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	2	-	-	-	-	-
211.1	STOMACH		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
211.2	SMALL INTESTINE, INCLUDING DUODENUM		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
211.3	COLON		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
211.5	LIVER AND BILIARY PASSAGES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
212	BENIGN NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS		14	1	1	-	-	2	-	-	-	-	1	1	1	1	1	1	1	-	-	2	1	-	-	-
		M	7	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	-	-	-
		F	7	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
212.1	LARYNX		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
212.3	BRONCHUS AND LUNG		3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
212.6	THYMUS		2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212.7	HEART		8	1	1	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	2	-	-	-	-
		M	4	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
213	BENIGN NEOPLASM OF BONE AND ARTICULAR CARTILAGE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
213.0	BONES OF SKULL AND FACE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214	LIPOMA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
215	OTHER BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE		3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
215.2	UPPER LIMB, INCLUDING SHOULDER		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
215.9	SITE UNSPECIFIED		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
216	BENIGN NEOPLASM OF SKIN		3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
216.7	SKIN OF LOWER LIMB, INCLUDING HIP		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
216.9	SITE UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
218	UTERINE LEIOMYOMA		2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
219	OTHER BENIGN NEOPLASM OF UTERUS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
219.9	PART UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
220	BENIGN NEOPLASM OF OVARY		3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
224	BENIGN NEOPLASM OF EYE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
224.1	ORBIT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
225	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM		100	-	-	-	-	-	2	1	-	2	-	2	3	11	8	23	11	14	15	7	1	-	-	-
		M	39	-	-	-	-	-	2	-	-	1	-	-	-	9	3	9	5	2	5	3	-	-	-	-
		F	61	-	-	-	-	-	-	1	-	1	-	2	3	2	5	14	6	12	10	4	1	-	-	-
225.0	BRAIN		12	-	-	-	-	-	1	1	-	-	-	-	-	2	1	1	-	3	3	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	3	3	-	-	-	-	-
225.1	CRANIAL NERVES		8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
225.2	CEREBRAL MENINGES		78	-	-	-	-	-	-	-	-	2	-	2	3	6	5	20	9	11	12	7	1	-	-	-
		M	28	-	-	-	-	-	-	-	-	1	-	-	-	4	2	7	4	2	5	3	-	-	-	-
		F	50	-	-	-	-	-	-	-	-	1	-	2	3	2	3	13	5	9	7	4	1	-	-	-
225.4	SPINAL MENINGES		2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
226	BENIGN NEOPLASM OF THYROID GLAND		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
227	BENIGN NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES		18	-	-	-	-	-	-	1	-	1	1	-	-	3	2	4	2	3	1	-	-	-	-	-
		M	12	-	-	-	-	-	-	1	-	1	1	-	-	2	2	2	-	2	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-
227.0	SUPRARENAL GLAND		4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
227.1	PARATHYROID GLAND		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
227.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		13	-	-	-	-	-	-	1	-	-	1	-	-	2	1	3	1	3	1	-	-	-	-	-
		M	10	-	-	-	-	-	-	1	-	-	1	-	-	2	1	2	-	2	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE		6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-
		M	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
228.1	LYMPHANGIOMA, ANY SITE		6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-
		M	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
229	BENIGN NEOPLASM OF OTHER AND UNSPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
229.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
235-238	NEOPLASMS OF UNCERTAIN BEHAVIOUR		131	4	1	-	1	-	3	1	1	5	-	3	3	8	12	21	18	15	14	14	6	1	-	-
		M	71	2	1	-	1	-	2	1	-	4	-	2	2	3	7	15	10	10	5	5	1	-	-	-
		F	60	2	-	-	-	-	1	-	1	1	-	1	1	5	5	6	8	5	9	9	5	1	-	-
235	NEOPLASM OF UNCERTAIN BEHAVIOUR OF DIGESTIVE AND RESPIRATORY SYSTEMS		8	-	-	-	-	-	-	1	-	1	-	1	1	-	2	-	-	1	-	1	-	-	-	-
		M	7	-	-	-	-	-	-	1	-	1	-	1	1	-	2	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
235.2	STOMACH, INTESTINES AND RECTUM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
235.5	OTHER AND UNSPECIFIED DIGESTIVE ORGANS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
235.7	TRACHEA, BRONCHUS AND LUNG		4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
235.8	PLEURA, THYMUS AND MEDIASTINUM		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237	NEOPLASM OF UNCERTAIN BEHAVIOUR OF ENDOCRINE GLANDS AND NERVOUS SYSTEM		17	1	-	-	1	-	2	-	1	2	-	2	-	2	3	-	1	1	-	1	-	-	-	-
		M	8	-	-	-	1	-	1	-	-	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-
		F	9	1	-	-	-	-	1	-	1	-	-	1	-	1	1	-	1	1	-	1	-	-	-	-
237.0	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT		5	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
237.1	PINEAL GLAND		2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
237.3	PARAGANGLIA		2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
237.5	BRAIN AND SPINAL CORD		4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
237.6	MENINGES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
237.7	NEUROFIBROMATOSIS		3	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
238	NEOPLASM OF UNCERTAIN BEHAVIOUR OF OTHER AND UNSPECIFIED SITES AND TISSUES		106	3	1	-	-	-	1	-	-	2	-	-	2	6	7	21	17	13	14	12	6	1	-	-
		M	56	2	1	-	-	-	1	-	-	1	-	-	1	2	3	15	10	9	5	5	1	-	-	-
		F	50	1	-	-	-	-	-	-	-	1	-	-	1	4	4	6	7	4	9	7	5	1	-	-
238.0	BONE AND ARTICULAR CARTILAGE		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.1	CONNECTIVE AND OTHER SOFT TISSUE		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
238.4	POLYCYTHAEMIA VERA		24	1	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	3	5	3	2	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	2	1	2	-	-	-	-
		F	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	2	-	-	-
238.6	PLASMA CELLS		3	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
238.7	OTHER LYMPHATIC AND HAEMATOPOIETIC TISSUES		73	1	-	-	-	-	-	-	-	2	-	-	2	2	4	17	13	10	9	8	4	1	-	-
		M	37	1	-	-	-	-	-	-	-	1	-	-	1	1	-	11	7	7	4	3	1	-	-	-
		F	36	-	-	-	-	-	-	-	-	1	-	-	1	1	4	6	6	3	5	5	3	1	-	-
238.8	OTHER SPECIFIED SITES		3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
238.9	SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
239	NEOPLASM OF UNSPECIFIED NATURE		370	2	4	7	1	2	2	4	11	8	9	15	20	20	45	34	38	45	44	40	14	4	-	1
		M	173	2	2	3	1	2	-	1	4	4	5	11	12	9	22	18	20	15	20	14	6	1	-	1
		F	197	-	2	4	-	-	2	3	7	4	4	4	8	11	23	16	18	30	24	26	8	3	-	-
239.0	DIGESTIVE SYSTEM		34	-	-	-	-	-	-	1	1	-	-	1	-	1	1	1	1	4	5	12	3	3	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	2	4	1	1	-	-
		F	20	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	1	3	8	2	2	-	-
239.1	RESPIRATORY SYSTEM		22	-	-	-	-	-	-	-	-	-	-	1	1	-	6	-	3	1	2	6	1	1	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	3	1	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	1	-	2	3	-	1	-	-
239.2	BONE, SOFT TISSUE AND SKIN		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
239.4	BLADDER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
239.5	OTHER GENITOURINARY ORGANS		8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	1	-	-	1
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1
		F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-
239.6	BRAIN		255	2	3	7	1	2	2	2	9	6	8	13	17	16	35	27	29	31	29	12	4	-	-	-
		M	126	2	1	3	1	2	-	1	3	3	5	10	10	7	18	13	17	11	15	3	1	-	-	-
		F	129	-	2	4	-	-	2	1	6	3	3	3	7	9	17	14	12	20	14	9	3	-	-	-
239.7	ENDOCRINE GLANDS, AND OTHER PARTS OF NERVOUS SYSTEM		14	-	1	-	-	-	-	1	-	1	-	-	1	1	1	3	-	2	2	1	-	-	-	-
		M	10	-	1	-	-	-	-	-	-	1	-	-	1	1	1	3	-	-	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
239.8	OTHER SPECIFIED SITES		21	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	-	4	3	4	3	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	4	3	4	3	-	-	-
239.9	SITE UNSPECIFIED		12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	1	3	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS		3,552	52	18	14	13	22	27	30	47	44	66	88	121	240	323	384	446	520	508	335	187	55	11	1
		M	1,519	26	10	6	6	9	17	20	26	24	33	37	62	112	151	183	212	237	180	90	65	9	4	-
		F	2,033	26	8	8	7	13	10	10	21	20	33	51	59	128	172	201	234	283	328	245	122	46	7	1
240-246	DISORDERS OF THYROID GLAND		64	-	-	-	-	-	-	3	-	1	-	2	-	4	5	8	7	12	8	5	8	1	-	-
		M	22	-	-	-	-	-	-	3	-	1	-	-	-	2	1	1	1	9	1	1	2	-	-	-
		F	42	-	-	-	-	-	-	-	-	-	-	2	-	2	4	7	6	3	7	4	6	1	-	-
240	SIMPLE AND UNSPECIFIED GOITRE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
240.9	GOITRE, UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
242	THYROTOXICOSIS WITH OR WITHOUT GOITRE		12	-	-	-	-	-	-	3	-	1	-	1	-	-	2	1	-	-	3	1	-	-	-	-
		M	5	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3	1	-	-	-	-
242.9	THYROTOXICOSIS WITHOUT MENTION OF GOITRE OR OTHER CAUSE		12	-	-	-	-	-	-	3	-	1	-	1	-	-	2	1	-	-	3	1	-	-	-	-
		M	5	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3	1	-	-	-	-
244	ACQUIRED HYPOTHYROIDISM		48	-	-	-	-	-	-	-	-	-	-	1	-	4	3	7	7	12	4	3	6	1	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	9	1	1	2	-	-	-
		F	31	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	6	3	3	2	4	1	-	-
244.9	UNSPECIFIED HYPOTHYROIDISM		48	-	-	-	-	-	-	-	-	-	-	1	-	4	3	7	7	12	4	3	6	1	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	9	1	1	2	-	-	-
		F	31	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	6	3	3	2	4	1	-	-
246	OTHER DISORDERS OF THYROID		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
246.2	CYST OF THYROID		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
246.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
250-259	DISEASES OF OTHER ENDOCRINE GLANDS		2,713	11	1	5	3	4	11	15	29	34	44	67	100	194	272	327	374	439	389	237	120	30	6	1
		M	1,135	5	1	1	2	1	8	8	14	17	22	23	47	88	126	162	178	192	140	59	37	3	1	-
		F	1,578	6	-	4	1	3	3	7	15	17	22	44	53	106	146	165	196	247	249	178	83	27	5	1

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
250	DIABETES MELLITUS		2,655	1	-	1	3	4	10	15	28	33	40	66	98	190	266	321	367	433	386	236	120	30	6	1
		M	1,120	-	-	1	2	1	8	8	14	16	22	23	47	87	124	160	176	191	140	59	37	3	1	-
		F	1,535	1	-	-	1	3	2	7	14	17	18	43	51	103	142	161	191	242	246	177	83	27	5	1
250.0	DIABETES MELLITUS WITHOUT MENTION OF COMPLICATION		1,862	1	-	-	1	2	2	7	10	17	24	39	64	127	180	228	264	310	300	174	84	23	4	1
		M	796	-	-	-	1	1	2	5	6	11	10	15	30	60	89	114	126	139	115	43	27	2	-	-
		F	1,066	1	-	-	-	1	-	2	4	6	14	24	34	67	91	114	138	171	185	131	57	21	4	1
250.1	DIABETES WITH KETOACIDOSIS		162	-	-	1	2	2	6	2	7	3	3	11	11	14	19	13	18	19	15	8	5	2	1	-
		M	76	-	-	1	1	-	5	2	5	-	3	4	7	6	8	4	8	9	7	3	2	1	-	-
		F	86	-	-	-	1	2	1	-	2	3	-	7	4	8	11	9	10	10	8	5	3	1	1	-
250.2	DIABETES WITH COMA		118	-	-	-	-	-	1	3	-	2	2	3	4	7	7	10	12	25	14	13	13	2	-	-
		M	32	-	-	-	-	-	-	1	-	1	1	1	1	5	3	3	5	7	-	1	3	-	-	-
		F	86	-	-	-	-	-	1	2	-	1	1	2	3	2	4	7	7	18	14	12	10	2	-	-
250.3	DIABETES WITH RENAL MANIFESTATIONS		233	-	-	-	-	-	1	2	11	9	9	10	11	24	28	38	26	26	19	11	8	-	-	-
		M	93	-	-	-	-	-	1	-	3	4	6	2	4	10	9	19	11	14	7	1	2	-	-	-
		F	140	-	-	-	-	-	-	2	8	5	3	8	7	14	19	19	15	12	12	10	6	-	-	-
250.4	DIABETES WITH OPHTHALMIC MANIFESTATIONS		11	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	2	1	2	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	-	1	1	1	-	-	-
250.5	DIABETES WITH NEUROLOGICAL MANIFESTATIONS		17	-	-	-	-	-	-	-	-	1	-	-	2	1	3	3	4	3	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	1	-	-	1	1	3	3	1	2	-	-	-	-	-	-
250.6	DIABETES WITH PERIPHERAL CIRCULATORY DISORDERS		202	-	-	-	-	-	-	-	-	1	2	2	4	13	25	23	32	35	32	25	5	3	-	-
		M	92	-	-	-	-	-	-	-	-	-	2	1	3	5	13	14	18	14	9	11	2	-	-	-
		F	110	-	-	-	-	-	-	-	-	1	-	1	1	8	12	9	14	21	23	14	3	3	-	-
250.7	DIABETES WITH OTHER SPECIFIED MANIFESTATIONS		46	-	-	-	-	-	-	-	-	-	-	-	2	3	1	5	9	13	4	4	4	-	1	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	5	6	1	-	1	-	1	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	7	3	4	3	-	-	-
250.9	DIABETES WITH UNSPECIFIED COMPLICATIONS		4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION		13	-	-	-	-	-	1	-	-	1	-	1	1	2	2	2	1	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	1	-	-	-	-	1	1	2	2	1	-	1	1	-	-	-	-	-
251.0	HYPOGLYCAEMIC COMA		3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
251.2	HYPOGLYCAEMIA, UNSPECIFIED		9	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	1	1	-	-	-	-	-
251.5	ABNORMALITY OF SECRETION OF GASTRIN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
252	DISORDERS OF PARATHYROID GLAND		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
252.0	HYPERPARATHYROIDISM		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
252.1	HYPOPARATHYROIDISM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
253	DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL		9	-	-	2	-	-	-	-	1	-	1	-	1	-	2	-	-	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	7	-	-	2	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
253.0	ACROMEGALY AND GIGANTISM		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
253.2	PANHYPOPITUITARISM		4	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
253.5	DIABETES INSIPIDUS		2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
253.6	OTHER DISORDERS OF NEUROHYPOPHYSIS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
253.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
255	DISORDERS OF ADRENAL GLANDS		17	2	1	2	-	-	-	-	-	-	1	-	-	2	-	3	3	1	1	1	-	-	-	-
		M	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	13	1	-	2	-	-	-	-	-	-	1	-	-	1	-	2	3	1	1	1	-	-	-	-
255.0	CUSHING'S SYNDROME		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
255.1	HYPERALDOSTERONISM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
255.4	CORTICOADRENAL INSUFFICIENCY		13	2	1	2	-	-	-	-	-	-	-	-	-	2	-	2	2	-	1	1	-	-	-	-
		M	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	10	1	-	2	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	1	-	-	-	-
255.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
259	OTHER ENDOCRINE DISORDERS		15	8	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	1	-	-	-	-	-
		M	6	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	9	4	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	1	-	-	-	-	-
259.2	CARCINOID SYNDROME		5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
259.4	DWARFISM, NOT ELSEWHERE CLASSIFIED		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
259.8	OTHER		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
259.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
260-269	NUTRITIONAL DEFICIENCIES		189	-	1	-	-	-	-	-	-	-	1	2	-	7	6	12	17	17	42	39	29	14	2	-
		M	78	-	-	-	-	-	-	-	-	-	1	1	-	4	4	7	10	7	14	13	14	2	1	-
		F	111	-	1	-	-	-	-	-	-	-	-	1	-	3	2	5	7	10	28	26	15	12	1	-
261	NUTRITIONAL MARASMUS		22	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	4	2	3	4	3	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	2	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	2	3	4	1	-	-	-
263	OTHER AND UNSPECIFIED PROTEIN-CALORIE MALNUTRITION		162	-	1	-	-	-	-	-	-	-	1	1	-	4	4	10	13	15	39	33	25	14	2	-
		M	68	-	-	-	-	-	-	-	-	-	1	1	-	3	2	6	8	7	14	12	11	2	1	-
		F	94	-	1	-	-	-	-	-	-	-	-	-	-	1	2	4	5	8	25	21	14	12	1	-
263.9	UNSPECIFIED		162	-	1	-	-	-	-	-	-	-	1	1	-	4	4	10	13	15	39	33	25	14	2	-
		M	68	-	-	-	-	-	-	-	-	-	1	1	-	3	2	6	8	7	14	12	11	2	1	-
		F	94	-	1	-	-	-	-	-	-	-	-	-	-	1	2	4	5	8	25	21	14	12	1	-
265	THIAMINE AND NIACIN DEFICIENCY STATES		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
265.0	BERIBERI		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
265.1	OTHER AND UNSPECIFIED MANIFESTATIONS OF THIAMINE DEFICIENCY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
266	DEFICIENCY OF B-COMPLEX COMPONENTS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
266.2	OTHER B-COMPLEX DEFICIENCIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
269	OTHER NUTRITIONAL DEFICIENCIES		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
269.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
270-279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS		586	41	16	9	10	18	16	12	18	9	21	17	21	35	40	37	48	52	69	54	30	10	3	-
		M	284	21	9	5	4	8	9	9	12	6	10	13	15	18	20	13	23	29	25	17	12	4	2	-
		F	302	20	7	4	6	10	7	3	6	3	11	4	6	17	20	24	25	23	44	37	18	6	1	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
270	DISORDERS OF AMINO-ACID TRANSPORT AND METABOLISM		10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.6	DISORDERS OF UREA CYCLE METABOLISM		7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.7	OTHER DISTURBANCES OF STRAIGHT-CHAIN AMINO-ACID METABOLISM		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
271	DISORDERS OF CARBOHYDRATE TRANSPORT AND METABOLISM		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
271.0	GLYCOGENOSIS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
271.3	INTESTINAL DISACCHARIDASE DEFICIENCIES AND DISACCHARIDE MALABSORPTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
272	DISORDERS OF LIPOID METABOLISM		46	-	1	1	1	-	1	-	1	2	2	4	1	3	4	4	4	3	8	4	1	-	1	-
		M	26	-	1	1	-	-	1	-	-	1	1	4	-	3	3	1	3	3	3	-	-	-	1	-
		F	20	-	-	-	1	-	-	-	1	1	1	-	1	-	1	3	1	-	5	4	1	-	-	-
272.0	PURE HYPERCHOLESTEROLAEMIA		16	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	3	2	4	1	1	-	1	-
		M	10	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	2	1	-	-	-	1	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-
272.1	PURE HYPERGLYCERIDAEMIA		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
272.2	MIXED HYPERLIPIDAEMIA		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272.3	HYPERCHYLOMICRONAEMIA		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272.4	OTHER AND UNSPECIFIED HYPERLIPIDAEMIA		22	-	-	-	-	-	-	-	-	1	1	3	1	1	4	3	1	-	4	3	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	3	-	1	3	-	1	-	2	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	1	1	-	1	-	1	3	-	-	2	3	-	-	-	-
272.7	LIPIDOSES		4	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272.8	OTHER DISORDERS OF LIPOID METABOLISM		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273	DISORDERS OF PLASMA PROTEIN METABOLISM		28	-	-	-	-	-	-	-	1	-	-	-	1	2	3	2	5	6	5	2	1	-	-	-
		M	14	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	3	3	2	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	3	1	1	-	-	-
273.1	MONOCLONAL PARAPROTEINAEMIA		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
273.2	OTHER PARAPROTEINAEMIAS		4	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
273.3	MACROGLOBULINAEMIA		16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	3	1	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-
273.8	OTHER		7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-
274	GOUT		12	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	1	2	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	-
274.0	GOUTY ARTHROPATHY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
274.1	GOUTY NEPHROPATHY		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
274.9	UNSPECIFIED		6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
275	DISORDERS OF MINERAL METABOLISM		30	1	-	-	-	1	-	-	1	-	1	3	3	1	6	5	1	2	1	4	-	-	-	-
		M	16	-	-	-	-	1	-	-	1	-	1	2	2	1	3	2	1	1	1	-	-	-	-	-
		F	14	1	-	-	-	-	-	-	-	-	-	1	1	-	3	3	-	1	-	4	-	-	-	-
275.0	DISORDERS OF IRON METABOLISM		18	-	-	-	-	1	-	-	1	-	1	2	1	1	4	4	-	1	-	2	-	-	-	-
		M	9	-	-	-	-	1	-	-	1	-	1	2	-	1	2	1	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	-	2	-	-	-	-
275.1	DISORDERS OF COPPER METABOLISM		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
275.2	D?SORDERS OF MAGNESIUM METABOLISM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
275.4	DISORDERS OF CALCIUM METABOLISM		10	1	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	1	2	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-
		F	5	1	-	-		-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-
276	DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE		205	16	2	-	-	-	3	2	1	1	2	-	1	8	8	11	13	28	38	37	22	10	2	-
		M	95	7	1	-	-	-	1	2	-	-	2	-	1	5	8	7	6	11	14	14	11	4	1	-
		F	110	9	1	-	-	-	2	-	1	1	-	-	-	3	-	4	7	17	24	23	11	6	1	-
276.0	HYPEROSMOLALITY AND/OR HYPERNATRAEMIA		14	2	1	-	-	-	-	-	1	-	-	-	-	3	-	1	1	2	1	1	1	-	-	-
		M	7	1	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	1	-	-	-
		F	7	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
276.1	HYPOSMOLALITY AND/OR HYPONATRAEMIA		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
276.2	ACIDOSIS		44	9	1	-	-	-	1	1	-	-	2	-	1	2	3	2	2	8	9	1	2	-	-	-
		M	22	4	1	-	-	-	1	1	-	-	2	-	1	1	3	1	2	2	3	-	-	-	-	-
		F	22	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	6	6	1	2	-	-	-
276.5	VOLUME DEPLETION		110	2	-	-	-	-	1	-	-	-	-	-	-	2	2	3	7	14	22	31	16	8	2	-
		M	49	1	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	7	9	12	8	3	1	-
		F	61	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	5	7	13	19	8	5	1	-
276.7	HYPERPOTASSAEMIA		10	2	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	1	1	-	1	-	-
		M	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
		F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
276.8	HYPOPOTASSAEMIA		4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
276.9	ELECTROLYTE AND FLUID DISORDERS, NOT ELSEWHERE CLASSIFIED		17	1	-	-	-	-	1	-	-	1	-	-	-	-	1	2	2	2	3	1	3	-	-	-
		M	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	2	-	-	-
		F	9	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	2	1	1	1	-	-	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM		144	13	6	8	9	14	11	6	7	2	5	3	5	7	8	7	11	7	10	2	3	-	-	-
		M	74	5	3	4	4	6	7	4	4	1	2	3	3	5	1	1	8	7	4	1	1	-	-	-
		F	70	8	3	4	5	8	4	2	3	1	3	-	2	2	7	6	3	-	6	1	2	-	-	-
277.0	CYSTIC FIBROSIS		56	6	2	7	8	11	8	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	2	1	4	3	4	5	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	28	4	1	3	5	7	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.1	DISORDERS OF PORPHYRIN METABOLISM		2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.3	AMYLOIDOSIS		47	-	-	-	-	-	1	-	-	-	2	2	2	6	4	3	10	7	7	1	2	-	-	-
		M	30	-	-	-	-	-	1	-	-	-	-	2	1	4	1	1	8	7	3	1	1	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	2	-	1	2	3	2	2	-	4	-	1	-	-	-
277.5	MUCOPOLYSACCHARIDOSIS		5	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.6	OTHER DEFICIENCIES OF CIRCULATING ENZYMES		7	1	-	-	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-
277.8	OTHER		10	1	2	1	1	-	1	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
		M	5	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	5	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
277.9	UNSPECIFIED		17	5	1	-	-	-	-	-	-	1	-	-	-	-	3	2	1	-	2	1	1	-	-	-
		M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	3	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	-	2	1	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
278	OBESITY AND OTHER HYPERALIMENTATION		73	-	-	-	-	-	-	1	5	2	8	3	8	11	8	5	10	3	5	3	1	-	-	-
		M	21	-	-	-	-	-	-	-	4	2	3	-	6	3	1	-	-	1	1	-	-	-	-	-
		F	52	-	-	-	-	-	-	1	1	-	5	3	2	8	7	5	10	2	4	3	1	-	-	-
278.0	OBESITY		68	-	-	-	-	-	-	1	4	1	5	3	8	11	8	5	10	3	5	3	1	-	-	-
		M	18	-	-	-	-	-	-	-	3	1	2	-	6	3	1	-	-	1	1	-	-	-	-	-
		F	50	-	-	-	-	-	-	1	1	-	3	3	2	8	7	5	10	2	4	3	1	-	-	-
278.8	OTHER		5	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
279	DISORDERS INVOLVING THE IMMUNE MECHANISM		36	3	4	-	-	3	1	3	2	2	3	4	2	2	-	2	2	2	1	-	-	-	-	-
		M	23	2	2	-	-	1	-	3	2	2	1	4	2	1	-	1	-	2	-	-	-	-	-	-
		F	13	1	2	-	-	2	1	-	-	-	2	-	-	1	-	1	2	-	1	-	-	-	-	-
279.0	DEFICIENCY OF HUMORAL IMMUNITY		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.2	COMBINED IMMUNITY DEFICIENCY		6	2	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
279.3	UNSPECIFIED IMMUNITY DEFICIENCY		25	1	2	-	-	2	1	3	1	2	1	4	1	1	-	1	2	2	1	-	-	-	-	-
		M	17	1	1	-	-	-	-	3	1	2	1	4	1	1	-	-	-	2	-	-	-	-	-	-
		F	8	-	1	-	-	2	1	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
279.4	AUTOIMMUNE DISEASE, NOT ELSEWHERE CLASSIFIED		4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS		550	16	7	5	3	7	13	10	6	10	10	12	13	29	48	61	56	82	72	57	25	6	2	-
		M	271	10	3	3	1	7	9	7	2	4	3	8	7	11	23	35	26	41	40	22	8	1	-	-
		F	279	6	4	2	2	-	4	3	4	6	7	4	6	18	25	26	30	41	32	35	17	5	2	-
280	IRON DEFICIENCY ANAEMIAS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
281	OTHER DEFICIENCY ANAEMIAS		13	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	4	2	1	-	1	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-
		F	9	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	1	-	1	-
281.0	PERNICIOUS ANAEMIA		8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	1	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-
281.8	ANAEMIA ASSOCIATED WITH OTHER SPECIFIED NUTRITIONAL DEFICIENCY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
281.9	UNSPECIFIED		4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
		F	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS		41	3	2	1	-	1	8	4	2	2	1	5	-	1	3	1	2	2	2	-	1	-	-	-
		M	23	2	2	-	-	1	6	3	1	1	1	3	-	-	-	-	2	1	-	-	-	-	-	-
		F	18	1	-	1	-	-	2	1	1	1	-	2	-	1	3	1	-	1	2	-	1	-	-	-
282.4	THALASSAEMIAS		5	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.5	SICKLE-CELL TRAIT		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.6	SICKLE-CELL ANAEMIA		25	-	2	1	-	-	7	4	2	1	1	5	-	-	1	1	-	-	-	-	-	-	-	-
		M	16	-	2	-	-	-	6	3	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	1	-	-	1	1	1	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-
282.7	OTHER HAEMOGLOBINOPATHIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
282.9	UNSPECIFIED		9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-
283	ACQUIRED HAEMOLYTIC ANAEMIAS		13	1	1	-	-	-	1	1	1	-	-	1	-	1	1	1	-	2	1	-	-	-	1	-
		M	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
		F	8	1	1	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-	1	-
283.0	AUTOIMMUNE HAEMOLYTIC ANAEMIAS		6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	1	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
283.1	NON-AUTOIMMUNE HAEMOLYTIC ANAEMIAS		3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283.2	HAEMOGLOBINURIA DUE TO HAEMOLYSIS FROM EXTERNAL CAUSES		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283.9	UNSPECIFIED		3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
284	APLASTIC ANAEMIA		97	1	1	1	1	3	4	2	1	2	3	-	3	2	7	13	9	11	16	10	5	2	-	-
		M	44	1	-	1	1	3	2	1	-	1	1	-	2	2	3	3	3	5	9	3	3	-	-	-
		F	53	-	1	-	-	-	2	1	1	1	2	-	1	-	4	10	6	6	7	7	2	2	-	-
284.8	OTHER		28	-	-	-	-	1	-	1	-	2	-	-	3	-	1	4	2	4	4	3	1	2	-	-
		M	13	-	-	-	-	1	-	1	-	1	-	-	2	-	-	2	1	1	2	1	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	3	2	2	-	2	-	-
284.9	UNSPECIFIED		69	1	1	1	1	2	4	1	1	-	3	-	-	2	6	9	7	7	12	7	4	-	-	-
		M	31	1	-	1	1	2	2	-	-	-	1	-	-	2	3	1	2	4	7	2	2	-	-	-
		F	38	-	1	-	-	-	2	1	1	-	2	-	-	-	3	8	5	3	5	5	2	-	-	-
285	OTHER AND UNSPECIFIED ANAEMIAS		86	-	-	1	-	-	-	-	1	-	1	1	-	4	2	8	10	14	17	19	6	2	-	-
		M	47	-	-	1	-	-	-	-	-	-	-	1	-	2	1	8	6	8	8	9	2	1	-	-
		F	39	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	4	6	9	10	4	1	-	-
285.0	SIDEROBLASTIC ANAEMIA		16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	4	2	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	-	-	-	-
285.8	OTHER SPECIFIED ANAEMIAS		6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-
285.9	ANAEMIA, UNSPECIFIED		64	-	-	1	-	-	-	-	1	-	1	1	-	2	1	4	7	9	12	17	6	2	-	-
		M	34	-	-	1	-	-	-	-	-	-	-	1	-	1	1	4	4	5	5	9	2	1	-	-
		F	30	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	3	4	7	8	4	1	-	-
286	COAGULATION DEFECTS		74	6	1	-	2	-	-	2	1	4	1	2	2	8	8	8	9	11	3	4	1	1	-	-
		M	36	3	-	-	-	-	-	2	1	1	1	2	2	2	4	6	4	6	1	1	-	-	-	-
		F	38	3	1	-	2	-	-	-	-	3	-	-	-	6	4	2	5	5	2	3	1	1	-	-
286.0	CONGENITAL FACTOR VIII DISORDER		2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
286.3	CONGENITAL DEFICIENCY OF OTHER CLOTTING FACTORS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
286.4	VON WILLEBRAND'S DISEASE		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
286.6	DEFIBRINATION SYNDROME		45	5	1	-	1	-	-	1	-	4	1	1	1	3	6	6	6	6	1	1	1	-	-	-
		M	20	2	-	-	-	-	-	1	-	1	1	1	1	-	2	5	2	3	-	1	-	-	-	-
		F	25	3	1	-	1	-	-	-	-	3	-	-	-	3	4	1	4	3	1	-	1	-	-	-
286.9	OTHER AND UNSPECIFIED COAGULATION DEFECTS		22	1	-	-	1	-	-	1	-	-	-	1	-	4	-	2	2	5	1	3	-	1	-	-
		M	10	1	-	-	-	-	-	1	-	-	-	1	-	2	-	1	1	3	-	-	-	-	-	-
		F	12	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	1	2	1	3	-	1	-	-
287	PURPURA AND OTHER HAEMORRHAGIC CONDITIONS		61	3	1	1	-	-	-	1	-	2	2	-	2	5	7	4	5	4	10	10	4	-	-	-
		M	32	3	1	1	-	-	-	-	-	1	-	-	-	2	5	4	3	-	7	4	1	-	-	-
		F	29	-	-	-	-	-	-	1	-	1	2	-	2	3	2	-	2	4	3	6	3	-	-	-
287.0	ALLERGIC PURPURA		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
287.1	QUALITATIVE PLATELET DEFECTS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
287.2	OTHER NONTHROMBOCYTOPENIC PURPURAS		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
287.3	PRIMARY THROMBOCYTOPENIA		18	-	1	-	-	-	-	1	-	1	1	-	-	1	2	-	1	2	4	3	1	-	-	-
		M	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	-	-	-
		F	10	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	2	1	1	1	-	-	-
287.5	THROMBOCYTOPENIA, UNSPECIFIED		30	1	-	1	-	-	-	-	-	1	-	-	1	4	4	3	3	2	4	3	3	-	-	-
		M	16	1	-	1	-	-	-	-	-	1	-	-	-	2	3	3	1	-	2	1	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	2	2	2	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
287.9	UNSPECIFIED HAEMORRHAGIC CONDITIONS		6	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
288	DISEASES OF WHITE BLOOD CELLS		32	-	-	-	-	1	-	-	-	-	-	1	1	-	1	6	5	9	2	3	3	-	-	-
		M	14	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	3	3	2	1	1	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	6	-	2	2	-	-	-
288.0	AGRANULOCYTOSIS		29	-	-	-	-	-	-	-	-	-	-	1	1	-	1	6	5	8	2	3	2	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	3	2	1	1	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	5	-	2	1	-	-	-
288.1	FUNCTIONAL DISORDERS OF NEUTROPHIL POLYMORPHONUCLEARS		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
288.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS		131	2	-	1	-	2	-	-	-	-	2	2	5	7	18	20	16	27	17	8	3	1	-	-
		M	66	1	-	-	-	2	-	-	-	-	-	2	2	3	9	11	5	16	11	3	1	-	-	-
		F	65	1	-	1	-	-	-	-	-	-	2	-	3	4	9	9	11	11	6	5	2	1	-	-
289.0	SECONDARY POLYCYTHAEMIA		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
289.2	NONSPECIFIC MESENTERIC LYMPHADENITIS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.3	LYMPHADENITIS, UNSPECIFIED, EXCEPT MESENTERIC		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
289.4	HYPERSPLENISM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
289.5	OTHER DISEASES OF SPLEEN		10	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	3	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-
289.8	OTHER		107	-	-	1	-	1	-	-	-	-	1	2	2	5	16	15	12	25	15	8	3	1	-	-
		M	54	-	-	-	-	1	-	-	-	-	-	2	1	2	8	8	4	14	10	3	1	-	-	-
		F	53	-	-	1	-	-	-	-	-	-	1	-	1	3	8	7	8	11	5	5	2	1	-	-
289.9	UNSPECIFIED		7	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-
290-319	MENTAL DISORDERS		1,463	3	4	1	6	19	34	64	71	65	55	53	84	74	78	92	98	132	170	176	125	46	13	-
		M	826	2	2	-	3	13	20	52	57	55	47	37	54	56	64	57	62	68	77	59	27	11	3	-
		F	637	1	2	1	3	6	14	12	14	10	8	16	30	18	14	35	36	64	93	117	98	35	10	-
290-299	PSYCHOSES		418	-	-	-	-	-	1	1	1	1	1	-	4	6	12	26	37	73	86	83	62	18	6	-
		M	176	-	-	-	-	-	-	1	1	-	1	-	3	3	9	17	24	34	40	24	13	5	1	-
		F	242	-	-	-	-	-	1	-	-	1	-	-	1	3	3	9	13	39	46	59	49	13	5	-
290-294	ORGANIC PSYCHOTIC CONDITIONS		339	-	-	-	-	-	-	1	-	1	1	-	4	4	8	23	28	58	72	66	54	13	6	-
		M	139	-	-	-	-	-	-	1	-	-	1	-	3	3	6	16	19	26	32	17	10	4	1	-
		F	200	-	-	-	-	-	-	-	-	1	-	-	1	1	2	7	9	32	40	49	44	9	5	-
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS		305	-	-	-	-	-	-	-	-	-	-	-	-	-	6	16	23	54	69	64	54	13	6	-
		M	110	-	-	-	-	-	-	-	-	-	-	-	-	-	4	9	14	23	29	16	10	4	1	-
		F	195	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	9	31	40	48	44	9	5	-
290.0	SENILE DEMENTIA, SIMPLE TYPE		240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	11	41	59	56	50	10	6	-
		M	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	15	26	14	8	3	1	-
		F	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	26	33	42	42	7	5	-
290.1	PRESENILE DEMENTIA		47	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9	8	10	8	3	2	1	-	-
		M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	6	6	2	1	1	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	6	2	1	1	-	-
290.2	SENILE DEMENTIA, DEPRESSED OR PARANOID TYPE		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	-
290.4	ARTERIOSCLEROTIC DEMENTIA		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	1	1	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
291	ALCOHOLIC PSYCHOSES		31	-	-	-	-	-	-	1	-	1	1	-	4	4	2	6	5	3	3	1	-	-	-	-
		M	27	-	-	-	-	-	-	1	-	-	1	-	3	3	2	6	5	2	3	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
291.0	DELIRIUM TREMENS		11	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	2	1	1	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
291.1	KORSAKOV'S PSYCHOSIS, ALCOHOLIC		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
291.2	OTHER ALCOHOLIC DEMENTIA		7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	1	-	-	-	-
291.8	OTHER		9	-	-	-	-	-	-	1	-	-	-	-	2	2	1	2	-	1	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	1	-	-	-	-	2	1	1	2	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
291.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
294	OTHER ORGANIC PSYCHOTIC CONDITIONS (CHRONIC)		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
294.0	KORSAKOV'S PSYCHOSIS OR SYNDROME (NONALCOHOLIC)		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
294.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
295-299	OTHER PSYCHOSES		79	-	-	-	-	-	1	-	1	-	-	-	-	2	4	3	9	15	14	17	8	5	-	-
		M	37	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	5	8	8	7	3	1	-	-
		F	42	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	4	7	6	10	5	4	-	-
295	SCHIZOPHRENIC PSYCHOSES		4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
295.0	SIMPLE TYPE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
295.2	CATATONIC TYPE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
295.6	RESIDUAL SCHIZOPHRENIA		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
296	AFFECTIVE PSYCHOSES		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
296.1	MANIC DEPRESSIVE PSYCHOSIS, DEPRESSED TYPE		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
298	OTHER NONORGANIC PSYCHOSES		70	-	-	-	-	-	1	-	-	-	-	-	-	2	3	3	7	13	13	16	8	4	-	-
		M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	8	7	7	3	1	-	-
		F	37	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	4	5	6	9	5	3	-	-
298.9	UNSPECIFIED PSYCHOSIS		70	-	-	-	-	-	1	-	-	-	-	-	-	2	3	3	7	13	13	16	8	4	-	-
		M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	8	7	7	3	1	-	-
		F	37	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	4	5	6	9	5	3	-	-
300-316	NEUROTIC DISORDERS, PERSONALITY DISORDERS AND OTHER NONPSYCHOTIC MENTAL DISORDERS		998	1	-	-	-	10	24	62	68	59	53	51	77	67	65	66	61	59	84	93	63	28	7	-
		M	624	1	-	-	-	8	16	50	54	52	45	35	50	53	54	40	38	34	37	35	14	6	2	-
		F	374	-	-	-	-	2	8	12	14	7	8	16	27	14	11	26	23	25	47	58	49	22	5	-
300	NEUROTIC DISORDERS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
300.4	NEUROTIC DEPRESSION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
303	ALCOHOL DEPENDENCE SYNDROME		410	-	-	-	-	2	2	8	27	22	35	36	64	52	61	47	29	15	6	3	1	-	-	-
		M	306	-	-	-	-	2	1	5	21	21	28	26	41	40	51	33	19	9	5	3	1	-	-	-
		F	104	-	-	-	-	-	1	3	6	1	7	10	23	12	10	14	10	6	1	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
304	DRUG DEPENDENCE		94	-	-	-	-	2	12	29	22	13	5	7	2	2	-	-	-	-	-	-	-	-	-	-
		M	77	-	-	-	-	1	9	23	18	11	5	6	2	2	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	1	3	6	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
304.0	MORPHINE TYPE		3	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
304.6	OTHER		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304.9	UNSPECIFIED		90	-	-	-	-	1	12	27	22	13	5	7	2	1	-	-	-	-	-	-	-	-	-	-
		M	73	-	-	-	-	-	9	21	18	11	5	6	2	1	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	1	3	6	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
305	NONDEPENDENT ABUSE OF DRUGS		131	1	-	-	-	6	10	23	19	24	12	7	9	7	3	5	3	-	2	-	-	-	-	-
		M	104	1	-	-	-	5	6	21	15	20	11	3	7	7	3	2	2	-	1	-	-	-	-	-
		F	27	-	-	-	-	1	4	2	4	4	1	4	2	-	-	3	1	-	1	-	-	-	-	-
305.0	ALCOHOL		86	1	-	-	-	5	3	12	8	17	8	7	7	6	3	5	2	-	2	-	-	-	-	-
		M	67	1	-	-	-	4	2	11	7	13	7	3	5	6	3	2	2	-	1	-	-	-	-	-
		F	19	-	-	-	-	1	1	1	1	4	1	4	2	-	-	3	-	-	1	-	-	-	-	-
305.9	OTHER, MIXED OR UNSPECIFIED		45	-	-	-	-	1	7	11	11	7	4	-	2	1	-	-	1	-	-	-	-	-	-	-
		M	37	-	-	-	-	1	4	10	8	7	4	-	2	1	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	3	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
306	PHYSIOLOGICAL MALFUNCTION ARISING FROM MENTAL FACTORS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
306.4	GASTROINTESTINAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
307	SPECIAL SYMPTOMS OF SYNDROMES NOT ELSEWHERE CLASSIFIED		19	-	-	-	-	-	-	2	-	-	-	1	1	2	-	2	1	1	3	-	4	-	2	-
		M	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-
		F	14	-	-	-	-	-	-	1	-	-	-	1	1	2	-	2	1	-	2	-	3	-	1	-
307.1	ANOREXIA NERVOSA		10	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	1	1	2	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	1	-	2	-	1	-	-	-
307.4	SPECIFIC DISORDERS OF SLEEP		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
307.5	OTHER AND UNSPECIFIED DISORDERS OF EATING		8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	-	2	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	1	-
308	ACUTE REACTION TO STRESS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
308.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS FOLLOWING ORGANIC BRAIN DAMAGE		324	-	-	-	-	-	-	-	-	-	-	-	1	4	1	11	26	40	72	83	53	28	5	-
		M	123	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	16	23	29	29	11	6	1	-
		F	201	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	10	17	43	54	42	22	4	-
310.2	POSTCONCUSSIONAL SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
310.9	UNSPECIFIED		323	-	-	-	-	-	-	-	-	-	-	-	1	3	1	11	26	40	72	83	53	28	5	-
		M	122	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	16	23	29	29	11	6	1	-
		F	201	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	10	17	43	54	42	22	4	-
311	DEPRESSIVE DISORDER, NOT ELSEWHERE CLASSIFIED		16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	6	3	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	-	-	-
317-319	MENTAL RETARDATION		47	2	4	1	6	9	9	1	2	5	1	2	3	1	1	-	-	-	-	-	-	-	-	-
		M	26	1	2	-	3	5	4	1	2	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-
		F	21	1	2	1	3	4	5	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-
318	OTHER SPECIFIED MENTAL RETARDATION		17	1	2	1	2	5	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	1	2	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.1	SEVERE MENTAL RETARDATION		10	1	2	-	-	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.2	PROFOUND MENTAL RETARDATION		7	-	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
319	UNSPECIFIED MENTAL RETARDATION		30	1	2	-	4	4	6	1	1	4	-	2	3	1	1	-	-	-	-	-	-	-	-	-
		M	19	1	2	-	2	3	3	1	1	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	2	1	3	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS		2,301	76	56	28	43	48	46	43	48	42	47	51	88	116	175	228	309	299	271	186	74	24	3	-
		M	1,216	49	30	17	32	33	25	19	23	27	26	23	47	65	92	120	167	153	143	85	33	7	-	-
		F	1,085	27	26	11	11	15	21	24	25	15	21	28	41	51	83	108	142	146	128	101	41	17	3	-
320-326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM		171	25	17	5	5	6	4	11	6	5	4	7	4	7	11	8	16	8	11	10	1	-	-	-
		M	86	14	9	4	4	4	-	1	3	5	1	4	3	5	7	3	9	1	5	3	1	-	-	-
		F	85	11	8	1	1	2	4	10	3	-	3	3	1	2	4	5	7	7	6	7	-	-	-	-
320	BACTERIAL MENINGITIS		83	20	14	2	1	2	-	6	2	-	2	2	2	-	2	5	6	4	8	5	-	-	-	-
		M	35	12	7	2	1	1	-	-	1	-	-	1	1	-	1	2	2	-	3	1	-	-	-	-
		F	48	8	7	-	-	1	-	6	1	-	2	1	1	-	1	3	4	4	5	4	-	-	-	-
320.0	HAEMOPHILUS MENINGITIS		22	9	9	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	3	4	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
320.1	PNEUMOCOCCAL MENINGITIS		21	1	2	-	1	-	-	-	1	-	1	-	1	-	-	3	3	1	5	2	-	-	-	-
		M	7	1	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	14	-	1	-	-	-	-	-	-	-	1	-	1	-	-	2	3	1	4	1	-	-	-	-
320.2	STREPTOCOCCAL MENINGITIS		8	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
		M	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
320.3	STAPHYLOCOCCAL MENINGITIS		2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
320.8	MENINGITIS DUE TO OTHER SPECIFIED BACTERIA		3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320.9	MENINGITIS DUE TO UNSPECIFIED BACTERIUM		27	3	2	-	-	1	-	5	1	-	-	-	-	-	2	2	3	3	3	2	-	-	-	-
		M	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-
		F	19	1	2	-	-	1	-	5	1	-	-	-	-	-	1	1	1	3	1	2	-	-	-	-
322	MENINGITIS OF UNSPECIFIED CAUSE		23	1	-	1	2	-	1	1	-	2	1	2	-	1	3	-	1	1	1	4	1	-	-	-
		M	15	1	-	1	2	-	-	-	-	2	1	1	-	1	3	-	-	-	-	2	1	-	-	-
		F	8	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	1	1	2	-	-	-	-
322.2	CHRONIC MENINGITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
322.9	MENINGITIS, UNSPECIFIED		20	1	-	1	2	-	1	1	-	2	1	2	-	1	2	-	1	-	1	4	-	-	-	-
		M	13	1	-	1	2	-	-	-	-	2	1	1	-	1	2	-	-	-	-	2	-	-	-	-
		F	7	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS		26	3	2	-	-	1	1	3	1	-	-	1	1	-	2	1	4	3	2	1	-	-	-	-
		M	10	-	1	-	-	-	-	1	-	-	-	1	1	-	1	-	2	1	2	-	-	-	-	-
		F	16	3	1	-	-	1	1	2	1	-	-	-	-	-	1	1	2	2	-	1	-	-	-	-
323.9	UNSPECIFIED CAUSE		26	3	2	-	-	1	1	3	1	-	-	1	1	-	2	1	4	3	2	1	-	-	-	-
		M	10	-	1	-	-	-	-	1	-	-	-	1	1	-	1	-	2	1	2	-	-	-	-	-
		F	16	3	1	-	-	1	1	2	1	-	-	-	-	-	1	1	2	2	-	1	-	-	-	-
324	INTRACRANIAL AND INTRASPINAL ABSCESS		17	-	-	-	-	3	1	-	1	1	-	2	-	4	1	-	4	-	-	-	-	-	-	-
		M	14	-	-	-	-	3	-	-	1	1	-	1	-	3	1	-	4	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
324.0	INTRACRANIAL ABSCESS		15	-	-	-	-	2	1	-	1	1	-	2	-	4	1	-	3	-	-	-	-	-	-	-
		M	12	-	-	-	-	2	-	-	1	1	-	1	-	3	1	-	3	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
324.9	OF UNSPECIFIED SITE		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
325	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
326	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION		21	1	1	2	2	-	1	1	2	2	1	-	1	2	2	2	1	-	-	-	-	-	-	-
		M	11	1	1	1	1	-	-	-	1	2	-	-	1	1	-	1	1	-	-	-	-	-	-	-
		F	10	-	-	1	1	-	1	1	1	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-
330-337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM		1,324	19	14	8	10	7	3	7	7	4	8	15	42	51	99	162	217	228	202	139	60	20	2	-
		M	705	15	7	5	5	4	2	4	4	2	4	6	25	26	52	92	121	120	108	67	29	7	-	-
		F	619	4	7	3	5	3	1	3	3	2	4	9	17	25	47	70	96	108	94	72	31	13	2	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
330	CEREBRAL DEGENERATIONS USUALLY MANIFEST IN CHILDHOOD		18	3	6	3	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	3	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.0	LEUCODYSTROPHY		6	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.1	CEREBRAL LIPIDOSES		5	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.8	OTHER CEREBRAL DEGENERATIONS IN CHILDHOOD		4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330.9	UNSPECIFIED		3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
331	OTHER CEREBRAL DEGENERATIONS		439	5	8	3	4	3	1	5	2	-	-	1	8	11	28	46	83	80	65	48	27	9	2	-
		M	218	3	4	2	2	2	1	4	-	-	-	-	3	6	15	30	38	44	35	17	12	-	-	-
		F	221	2	4	1	2	1	-	1	2	-	-	1	5	5	13	16	45	36	30	31	15	9	2	-
331.0	ALZHEIMER'S DISEASE		277	-	-	-	-	-	-	-	-	-	-	1	4	9	18	35	59	61	44	28	13	4	1	-
		M	140	-	-	-	-	-	-	-	-	-	-	-	1	5	7	25	27	36	23	9	7	-	-	-
		F	137	-	-	-	-	-	-	-	-	-	-	1	3	4	11	10	32	25	21	19	6	4	1	-
331.1	PICK'S DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
331.2	SENILE DEGENERATION OF BRAIN		14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	4	2	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	4	2	-	-
331.3	COMMUNICATING HYDROCEPHALUS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
331.4	OBSTRUCTIVE HYDROCEPHALUS		62	3	2	1	2	2	1	4	1	-	-	-	3	-	4	6	12	7	6	5	3	-	-	-
		M	38	2	1	1	-	1	1	3	-	-	-	-	2	-	3	3	6	5	4	3	3	-	-	-
		F	24	1	1	-	2	1	-	1	1	-	-	-	1	-	1	3	6	2	2	2	-	-	-	-
331.8	OTHER CEREBRAL DEGENERATION		11	1	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
331.9	UNSPECIFIED		72	1	1	-	-	1	-	1	-	-	-	-	-	2	5	5	12	11	13	9	7	3	1	-
		M	30	1	-	-	-	1	-	1	-	-	-	-	-	1	4	2	5	3	6	4	2	-	-	-
		F	42	-	1	-	-	-	-	-	-	-	-	-	-	1	1	3	7	8	7	5	5	3	1	-
332	PARKINSON'S DISEASE		435	-	-	-	-	-	-	-	-	-	1	-	-	2	18	31	71	99	98	79	26	10	-	-
		M	255	-	-	-	-	-	-	-	-	-	1	-	-	1	11	21	49	51	57	46	12	6	-	-
		F	180	-	-	-	-	-	-	-	-	-	-	-	-	1	7	10	22	48	41	33	14	4	-	-
332.0	PARALYSIS AGITANS		435	-	-	-	-	-	-	-	-	-	1	-	-	2	18	31	71	99	98	79	26	10	-	-
		M	255	-	-	-	-	-	-	-	-	-	1	-	-	1	11	21	49	51	57	46	12	6	-	-
		F	180	-	-	-	-	-	-	-	-	-	-	-	-	1	7	10	22	48	41	33	14	4	-	-
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS		48	-	-	1	-	-	-	1	2	1	-	1	8	9	7	6	5	3	2	2	-	-	-	-
		M	24	-	-	1	-	-	-	-	1	1	-	1	6	4	4	2	3	1	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	1	1	-	-	-	2	5	3	4	2	2	2	2	-	-	-	-
333.0	OTHER DEGENERATIVE DISEASES OF THE BASAL GANGLIA		12	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	1	1	1	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
333.4	HUNTINGTON'S CHOREA		32	-	-	-	-	-	-	1	2	1	-	1	7	8	2	3	4	1	1	1	-	-	-	-
		M	15	-	-	-	-	-	-	-	1	1	-	1	5	3	1	-	2	1	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	1	1	-	-	-	2	5	1	3	2	-	1	1	-	-	-	-
333.5	OTHER CHOREAS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
333.7	SYMPTOMATIC TORSION DYSTONIA		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
333.9	OTHER AND UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
334	SPINOCEREBELLAR DISEASE		15	-	-	-	-	2	1	-	-	2	-	-	-	2	1	4	-	2	-	-	1	-	-	-
		M	5	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-
		F	10	-	-	-	-	1	1	-	-	2	-	-	-	1	1	3	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
334.0	FRIEDREICH'S ATAXIA		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
334.3	OTHER CEREBELLAR ATAXIA		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
334.8	OTHER		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
334.9	UNSPECIFIED		10	-	-	-	-	-	1	-	-	1	-	-	-	2	1	3	-	1	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
		F	7	-	-	-	-	-	1	-	-	1	-	-	-	1	1	2	-	1	-	-	-	-	-	-
335	ANTERIOR HORN CELL DISEASE		361	11	-	1	1	2	1	-	3	1	7	12	26	27	45	73	55	42	37	10	6	1	-	-
		M	188	9	-	-	1	1	1	-	3	1	3	5	16	14	22	36	30	21	16	4	4	1	-	-
		F	173	2	-	1	-	1	-	-	-	-	4	7	10	13	23	37	25	21	21	6	2	-	-	-
335.0	WERDNIG-HOFFMANN DISEASE		12	11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
335.1	SPINAL MUSCULAR ATROPHY		8	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	3	1	1	-	-	-	-	-
		M	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
		F	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
335.2	MOTOR NEURONE DISEASE		340	-	-	-	-	1	1	-	3	1	7	12	25	27	45	73	52	41	35	10	6	1	-	-
		M	173	-	-	-	-	-	1	-	3	1	3	5	15	14	22	36	29	20	15	4	4	1	-	-
		F	167	-	-	-	-	1	-	-	-	-	4	7	10	13	23	37	23	21	20	6	2	-	-	-
335.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
336	OTHER DISEASES OF SPINAL CORD		7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
336.1	VASCULAR MYELOPATHIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
336.9	UNSPECIFIED DISEASES OF SPINAL CORD		6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
337	DISORDERS OF THE AUTONOMIC NERVOUS SYSTEM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
337.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340-349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM		625	20	24	14	24	17	25	18	34	31	33	26	36	47	51	35	58	47	43	25	12	4	1	-
		M	317	13	14	7	19	9	10	9	15	18	20	12	13	27	25	15	29	23	24	12	3	-	-	-
		F	308	7	10	7	5	8	15	9	19	13	13	14	23	20	26	20	29	24	19	13	9	4	1	-
340	MULTIPLE SCLEROSIS		162	-	-	-	-	-	1	2	4	10	16	16	25	26	26	10	10	8	4	3	1	-	-	-
		M	59	-	-	-	-	-	-	1	-	4	8	5	8	11	10	2	2	3	2	2	1	-	-	-
		F	103	-	-	-	-	-	1	1	4	6	8	11	17	15	16	8	8	5	2	1	-	-	-	-
341	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM		25	-	-	-	2	-	-	-	1	-	-	-	-	-	2	1	5	4	3	2	2	2	1	-
		M	12	-	-	-	2	-	-	-	1	-	-	-	-	-	2	-	3	2	1	1	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	2	1	-
341.1	SCHILDER'S DISEASE		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
341.8	OTHER		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
341.9	UNSPECIFIED		22	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	4	4	3	2	2	2	1	-
		M	9	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	2	2	1	1	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	2	1	-
342	HEMIPLEGIA		16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	2	7	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	5	-	-	-	-	-
342.9	UNSPECIFIED		16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	2	7	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	5	-	-	-	-	-
343	INFANTILE CEREBRAL PALSY		76	14	14	8	15	6	4	2	6	2	-	2	-	-	2	-	1	-	-	-	-	-	-	-
		M	50	10	10	5	12	4	1	1	2	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-
		F	26	4	4	3	3	2	3	1	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
343.2	QUADRIPLEGIC		14	-	5	-	5	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	4	-	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
343.9	UNSPECIFIED		62	14	9	8	10	5	3	2	5	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-
		M	39	10	6	5	8	3	1	1	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	23	4	3	3	2	2	2	1	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
344	OTHER PARALYTIC SYNDROMES		29	-	-	-	-	-	-	-	-	-	1	-	-	3	5	-	6	8	4	2	-	-	-	-
		M	17	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	2	5	3	1	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	1	1	-	-	-	-
344.0	QUADRIPLEGIA		10	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	2	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-
344.1	PARAPLEGIA		6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
344.6	CAUDA EQUINA SYNDROME		6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
344.8	OTHER		6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
344.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
345	EPILEPSY		130	1	3	2	3	10	17	13	13	12	7	4	6	6	5	8	9	5	3	3	-	-	-	-
		M	74	-	1	1	3	4	8	6	10	9	3	3	3	5	3	7	3	1	2	2	-	-	-	-
		F	56	1	2	1	-	6	9	7	3	3	4	1	3	1	2	1	6	4	1	1	-	-	-	-
345.0	GENERALIZED NONCONVULSIVE EPILEPSY		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345.1	GENERALIZED CONVULSIVE EPILEPSY		33	-	-	-	1	1	3	3	5	4	4	-	-	1	2	3	2	1	2	1	-	-	-	-
		M	23	-	-	-	1	-	2	2	5	3	3	-	-	1	1	3	-	-	2	-	-	-	-	-
		F	10	-	-	-	-	1	1	1	-	1	1	-	-	-	1	-	2	1	-	1	-	-	-	-
345.3	GRAND MAL STATUS		34	-	1	1	1	4	2	1	1	2	1	-	2	4	-	3	4	4	1	2	-	-	-	-
		M	20	-	1	1	1	2	-	-	1	2	-	-	1	3	-	3	2	1	-	2	-	-	-	-
		F	14	-	-	-	-	2	2	1	-	-	1	-	1	1	-	-	2	3	1	-	-	-	-	-
345.6	INFANTILE SPASMS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345.7	EPILEPSIA PARTIALIS CONTINUA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
345.9	UNSPECIFIED		60	-	2	1	1	4	12	9	7	6	2	4	4	1	3	2	2	-	-	-	-	-	-	-
		M	31	-	-	-	1	2	6	4	4	4	-	3	2	1	2	1	1	-	-	-	-	-	-	-
		F	29	-	2	1	-	2	6	5	3	2	2	1	2	-	1	1	1	-	-	-	-	-	-	-
348	OTHER CONDITIONS OF BRAIN		168	5	5	4	-	1	3	1	9	7	8	4	4	11	11	12	21	19	20	12	9	2	-	-
		M	90	3	1	1	-	1	1	1	2	3	7	2	1	9	7	5	16	11	14	3	2	-	-	-
		F	78	2	4	3	-	-	2	-	7	4	1	2	3	2	4	7	5	8	6	9	7	2	-	-
348.0	CEREBRAL CYSTS		3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
348.1	ANOXIC BRAIN DAMAGE		79	3	-	2	-	1	3	-	4	5	3	1	2	5	7	6	16	7	9	3	2	-	-	-
		M	49	2	-	-	-	1	1	-	1	2	3	1	-	4	6	3	13	3	8	1	-	-	-	-
		F	30	1	-	2	-	-	2	-	3	3	-	-	2	1	1	3	3	4	1	2	2	-	-	-
348.2	BENIGN INTRACRANIAL HYPERTENSION		6	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-
		M	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
348.3	ENCEPHALOPATHY, UNSPECIFIED		27	1	4	-	-	-	-	-	3	-	1	1	-	1	1	1	2	6	2	2	2	-	-	-
		M	15	1	1	-	-	-	-	-	1	-	1	1	-	1	-	-	2	5	1	1	-	-	-	-
		F	12	-	3	-	-	-	-	-	2	-	-	-	-	-	1	1	-	1	1	1	2	-	-	-
348.4	COMPRESSION OF BRAIN		4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
348.5	CEREBRAL OEDEMA		13	1	1	-	-	-	-	1	2	1	2	1	-	1	-	1	2	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	9	1	1	-	-	-	-	-	2	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-
348.8	OTHER		6	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
348.9	UNSPECIFIED		30	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	4	7	5	4	2	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	3	1	2	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	4	2	2	-	-
349	OTHER AND UNSPECIFIED DISORDERS OF THE NERVOUS SYSTEM		19	-	2	-	4	-	-	-	1	-	1	-	1	-	-	3	2	1	2	2	-	-	-	-
		M	9	-	2	-	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	2	-	-	-	-
		F	10	-	-	-	2	-	-	-	1	-	-	-	-	-	-	3	1	1	2	-	-	-	-	-
349.8	OTHER		17	-	2	-	4	-	-	-	1	-	-	-	1	-	-	3	2	1	2	1	-	-	-	-
		M	7	-	2	-	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
		F	10	-	-	-	2	-	-	-	1	-	-	-	-	-	-	3	1	1	2	-	-	-	-	-
349.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
350-359	DISORDERS OF THE PERIPHERAL NERVOUS SYSTEM		172	12	1	1	4	17	14	7	1	2	1	3	6	10	14	22	16	16	14	11	-	-	-	-
		M	106	7	-	1	4	15	13	5	1	2	1	1	6	7	8	10	7	9	6	3	-	-	-	-
		F	66	5	1	-	-	2	1	2	-	-	-	2	-	3	6	12	9	7	8	8	-	-	-	-
350	TRIGEMINAL NERVE DISORDERS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
350.1	OTHER TRIGEMINAL NEURALGIA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
353	NERVE ROOT AND PLEXUS DISORDERS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
353.0	BRACHIAL PLEXUS LESIONS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
355	MONONEURITIS OF LOWER LIMB		2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
355.9	MONONEURITIS OF UNSPECIFIED SITE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
356	HEREDITARY AND IDIOPATHIC PERIPHERAL NEUROPATHY		21	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	3	3	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	3	1	2	1	-	-	-	-
356.1	PERONEAL MUSCULAR ATROPHY		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
356.8	OTHER		14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	2	2	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	1	-	-	-	-	-
356.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
357	INFLAMMATORY AND TOXIC NEUROPATHY		26	-	-	-	-	1	-	1	-	1	1	-	2	3	3	2	4	3	3	2	-	-	-	-
		M	15	-	-	-	-	-	-	1	-	1	1	-	2	3	1	2	2	2	-	-	-	-	-	-
		F	11	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	1	3	2	-	-	-	-
357.0	ACUTE INFECTIVE POLYNEURITIS		24	-	-	-	-	1	-	1	-	1	1	-	2	3	2	2	4	2	3	2	-	-	-	-
		M	14	-	-	-	-	-	-	1	-	1	1	-	2	3	1	2	2	1	-	-	-	-	-	-
		F	10	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	3	2	-	-	-	-
357.5	ALCOHOLIC POLYNEUROPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
357.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
358	MYONEURAL DISORDERS		36	1	1	-	-	2	-	1	1	-	-	-	-	-	2	3	5	7	7	6	-	-	-	-
		M	15	1	-	-	-	1	-	-	1	-	-	-	-	-	1	1	1	3	5	1	-	-	-	-
		F	21	-	1	-	-	1	-	1	-	-	-	-	-	-	1	2	4	4	2	5	-	-	-	-
358.0	MYASTHENIA GRAVIS		22	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	2	7	7	2	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	-	-	-	-	-
		F	13	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	4	2	2	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
358.9	UNSPECIFIED		14	1	-	-	-	2	-	-	1	-	-	-	-	-	1	2	3	-	-	4	-	-	-	-
		M	6	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
		F	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	3	-	-	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES		85	11	-	1	4	14	14	5	-	1	-	3	3	5	5	8	4	3	2	2	-	-	-	-
		M	66	6	-	1	4	14	13	4	-	1	-	1	3	2	3	5	4	2	1	2	-	-	-	-
		F	19	5	-	-	-	-	1	1	-	-	-	2	-	3	2	3	-	1	1	-	-	-	-	-
359.0	CONGENITAL HEREDITARY MUSCULAR DYSTROPHY		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
359.1	HEREDITARY PROGRESSIVE MUSCULAR DYSTROPHY		58	1	-	1	4	14	14	5	-	1	-	1	3	3	1	4	2	2	1	1	-	-	-	-
		M	51	1	-	1	4	14	13	4	-	1	-	1	3	1	1	2	2	2	-	1	-	-	-	-
		F	7	-	-	-	-	-	1	1	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-
359.2	MYOTONIC DISORDERS		11	2	-	-	-	-	-	-	-	-	-	2	-	2	3	1	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
		F	7	2	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-
359.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
359.9	UNSPECIFIED		7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
360-379	DISORDERS OF THE EYE AND ADNEXA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
360	DISORDERS OF THE GLOBE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
360.0	PURULENT ENDOPHTHALMITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
378	STRABISMUS AND OTHER DISORDERS OF BINOCULAR EYE MOVEMENTS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
378.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
380-389	DISEASES OF THE EAR AND MASTOID PROCESS		7	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	2	-	-	-	1	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-
382	SUPPURATIVE AND UNSPECIFIED OTITIS MEDIA		6	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-
382.4	UNSPECIFIED SUPPURATIVE OTITIS MEDIA		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
382.9	UNSPECIFIED OTITIS MEDIA		4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
383	MASTOIDITIS AND RELATED CONDITIONS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
383.0	ACUTE MASTOIDITIS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
390-459	DISEASES OF THE CIRCULATORY SYSTEM		88,787	82	34	8	22	57	181	176	261	463	789	1,438	2,531	4,333	6,581	8,805	11,148	13,092	14,338	13,039	8,080	2,832	546	31
		M	44.610	49	21	6	12	36	60	117	186	336	567	1,073	1,885	3,080	4,470	5,619	6,490	6,767	6,125	4,601	2,291	681	119	19
		F	44,177	33	13	2	10	21	41	59	75	127	222	365	646	1,253	2,111	3,186	4,650	6,325	8,213	8,438	5,789	2,151	427	12
390-392	ACTIVE RHEUMATIC FEVER		7	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	1	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
390	RHEUMATIC FEVER WITHOUT MENTION OF HEART INVOLVEMENT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
391	RHEUMATIC FEVER WITH HEART INVOLVEMENT		6	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
391.0	ACUTE RHEUMATIC PERICARDITIS		6	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
393-398	CHRONIC RHEUMATIC HEART DISEASE		814	-	-	-	3	3	6	8	7	10	17	19	51	68	92	111	125	124	83	54	21	9	2	1
		M	279	-	-	-	3	2	3	5	4	5	7	9	23	31	39	38	40	34	21	10	1	3	-	1
		F	535	-	-	-	-	1	3	3	3	5	10	10	28	37	53	73	85	90	62	44	20	6	2	-
394	DISEASES OF MITRAL VALVE		389	-	-	-	1	3	3	4	5	5	9	8	25	37	53	52	56	51	39	21	9	5	2	1
		M	115	-	-	-	1	2	1	2	3	1	2	3	11	14	23	11	14	11	8	4	1	2	-	1
		F	274	-	-	-	-	1	2	2	2	4	7	5	14	23	30	41	42	40	31	17	8	3	2	-
394.0	MITRAL STENOSIS		112	-	-	-	-	-	2	1	1	1	1	1	3	9	13	19	15	18	16	9	3	-	-	-
		M	25	-	-	-	-	-	1	-	1	1	-	-	1	3	3	4	3	3	3	2	-	-	-	-
		F	87	-	-	-	-	-	1	1	-	-	1	1	2	6	10	15	12	15	13	7	3	-	-	-
394.1	RHEUMATIC MITRAL INSUFFICIENCY		31	-	-	-	-	1	-	-	-	-	1	-	2	3	2	2	4	4	5	2	3	2	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	1	2	-	-
		F	21	-	-	-	-	1	-	-	-	-	1	-	2	2	2	2	3	2	3	1	2	-	-	-
394.2	MITRAL STENOSIS WITH INSUFFICIENCY		19	-	-	-	-	-	-	-	1	1	-	1	-	-	2	3	4	3	3	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	1	1	-	-	-	-	1	3	4	3	3	1	-	-	-	-
394.9	OTHER AND UNSPECIFIED		227	-	-	-	1	2	1	3	3	3	7	6	20	25	36	28	33	26	15	9	3	3	2	1
		M	78	-	-	-	1	2	-	2	2	-	2	2	10	10	19	7	10	6	3	1	-	-	-	1
		F	149	-	-	-	-	-	1	1	1	3	5	4	10	15	17	21	23	20	12	8	3	3	2	-
395	DISEASES OF AORTIC VALVE		51	-	-	-	-	-	-	1	1	-	3	4	4	4	4	7	8	8	3	2	2	-	-	-
		M	29	-	-	-	-	-	-	-	1	-	2	2	4	4	3	4	5	2	2	-	-	-	-	-
		F	22	-	-	-	-	-	-	1	-	-	1	2	-	-	1	3	3	6	1	2	2	-	-	-
395.0	RHEUMATIC AORTIC STENOSIS		18	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	2	3	3	1	2	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	-	2	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	1	1	2	-	-	-
395.1	RHEUMATIC AORTIC INSUFFICIENCY		6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
395.2	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY		5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
395.9	OTHER AND UNSPECIFIED		22	-	-	-	-	-	-	1	1	-	1	2	2	2	1	4	4	3	-	1	-	-	-	-
		M	14	-	-	-	-	-	-	-	1	-	1	1	2	2	1	3	2	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	2	-	1	-	-	-	-
396	DISEASES OF MITRAL AND AORTIC VALVES		136	-	-	-	-	-	2	1	-	2	2	3	4	10	13	18	21	25	16	16	2	1	-	-
		M	49	-	-	-	-	-	1	1	-	2	1	1	3	3	5	9	7	8	5	3	-	-	-	-
		F	87	-	-	-	-	-	1	-	-	-	1	2	1	7	8	9	14	17	11	13	2	1	-	-
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES		59	-	-	-	1	-	1	1	1	1	3	-	4	7	10	5	9	8	4	2	2	-	-	-
		M	28	-	-	-	1	-	1	1	-	1	2	-	-	4	5	4	3	3	2	1	-	-	-	-
		F	31	-	-	-	-	-	-	-	1	-	1	-	4	3	5	1	6	5	2	1	2	-	-	-
397.0	DISEASES OF TRICUSPID VALVE		7	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
397.9	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED		52	-	-	-	-	-	1	1	-	1	3	-	3	6	10	5	7	7	4	2	2	-	-	-
		M	27	-	-	-	-	-	1	1	-	1	2	-	-	4	5	4	3	3	2	1	-	-	-	-
		F	25	-	-	-	-	-	-	-	-	-	1	-	3	2	5	1	4	4	2	1	2	-	-	-
398	OTHER RHEUMATIC HEART DISEASE		179	-	-	-	1	-	-	1	-	2	-	4	14	10	12	29	31	32	21	13	6	3	-	-
		M	58	-	-	-	1	-	-	1	-	1	-	3	5	6	3	10	11	10	4	2	-	1	-	-
		F	121	-	-	-	-	-	-	-	-	1	-	1	9	4	9	19	20	22	17	11	6	2	-	-
398.0	RHEUMATIC MYOCARDITIS		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398.9	OTHER AND UNSPECIFIED		178	-	-	-	1	-	-	1	-	1	-	4	14	10	12	29	31	32	21	13	6	3	-	-
		M	57	-	-	-	1	-	-	1	-	-	-	3	5	6	3	10	11	10	4	2	-	1	-	-
		F	121	-	-	-	-	-	-	-	-	1	-	1	9	4	9	19	20	22	17	11	6	2	-	-
401-405	HYPERTENSIVE DISEASE		3,545	1	-	-	-	-	2	11	15	23	45	93	149	228	348	383	447	501	498	468	249	78	6	-
		M	1,671	-	-	-	-	-	1	8	9	17	32	63	106	151	216	217	212	226	178	137	71	26	1	-
		F	1,874	1	-	-	-	-	1	3	6	6	13	30	43	77	132	166	235	275	320	331	178	52	5	-
401	ESSENTIAL HYPERTENSION		233	-	-	-	-	-	-	1	-	-	1	3	9	8	24	20	22	35	35	41	22	9	3	-
		M	92	-	-	-	-	-	-	1	-	-	1	1	5	6	14	9	8	17	14	12	3	1	-	-
		F	141	-	-	-	-	-	-	-	-	-	-	2	4	2	10	11	14	18	21	29	19	8	3	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
401.0	SPECIFIED AS MALIGNANT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
401.1	SPECIFIED AS BENIGN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
401.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		230	-	-	-	-	-	-	1	-	-	1	3	9	8	24	20	21	33	35	41	22	9	3	-
		M	92	-	-	-	-	-	-	1	-	-	1	1	5	6	14	9	8	17	14	12	3	1	-	-
		F	138	-	-	-	-	-	-	-	-	-	-	2	4	2	10	11	13	16	21	29	19	8	3	-
402	HYPERTENSIVE HEART DISEASE		2,614	-	-	-	-	-	2	8	11	20	40	85	126	194	283	319	338	352	329	317	143	44	3	-
		M	1,232	-	-	-	-	-	1	6	5	15	28	58	90	130	183	179	167	145	105	76	31	12	1	-
		F	1,382	-	-	-	-	-	1	2	6	5	12	27	36	64	100	140	171	207	224	241	112	32	2	-
402.0	SPECIFIED AS MALIGNANT		3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
402.1	SPECIFIED AS BENIGN		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
402.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		2,607	-	-	-	-	-	2	8	11	20	39	85	126	194	283	319	337	351	328	315	142	44	3	-
		M	1,230	-	-	-	-	-	1	6	5	15	28	58	90	130	183	179	167	144	105	75	31	12	1	-
		F	1,377	-	-	-	-	-	1	2	6	5	11	27	36	64	100	140	170	207	223	240	111	32	2	-
403	HYPERTENSIVE RENAL DISEASE		481	-	-	-	-	-	-	2	3	2	3	4	7	13	30	29	56	76	98	84	55	19	-	-
		M	252	-	-	-	-	-	-	1	3	2	2	4	5	7	13	24	25	45	46	37	29	9	-	-
		F	229	-	-	-	-	-	-	1	-	-	1	-	2	6	17	5	31	31	52	47	26	10	-	-
403.0	SPECIFIED AS MALIGNANT		8	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	2	2	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
403.1	SPECIFIED AS BENIGN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
403.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		472	-	-	-	-	-	-	2	2	2	3	3	7	13	29	29	55	74	96	83	55	19	-	-
		M	247	-	-	-	-	-	-	1	2	2	2	3	5	7	12	24	24	44	46	37	29	9	-	-
		F	225	-	-	-	-	-	-	1	-	-	1	-	2	6	17	5	31	30	50	46	26	10	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE		217	1	-	-	-	-	-	-	1	1	1	1	7	13	11	15	31	38	36	26	29	6	-	-
		M	95	-	-	-	-	-	-	-	1	-	1	-	6	8	6	5	12	19	13	12	8	4	-	-
		F	122	1	-	-	-	-	-	-	-	1	-	1	1	5	5	10	19	19	23	14	21	2	-	-
404.0	SPECIFIED AS MALIGNANT		2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
404.1	SPECIFIED AS BENIGN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
404.9	NOT SPECIFIED AS MALIGNANT OR BENIGN		214	1	-	-	-	-	-	-	-	1	1	1	7	13	10	15	30	38	36	26	29	6	-	-
		M	92	-	-	-	-	-	-	-	-	-	1	-	6	8	5	5	11	19	13	12	8	4	-	-
		F	122	1	-	-	-	-	-	-	-	1	-	1	1	5	5	10	19	19	23	14	21	2	-	-
410-414	ISCHAEMIC HEART DISEASE		48,047	1	3	-	-	2	9	29	83	202	410	778	1,466	2,478	3,807	5,163	6,373	7,176	7,585	6,741	4,042	1,403	274	22
		M	26,072	-	1	-	-	1	8	23	72	171	335	647	1,168	1,884	2,729	3,495	3,920	3,940	3,430	2,577	1,224	365	68	14
		F	21,975	1	2	-	-	1	1	6	11	31	75	131	298	594	1,078	1,668	2,453	3,236	4,155	4,164	2,818	1,038	206	8
410	ACUTE MYOCARDIAL INFARCTION		22,071	-	2	-	-	1	5	11	43	103	225	430	845	1,375	2,215	2,783	3,313	3,543	3,231	2,377	1,179	325	52	5
		M	12,742	-	1	-	-	1	4	6	35	87	181	360	673	1,043	1,590	1,871	2,046	1,937	1,481	944	376	89	15	2
		F	9,329	-	1	-	-	-	1	5	8	16	44	70	172	332	625	912	1,267	1,606	1,750	1,433	803	236	37	3
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE		318	-	-	-	-	-	-	-	1	7	5	6	19	29	36	48	54	29	34	34	11	3	1	1
		M	224	-	-	-	-	-	-	-	1	6	5	5	18	26	25	36	41	20	16	19	4	1	-	1
		F	94	-	-	-	-	-	-	-	-	1	-	1	1	3	11	12	13	9	18	15	7	2	1	-
412	OLD MYOCARDIAL INFARCTION		116	-	-	-	-	-	1	-	-	1	1	1	4	8	12	12	19	14	20	14	5	3	1	-
		M	76	-	-	-	-	-	1	-	-	1	1	1	3	7	10	9	15	8	9	6	2	2	1	-
		F	40	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	6	11	8	3	1	-	-
413	ANGINA PECTORIS		40	-	-	-	-	-	-	-	-	-	1	1	2	2	2	6	5	9	9	2	1	-	-	-
		M	18	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	3	2	4	-	1	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	2	7	5	2	-	-	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE		25,502	1	1	-	-	1	3	18	39	91	178	332	596	1,064	1,542	2,314	2,982	3,581	4,291	4,314	2,846	1,072	220	16
		M	13,012	-	-	-	-	-	3	17	36	77	148	280	472	807	1,104	1,575	1,815	1,973	1,920	1,608	841	273	52	11
		F	12,490	1	1	-	-	1	-	1	3	14	30	52	124	257	438	739	1,167	1,608	2,371	2,706	2,005	799	168	5
414.0	CORONARY ATHEROSCLEROSIS		20,700	1	1	-	-	1	3	14	33	81	146	270	459	789	1,138	1,677	2,266	2,820	3,578	3,734	2,513	964	198	14
		M	10,173	-	-	-	-	-	3	13	31	69	120	234	360	598	801	1,136	1,346	1,528	1,562	1,356	720	241	45	10
		F	10,527	1	1	-	-	1	-	1	2	12	26	36	99	191	337	541	920	1,292	2,016	2,378	1,793	723	153	4

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
414.1	ANEURYSM OF HEART		48	-	-	-	-	-	-	1	-	-	-	-	4	2	6	13	11	4	4	1	2	-	-	-
		M	27	-	-	-	-	-	-	1	-	-	-	-	3	1	4	9	6	1	1	-	1	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	5	3	3	1	1	-	-	-
414.8	OTHER		669	-	-	-	-	-	-	-	1	2	5	11	23	49	66	97	99	115	93	59	36	9	4	-
		M	429	-	-	-	-	-	-	-	1	2	5	10	20	40	50	67	71	66	51	25	16	4	1	-
		F	240	-	-	-	-	-	-	-	-	-	-	1	3	9	16	30	28	49	42	34	20	5	3	-
414.9	UNSPECIFIED		4,085	-	-	-	-	-	-	3	5	8	27	51	110	224	332	527	606	642	616	520	295	99	18	2
		M	2,383	-	-	-	-	-	-	3	4	6	23	36	89	168	249	363	392	378	306	227	104	28	6	1
		F	1,702	-	-	-	-	-	-	-	1	2	4	15	21	56	83	164	214	264	310	293	191	71	12	1
415-417	DISEASES OF PULMONARY CIRCULATION		822	22	4	1	1	5	9	8	15	18	20	27	17	60	65	104	110	129	90	64	39	11	3	-
		M	406	11	3	1	-	2	4	4	6	6	9	19	8	32	35	62	59	64	35	29	11	4	2	-
		F	416	11	1	-	1	3	5	4	9	12	11	8	9	28	30	42	51	65	55	35	28	7	1	-
415	ACUTE PULMONARY HEART DISEASE		577	-	-	-	-	3	4	4	6	9	11	21	10	43	47	75	75	96	73	56	33	9	2	-
		M	280	-	-	-	-	2	2	4	3	4	5	14	5	21	27	46	36	45	27	26	7	4	2	-
		F	297	-	-	-	-	1	2	-	3	5	6	7	5	22	20	29	39	51	46	30	26	5	-	-
415.0	ACUTE COR PULMONALE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
415.1	PULMONARY EMBOLISM		576	-	-	-	-	3	4	4	6	9	11	21	10	43	47	75	75	96	72	56	33	9	2	-
		M	280	-	-	-	-	2	2	4	3	4	5	14	5	21	27	46	36	45	27	26	7	4	2	-
		F	296	-	-	-	-	1	2	-	3	5	6	7	5	22	20	29	39	51	45	30	26	5	-	-
416	CHRONIC PULMONARY HEART DISEASE		244	22	4	1	1	2	5	4	9	8	9	6	7	17	18	29	35	33	17	8	6	2	1	-
		M	125	11	3	1	-	-	2	-	3	1	4	5	3	11	8	16	23	19	8	3	4	-	-	-
		F	119	11	1	-	1	2	3	4	6	7	5	1	4	6	10	13	12	14	9	5	2	2	1	-
416.0	PRIMARY PULMONARY HYPERTENSION		168	22	3	-	1	1	4	4	7	8	9	6	3	13	10	15	24	20	10	3	4	-	1	-
		M	90	11	2	-	-	-	2	-	1	1	4	5	-	9	5	9	15	14	7	1	4	-	-	-
		F	78	11	1	-	1	1	2	4	6	7	5	1	3	4	5	6	9	6	3	2	-	-	1	-
416.1	KYPHOSCOLIOTIC HEART DISEASE		10	-	-	1	-	-	1	-	1	-	-	-	1	-	-	2	-	3	1	-	-	-	-	-
		M	3	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	3	1	-	-	-	-	-
416.9	PULMONARY HEART DISEASE, UNSPECIFIED		66	-	1	-	-	1	-	-	1	-	-	-	3	4	8	12	11	10	6	5	2	2	-	-
		M	32	-	1	-	-	-	-	-	1	-	-	-	2	2	3	7	8	5	1	2	-	-	-	-
		F	34	-	-	-	-	1	-	-	-	-	-	-	1	2	5	5	3	5	5	3	2	2	-	-
417	OTHER DISEASES OF PULMONARY CIRCULATION		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
417.1	ANEURYSM OF PULMONARY ARTERY		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-429	OTHER FORMS OF HEART DISEASE		14,734	35	21	6	12	35	49	70	62	101	153	255	494	841	1,230	1,471	1,749	1,914	2,281	2,053	1,311	494	92	5
		M	7,572	19	11	4	5	21	32	53	46	73	110	189	382	606	859	944	1,047	964	981	715	378	112	19	2
		F	7,162	16	10	2	7	14	17	17	16	28	43	66	112	235	371	527	702	950	1,300	1,338	933	382	73	3
420	ACUTE PERICARDITIS		12	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	1	-	3	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	-	-	-	-	-
420.9	OTHER AND UNSPECIFIED ACUTE PERICARDITIS		12	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	1	-	3	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	-	-	-	-	-
421	ACUTE AND SUBACUTE ENDOCARDITIS		97	1	-	-	-	-	1	4	3	3	6	6	7	10	11	14	9	10	4	7	-	1	-	-
		M	62	1	-	-	-	-	-	3	3	1	5	5	6	5	9	12	4	5	1	2	-	-	-	-
		F	35	-	-	-	-	-	1	1	-	2	1	1	1	5	2	2	5	5	3	5	-	1	-	-
421.0	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS		96	1	-	-	-	-	1	4	3	3	6	6	7	10	11	13	9	10	4	7	-	1	-	-
		M	62	1	-	-	-	-	-	3	3	1	5	5	6	5	9	12	4	5	1	2	-	-	-	-
		F	34	-	-	-	-	-	1	1	-	2	1	1	1	5	2	1	5	5	3	5	-	1	-	-
421.9	ACUTE ENDOCARDITIS, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
422	ACUTE MYOCARDITIS		36	5	6	-	-	2	2	2	4	2	4	-	1	1	1	-	1	2	2	1	-	-	-	-
		M	15	2	4	-	-	1	1	-	3	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-
		F	21	3	2	-	-	1	1	2	1	2	3	-	1	1	-	-	1	1	1	1	-	-	-	-
422.9	OTHER AND UNSPECIFIED ACUTE MYOCARDITIS		36	5	6	-	-	2	2	2	4	2	4	-	1	1	1	-	1	2	2	1	-	-	-	-
		M	15	2	4	-	-	1	1	-	3	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-
		F	21	3	2	-	-	1	1	2	1	2	3	-	1	1	-	-	1	1	1	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
423	OTHER DISEASES OF PERICARDIUM		39	1	-	-	-	2	-	1	-	2	1	-	2	6	5	5	6	4	2	2	-	-	-	-
		M	25	1	-	-	-	1	-	1	-	1	1	-	2	4	3	1	5	3	1	1	-	-	-	-
		F	14	-	-	-	-	1	-	-	-	1	-	-	-	2	2	4	1	1	1	1	-	-	-	-
423.0	HAEMOPERICARDIUM		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
423.1	ADHESIVE PERICARDITIS		7	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	1	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
423.2	CONSTRICTIVE PERICARDITIS		5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-
423.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
423.9	UNSPECIFIED		23	1	-	-	-	2	-	1	-	1	1	-	1	5	2	2	4	1	1	1	-	-	-	-
		M	13	1	-	-	-	1	-	1	-	-	1	-	1	3	1	-	3	-	1	-	-	-	-	-
		F	10	-	-	-	-	1	-	-	-	1	-	-	-	2	1	2	1	1	-	1	-	-	-	-
424	OTHER DISEASES OF ENDOCARDIUM		914	1	-	-	1	-	6	6	3	7	8	18	15	37	65	83	133	151	164	130	68	16	2	-
		M	442	1	-	-	-	-	4	3	2	6	5	10	11	27	43	48	72	72	66	47	20	4	1	-
		F	472	-	-	-	1	-	2	3	1	1	3	8	4	10	22	35	61	79	98	83	48	12	1	-
424.0	MITRAL VALVE DISORDERS		174	-	-	-	-	-	2	1	1	3	2	4	2	6	13	19	22	33	27	24	11	4	-	-
		M	75	-	-	-	-	-	2	-	1	2	-	2	2	4	11	9	9	13	11	7	-	2	-	-
		F	99	-	-	-	-	-	-	1	-	1	2	2	-	2	2	10	13	20	16	17	11	2	-	-
424.1	AORTIC VALVE DISORDERS		631	1	-	-	-	-	4	5	2	3	4	10	10	26	42	55	90	108	123	94	42	10	2	-
		M	328	1	-	-	-	-	2	3	1	3	3	7	8	20	29	38	52	54	53	38	14	1	1	-
		F	303	-	-	-	-	-	2	2	1	-	1	3	2	6	13	17	38	54	70	56	28	9	1	-
424.9	ENDOCARDITIS, VALVE UNSPECIFIED		109	-	-	-	1	-	-	-	-	1	2	4	3	5	10	9	21	10	14	12	15	2	-	-
		M	39	-	-	-	-	-	-	-	-	1	2	1	1	3	3	1	11	5	2	2	6	1	-	-
		F	70	-	-	-	1	-	-	-	-	-	-	3	2	2	7	8	10	5	12	10	9	1	-	-
425	CARDIOMYOPATHY		1,403	7	8	2	3	11	18	24	28	45	51	62	107	138	194	219	181	134	90	50	19	11	1	-
		M	902	3	3	2	1	6	14	21	21	33	33	42	79	101	135	135	117	70	47	21	12	5	1	-
		F	501	4	5	-	2	5	4	3	7	12	18	20	28	37	59	84	64	64	43	29	7	6	-	-
425.1	HYPERTROPHIC OBSTRUCTIVE CARDIOMYOPATHY		29	-	1	-	-	-	3	3	-	-	-	1	2	2	-	3	4	5	3	1	-	1	-	-
		M	13	-	1	-	-	-	2	3	-	-	-	1	2	-	-	3	-	1	-	-	-	-	-	-
		F	16	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	4	4	3	1	-	1	-	-
425.3	ENDOCARDIAL FIBROELASTOSIS		8	2	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425.4	OTHER PRIMARY CARDIOMYOPATHIES		1,233	4	4	2	3	10	15	20	23	36	39	52	90	117	172	193	165	123	87	40	19	10	1	-
		M	780	3	2	2	1	5	12	18	17	24	23	36	63	83	118	114	109	65	47	20	12	5	1	-
		F	453	1	2	-	2	5	3	2	6	12	16	16	27	34	54	79	56	58	40	20	7	5	-	-
425.5	ALCOHOLIC CARDIOMYOPATHY		123	-	-	-	-	-	-	1	4	8	12	9	14	17	22	21	11	3	-	1	-	-	-	-
		M	99	-	-	-	-	-	-	-	3	8	10	5	14	16	17	16	7	2	-	1	-	-	-	-
		F	24	-	-	-	-	-	-	1	1	-	2	4	-	1	5	5	4	1	-	-	-	-	-	-
425.9	SECONDARY CARDIOMYOPATHY, UNSPECIFIED		10	1	1	-	-	-	-	-	-	-	-	-	1	2	-	2	1	2	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	-	-	-	-	-
		F	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
426	CONDUCTION DISORDERS		55	-	-	-	-	1	-	1	-	-	1	-	-	3	1	5	5	6	9	11	7	4	1	-
		M	32	-	-	-	-	1	-	1	-	-	-	-	-	1	1	3	3	5	5	5	5	2	-	-
		F	23	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	1	4	6	2	2	1	-
426.0	ATRIOVENTRICULAR BLOCK, COMPLETE		22	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	4	4	3	2	1	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	3	1	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	3	4	-	1	1	-
426.1	ATRIOVENTRICULAR BLOCK, OTHER AND UNSPECIFIED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
426.4	RIGHT BUNDLE BRANCH BLOCK		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
426.5	BUNDLE BRANCH BLOCK, UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
426.6	OTHER HEART BLOCK		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
426.7	ANOMALOUS ATRIOVENTRICULAR EXCITATION		2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
426.8	OTHER		8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	2	1	-	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-
426.9	UNSPECIFIED		13	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	2	4	2	1	-	-
		M	10	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
427	CARDIAC DYSRHYTHMIAS		1,075	13	3	3	7	9	6	8	10	11	15	14	35	37	81	97	145	148	155	135	/99	33	10	1
		M	530	8	3	1	3	6	3	7	7	9	12	8	22	19	40	56	87	82	65	47	34	9	1	1
		F	545	5	-	2	4	3	3	1	3	2	3	6	13	18	41	41	58	66	90	88	65	24	9	-
427.1	PAROXYSMAL VENTRICULAR TACHYCARDIA		14	-	-	-	1	-	-	-	-	-	-	-	-	-	2	4	3	1	1	-	2	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	1	-	1	-	-	-
		F	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
427.3	ATRIAL FIBRILLATION AND FLUTTER		137	-	-	-	-	-	-	-	-	-	-	1	1	1	6	7	16	23	30	31	15	5	1	-
		M	52	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	11	11	9	10	3	1	-	-
		F	85	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	5	12	21	21	12	4	1	-
427.4	VENTRICULAR FIBRILLATION AND FLUTTER		44	-	-	-	-	1	-	1	-	-	1	-	-	4	3	6	10	9	2	6	-	-	1	-
		M	25	-	-	-	-	-	-	1	-	-	1	-	-	3	1	3	5	6	1	4	-	-	-	-
		F	19	-	-	-	-	1	-	-	-	-	-	-	-	1	2	3	5	3	1	2	-	-	1	-
427.5	CARDIAC ARREST		732	11	3	2	5	7	4	4	5	6	13	9	26	27	61	71	95	99	99	82	73	21	8	1
		M	367	8	3	1	3	5	1	3	2	5	10	5	18	14	31	41	57	55	41	29	26	7	1	1
		F	365	3	-	1	2	2	3	1	3	1	3	4	8	13	30	30	38	44	58	53	47	14	7	-
427.6	PREMATURE BEATS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
427.8	OTHER		21	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	3	2	6	3	3	-	-	-
		M	11	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	3	1	1	-	-	-
		F	10	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	2	2	-	-	-
427.9	UNSPECIFIED		123	1	-	1	1	1	2	3	3	5	1	4	7	5	9	8	17	14	16	12	6	7	-	-
		M	63	-	-	-	-	1	2	3	3	4	1	2	4	2	4	5	9	7	9	3	3	1	-	-
		F	60	1	-	1	1	-	-	-	-	1	-	2	3	3	5	3	8	7	7	9	3	6	-	-
428	HEART FAILURE		1,742	2	1	1	-	2	1	1	3	3	10	10	21	43	81	118	181	235	345	342	234	94	14	-
		M	794	1	1	1	-	-	-	1	2	2	5	6	12	30	54	74	97	109	153	137	73	32	4	-
		F	948	1	-	-	-	2	1	-	1	1	5	4	9	13	27	44	84	126	192	205	161	62	10	-
428.0	CONGESTIVE HEART FAILURE		1,553	2	1	1	-	1	1	1	3	2	6	7	19	37	73	98	156	212	310	314	211	86	12	-
		M	712	1	1	1	-	-	-	1	2	2	4	6	11	26	49	58	86	99	138	130	65	29	3	-
		F	841	1	-	-	-	1	1	-	1	-	2	1	8	11	24	40	70	113	172	184	146	57	9	-
428.1	LEFT HEART FAILURE		15	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	3	-	6	1	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	3	-	-	-
		F	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	3	1	-	-
428.9	UNSPECIFIED		174	-	-	-	-	1	-	-	-	-	4	3	2	6	8	18	23	23	32	28	17	7	2	-
		M	75	-	-	-	-	-	-	-	-	-	1	-	1	4	5	15	11	10	12	7	5	3	1	-
		F	99	-	-	-	-	1	-	-	-	-	3	3	1	2	3	3	12	13	20	21	12	4	1	-
429	ILL-DEFINED DESCRIPTIONS AND COMPLICATIONS OF HEART DISEASE		9,361	5	3	-	1	8	15	23	11	28	57	145	304	562	791	928	1,087	1,224	1,507	1,375	884	335	64	4
		M	4,764	2	-	-	1	6	10	16	8	21	48	118	249	416	573	613	662	617	642	455	234	60	12	1
		F	4,597	3	3	-	-	2	5	7	3	7	9	27	55	146	218	315	425	607	865	920	650	275	52	3
429.0	MYOCARDITIS, UNSPECIFIED		111	4	3	-	1	4	12	15	4	6	1	1	5	9	6	9	4	7	7	6	2	2	3	-
		M	50	2	-	-	1	2	8	9	3	3	-	-	3	3	3	3	3	1	4	1	1	-	-	-
		F	61	2	3	-	-	2	4	6	1	3	1	1	2	6	3	6	1	6	3	5	1	2	3	-
429.1	MYOCARDIAL DEGENERATION		23	-	-	-	-	-	-	1	-	-	2	2	1	-	2	1	3	2	3	2	3	1	-	-
		M	8	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	2	-	1	1	-	1	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	2	1	3	-	-	-
429.2	CARDIOVASCULAR DISEASE, UNSPECIFIED		9,080	1	-	-	-	-	1	6	5	16	51	140	292	541	770	897	1,061	1,200	1,478	1,356	869	331	61	4
		M	4,628	-	-	-	-	-	1	5	4	14	45	117	241	406	559	600	647	609	628	449	231	59	12	1
		F	4,452	1	-	-	-	-	-	1	1	2	6	23	51	135	211	297	414	591	850	907	638	272	49	3
429.3	CARDIOMEGALY		76	-	-	-	-	2	2	-	2	6	3	2	4	7	9	13	9	7	5	3	2	-	-	-
		M	46	-	-	-	-	2	1	-	1	4	2	-	3	4	8	9	6	3	3	-	-	-	-	-
		F	30	-	-	-	-	-	1	-	1	2	1	2	1	3	1	4	3	4	2	3	2	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
429.5	RUPTURE OF CHORDAE TENDINAE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
429.8	OTHER		7	-	-	-	-	2	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-
		M	5	-	-	-	-	2	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
429.9	UNSPECIFIED		60	-	-	-	-	-	-	-	-	-	-	-	2	5	3	7	10	6	12	7	8	-	-	-
		M	25	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	4	3	5	4	2	-	-	-
		F	35	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	6	3	7	3	6	-	-	-
430-438	CEREBROVASCULAR DISEASE		15,605	17	3	1	5	8	17	37	59	88	122	206	289	502	743	1,129	1,721	2,465	2,924	2,838	1,750	575	103	3
		M	6,060	13	3	1	3	8	6	19	35	47	58	108	157	272	379	572	842	1,098	1,081	836	403	100	17	2
		F	9,545	4	-	-	2	-	11	18	24	41	64	98	132	230	364	557	879	1,367	1,843	2,002	1,347	475	86	1
430	SUBARACHNOID HAEMORRHAGE		787	-	-	-	4	2	8	20	27	42	54	71	67	106	88	94	67	70	40	21	2	3	-	1
		M	274	-	-	-	2	2	2	11	13	19	19	30	28	38	27	36	16	11	10	7	1	1	-	1
		F	513	-	-	-	2	-	6	9	14	23	35	41	39	68	61	58	51	59	30	14	1	2	-	-
431	INTRACEREBRAL HAEMORRHAGE		1,777	4	-	1	1	3	5	14	21	27	35	65	102	139	163	204	252	245	236	186	61	11	2	-
		M	799	4	-	1	1	3	2	5	18	15	25	37	54	81	83	89	119	101	92	55	11	3	-	-
		F	978	-	-	-	-	-	3	9	3	12	10	28	48	58	80	115	133	144	144	131	50	8	2	-
432	OTHER AND UNSPECIFIED INTRACRANIAL HAEMORRHAGE		171	3	1	-	-	2	-	1	1	6	8	3	12	12	16	18	24	26	18	11	6	2	-	1
		M	81	1	1	-	-	2	-	1	-	4	4	3	9	7	7	5	12	12	5	5	3	-	-	-
		F	90	2	-	-	-	-	-	-	1	2	4	-	3	5	9	13	12	14	13	6	3	2	-	1
432.1	SUBDURAL HAEMORRHAGE		22	-	-	-	-	1	-	-	-	1	1	-	1	-	4	1	2	4	3	3	1	-	-	-
		M	11	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	-	2	1	2	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	2	1	-	-	-	-
432.9	UNSPECIFIED INTRACRANIAL HAEMORRHAGE		149	3	1	-	-	1	-	1	1	5	7	3	11	12	12	17	22	22	15	8	5	2	-	1
		M	70	1	1	-	-	1	-	1	-	3	3	3	8	7	6	5	12	10	4	3	2	-	-	-
		F	79	2	-	-	-	-	-	-	1	2	4	-	3	5	6	12	10	12	11	5	3	2	-	1
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES		187	-	-	-	-	-	-	-	-	-	3	2	9	10	17	24	31	39	23	16	11	1	1	-
		M	97	-	-	-	-	-	-	-	-	-	2	-	6	5	9	15	13	23	12	6	6	-	-	-
		F	90	-	-	-	-	-	-	-	-	-	1	2	3	5	8	9	18	16	11	10	5	1	1	-
433.0	BASILAR ARTERY		57	-	-	-	-	-	-	-	-	-	-	1	4	5	1	4	13	11	6	7	4	-	1	-
		M	28	-	-	-	-	-	-	-	-	-	-	-	3	3	-	3	5	6	2	3	3	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	8	5	4	4	1	-	1	-
433.1	CAROTID ARTERY		112	-	-	-	-	-	-	-	-	-	3	1	4	5	13	19	17	24	14	6	6	-	-	-
		M	60	-	-	-	-	-	-	-	-	-	2	-	2	2	7	12	7	16	8	2	2	-	-	-
		F	52	-	-	-	-	-	-	-	-	-	1	1	2	3	6	7	10	8	6	4	4	-	-	-
433.2	VERTEBRAL ARTERY		14	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	3	2	1	1	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	1	-	-
433.3	MULTIPLE AND BILATERAL		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
433.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
434	OCCLUSION OF CEREBRAL ARTERIES		3,170	5	1	-	-	-	2	-	4	3	8	12	36	63	112	200	352	501	643	647	439	123	19	-
		M	1,219	3	1	-	-	-	1	-	2	1	3	10	26	42	69	112	175	243	240	171	98	20	2	-
		F	1,951	2	-	-	-	-	1	-	2	2	5	2	10	21	43	88	177	258	403	476	341	103	17	-
434.0	CEREBRAL THROMBOSIS		1,838	1	-	-	-	-	-	-	1	1	3	1	6	17	35	82	163	277	401	434	308	92	16	-
		M	611	1	-	-	-	-	-	-	1	-	1	1	2	9	23	44	71	123	140	116	64	13	2	-
		F	1,227	-	-	-	-	-	-	-	-	1	2	-	4	8	12	38	92	154	261	318	244	79	14	-
434.1	CEREBRAL EMBOLISM		58	-	-	-	-	-	1	-	-	1	-	-	1	-	2	7	12	7	11	11	4	1	-	-
		M	21	-	-	-	-	-	1	-	-	-	-	-	-	-	2	4	7	4	2	-	-	1	-	-
		F	37	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	5	3	9	11	4	-	-	-
434.9	UNSPECIFIED		1,274	4	1	-	-	-	1	-	3	1	5	11	29	46	75	111	177	217	231	202	127	30	3	-
		M	587	2	1	-	-	-	-	-	1	1	2	9	24	33	44	64	97	116	98	55	34	6	-	-
		F	687	2	-	-	-	-	1	-	2	-	3	2	5	13	31	47	80	101	133	147	93	24	3	-
435	TRANSIENT CEREBRAL ISCHAEMIA		26	-	-	-	-	-	1	-	-	-	1	2	-	-	2	1	1	10	4	1	1	1	1	-
		M	12	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	4	-	1	1	-	1	-
		F	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	6	4	-	-	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR		7,048	-	1	-	-	-	-	2	2	6	11	43	51	141	281	471	788	1,193	1,442	1,409	846	305	55	1
	DISEASE	M	2,675	-	1	-	-	-	-	2	1	5	3	24	27	82	146	258	392	521	536	414	195	58	9	1
		F	4,373	-	-	-	-	-	-	-	1	1	8	19	24	59	135	213	396	672	906	995	651	247	46	-
437	OTHER AND ILL-DEFINED CEREBROVASCULAR		1,664	3	-	-	-	1	1	-	4	4	1	5	11	21	36	70	116	226	341	400	303	101	20	-
	DISEASE	M	603	3	-	-	-	1	-	-	1	3	-	3	6	12	22	31	61	104	133	133	73	15	2	-
		F	1,061	-	-	-	-	-	1	-	3	1	1	2	5	9	14	39	55	122	208	267	230	86	18	-
437.0	CEREBRAL ATHEROSCLEROSIS		1,167	-	-	-	-	-	-	-	-	-	-	-	2	10	15	35	72	151	246	304	236	80	16	-
		M	409	-	-	-	-	-	-	-	-	-	-	-	1	7	10	16	42	72	90	103	53	13	2	-
		F	758	-	-	-	-	-	-	-	-	-	-	-	1	3	5	19	30	79	156	201	183	67	14	-
437.1	OTHER GENERALIZED ISCHAEMIC		45	2	-	-	-	-	-	-	-	-	-	1	1	2	3	4	6	5	6	8	5	1	1	-
	CEREBROVASCULAR DISEASE	M	26	2	-	-	-	-	-	-	-	-	-	1	1	2	2	3	5	2	3	2	3	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	6	2	1	1	-
437.2	HYPERTENSIVE ENCEPHALOPATHY		17	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	4	4	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	4	4	-	-	-	-	-	-
437.3	CEREBRAL ANEURYSM, NONRUPTURED		41	-	-	-	-	1	-	-	2	2	-	2	5	3	7	8	4	2	4	-	-	-	1	-
		M	16	-	-	-	-	1	-	-	1	1	-	1	3	1	5	3	-	-	-	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	1	1	-	1	2	2	2	5	4	2	4	-	-	-	1	-
437.4	CEREBRAL ARTERITIS		7	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-
		F	7	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-
437.5	MOYAMOYA DISEASE		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
437.8	OTHER		18	1	-	-	-	-	-	-	1	1	-	1	-	-	2	3	-	1	3	3	1	1	-	-
		M	8	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	3	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	3	1	1	-	-
437.9	UNSPECIFIED		368	-	-	-	-	-	-	-	-	-	-	1	2	4	7	17	28	61	82	84	61	19	2	-
		M	141	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	14	29	37	27	17	2	-	-
		F	227	-	-	-	-	-	-	-	-	-	-	1	1	2	2	10	14	32	45	57	44	17	2	-
438	LATE EFFECTS OF CEREBROVASCULAR DISEASE		775	2	-	-	-	-	-	-	-	-	1	3	1	10	28	47	90	155	177	147	81	28	5	-
		M	300	2	-	-	-	-	-	-	-	-	1	-	1	5	15	26	53	79	53	44	15	3	3	-
		F	475	-	-	-	-	-	-	-	-	-	-	3	-	5	13	21	37	76	124	103	66	25	2	-
440-448	DISEASES OF ARTERIES, ARTERIOLES AND		4,771	2	2	-	-	2	5	7	10	12	14	37	52	126	254	394	566	716	825	787	638	258	64	-
	CAPILLARIES	M	2,311	2	2	-	-	2	3	3	8	9	12	22	36	79	187	258	346	408	378	284	191	70	11	-
		F	2,460	-	-	-	-	-	2	4	2	3	2	15	16	47	67	136	220	308	447	503	447	188	53	-
440	ATHEROSCLEROSIS		2,669	-	-	-	-	-	-	1	-	1	1	7	11	30	54	109	204	312	533	573	535	235	63	-
		M	974	-	-	-	-	-	-	-	-	1	-	6	7	15	32	58	101	157	197	180	148	61	11	-
		F	1,695	-	-	-	-	-	-	1	-	-	1	1	4	15	22	51	103	155	336	393	387	174	52	-
440.0	OF AORTA		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440.1	OF RENAL ARTERY		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
440.2	OF ARTERIES OF THE EXTREMITIES		118	-	-	-	-	-	-	-	-	-	1	-	1	4	6	4	10	16	22	21	19	12	2	-
		M	41	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	10	8	5	4	4	-	-
		F	77	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	7	6	14	16	15	8	2	-
440.9	GENERALIZED AND UNSPECIFIED		2,546	-	-	-	-	-	-	1	-	1	-	7	10	25	48	104	193	296	511	550	516	223	61	-
		M	929	-	-	-	-	-	-	-	-	1	-	6	7	13	29	54	97	147	189	174	144	57	11	-
		F	1,617	-	-	-	-	-	-	1	-	-	-	1	3	12	19	50	96	149	322	376	372	166	50	-
441	AORTIC ANEURYSM		1,596	1	-	-	-	2	2	5	6	8	8	17	23	62	161	215	294	311	230	164	73	14	-	-
		M	1,087	1	-	-	-	2	1	3	5	7	8	12	17	45	133	155	210	207	151	89	33	8	-	-
		F	509	-	-	-	-	-	1	2	1	1	-	5	6	17	28	60	84	104	79	75	40	6	-	-
441.0	DISSECTING ANEURYSM (ANY PART)		365	-	-	-	-	1	1	4	6	6	8	12	10	27	54	52	57	49	36	27	14	1	-	-
		M	221	-	-	-	-	1	1	3	5	5	8	8	7	18	40	34	35	24	16	11	5	-	-	-
		F	144	-	-	-	-	-	-	1	1	1	-	4	3	9	14	18	22	25	20	16	9	1	-	-
441.1	THORACIC ANEURYSM, RUPTURED		162	-	-	-	-	1	-	-	-	-	-	1	3	4	12	27	36	34	28	13	3	-	-	-
		M	85	-	-	-	-	1	-	-	-	-	-	-	2	3	9	13	20	19	13	4	1	-	-	-
		F	77	-	-	-	-	-	-	-	-	-	-	1	1	1	3	14	16	15	15	9	2	-	-	-
441.2	THORACIC ANEURYSM WITHOUT MENTION OF		27	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	9	7	2	4	-	-	-	-
	RUPTURE	M	11	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	5	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	2	2	4	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
441.3	ABDOMINAL ANEURYSM, RUPTURED		662	1	-	-	-	-	-	-	-	-	-	1	4	17	60	75	130	131	121	78	34	10	-	-
		M	511	1	-	-	-	-	-	-	-	-	-	1	4	13	56	64	110	98	91	49	19	5	-	-
		F	151	-	-	-	-	-	-	-	-	-	-	-	-	4	4	11	20	33	30	29	15	5	-	-
441.4	ABDOMINAL ANEURYSM, WITHOUT MENTION OF RUPTURE		110	-	-	-	-	-	-	-	-	-	-	-	-	5	4	17	23	32	9	14	5	1	-	-
		M	89	-	-	-	-	-	-	-	-	-	-	-	-	4	4	15	16	27	8	11	3	1	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	5	1	3	2	-	-	-
441.5	AORTIC ANEURYSM OF UNSPECIFIED SITE, RUPTURED		226	-	-	-	-	-	1	1	-	-	-	3	5	7	25	36	31	47	27	26	15	2	-	-
		M	142	-	-	-	-	-	-	-	-	-	-	3	4	6	20	26	19	26	19	13	4	2	-	-
		F	84	-	-	-	-	-	1	1	-	-	-	-	1	1	5	10	12	21	8	13	11	-	-	-
441.6	AORTIC ANEURYSM OF UNSPECIFIED SITE, WITHOUT MENTION OF RUPTURE		44	-	-	-	-	-	-	-	-	1	-	-	-	2	5	6	8	11	7	2	2	-	-	-
		M	28	-	-	-	-	-	-	-	-	1	-	-	-	1	3	3	6	8	4	1	1	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	3	3	1	1	-	-	-
442	OTHER ANEURYSM		64	-	-	-	-	-	-	-	-	-	2	1	4	7	4	11	10	11	6	5	2	1	-	-
		M	48	-	-	-	-	-	-	-	-	-	2	-	2	4	3	10	7	10	5	4	1	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	3	1	1	1	1	1	-	-
442.2	OF ILIAC ARTERY		10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	1	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	1	-	-	-	-
442.3	OF ARTERY OF LOWER EXTREMITY		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
442.8	OF OTHER SPECIFIED ARTERY		15	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	2	2	1	1	-	1	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	1	-	-
442.9	OF UNSPECIFIED SITE		35	-	-	-	-	-	-	-	-	-	2	1	4	4	-	5	6	5	3	3	2	-	-	-
		M	25	-	-	-	-	-	-	-	-	-	2	-	2	3	-	5	3	5	2	2	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	3	-	1	1	1	-	-	-
443	OTHER PERIPHERAL VASCULAR DISEASE		120	-	-	-	-	-	-	-	-	-	-	-	3	4	10	15	18	25	13	18	10	4	-	-
		M	56	-	-	-	-	-	-	-	-	-	-	-	3	2	5	10	10	10	6	3	6	1	-	-
		F	64	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	8	15	7	15	4	3	-	-
443.1	THROMBOANGIITIS OBLITERANS (BUERGER'S DISEASE)		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
443.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
443.9	UNSPECIFIED		116	-	-	-	-	-	-	-	-	-	-	-	3	4	10	15	17	24	13	16	10	4	-	-
		M	54	-	-	-	-	-	-	-	-	-	-	-	3	2	5	10	9	9	6	3	6	1	-	-
		F	62	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	8	15	7	13	4	3	-	-
444	ARTERIAL EMBOLISM AND THROMBOSIS		131	1	-	-	-	-	-	-	-	-	-	5	2	9	7	15	16	19	23	18	12	3	1	-
		M	50	1	-	-	-	-	-	-	-	-	-	2	1	4	4	9	6	5	10	6	2	-	-	-
		F	81	-	-	-	-	-	-	-	-	-	-	3	1	5	3	6	10	14	13	12	10	3	1	-
444.0	OF ABDOMINAL AORTA		15	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	4	-	1	-	3	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	-	1	-	3	-	-	-
444.1	OF OTHER AORTA		28	1	-	-	-	-	-	-	-	-	-	3	-	-	5	4	4	3	3	3	1	1	-	-
		M	12	1	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	2	2	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	2	-	-	3	2	2	3	1	1	1	1	-	-
444.2	OF ARTERIES OF THE EXTREMITIES		51	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	5	12	11	9	4	1	1	-
		M	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	5	3	1	-	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	8	6	6	3	1	1	-
444.8	OF OTHER SPECIFIED ARTERY		13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	2	5	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	-	-	-	-
444.9	OF UNSPECIFIED ARTERY		24	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	3	2	3	5	4	1	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	3	-	-	1	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	4	3	1	-	-
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS		60	-	1	-	-	-	2	1	3	2	1	4	5	3	3	12	6	8	4	2	3	-	-	-
		M	19	-	1	-	-	-	1	-	2	-	-	1	3	1	1	4	-	3	1	1	-	-	-	-
		F	41	-	-	-	-	-	1	1	1	2	1	3	2	2	2	8	6	5	3	1	3	-	-	-
446.0	POLYARTERITIS NODOSA		15	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	3	3	1	1	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	1	1	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
446.1	ACUTE FEBRILE MUCOCUTANEOUS LYMPHNODE SYNDROME (MCLS)		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.2	HYPERSENSITIVITY ANGIITIS		14	-	-	-	-	-	1	-	-	1	-	1	-	-	1	5	1	2	2	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-
		F	9	-	-	-	-	-	1	-	-	1	-	1	-	-	-	3	1	1	1	-	-	-	-	-
446.4	WEGENER'S GRANULOMATOSIS		8	-	-	-	-	-	1	-	1	-	1	1	-	1	-	1	1	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-
446.5	GIANT CELL ARTERITIS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
446.6	THROMBOTIC MICROANGIOPATHY		16	-	-	-	-	-	-	1	2	1	-	2	2	1	1	3	1	1	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
		F	12	-	-	-	-	-	-	1	1	1	-	2	1	-	1	3	1	1	-	-	-	-	-	-
446.7	TAKAYASU DISEASE		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES		128	-	1	-	-	-	1	-	1	1	2	3	4	11	14	17	18	29	16	6	3	1	-	-
		M	76	-	1	-	-	-	1	-	1	1	2	1	3	8	8	12	12	16	8	1	1	-	-	-
		F	52	-	-	-	-	-	-	-	-	-	-	2	1	3	6	5	6	13	8	5	2	1	-	-
447.0	ARTERIOVENOUS FISTULA, ACQUIRED		5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
447.1	STRICTURE OF ARTERY		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	-	-	-
447.2	RUPTURE OF ARTERY		21	-	-	-	-	-	-	-	-	-	1	1	2	2	2	5	3	3	1	1	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	3	2	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
447.6	ARTERITIS, UNSPECIFIED		47	-	1	-	-	-	-	-	1	1	-	1	2	4	1	7	6	13	6	2	1	1	-	-
		M	24	-	1	-	-	-	-	-	1	1	-	-	2	2	1	5	4	5	2	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	8	4	2	1	1	-	-
447.8	OTHER		4	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
447.9	UNSPECIFIED		41	-	-	-	-	-	-	-	-	-	-	-	-	5	9	5	6	9	6	1	-	-	-	-
		M	28	-	-	-	-	-	-	-	-	-	-	-	-	5	6	2	4	6	5	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	3	1	1	-	-	-	-
448	DISEASES OF CAPILLARIES		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
448.0	HEREDITARY HAEMORRHAGIC TELANGIECTASIA		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
451-459	DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM		442	4	1	-	1	2	4	6	9	9	8	21	13	30	42	49	56	66	52	33	30	4	2	-
		M	235	4	1	-	1	-	3	2	6	8	4	14	5	25	26	33	23	33	21	12	12	1	1	-
		F	207	-	-	-	-	2	1	4	3	1	4	7	8	5	16	16	33	33	31	21	18	3	1	-
451	PHLEBITIS AND THROMBOPHLEBITIS		243	1	-	-	-	2	2	6	1	6	4	10	8	19	19	27	28	43	32	19	12	3	1	-
		M	121	1	-	-	-	-	1	2	1	5	1	6	3	17	11	19	8	25	11	6	4	-	-	-
		F	122	-	-	-	-	2	1	4	-	1	3	4	5	2	8	8	20	18	21	13	8	3	1	-
451.1	OF DEEP VESSELS OF LOWER EXTREMITIES		88	-	-	-	-	2	1	3	1	4	1	2	4	9	6	6	10	14	14	5	4	1	1	-
		M	43	-	-	-	-	-	-	1	1	4	-	1	1	9	5	2	3	9	5	1	1	-	-	-
		F	45	-	-	-	-	2	1	2	-	-	1	1	3	-	1	4	7	5	9	4	3	1	1	-
451.2	OF LOWER EXTREMITIES, UNSPECIFIED		107	-	-	-	-	-	-	3	-	1	1	6	3	7	10	17	14	21	11	7	4	2	-	-
		M	50	-	-	-	-	-	-	1	-	1	-	3	1	6	5	13	4	11	2	3	-	-	-	-
		F	57	-	-	-	-	-	-	2	-	-	1	3	2	1	5	4	10	10	9	4	4	2	-	-
451.8	OF OTHER SITES		4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
451.9	OF UNSPECIFIED SITE		44	-	-	-	-	-	1	-	-	1	1	2	1	3	3	4	4	8	7	7	2	-	-	-
		M	26	-	-	-	-	-	1	-	-	-	1	2	1	2	1	4	1	5	4	2	2	-	-	-
		F	18	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	3	3	5	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
452	PORTAL VEIN THROMBOSIS		4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS		44	-	-	-	1	-	2	-	-	-	2	2	1	2	11	3	4	3	4	6	2	1	-	-
		M	25	-	-	-	1	-	2	-	-	-	2	2	-	1	7	3	2	1	-	2	1	1	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	2	2	4	4	1	-	-	-
453.0	BUDD-CHIARI SYNDROME		3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
453.2	OF VENA CAVA		5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
453.8	OF OTHER SPECIFIED VEINS		32	-	-	-	-	-	1	-	-	-	2	2	1	1	8	3	4	1	1	5	2	1	-	-
		M	19	-	-	-	-	-	1	-	-	-	2	2	-	1	4	3	2	-	-	2	1	1	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	2	1	1	3	1	-	-	-
453.9	OF UNSPECIFIED SITE		4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
454	VARICOSE VEINS OF LOWER EXTREMITIES		13	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	2	1	-	1	3	-	-	-
		M	7	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-
454.0	WITH ULCER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
454.1	WITH INFLAMMATION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
454.2	WITH ULCER AND INFLAMMATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
454.9	WITHOUT MENTION OF ULCER OR INFLAMMATION		6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
455	HAEMORRHOIDS		4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
455.0	INTERNAL HAEMORRHOIDS, WITHOUT MENTION OF COMPLICATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
455.6	UNSPECIFIED HAEMORRHOIDS, WITHOUT MENTION OF COMPLICATION		2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
455.8	UNSPECIFIED HAEMORRHOIDS WITH OTHER COMPLICATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
456	VARICOSE VEINS OF OTHER SITES		35	-	1	-	-	-	-	-	2	1	1	3	1	2	4	4	5	3	2	2	3	-	1	-
		M	20	-	1	-	-	-	-	-	1	1	-	3	-	2	2	4	1	1	1	1	1	-	1	-
		F	15	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	4	2	1	1	2	-	-	-
456.0	OESOPHAGEAL VARICES WITH BLEEDING		29	-	1	-	-	-	-	-	2	1	1	1	1	2	3	4	4	2	2	1	3	-	1	-
		M	17	-	1	-	-	-	-	-	1	1	-	1	-	2	1	4	1	1	1	1	1	-	1	-
		F	12	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	3	1	1	-	2	-	-	-
456.1	OESOPHAGEAL VARICES WITHOUT MENTION OF BLEEDING		2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
456.5	PELVIC VARICES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
456.8	OTHER		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
457	NONINFECTIVE DISORDERS OF LYMPHATIC CHANNELS		4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
457.1	OTHER LYMPHOEDEMA		4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
458	HYPOTENSION		69	3	-	-	-	-	-	-	2	1	-	3	1	4	4	7	14	9	12	5	4	-	-	-
		M	40	3	-	-	-	-	-	-	-	1	-	-	1	3	2	3	10	4	8	2	3	-	-	-
		F	29	-	-	-	-	-	-	-	2	-	-	3	-	1	2	4	4	5	4	3	1	-	-	-
458.0	ORTHOSTATIC HYPOTENSION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
458.9	UNSPECIFIED		68	3	-	-	-	-	-	-	2	1	-	3	1	4	4	7	14	9	12	4	4	-	-	-
		M	39	3	-	-	-	-	-	-	-	1	-	-	1	3	2	3	10	4	8	1	3	-	-	-
		F	29	-	-	-	-	-	-	-	2	-	-	3	-	1	2	4	4	5	4	3	1	-	-	-
459	OTHER DISORDERS OF CIRCULATORY SYSTEM		26	-	-	-	-	-	-	-	2	1	1	1	1	1	2	5	2	4	2	-	4	-	-	-
		M	15	-	-	-	-	-	-	-	2	1	1	1	-	1	2	3	-	2	1	-	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	-	3	-	-	-
459.0	HAEMORRHAGE, UNSPECIFIED		14	-	-	-	-	-	-	-	1	1	1	-	1	-	2	1	1	3	1	-	2	-	-	-
		M	10	-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	-	2	1	-	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-
459.2	COMPRESSION OF VEIN		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
459.9	UNSPECIFIED		10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	1	1	-	2	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	-	-	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM		13,741	158	37	15	26	34	48	52	64	67	107	132	276	589	988	1,517	2,019	2,273	2,143	1,728	1.054	336	76	2
		M	7,658	102	26	10	11	14	36	29	40	49	71	69	158	354	578	920	1,227	1,371	1,233	811	433	99	15	2
		F	6,083	56	11	5	15	20	12	23	24	18	36	63	118	235	410	597	792	902	910	917	621	237	61	-
460-466	ACUTE RESPIRATORY INFECTIONS		101	19	2	2	1	-	2	-	1	2	1	3	4	4	7	2	13	12	11	7	4	3	1	-
		M	60	14	2	2	-	-	1	-	-	2	1	2	2	2	5	1	6	8	5	4	1	1	1	-
		F	41	5	-	-	1	-	1	-	1	-	-	1	2	2	2	1	7	4	6	3	3	2	-	-
462	ACUTE PHARYNGITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
463	ACUTE TONSILLITIS		2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
464	ACUTE LARYNGITIS AND TRACHEITIS		14	3	1	1	1	-	1	-	-	2	-	2	-	-	-	1	-	-	1	1	-	-	-	-
		M	9	2	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	1	-	-	-	-
		F	5	1	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
464.0	ACUTE LARYNGITIS		6	2	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
464.1	ACUTE TRACHEITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
464.2	ACUTE LARYNGOTRACHEITIS		2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.3	ACUTE EPIGLOTTITIS		5	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	4	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
465	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
465.8	OTHER MULTIPLE SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
465.9	UNSPECIFIED SITE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS		81	16	1	-	-	-	1	-	1	-	1	1	4	4	6	1	11	12	10	4	4	3	1	-
		M	47	12	1	-	-	-	1	-	-	-	1	1	2	2	4	1	5	8	4	2	1	1	1	-
		F	34	4	-	-	-	-	-	-	1	-	-	-	2	2	2	-	6	4	6	2	3	2	-	-
466.0	ACUTE BRONCHITIS		72	11	1	-	-	-	1	-	-	-	1	1	3	4	6	1	11	10	10	4	4	3	1	-
		M	43	9	1	-	-	-	1	-	-	-	1	1	2	2	4	1	5	7	4	2	1	1	1	-
		F	29	2	-	-	-	-	-	-	-	-	-	-	1	2	2	-	6	3	6	2	3	2	-	-
466.1	ACUTE BRONCHIOLITIS		9	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
		M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	5	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
470-478	OTHER DISEASES OF UPPER RESPIRATORY TRACT		21	1	-	-	1	-	-	-	1	-	2	1	-	2	2	1	2	2	2	2	2	-	-	-
		M	13	-	-	-	1	-	-	-	1	-	1	1	-	2	-	1	1	1	1	2	1	-	-	-
		F	8	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	1	-	1	-	-	-
473	CHRONIC SINUSITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
473.3	SPHENOIDAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
473.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
474	CHRONIC DISEASE OF TONSILS AND ADENOIDS		3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
474.0	CHRONIC TONSILLITIS		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
474.8	OTHER CHRONIC DISEASE OF TONSILS AND ADENOIDS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
475	PERITONSILLAR ABSCESS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
476	CHRONIC LARYNGITIS AND LARYNGOTRACHEITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
476.0	CHRONIC LARYNGITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
476.1	CHRONIC LARYNGOTRACHEITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
478	OTHER DISEASES OF UPPER RESPIRATORY TRACT		13	1	-	-	1	-	-	-	-	-	1	1	-	2	-	1	1	1	1	2	1	-	-	-
		M	9	-	-	-	1	-	-	-	-	-	-	1	-	2	-	1	-	1	1	2	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
478.2	OTHER DISEASES OF PHARYNX, NOT ELSEWHERE CLASSIFIED		4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
478.3	PARALYSIS OF VOCAL CORDS OR LARYNX		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
478.6	OEDEMA OF LARYNX		4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
478.7	OTHER DISEASES OF LARYNX, NOT ELSEWHERE CLASSIFIED		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-487	PNEUMONIA AND INFLUENZA		5,469	77	21	8	12	14	21	27	30	33	50	49	96	162	249	325	514	725	968	1,028	730	270	60	-
		M	2,717	45	14	6	6	4	18	17	20	25	37	31	62	108	151	198	307	402	489	422	274	70	11	-
		F	2,752	32	7	2	6	10	3	10	10	8	13	18	34	54	98	127	207	323	479	606	456	200	49	-
480	VIRAL PNEUMONIA		81	14	3	-	-	1	-	1	-	1	1	-	3	2	3	2	9	9	11	6	11	3	1	-
		M	45	11	2	-	-	-	-	-	-	1	1	-	-	2	2	1	6	6	6	3	4	-	-	-
		F	36	3	1	-	-	1	-	1	-	-	-	-	3	-	1	1	3	3	5	3	7	3	1	-
480.0	PNEUMONIA DUE TO ADENOVIRUS		2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480.8	PNEUMONIA DUE TO OTHER VIRUS, NOT ELSEWHERE CLASSIFIED		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480.9	VIRAL PNEUMONIA, UNSPECIFIED		77	11	3	-	-	1	-	1	-	1	1	-	3	2	2	2	9	9	11	6	11	3	1	-
		M	41	8	2	-	-	-	-	-	-	1	1	-	-	2	1	1	6	6	6	3	4	-	-	-
		F	36	3	1	-	-	1	-	1	-	-	-	-	3	-	1	1	3	3	5	3	7	3	1	-
481	PNEUMOCOCCAL PNEUMONIA		261	1	-	-	-	1	-	2	4	1	7	5	12	11	15	21	18	39	42	42	26	13	1	-
		M	140	1	-	-	-	-	-	2	3	1	7	4	7	5	9	15	14	22	18	16	13	3	-	-
		F	121	-	-	-	-	1	-	-	1	-	-	1	5	6	6	6	4	17	24	26	13	10	1	-
482	OTHER BACTERIAL PNEUMONIA		216	3	-	-	-	1	2	-	3	4	1	4	7	12	12	20	14	40	31	38	16	8	-	-
		M	118	1	-	-	-	-	1	-	2	2	1	2	3	8	9	13	9	25	19	13	6	4	-	-
		F	98	2	-	-	-	1	1	-	1	2	-	2	4	4	3	7	5	15	12	25	10	4	-	-
482.0	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE		23	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	3	4	2	7	-	1	-	-
		M	17	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	3	3	2	4	-	1	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
482.1	PNEUMONIA DUE TO PSEUDOMONAS		33	-	-	-	-	-	1	-	-	1	-	-	2	2	5	8	1	7	1	3	2	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	1	5	1	1	1	-	-	-
		F	11	-	-	-	-	-	1	-	-	1	-	-	2	1	1	-	-	2	-	2	1	-	-	-
482.2	PNEUMONIA DUE TO HAEMOPHILUS INFLUENZAE (H. INFLUENZAE)		9	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		F	7	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	1	-	-	-
482.3	PNEUMONIA DUE TO STREPTOCOCCUS		14	1	-	-	-	-	1	-	1	1	-	-	-	1	1	1	-	2	-	3	1	1	-	-
		M	8	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	2	-	1	1	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-
482.4	PNEUMONIA DUE TO STAPHYLOCOCCUS		57	1	-	-	-	-	-	-	1	-	-	1	3	1	3	4	4	13	10	8	5	3	-	-
		M	29	1	-	-	-	-	-	-	1	-	-	1	2	1	3	1	1	8	5	2	1	2	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	5	6	4	1	-	-
482.8	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA		9	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	3	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
482.9	BACTERIAL PNEUMONIA, UNSPECIFIED		71	-	-	-	-	1	-	-	1	2	-	2	1	5	1	4	4	13	13	15	6	3	-	-
		M	35	-	-	-	-	-	-	-	-	1	-	1	1	4	1	3	3	6	7	5	2	1	-	-
		F	36	-	-	-	-	1	-	-	1	1	-	1	-	1	-	1	1	7	6	10	4	2	-	-
483	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISM		5	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
485	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED		1,141	22	7	4	1	2	4	14	12	10	20	15	28	36	60	71	111	118	194	190	155	51	16	-
		M	548	11	5	3	-	-	4	9	8	8	15	9	21	27	38	42	55	60	90	83	45	13	2	-
		F	593	11	2	1	1	2	-	5	4	2	5	6	7	9	22	29	56	58	104	107	110	38	14	-
486	PNEUMONIA, ORGANISM UNSPECIFIED		3,699	36	11	3	9	9	15	10	10	16	21	24	45	99	156	210	356	516	675	734	511	191	42	-
		M	1,835	21	7	2	6	4	13	6	6	12	13	16	30	65	93	126	219	287	347	298	205	50	9	-
		F	1,864	15	4	1	3	5	2	4	4	4	8	8	15	34	63	84	137	229	328	436	306	141	33	-
487	INFLUENZA		66	1	-	1	1	-	-	-	1	1	-	1	1	1	3	1	6	3	14	16	11	4	-	-
		M	28	-	-	1	-	-	-	-	1	1	-	-	1	1	-	1	4	2	8	7	1	-	-	-
		F	38	1	-	-	1	-	-	-	-	-	-	1	-	-	3	-	2	1	6	9	10	4	-	-
487.0	WITH PNEUMONIA		26	1	-	1	1	-	-	-	-	-	-	1	-	-	1	1	2	2	5	5	5	1	-	-
		M	10	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	-	-	-
		F	16	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	1	3	2	4	1	-	-
487.1	WITH OTHER RESPIRATORY MANIFESTATIONS		34	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	4	1	8	9	5	3	-	-
		M	17	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	3	1	6	4	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	5	5	3	-	-
487.8	WITH OTHER MANIFESTATIONS		6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS		6,660	7	5	2	7	12	10	11	14	17	30	55	132	334	622	1,029	1,289	1,292	957	554	233	39	8	1
		M	4,034	6	3	1	2	3	6	4	8	11	16	22	65	192	360	621	791	823	628	320	127	21	3	1
		F	2,626	1	2	1	5	9	4	7	6	6	14	33	67	142	262	408	498	469	329	234	106	18	5	-
490	BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC		40	1	-	-	-	-	-	1	-	1	-	-	-	2	2	3	3	7	2	7	7	4	-	-
		M	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	-	2	3	2	-	-
		F	25	-	-	-	-	-	-	1	-	1	-	-	-	2	2	3	2	1	2	5	4	2	-	-
491	CHRONIC BRONCHITIS		418	2	3	-	1	1	2	2	1	1	2	3	3	27	36	62	81	83	62	28	16	2	-	-
		M	263	1	1	-	-	1	2	2	-	-	-	1	2	15	21	42	55	56	38	14	11	1	-	-
		F	155	1	2	-	1	-	-	-	1	1	2	2	1	12	15	20	26	27	24	14	5	1	-	-
491.0	SIMPLE CHRONIC BRONCHITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
491.1	MUCOPURULENT CHRONIC BRONCHITIS		9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
491.2	OBSTRUCTIVE CHRONIC BRONCHITIS		316	-	-	-	-	-	1	-	-	1	1	3	3	19	29	56	65	62	47	20	9	-	-	-
		M	196	-	-	-	-	-	1	-	-	-	-	1	2	11	15	38	41	42	29	9	7	-	-	-
		F	120	-	-	-	-	-	-	-	-	1	1	2	1	8	14	18	24	20	18	11	2	-	-	-
491.8	OTHER CHRONIC BRONCHITIS		5	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
491.9	UNSPECIFIED		85	2	1	-	1	-	-	2	1	-	1	-	-	7	4	6	14	17	12	8	7	2	-	-
		M	57	1	-	-	-	-	-	2	-	-	-	-	-	4	3	4	12	12	9	5	4	1	-	-
		F	28	1	1	-	1	-	-	-	1	-	1	-	-	3	1	2	2	5	3	3	3	1	-	-
492	EMPHYSEMA		1,653	1	-	-	-	1	-	-	-	3	6	13	37	107	173	287	317	297	234	122	45	8	2	-
		M	1,067	1	-	-	-	-	-	-	-	3	2	9	20	64	103	166	204	202	177	88	23	5	-	-
		F	586	-	-	-	-	1	-	-	-	-	4	4	17	43	70	121	113	95	57	34	22	3	2	-
493	ASTHMA		383	1	1	2	6	10	6	8	11	6	11	18	23	18	39	38	62	52	43	16	8	3	1	-
		M	158	1	1	1	2	2	3	2	8	3	8	6	7	4	19	17	25	27	15	4	1	1	1	-
		F	225	-	-	1	4	8	3	6	3	3	3	12	16	14	20	21	37	25	28	12	7	2	-	-
493.0	EXTRINSIC ASTHMA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
493.1	INTRINSIC ASTHMA		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
493.9	ASTHMA, UNSPECIFIED		381	1	1	2	6	10	6	8	11	6	11	18	22	18	39	38	62	52	43	15	8	3	1	-
		M	158	1	1	1	2	2	3	2	8	3	8	6	7	4	19	17	25	27	15	4	1	1	1	-
		F	223	-	-	1	4	8	3	6	3	3	3	12	15	14	20	21	37	25	28	11	7	2	-	-
494	BRONCHIECTASIS		92	-	-	-	-	-	-	-	-	-	4	-	2	1	11	18	11	15	14	11	5	-	-	-
		M	37	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	4	7	10	5	-	-	-	-
		F	55	-	-	-	-	-	-	-	-	-	3	-	1	-	9	12	7	8	4	6	5	-	-	-
495	EXTRINSIC ALLERGIC ALVEOLITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
495.2	BIRD FANCIERS' LUNG		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
495.9	UNSPECIFIED ALLERGIC ALVEOLITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
496	CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED		4,072	2	1	-	-	-	2	-	2	6	7	21	67	179	361	620	814	838	602	370	152	22	5	1
		M	2,492	2	1	-	-	-	1	-	-	5	5	6	35	108	215	389	501	525	388	207	89	12	2	1
		F	1,580	-	-	-	-	-	1	-	2	1	2	15	32	71	146	231	313	313	214	163	63	10	3	-
500-508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS		302	6	3	1	1	-	3	2	2	1	5	6	3	9	14	31	36	57	45	41	24	10	2	-
		M	180	4	2	-	-	-	1	2	1	-	2	4	3	8	8	23	25	38	26	21	10	2	-	-
		F	122	2	1	1	1	-	2	-	1	1	3	2	-	1	6	8	11	19	19	20	14	8	2	-
500	COALWORKERS' PNEUMOCONIOSIS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-
501	ASBESTOSIS		14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	2	2	1	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	2	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
502	PNEUMOCONIOSIS DUE TO OTHER SILICA OR SILICATES		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	2	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	2	-	-	-	-
503	PNEUMOCONIOSIS DUE TO OTHER INORGANIC DUST		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
504	PNEUMOPATHY DUE TO INHALATION OF OTHER DUST		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
505	PNEUMOCONIOSIS, UNSPECIFIED		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS		262	6	3	1	1	-	3	2	2	1	4	6	2	8	12	23	28	46	40	38	24	10	2	-
		M	143	4	2	-	-	-	1	2	1	-	1	4	2	7	6	16	17	28	22	18	10	2	-	-
		F	119	2	1	1	1	-	2	-	1	1	3	2	-	1	6	7	11	18	18	20	14	8	2	-
507.0	DUE TO INHALATION OF FOOD OR VOMIT		259	4	3	1	1	-	3	2	2	1	4	6	2	8	11	23	28	46	40	38	24	10	2	-
		M	142	3	2	-	-	-	1	2	1	-	1	4	2	7	6	16	17	28	22	18	10	2	-	-
		F	117	1	1	1	1	-	2	-	1	1	3	2	-	1	5	7	11	18	18	20	14	8	2	-
507.1	DUE TO INHALATION OF OILS AND ESSENCES		3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
508	RESPIRATORY CONDITIONS DUE TO OTHER AND UNSPECIFIED EXTERNAL AGENTS		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
508.0	ACUTE PULMONARY MANIFESTATIONS DUE TO RADIATION		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
510-519	OTHER DISEASES OF RESPIRATORY SYSTEM		1,188	48	6	2	4	8	12	12	16	14	19	18	41	78	94	129	165	185	160	96	61	14	5	1
		M	654	33	5	1	2	7	10	6	10	11	14	9	26	42	54	76	97	99	84	42	20	5	-	1
		F	534	15	1	1	2	1	2	6	6	3	5	9	15	36	40	53	68	86	76	54	41	9	5	-
510	EMPYEMA		37	-	-	-	-	-	-	1	3	-	2	2	2	5	3	4	2	4	7	1	1	-	-	-
		M	23	-	-	-	-	-	-	-	2	-	1	2	2	3	3	3	1	2	4	-	-	-	-	-
		F	14	-	-	-	-	-	-	1	1	-	1	-	-	2	-	1	1	2	3	1	1	-	-	-
510.0	WITH FISTULA		2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
510.9	WITHOUT MENTION OF FISTULA		35	-	-	-	-	-	-	1	3	-	2	2	1	5	2	4	2	4	7	1	1	-	-	-
		M	21	-	-	-	-	-	-	-	2	-	1	2	1	3	2	3	1	2	4	-	-	-	-	-
		F	14	-	-	-	-	-	-	1	1	-	1	-	-	2	-	1	1	2	3	1	1	-	-	-
511	PLEURISY		51	-	-	-	-	-	-	-	1	-	1	2	4	5	3	4	7	5	6	6	6	1	-	-
		M	24	-	-	-	-	-	-	-	1	-	1	1	1	2	2	3	4	1	3	3	2	-	-	-
		F	27	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	3	4	3	3	4	1	-	-
511.0	WITHOUT MENTION OF EFFUSION OR CURRENT TUBERCULOSIS		10	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	1	1	3	-	-	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-
511.8	OTHER SPECIFIED FORMS OF EFFUSION, EXCEPT TUBERCULOUS		5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
511.9	UNSPECIFIED PLEURAL EFFUSION		36	-	-	-	-	-	-	-	-	-	-	-	4	3	2	2	6	4	5	3	6	1	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	2	1	2	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	3	3	3	2	4	1	-	-
512	PNEUMOTHORAX		18	1	1	-	-	-	-	-	-	1	-	-	1	-	2	-	4	3	1	-	3	1	-	-
		M	12	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	-	2	1	-	-
		F	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	1	-	-	-
513	ABSCESS OF LUNG AND MEDIASTINUM		68	1	-	-	-	2	-	-	2	2	2	1	7	6	8	7	10	11	2	4	3	-	-	-
		M	49	1	-	-	-	1	-	-	-	2	2	1	4	5	6	6	8	8	1	2	2	-	-	-
		F	19	-	-	-	-	1	-	-	2	-	-	-	3	1	2	1	2	3	1	2	1	-	-	-
513.0	ABSCESS OF LUNG		68	1	-	-	-	2	-	-	2	2	2	1	7	6	8	7	10	11	2	4	3	-	-	-
		M	49	1	-	-	-	1	-	-	-	2	2	1	4	5	6	6	8	8	1	2	2	-	-	-
		F	19	-	-	-	-	1	-	-	2	-	-	-	3	1	2	1	2	3	1	2	1	-	-	-
514	PULMONARY CONGESTION AND HYPOSTASIS		44	4	-	-	-	2	2	3	2	2	1	1	-	3	-	4	2	3	4	2	6	-	3	-
		M	22	4	-	-	-	2	1	2	2	2	-	-	-	3	-	1	1	-	2	1	1	-	-	-
		F	22	-	-	-	-	-	1	1	-	-	1	1	-	-	-	3	1	3	2	1	5	-	3	-
515	POSTINFLAMMATORY PULMONARY FIBROSIS		434	2	2	1	3	2	2	-	-	3	3	2	15	29	41	49	67	75	69	44	18	6	1	-
		M	228	1	1	1	2	2	2	-	-	2	3	-	10	15	20	27	37	39	37	21	5	3	-	-
		F	206	1	1	-	1	-	-	-	-	1	-	2	5	14	21	22	30	36	32	23	13	3	1	-
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY		131	29	3	1	1	-	3	4	3	3	5	3	5	5	6	10	13	11	17	5	4	-	-	-
		M	75	17	3	-	-	-	2	1	2	2	3	1	4	3	5	6	7	8	9	1	1	-	-	-
		F	56	12	-	1	1	-	1	3	1	1	2	2	1	2	1	4	6	3	8	4	3	-	-	-
516.3	IDIOPATHIC FIBROSING ALVEOLITIS		33	1	-	-	1	-	-	1	1	-	-	1	1	3	1	4	6	2	6	3	2	-	-	-
		M	17	-	-	-	-	-	-	-	1	-	-	-	1	3	1	2	4	2	3	-	-	-	-	-
		F	16	1	-	-	1	-	-	1	-	-	-	1	-	-	-	2	2	-	3	3	2	-	-	-
516.8	OTHER		98	28	3	1	-	-	3	3	2	3	5	2	4	2	5	6	7	9	11	2	2	-	-	-
		M	58	17	3	-	-	-	2	1	1	2	3	1	3	-	4	4	3	6	6	1	1	-	-	-
		F	40	11	-	1	-	-	1	2	1	1	2	1	1	2	1	2	4	3	5	1	1	-	-	-
518	OTHER DISEASES OF LUNG		372	8	-	-	-	2	5	3	5	1	4	6	6	23	30	49	56	69	50	31	18	4	1	1
		M	203	7	-	-	-	2	5	2	3	1	3	3	4	10	16	29	33	37	26	13	7	1	-	1
		F	169	1	-	-	-	-	-	1	2	-	1	3	2	13	14	20	23	32	24	18	11	3	1	-
518.0	PULMONARY COLLAPSE		16	-	-	-	-	-	-	-	2	-	-	-	-	2	2	2	1	2	1	2	1	1	-	-
		M	6	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	1	2	1	1	-	-
518.1	INTERSTITIAL EMPHYSEMA		4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
518.3	PULMONARY EOSINOPHILIA		20	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	7	5	3	1	-	-	-
		M	12	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	3	3	2	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-
518.4	ACUTE OEDEMA OF LUNG, UNSPECIFIED		9	-	-	-	-	-	1	2	1	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-
		M	5	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
518.5	PULMONARY INSUFFICIENCY FOLLOWING		62	-	-	-	-	1	2	-	2	-	2	4	2	8	12	6	4	7	6	2	4	-	-	-
	TRAUMA AND SURGERY	M	36	-	-	-	-	1	2	-	1	-	2	2	1	6	4	4	2	6	2	2	1	-	-	-
		F	26	-	-	-	-	-	-	-	1	-	-	2	1	2	8	2	2	1	4	-	3	-	-	-
518.8	OTHER DISEASES OF LUNG, NOT ELSEWHERE		261	5	-	-	-	1	2	1	-	-	1	1	4	12	15	40	50	51	38	23	12	3	1	1
	CLASSIFIED	M	140	4	-	-	-	1	2	1	-	-	1	-	3	3	9	22	30	26	21	9	6	1	-	1
		F	121	1	-	-	-	-	-	-	-	-	-	1	1	9	6	18	20	25	17	14	6	2	1	-
519	OTHER DISEASES OF RESPIRATORY SYSTEM		33	3	-	-	-	-	-	1	-	2	1	1	1	2	1	2	4	4	4	3	2	2	-	-
		M	18	2	-	-	-	-	-	1	-	2	1	1	-	1	1	1	3	2	2	1	-	-	-	-
		F	15	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	2	2	2	2	-	-
519.0	TRACHEOSTOMY MALFUNCTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
519.1	OTHER DISEASES OF TRACHEA AND		13	1	-	-	-	-	-	1	-	1	-	-	-	2	1	-	3	1	2	1	-	-	-	-
	BRONCHUS, NOT ELSEWHERE CLASSIFIED	M	10	1	-	-	-	-	-	1	-	1	-	-	-	1	1	-	2	1	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
519.2	MEDIASTINITIS		5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
519.3	OTHER DISEASES OF MEDIASTINUM, NOT		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	ELSEWHERE CLASSIFIED	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
519.4	DISORDERS OF DIAPHRAGM		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
519.8	OTHER DISEASES OF RESPIRATORY SYSTEM,		12	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	1	2	2	-	-
	NOT ELSEWHERE CLASSIFIED	M	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-
520-579	DISEASES OF THE DIGESTIVE SYSTEM		8,347	51	14	7	8	8	29	91	179	269	333	493	683	873	954	978	924	786	725	535	308	86	8	5
		M	4,668	33	7	2	6	4	20	56	129	188	229	335	469	550	586	587	503	383	302	168	81	25	2	3
		F	3,679	18	7	5	2	4	9	35	50	81	104	158	214	323	368	391	421	403	423	367	227	61	6	2
520-529	DISEASES OF ORAL CAVITY, SALIVARY GLANDS,		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	-	-
	AND JAWS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
522	DISEASES OF PULP AND PERIAPICAL TISSUES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
522.4	ACUTE APICAL PERIODONTITIS OF PULPAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	ORIGIN	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
527	DISEASES OF THE SALIVARY GLANDS		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
527.2	SIALOADENITIS		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
530-537	DISEASES OF OESOPHAGUS, STOMACH, AND		1,178	1	-	-	-	1	2	9	6	21	19	31	40	65	93	132	155	166	189	145	79	23	1	-
	DUODENUM	M	636	-	-	-	-	-	2	7	6	16	14	25	32	44	61	80	87	88	87	49	30	8	-	-
		F	542	1	-	-	-	1	-	2	-	5	5	6	8	21	32	52	68	78	102	96	49	15	1	-
530	DISEASES OF OESOPHAGUS		144	1	-	-	-	-	1	2	1	1	1	3	5	6	9	14	18	25	22	18	13	4	-	-
		M	83	-	-	-	-	-	1	2	1	1	1	2	3	4	7	8	10	12	13	10	6	2	-	-
		F	61	1	-	-	-	-	-	-	-	-	-	1	2	2	2	6	8	13	9	8	7	2	-	-
530.0	ACHALASIA AND CARDIOSPASM		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
530.1	OESOPHAGITIS		37	-	-	-	-	-	-	1	-	-	-	1	2	-	3	5	7	2	7	2	3	-	-	-
		M	18	-	-	-	-	-	-	1	-	-	-	1	1	-	2	4	5	-	3	1	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	4	1	3	-	-	-
530.2	ULCER OF OESOPHAGUS		9	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	-	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	1	-	-
530.3	STRICTURE AND STENOSIS OF OESOPHAGUS		24	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	4	6	5	2	4	-	-	-
		M	15	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	4	3	1	2	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2	-	-	-
530.4	PERFORATION OF OESOPHAGUS		24	1	-	-	-	-	-	-	-	-	-	-	1	3	3	2	4	7	2	-	1	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	4	1	-	-	-	-	-
		F	11	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	-	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
530.5	DYSKINESIA OF OESOPHAGUS		12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	3	1	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-
530.6	DIVERTICULUM OF OESOPHAGUS, ACQUIRED		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
530.7	GASTRO-OESOPHAGEAL LACERATION-HAEMORRHAGE SYNDROME		6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
530.8	OTHER DISORDERS OF OESOPHAGUS		15	-	-	-	-	-	1	1	1	-	1	-	-	1	1	2	1	2	1	2	-	1	-	-
		M	10	-	-	-	-	-	1	1	1	-	1	-	-	-	1	2	1	-	1	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	-
530.9	UNSPECIFIED		9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	3	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
531	GASTRIC ULCER		299	-	-	-	-	-	-	3	1	5	4	7	9	18	18	35	39	50	46	42	19	3	-	-
		M	128	-	-	-	-	-	-	2	1	4	3	6	6	9	8	15	16	20	18	12	6	2	-	-
		F	171	-	-	-	-	-	-	1	-	1	1	1	3	9	10	20	23	30	28	30	13	1	-	-
531.0	ACUTE WITH HAEMORRHAGE		5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
531.1	ACUTE WITH PERFORATION		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
531.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		154	-	-	-	-	-	-	1	-	2	2	1	3	7	8	17	23	24	27	27	9	3	-	-
		M	64	-	-	-	-	-	-	-	-	2	2	1	2	3	2	7	11	12	10	8	2	2	-	-
		F	90	-	-	-	-	-	-	1	-	-	-	-	1	4	6	10	12	12	17	19	7	1	-	-
531.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		94	-	-	-	-	-	-	2	1	3	1	5	5	6	7	12	11	14	10	9	8	-	-	-
		M	45	-	-	-	-	-	-	2	1	2	1	5	4	2	4	5	4	4	4	3	4	-	-	-
		F	49	-	-	-	-	-	-	-	-	1	-	-	1	4	3	7	7	10	6	6	4	-	-	-
531.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
531.7	CHRONIC WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
531.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		31	-	-	-	-	-	-	-	-	-	1	-	-	4	2	4	2	7	5	4	2	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	3	2	1	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	4	3	3	2	-	-	-
532	DUODENAL ULCER		337	-	-	-	-	1	-	-	1	5	7	5	12	21	35	45	49	53	48	38	15	2	-	-
		M	205	-	-	-	-	-	-	-	1	4	4	4	11	16	24	34	32	32	25	13	5	-	-	-
		F	132	-	-	-	-	1	-	-	-	1	3	1	1	5	11	11	17	21	23	25	10	2	-	-
532.0	ACUTE WITH HAEMORRHAGE		11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	2	1	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
532.1	ACUTE WITH PERFORATION		4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
532.2	ACUTE WITH HAEMORRHAGE AND PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
532.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		165	-	-	-	-	-	-	-	1	3	3	1	6	9	14	20	28	25	32	19	4	-	-	-
		M	102	-	-	-	-	-	-	-	1	3	1	1	5	7	9	16	19	17	15	7	1	-	-	-
		F	63	-	-	-	-	-	-	-	-	-	2	-	1	2	5	4	9	8	17	12	3	-	-	-
532.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		114	-	-	-	-	1	-	-	-	1	1	4	4	8	13	16	15	19	10	14	6	2	-	-
		M	62	-	-	-	-	-	-	-	-	1	1	3	4	6	[illegible]	10	7	9	6	5	2	-	-	-
		F	52	-	-	-	-	1	-	-	-	-	-	1	-	2	5	6	8	10	4	9	4	2	-	-
532.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		24	-	-	-	-	-	-	-	-	-	3	-	1	4	2	4	2	5	-	3	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	2	-	1	3	1	4	2	3	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	-	3	-	-	-	-
532.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		18	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	3	2	3	1	3	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	2	3	-	2	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
533	PEPTIC ULCER, SITE UNSPECIFIED		259	-	-	-	-	-	-	2	-	3	2	4	5	12	21	20	36	30	52	34	24	13	1	-
		M	133	-	-	-	-	-	-	1	-	1	2	4	4	8	16	9	22	19	25	10	8	4	-	-
		F	126	-	-	-	-	-	-	1	-	2	-	-	1	4	5	11	14	11	27	24	16	9	1	-
533.0	ACUTE WITH HAEMORRHAGE		5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
533.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		154	-	-	-	-	-	-	-	-	-	-	2	2	5	13	12	20	21	34	21	14	9	1	-
		M	78	-	-	-	-	-	-	-	-	-	-	2	1	5	10	4	15	13	16	6	3	3	-	-
		F	76	-	-	-	-	-	-	-	-	-	-	-	1	-	3	8	5	8	18	15	11	6	1	-
533.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		69	-	-	-	-	-	-	1	-	2	2	-	2	3	5	6	13	8	10	8	7	2	-	-
		M	37	-	-	-	-	-	-	1	-	1	2	-	2	2	4	4	5	5	3	3	4	1	-	-
		F	32	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	8	3	7	5	3	1	-	-
533.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION		6	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
533.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		25	-	-	-	-	-	-	-	-	1	-	1	-	3	3	2	1	1	6	4	2	1	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	4	1	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	2	3	2	1	-	-
534	GASTROJEJUNAL ULCER		5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
534.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
534.5	CHRONIC OR UNSPECIFIED WITH PERFORATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
534.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
535	GASTRITIS AND DUODENITIS		96	-	-	-	-	-	1	1	3	7	3	11	7	8	5	16	6	4	16	4	3	1	-	-
		M	67	-	-	-	-	-	1	1	3	6	2	9	7	7	4	13	3	3	5	1	2	-	-	-
		F	29	-	-	-	-	-	-	-	-	1	1	2	-	1	1	3	3	1	11	3	1	1	-	-
535.0	ACUTE GASTRITIS		13	-	-	-	-	-	-	1	-	2	-	3	-	1	-	2	1	-	1	1	1	-	-	-
		M	11	-	-	-	-	-	-	1	-	2	-	2	-	1	-	2	1	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
535.1	ATROPHIC GASTRITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
535.3	ALCOHOLIC GASTRITIS		24	-	-	-	-	-	-	-	1	4	-	5	-	5	2	5	1	1	-	-	-	-	-	-
		M	18	-	-	-	-	-	-	-	1	3	-	5	-	4	1	3	-	1	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-	-	-	-	-
535.4	OTHER GASTRITIS		35	-	-	-	-	-	1	-	1	1	2	3	3	2	2	8	2	2	6	1	1	-	-	-
		M	28	-	-	-	-	-	1	-	1	1	2	2	3	2	2	7	2	2	1	1	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	5	-	-	-	-	-
535.5	UNSPECIFIED GASTRITIS AND GASTRODUODENITIS		21	-	-	-	-	-	-	-	1	-	-	-	4	-	1	1	2	1	7	2	1	1	-	-
		M	9	-	-	-	-	-	-	-	1	-	-	-	4	-	1	1	-	-	2	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	1	1	-	-
535.6	DUODENITIS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
536	DISORDERS OF FUNCTION OF STOMACH		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
536.1	ACUTE DILATATION OF STOMACH		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
536.2	HABIT VOMITING		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
536.8	DYSPEPSIA AND OTHER DISORDERS OF FUNCTION OF STOMACH		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
536.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
537	OTHER DISORDERS OF STOMACH AND DUODENUM		31	-	-	-	-	-	-	1	-	-	2	-	2	-	4	2	6	1	4	5	4	-	-	-
		M	13	-	-	-	-	-	-	1	-	-	2	-	1	-	1	1	3	-	1	1	2	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	1	3	4	2	-	-	-
537.0	ADULT HYPERTROPHIC PYLORIC STENOSIS		8	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	2	1	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-
537.3	OTHER OBSTRUCTION OF DUODENUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
537.4	FISTULA OF STOMACH OR DUODENUM		3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
537.8	OTHER		5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
537.9	UNSPECIFIED		14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	1	-	2	2	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-	2	2	-	-	-
540-543	APPENDICITIS		52	-	1	2	2	2	1	1	-	-	-	-	3	9	-	1	6	7	6	8	1	2	-	-
		M	28	-	-	1	2	2	1	-	-	-	-	-	2	5	-	1	5	3	1	4	-	1	-	-
		F	24	-	1	1	-	-	-	1	-	-	-	-	1	4	-	-	1	4	5	4	1	1	-	-
540	ACUTE APPENDICITIS		42	-	-	1	2	2	-	1	-	-	-	-	3	8	-	-	6	6	4	7	1	1	-	-
		M	23	-	-	-	2	2	-	-	-	-	-	-	2	5	-	-	5	3	-	4	-	-	-	-
		F	19	-	-	1	-	-	-	1	-	-	-	-	1	3	-	-	1	3	4	3	1	1	-	-
540.0	WITH GENERALIZED PERITONITIS		39	-	-	1	2	2	-	1	-	-	-	-	2	8	-	-	6	6	3	6	1	1	-	-
		M	22	-	-	-	2	2	-	-	-	-	-	-	1	5	-	-	5	3	-	4	-	-	-	-
		F	17	-	-	1	-	-	-	1	-	-	-	-	1	3	-	-	1	3	3	2	1	1	-	-
540.1	WITH PERITONEAL ABSCESS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
540.9	WITHOUT MENTION OF PERITONITIS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
541	APPENDICITIS, UNQUALIFIED		10	-	1	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	2	1	-	1	-	-
		M	5	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
		F	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
550-553	HERNIA OF ABDOMINAL CAVITY		150	9	-	-	-	1	1	1	1	1	3	3	3	9	5	8	16	31	22	23	10	3	-	-
		M	70	7	-	-	-	-	-	1	1	1	3	2	-	6	3	6	7	16	6	7	3	1	-	-
		F	80	2	-	-	-	1	1	-	-	-	-	1	3	3	2	2	9	15	16	16	7	2	-	-
550	INGUINAL HERNIA		28	3	-	-	-	-	-	-	-	-	-	1	-	1	-	5	2	6	2	5	2	1	-	-
		M	24	3	-	-	-	-	-	-	-	-	-	1	-	1	-	5	2	5	1	3	2	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
550.0	INGUINAL HERNIA, WITH GANGRENE		5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-
		M	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-
550.1	INGUINAL HERNIA, WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE		17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	3	2	3	1	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	2	1	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
550.9	INGUINAL HERNIA, WITHOUT MENTION OF OBSTRUCTION OR GANGRENE		6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-
		M	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-
551	OTHER HERNIA OF ABDOMINAL CAVITY, WITH GANGRENE		10	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	3	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	2	-	-	-	-
551.0	FEMORAL, WITH GANGRENE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
551.2	VENTRAL (INCISIONAL), WITH GANGRENE		5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
551.8	OF OTHER SPECIFIED SITES, WITH GANGRENE		3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE		63	1	-	-	-	-	-	1	-	-	2	2	3	5	1	3	11	13	9	6	6	-	-	-
		M	25	1	-	-	-	-	-	1	-	-	2	1	-	4	-	1	4	6	3	1	1	-	-	-
		F	38	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	7	7	6	5	5	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
552.0	FEMORAL, WITH OBSTRUCTION		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-
552.1	UMBILICAL, WITH OBSTRUCTION		6	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-
552.2	VENTRAL (INCISIONAL), WITH OBSTRUCTION		16	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	7	2	1	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	1	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	1	1	-	-	-	-
552.3	DIAPHRAGMATIC, WITH OBSTRUCTION		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	4	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-
552.8	OF OTHER SPECIFIED SITES, WITH OBSTRUCTION		8	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
552.9	OF UNSPECIFIED SITE, WITH OBSTRUCTION		16	1	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	3	2	1	1	-	-	-
		M	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	1	1	1	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE		49	4	-	-	-	1	1	-	1	1	1	-	-	2	3	-	1	11	10	9	2	2	-	-
		M	19	3	-	-	-	-	-	-	1	1	1	-	-	1	3	-	1	4	2	2	-	-	-	-
		F	30	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	7	8	7	2	2	-	-
553.0	FEMORAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
553.1	UMBILICAL		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
553.2	VENTRAL (INCISIONAL)		5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
553.3	DIAPHRAGMATIC		37	-	-	-	-	1	1	-	1	1	1	-	-	2	1	-	-	9	9	8	2	1	-	-
		M	11	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	2	2	2	-	-	-	-
		F	26	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	7	7	6	2	1	-	-
553.9	OF UNSPECIFIED SITE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
555-558	NONINFECTIVE ENTERITIS AND COLITIS		663	18	2	2	2	-	3	2	4	5	5	13	23	24	51	66	99	106	106	71	45	16	-	-
		M	253	8	1	-	2	-	2	1	3	1	3	6	11	12	21	30	43	41	37	16	10	5	-	-
		F	410	10	1	2	-	-	1	1	1	4	2	7	12	12	30	36	56	65	69	55	35	11	-	-
555	REGIONAL ENTERITIS		43	-	-	-	-	-	-	1	2	2	-	3	3	1	4	4	5	11	5	1	1	-	-	-
		M	10	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	-	3	-	1	-	-	-	-
		F	33	-	-	-	-	-	-	1	1	2	-	2	1	-	4	3	5	8	5	-	1	-	-	-
555.0	SMALL INTESTINE		3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
555.1	LARGE INTESTINE		11	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	2	2	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	2	-	1	-	-	-
555.9	UNSPECIFIED SITE		29	-	-	-	-	-	-	-	2	2	-	3	1	1	3	3	3	8	2	1	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	2	-	1	-	-	-	-
		F	22	-	-	-	-	-	-	-	1	2	-	2	1	-	3	2	3	6	2	-	-	-	-	-
556	IDIOPATHIC PROCTOCOLITIS		34	-	-	-	-	-	1	-	-	1	1	-	1	2	5	3	7	5	4	3	-	1	-	-
		M	14	-	-	-	-	-	1	-	-	-	1	-	1	-	2	2	3	3	1	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	4	2	3	3	-	1	-	-
557	VASCULAR INSUFFICIENCY OF INTESTINE		504	3	2	-	-	-	1	-	1	1	4	8	18	19	37	54	76	84	89	58	36	11	-	-
		M	194	2	1	-	-	-	1	-	1	-	2	5	8	9	17	25	35	33	34	10	7	4	-	-
		F	310	3	1	-	-	-	-	-	-	1	2	3	10	10	20	29	41	51	55	48	29	7	-	-
557.0	ACUTE		396	5	1	-	-	-	1	-	1	-	2	7	13	15	32	35	67	61	74	47	26	9	-	-
		M	145	2	-	-	-	-	1	-	1	-	1	4	6	6	15	15	27	25	26	8	5	3	-	-
		F	251	3	1	-	-	-	-	-	-	-	1	3	7	9	17	20	40	36	48	39	21	6	-	-
557.1	CHRONIC		24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	6	5	2	3	1	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	2	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	3	2	1	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
557.9	UNSPECIFIED		84	-	1	-	-	-	-	-	-	1	2	1	5	4	4	15	7	17	10	9	7	1	-	-
		M	40	-	1	-	-	-	-	-	-	-	1	1	2	3	1	9	6	7	6	2	-	1	-	-
		F	44	-	-	-	-	-	-	-	-	1	1	-	3	1	3	6	1	10	4	7	7	-	-	-
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS		82	13	-	2	2	-	1	1	1	1	-	2	1	2	5	5	11	6	8	9	8	4	-	-
		M	35	6	-	-	2	-	-	1	1	1	-	-	-	2	2	2	5	2	2	5	3	1	-	-
		F	47	7	-	2	-	-	1	-	-	-	-	2	1	-	3	3	6	4	6	4	5	3	-	-
560-569	OTHER DISEASES OF INTESTINES AND PERITONEUM		931	7	4	-	1	2	6	7	4	7	8	12	26	46	59	86	105	148	161	130	85	22	4	1
		M	347	5	2	-	1	1	5	4	2	5	6	5	14	24	24	41	43	62	51	32	13	5	1	1
		F	584	2	2	-	-	1	1	3	2	2	2	7	12	22	35	45	62	86	110	98	72	17	3	-
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA		336	4	1	-	1	-	5	5	3	2	1	4	7	15	15	31	25	56	65	52	30	11	3	-
		M	126	2	1	-	1	-	4	2	2	2	1	2	2	5	7	19	13	22	25	11	3	1	1	-
		F	210	2	-	-	-	-	1	3	1	-	-	2	5	10	8	12	12	34	40	41	27	10	2	-
560.0	INTUSSUSCEPTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
560.1	PARALYTIC ILEUS		19	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	4	3	5	-	1	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	3	4	-	1	-
560.2	VOLVULUS		84	3	-	-	1	-	3	4	2	-	1	2	2	3	4	12	9	12	18	5	2	1	-	-
		M	38	1	-	-	1	-	2	1	1	-	1	2	-	2	2	5	4	8	6	2	-	-	-	-
		F	46	2	-	-	-	-	1	3	1	-	-	-	2	1	2	7	5	4	12	3	2	1	-	-
560.3	IMPACTION OF INTESTINE		21	-	-	-	-	-	2	-	1	1	-	1	-	-	1	2	2	3	1	3	4	-	-	-
		M	7	-	-	-	-	-	2	-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	1	3	4	-	-	-
560.8	OTHER INTESTINAL OBSTRUCTION		62	-	-	-	-	-	-	-	-	1	-	-	2	6	2	7	5	12	7	11	7	2	-	-
		M	20	-	-	-	-	-	-	-	-	1	-	-	1	-	1	4	4	3	3	2	1	-	-	-
		F	42	-	-	-	-	-	-	-	-	-	-	-	1	6	1	3	1	9	4	9	6	2	-	-
560.9	UNSPECIFIED INTESTINAL OBSTRUCTION		149	1	1	-	-	-	-	1	-	-	-	-	3	6	7	9	8	27	34	30	12	8	2	-
		M	56	1	1	-	-	-	-	1	-	-	-	-	1	3	4	7	5	10	13	7	1	1	1	-
		F	93	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	3	17	21	23	11	7	1	-
562	DIVERTICULA OF INTESTINE		340	-	-	-	-	-	-	-	-	3	1	4	5	10	22	26	52	61	64	48	38	4	1	1
		M	104	-	-	-	-	-	-	-	-	1	1	-	1	7	5	12	20	25	16	9	5	1	-	1
		F	236	-	-	-	-	-	-	-	-	2	-	4	4	3	17	14	32	36	48	39	33	3	1	-
562.0	SMALL INTESTINE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
562.1	COLON		338	-	-	-	-	-	-	-	-	3	1	4	5	10	22	26	52	61	63	48	37	4	1	1
		M	104	-	-	-	-	-	-	-	-	1	1	-	1	7	5	12	20	25	16	9	5	1	-	1
		F	234	-	-	-	-	-	-	-	-	2	-	4	4	3	17	14	32	36	47	39	32	3	1	-
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED		14	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	2	1	1	4	1	1	-	-
		M	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	3	1	-	-	-
564.0	CONSTIPATION		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
564.7	MEGACOLON, OTHER THAN HIRSCHSPRUNG'S		6	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-
564.8	OTHER FUNCTIONAL DISORDERS OF INTESTINE		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
564.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
565	ANAL FISSURE AND FISTULA		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
565.1	ANAL FISTULA		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
566	ABSCESS OF ANAL AND RECTAL REGIONS		15	-	-	-	-	-	-	-	-	1	-	2	2	2	2	1	2	-	1	1	-	1	-	-
		M	10	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	2	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
567	PERITONITIS		71	-	-	-	-	-	1	2	1	1	5	1	5	4	4	8	9	5	11	7	5	2	-	-
		M	36	-	-	-	-	-	1	2	-	1	4	1	4	2	3	2	3	3	4	4	2	-	-	-
		F	35	-	-	-	-	-	-	-	1	-	1	-	1	2	1	6	6	2	7	3	3	2	-	-
567.2	OTHER SUPPURATIVE PERITONITIS		28	-	-	-	-	-	1	2	1	-	2	-	2	2	1	6	3	-	4	2	2	-	-	-
		M	13	-	-	-	-	-	1	2	-	-	1	-	2	-	1	1	1	-	2	1	1	-	-	-
		F	15	-	-	-	-	-	-	-	1	-	1	-	-	2	-	5	2	-	2	1	1	-	-	-
567.9	UNSPECIFIED		43	-	-	-	-	-	-	-	-	1	3	1	3	2	3	2	6	5	7	5	3	2	-	-
		M	23	-	-	-	-	-	-	-	-	1	3	1	2	2	2	1	2	3	2	3	1	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	2	5	2	2	2	-	-
568	OTHER DISORDERS OF PERITONEUM		23	1	1	-	-	1	-	-	-	-	-	-	2	1	2	4	1	4	3	-	2	1	-	-
		M	9	1	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	-	-	-	1	-	-
		F	14	-	1	-	-	1	-	-	-	-	-	-	-	-	1	3	1	2	3	-	2	-	-	-
568.0	PERITONEAL ADHESIONS		16	1	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	2	-	1	1	-	-
		M	7	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	1	-	-
		F	9	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	1	-	-	-
568.8	OTHER		6	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
568.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
569	OTHER DISORDERS OF INTESTINE		129	2	2	-	-	-	-	-	-	-	-	1	5	13	13	14	14	20	16	18	9	2	-	-
		M	55	2	1	-	-	-	-	-	-	-	-	1	3	7	6	6	4	9	5	7	3	1	-	-
		F	74	-	1	-	-	-	-	-	-	-	-	-	2	6	7	8	10	11	11	11	6	1	-	-
569.3	HAEMORRHAGE OF RECTUM AND ANUS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
569.4	OTHER DISORDERS OF RECTUM AND ANUS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
569.5	ABSCESS OF INTESTINE		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
569.8	OTHER		85	1	1	-	-	-	-	-	-	-	-	-	4	9	8	9	8	13	12	12	6	2	-	-
		M	31	1	1	-	-	-	-	-	-	-	-	-	3	5	2	4	2	5	2	3	2	1	-	-
		F	54	-	-	-	-	-	-	-	-	-	-	-	1	4	6	5	6	8	10	9	4	1	-	-
569.9	UNSPECIFIED		35	1	1	-	-	-	-	-	-	-	-	1	-	3	5	3	6	6	2	5	2	-	-	-
		M	19	1	-	-	-	-	-	-	-	-	-	1	-	1	4	1	2	3	2	3	1	-	-	-
		F	16	-	1	-	-	-	-	-	-	-	-	-	-	2	1	2	4	3	-	2	1	-	-	-
570-579	OTHER DISEASES OF DIGESTIVE SYSTEM		5,367	16	7	3	3	2	16	71	164	235	298	434	588	720	746	685	542	327	241	156	88	18	3	4
		M	3,332	13	4	1	1	1	10	43	117	165	203	297	410	459	477	429	317	172	120	60	25	5	1	2
		F	2,035	3	3	2	2	1	6	28	47	70	95	137	178	261	269	256	225	155	121	96	63	13	2	2
570	ACUTE AND SUBACUTE NECROSIS OF LIVER		39	-	1	-	-	1	1	1	1	2	1	2	4	6	4	7	2	3	2	1	-	-	-	-
		M	18	-	1	-	-	1	-	1	-	1	-	-	2	3	-	4	1	2	1	1	-	-	-	-
		F	21	-	-	-	-	-	1	-	1	1	1	2	2	3	4	3	1	1	1	-	-	-	-	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS		4,143	8	2	1	2	1	7	61	145	206	272	390	509	622	629	551	390	182	117	33	11	1	1	2
		M	2,677	6	2	-	1	-	5	35	101	147	187	267	361	399	398	341	240	101	68	12	3	1	-	2
		F	1,466	2	-	1	1	1	2	26	44	59	85	123	148	223	231	210	150	81	49	21	8	-	1	-
571.0	ALCOHOLIC FATTY LIVER		140	-	-	-	-	-	-	5	11	14	12	8	25	13	30	15	4	1	1	-	-	-	-	1
		M	98	-	-	-	-	-	-	1	9	12	9	5	16	8	20	11	4	1	1	-	-	-	-	1
		F	42	-	-	-	-	-	-	4	2	2	3	3	9	5	10	4	-	-	-	-	-	-	-	-
571.1	ACUTE ALCOHOLIC HEPATITIS		96	-	-	-	-	-	2	2	10	7	13	11	12	8	15	10	4	2	-	-	-	-	-	-
		M	50	-	-	-	-	-	2	-	7	4	6	7	6	4	7	5	1	1	-	-	-	-	-	-
		F	46	-	-	-	-	-	-	2	3	3	7	4	6	4	8	5	3	1	-	-	-	-	-	-
571.2	ALCOHOLIC CIRRHOSIS OF LIVER		1,592	1	-	-	-	-	1	17	43	84	125	166	218	258	239	220	136	48	31	4	1	-	-	-
		M	1,103	1	-	-	-	-	1	9	29	59	91	122	160	180	148	146	97	37	21	2	-	-	-	-
		F	489	-	-	-	-	-	-	8	14	25	34	44	58	78	91	74	39	11	10	2	1	-	-	-
571.3	ALCOHOLIC LIVER DAMAGE, UNSPECIFIED		526	1	-	-	-	-	1	14	25	40	37	60	78	85	78	59	37	7	3	1	-	-	-	-
		M	373	1	-	-	-	-	1	10	17	29	25	42	59	60	55	45	23	3	2	1	-	-	-	-
		F	153	-	-	-	-	-	-	4	8	11	12	18	19	25	23	14	14	4	1	-	-	-	-	-
571.4	CHRONIC HEPATITIS		105	-	-	1	-	-	-	1	4	3	3	6	5	8	13	19	20	10	10	2	-	-	-	-
		M	46	-	-	-	-	-	-	1	2	3	2	3	4	2	10	4	8	2	5	-	-	-	-	-
		F	59	-	-	1	-	-	-	-	2	-	1	3	1	6	3	15	12	8	5	2	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
571.5	CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL		1,261	2	1	-	1	1	2	10	26	33	55	95	129	190	194	178	164	101	66	24	8	1	-	-
		M	772	2	1	-	-	-	-	6	18	23	41	61	88	107	124	104	99	51	36	8	2	1	-	-
		F	509	-	-	-	1	1	2	4	8	10	14	34	41	83	70	74	65	50	30	16	6	-	-	-
571.6	BILIARY CIRRHOSIS		52	-	-	-	-	-	-	1	-	1	2	10	4	5	9	9	6	2	2	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
		F	47	-	-	-	-	-	-	1	-	1	2	10	4	4	7	7	6	2	2	1	-	-	-	-
571.8	OTHER CHRONIC NONALCOHOLIC LIVER DISEASE		319	2	1	-	1	-	1	11	26	24	25	34	34	49	47	34	16	9	3	-	-	-	1	1
		M	214	2	1	-	1	-	1	8	19	17	13	27	26	34	31	19	6	5	3	-	-	-	-	1
		F	105	-	-	-	-	-	-	3	7	7	12	7	8	15	16	15	10	4	-	-	-	-	1	-
571.9	UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL		32	2	-	-	-	-	-	-	-	-	-	-	4	6	4	7	3	2	1	1	2	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	2	3	1	5	2	1	-	1	1	-	-	-
		F	16	2	-	-	-	-	-	-	-	-	-	-	2	3	3	2	1	1	1	-	1	-	-	-
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE		257	6	2	1	-	-	3	5	6	12	13	14	32	28	36	30	29	21	7	8	4	-	-	-
		M	153	5	1	-	-	-	3	4	5	7	9	10	18	18	26	15	14	9	3	5	1	-	-	-
		F	104	1	1	1	-	-	-	1	1	5	4	4	14	10	10	15	15	12	4	3	3	-	-	-
572.0	ABSCESS OF LIVER		13	-	-	-	-	-	1	-	-	1	2	1	-	2	1	2	-	1	1	-	1	-	-	-
		M	7	-	-	-	-	-	1	-	-	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	1	-	-	-
572.2	HEPATIC COMA		34	-	-	-	-	-	-	1	1	1	1	2	5	5	6	4	4	2	1	1	-	-	-	-
		M	17	-	-	-	-	-	-	-	1	-	1	1	3	4	2	2	2	1	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	1	-	1	-	1	2	1	4	2	2	1	1	1	-	-	-	-
572.3	PORTAL HYPERTENSION		16	-	-	-	-	-	-	-	-	1	-	2	2	2	2	1	2	2	-	1	1	-	-	-
		M	10	-	-	-	-	-	-	-	-	1	-	2	2	2	2	-	-	-	-	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-
572.4	HEPATORENAL SYNDROME		38	-	1	-	-	-	-	-	-	4	-	1	8	4	4	5	6	3	-	1	1	-	-	-
		M	23	-	-	-	-	-	-	-	-	3	-	1	6	4	3	2	2	2	-	-	-	-	-	-
		F	15	-	1	-	-	-	-	-	-	1	-	-	2	-	1	3	4	1	-	1	1	-	-	-
572.8	OTHER SEQUELAE OF CHRONIC LIVER DISEASE		156	6	1	1	-	-	2	4	5	5	10	8	17	15	23	18	17	13	5	5	1	-	-	-
		M	96	5	1	-	-	-	2	4	4	2	7	6	7	7	18	10	10	6	2	5	-	-	-	-
		F	60	1	-	1	-	-	-	-	1	3	3	2	10	8	5	8	7	7	3	-	1	-	-	-
573	OTHER DISORDERS OF LIVER		113	1	2	-	1	-	1	-	3	5	3	5	8	19	11	15	12	10	5	10	2	-	-	-
		M	70	1	-	-	-	-	1	-	3	4	1	4	5	13	9	12	5	4	2	5	1	-	-	-
		F	43	-	2	-	1	-	-	-	-	1	2	1	3	6	2	3	7	6	3	5	1	-	-	-
573.3	HEPATITIS UNSPECIFIED		55	-	1	-	1	-	1	-	2	3	3	3	1	4	6	7	8	7	3	5	-	-	-	-
		M	29	-	-	-	-	-	1	-	2	2	1	3	-	2	5	5	3	2	1	2	-	-	-	-
		F	26	-	1	-	1	-	-	-	-	1	2	-	1	2	1	2	5	5	2	3	-	-	-	-
573.4	HEPATIC INFARCTION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
573.8	OTHER		11	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	1	3	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-
573.9	UNSPECIFIED		46	1	1	-	-	-	-	-	1	2	-	2	7	12	4	7	3	1	1	2	2	-	-	-
		M	35	1	-	-	-	-	-	-	1	2	-	1	5	9	3	7	1	1	1	2	1	-	-	-
		F	11	-	1	-	-	-	-	-	-	-	-	1	2	3	1	-	2	-	-	-	1	-	-	-
574	CHOLELITHIASIS		139	-	-	-	-	-	-	-	-	2	1	4	4	4	8	13	18	19	25	21	15	4	1	-
		M	53	-	-	-	-	-	-	-	-	-	-	2	2	3	4	8	6	9	10	6	1	2	-	-
		F	86	-	-	-	-	-	-	-	-	2	1	2	2	1	4	5	12	10	15	15	14	2	1	-
574.0	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS		14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	2	2	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	1	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	-	-	-
574.1	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS		31	-	-	-	-	-	-	-	-	1	-	4	1	1	1	3	5	3	5	4	2	-	1	-
		M	12	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	2	3	1	1	-	-	-
		F	19	-	-	-	-	-	-	-	-	1	-	2	1	-	-	2	5	1	2	3	1	-	1	-
574.2	CALCULUS OF GALLBLADDER WITHOUT MENTION OF CHOLECYSTITIS		53	-	-	-	-	-	-	-	-	1	1	-	2	3	2	4	6	9	10	10	4	1	-	-
		M	23	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	3	5	6	2	-	1	-	-
		F	30	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	3	4	4	8	4	-	-	-
574.3	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
574.4	CALCULUS OF BILE DUCT WITH OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	CHOLECYSTITIS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
574.5	CALCULUS OF BILE DUCT WITHOUT MENTION		35	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	4	7	4	7	1	-	-
	OF CHOLECYSTITIS	M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	2	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	2	7	1	-	-
575	OTHER DISORDERS OF GALLBLADDER		134	1	-	1	-	-	1	-	-	1	-	-	4	4	6	13	20	30	20	20	11	-	-	2
		M	65	1	-	1	-	-	1	-	-	1	-	-	1	2	5	9	10	10	8	6	2	-	-	-
		F	69	-	-	-	-	-	-	-	-	-	-	-	3	2	1	4	10	12	12	14	9	-	-	2
575.0	ACUTE CHOLECYSTITIS		45	-	-	-	-	-	1	-	-	-	-	-	-	1	1	4	9	8	9	8	4	-	-	-
		M	20	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	5	5	3	1	1	-	-	-
		F	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	6	7	3	-	-	-
575.1	OTHER CHOLECYSTITIS		40	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	11	5	10	3	-	-	2
		M	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	2	4	1	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	6	2	-	-	2
575.2	OBSTRUCTION OF GALLBLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
575.3	HYDROPS OF GALLBLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
575.4	PERFORATION OF GALLBLADDER		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
575.5	FISTULA OF GALLBLADDER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
575.8	OTHER		7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-
		M	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
575.9	UNSPECIFIED		31	-	-	-	-	-	-	-	-	1	-	-	3	3	3	3	7	6	3	-	2	-	-	-
		M	16	-	-	-	-	-	-	-	-	1	-	-	-	2	3	2	3	3	2	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	4	3	1	-	2	-	-	-
576	OTHER DISORDERS OF BILIARY TRACT		85	-	-	-	-	-	1	1	-	-	1	-	2	3	6	10	14	9	16	12	6	4	-	-
		M	43	-	-	-	-	-	-	-	-	-	1	-	2	1	3	7	9	5	8	5	1	1	-	-
		F	42	-	-	-	-	-	1	1	-	-	-	-	-	2	3	3	5	4	8	7	5	3	-	-
576.1	CHOLANGITIS		52	-	-	-	-	-	1	1	-	-	1	-	1	2	5	8	10	4	11	5	2	1	-	-
		M	25	-	-	-	-	-	-	-	-	-	1	-	1	1	3	5	6	2	5	1	-	-	-	-
		F	27	-	-	-	-	-	1	1	-	-	-	-	-	1	2	3	4	2	6	4	2	1	-	-
576.2	OBSTRUCTION OF BILE DUCT		19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	3	5	2	1	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	1	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	1	-	-	-
576.8	OTHER		13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	2	2	2	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	2	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	-	-
576.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
577	DISEASES OF PANCREAS		226	-	-	-	-	-	1	3	7	5	6	16	20	25	27	32	38	12	15	13	5	1	-	-
		M	137	-	-	-	-	-	-	3	7	3	4	11	15	15	20	22	20	5	5	6	1	-	-	-
		F	89	-	-	-	-	-	1	-	-	2	2	5	5	10	7	10	18	7	10	7	4	1	-	-
577.0	ACUTE PANCREATITIS		183	-	-	-	-	-	1	3	6	3	5	13	16	19	21	20	35	10	14	11	5	1	-	-
		M	110	-	-	-	-	-	-	3	6	2	3	9	13	13	15	13	18	4	4	6	1	-	-	-
		F	73	-	-	-	-	-	1	-	-	1	2	4	3	6	6	7	17	6	10	5	4	1	-	-
577.1	CHRONIC PANCREATITIS		31	-	-	-	-	-	-	-	-	2	1	3	1	4	5	8	2	2	1	2	-	-	-	-
		M	19	-	-	-	-	-	-	-	-	1	1	2	-	1	4	7	1	1	1	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	1	1	-	2	-	-	-	-
577.2	CYST AND PSEUDOCYST OF PANCREAS		5	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
577.8	OTHER DISEASES OF PANCREAS		6	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
577.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
578	GASTROINTESTINAL HAEMORRHAGE		221	-	-	-	-	-	1	-	2	2	1	3	5	8	19	14	18	35	33	37	34	8	1	-
		M	110	-	-	-	-	-	-	-	1	2	1	3	4	4	12	11	11	17	14	13	15	1	1	-
		F	111	-	-	-	-	-	1	-	1	-	-	-	1	4	7	3	7	18	19	24	19	7	-	-
578.0	HAEMATEMESIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
578.1	MELAENA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
578.9	HAEMORRHAGE OF GASTROINTESTINAL TRACT, UNSPECIFIED		219	-	-	-	-	-	1	-	2	2	1	3	5	8	18	14	18	35	32	37	34	8	1	-
		M	110	-	-	-	-	-	-	-	1	2	1	3	4	4	12	11	11	17	14	13	15	1	1	-
		F	109	-	-	-	-	-	1	-	1	-	-	-	1	4	6	3	7	18	18	24	19	7	-	-
579	INTESTINAL MALABSORPTION		10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	1	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
579.0	COELIAC DISEASE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
579.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
580-629	DISEASES OF THE GENITOURINARY SYSTEM		2,494	20	5	1	-	5	13	17	20	23	21	26	56	93	124	193	280	348	473	444	238	71	22	1
		M	1,210	8	1	1	-	3	6	10	9	14	11	19	23	55	64	105	140	178	216	210	102	26	8	1
		F	1,284	12	4	-	-	2	7	7	11	9	10	7	33	38	60	88	140	170	257	234	136	45	14	-
580-589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS		1,214	17	3	-	-	3	7	11	13	13	17	16	32	57	62	119	162	170	216	181	84	24	7	-
		M	630	5	1	-	-	3	5	7	8	9	10	13	13	36	31	64	83	89	106	91	42	11	3	-
		F	584	12	2	-	-	-	2	4	5	4	7	3	19	21	31	55	79	81	110	90	42	13	4	-
580	ACUTE GLOMERULONEPHRITIS		9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	1	1	2	-	-	-
		M	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
580.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
580.9	UNSPECIFIED		8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	1	-	2	-	-	-
		M	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	-	-	2	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
581	NEPHROTIC SYNDROME		13	1	-	-	-	-	-	-	-	1	-	-	2	1	2	-	3	1	-	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	1	1	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-
581.1	WITH LESION OF MEMBRANOUS GLOMERULONEPHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581.3	WITH LESION OF MINIMAL CHANGE GLOMERULONEPHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
581.9	UNSPECIFIED		11	1	-	-	-	-	-	-	-	1	-	-	2	1	1	-	2	1	-	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	1	1	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
582	CHRONIC GLOMERULONEPHRITIS		130	-	-	-	-	-	1	3	3	-	1	2	8	5	7	10	12	13	18	31	13	2	1	-
		M	49	-	-	-	-	-	1	1	3	-	1	2	-	4	3	1	6	5	4	10	6	1	1	-
		F	81	-	-	-	-	-	-	2	-	-	-	-	8	1	4	9	6	8	14	21	7	1	-	-
582.1	WITH LESION OF MEMBRANOUS GLOMERULONEPHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
582.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
582.9	UNSPECIFIED		122	-	-	-	-	-	1	3	3	-	1	2	8	4	7	10	12	11	15	29	13	2	1	-
		M	46	-	-	-	-	-	1	1	3	-	1	2	-	3	3	1	6	3	4	10	6	1	1	-
		F	76	-	-	-	-	-	-	2	-	-	-	-	8	1	4	9	6	8	11	19	7	1	-	-
583	NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC		47	1	-	-	-	-	-	4	-	1	1	-	4	3	2	4	7	10	4	2	3	1	-	-
		M	25	-	-	-	-	-	-	4	-	1	-	-	3	2	-	3	4	5	-	1	2	-	-	-
		F	22	1	-	-	-	-	-	-	-	-	1	-	1	1	2	1	3	5	4	1	1	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
583.0	WITH LESION OF PROLIFERATIVE GLOMERULONEPHRITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
583.1	WITH LESION OF MEMBRANOUS GLOMERULONEPHRITIS		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
583.2	WITH LESION OF MEMBRANOPROLIFERATIVE GLOMERULONEPHRITIS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
583.4	WITH LESION OF RAPIDLY PROGRESSIVE GLOMERULONEPHRITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
583.6	WITH LESION OF RENAL CORTICAL NECROSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
583.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY		7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-
583.9	WITH UNSPECIFIED PATHOLOGICAL LESION IN KIDNEY		31	-	-	-	-	-	-	3	-	1	1	-	3	1	2	2	5	5	3	1	3	1	-	-
		M	16	-	-	-	-	-	-	3	-	1	-	-	2	1	-	1	2	3	-	1	2	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	3	2	3	-	1	1	-	-
584	ACUTE RENAL FAILURE		167	4	-	-	-	-	1	1	2	1	2	3	2	9	5	18	31	24	23	26	10	5	-	-
		M	98	2	-	-	-	-	1	-	1	1	1	2	-	6	4	11	18	15	15	14	5	2	-	-
		F	69	2	-	-	-	-	-	1	1	-	1	1	2	3	1	7	13	9	8	12	5	3	-	-
584.5	WITH LESION OF TUBULAR NECROSIS		28	-	-	-	-	-	1	-	1	-	1	1	-	1	1	2	6	2	4	5	3	-	-	-
		M	16	-	-	-	-	-	1	-	1	-	1	1	-	1	1	2	2	-	2	2	2	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	3	1	-	-	-
584.7	WITH LESION OF RENAL MEDULLARY (PAPILLARY) NECROSIS		2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
584.9	UNSPECIFIED		137	4	-	-	-	-	-	1	1	1	-	2	2	8	3	16	25	22	19	21	7	5	-	-
		M	81	2	-	-	-	-	-	-	-	1	-	1	-	5	2	9	16	15	13	12	3	2	-	-
		F	56	2	-	-	-	-	-	1	1	-	-	1	2	3	1	7	9	7	6	9	4	3	-	-
585	CHRONIC RENAL FAILURE		385	2	-	-	-	2	-	1	2	8	9	5	7	22	29	50	45	58	71	46	21	6	1	-
		M	208	1	-	-	-	2	-	1	1	5	5	4	5	10	16	28	21	33	37	24	12	3	-	-
		F	177	1	-	-	-	-	-	-	1	3	4	1	2	12	13	22	24	25	34	22	9	3	1	-
586	RENAL FAILURE, UNSPECIFIED		446	9	3	-	-	1	3	2	4	1	3	6	9	16	17	36	62	62	94	70	33	10	5	-
		M	225	2	1	-	-	1	1	1	3	1	2	5	4	12	7	20	32	29	46	38	13	5	2	-
		F	221	7	2	-	-	-	2	1	1	-	1	1	5	4	10	16	30	33	48	32	20	5	3	-
587	RENAL SCLEROSIS, UNSPECIFIED		11	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	4	3	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-
		F	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
588	DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION		6	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-
		M	4	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
588.0	RENAL OSTEODYSTROPHY		3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
588.1	NEPHROGENIC DIABETES INSIPIDUS		2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
588.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
590-599	OTHER DISEASES OF URINARY SYSTEM		1,135	3	2	1	-	1	3	5	5	5	3	9	23	31	56	63	101	159	236	234	142	38	14	1
		M	464	3	-	1	-	-	1	3	1	3	1	6	10	15	27	33	41	72	91	94	49	8	4	1
		F	671	-	2	-	-	1	2	2	4	2	2	3	13	16	29	30	60	87	145	140	93	30	10	-
590	INFECTIONS OF KIDNEY		251	-	1	-	-	1	-	1	3	3	-	2	8	6	16	7	33	31	47	54	27	10	1	-
		M	84	-	-	-	-	-	-	-	-	2	-	1	2	4	5	3	13	12	16	16	8	2	-	-
		F	167	-	1	-	-	1	-	1	3	1	-	1	6	2	11	4	20	19	31	38	19	8	1	-
590.0	CHRONIC PYELONEPHRITIS AND CHRONIC PYONEPHROSIS		62	-	-	-	-	-	-	-	-	-	-	-	2	1	6	3	6	8	10	13	9	4	-	-
		M	26	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	5	6	3	2	-	-
		F	36	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	3	4	5	7	6	2	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
590.1	ACUTE PYELONEPHRITIS AND ACUTE		56	-	1	-	-	-	-	-	3	1	-	-	3	1	3	-	10	6	11	10	6	1	-	-
	PYONEPHROSIS	M	16	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	2	4	2	1	-	-	-
		F	40	-	1	-	-	-	-	-	3	-	-	-	2	-	2	-	7	4	7	8	5	1	-	-
590.2	RENAL AND PERINEPHRIC ABSCESS		16	-	-	-	-	1	-	-	-	2	-	-	-	1	2	-	3	-	3	2	-	2	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-
		F	11	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	3	-	2	2	-	2	-	-
590.3	PYELOURETERITIS CYSTICA		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
590.8	PYELONEPHRITIS OR PYONEPHROSIS, NOT		112	-	-	-	-	-	-	1	-	-	-	2	3	3	5	3	14	16	23	27	11	3	1	-
	SPECIFIED AS ACUTE OR CHRONIC	M	35	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	7	6	6	7	4	-	-	-
		F	77	-	-	-	-	-	-	1	-	-	-	1	3	1	4	2	7	10	17	20	7	3	1	-
590.9	INFECTION OF KIDNEY, UNSPECIFIED		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
591	HYDRONEPHROSIS		7	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
592	CALCULUS OF KIDNEY AND URETER		43	-	-	-	-	-	-	-	1	-	-	-	-	3	2	4	7	3	9	8	5	-	1	-
		M	11	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	3	1	2	-	-	-	-	-
		F	32	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	4	2	7	8	5	-	1	-
592.0	CALCULUS OF KIDNEY		34	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	2	8	7	4	-	1	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	2	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	6	7	4	-	1	-
592.1	CALCULUS OF URETER		6	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-
592.9	URINARY CALCULUS, UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
593	OTHER DISORDERS OF KIDNEY AND URETER		116	2	-	1	-	-	1	3	-	2	2	5	8	7	10	11	13	19	10	12	6	4	-	-
		M	58	2	-	1	-	-	-	2	-	1	1	3	2	1	6	6	9	8	5	8	2	1	-	-
		F	58	-	-	-	-	-	1	1	-	1	1	2	6	6	4	5	4	11	5	4	4	3	-	-
593.2	CYST OF KIDNEY, ACQUIRED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
593.4	OTHER URETERIC OBSTRUCTION		10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	2	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	-	-	-
593.7	VESICOURETERIC REFLUX		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
593.8	OTHER		14	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	-	5	-	-	-	-
		M	10	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	5	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
593.9	UNSPECIFIED		90	-	-	1	-	-	1	3	-	2	1	5	7	6	9	8	9	17	8	5	4	4	-	-
		M	43	-	-	1	-	-	-	2	-	1	1	3	2	1	5	5	6	8	4	1	2	1	-	-
		F	47	-	-	-	-	-	1	1	-	1	-	2	5	5	4	3	3	9	4	4	2	3	-	-
594	CALCULUS OF LOWER URINARY TRACT		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
594.1	OTHER CALCULUS IN BLADDER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
595	CYSTITIS		20	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	3	4	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	1	-	-	-	-
		F	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	4	1	-	-
595.0	ACUTE CYSTITIS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-
595.2	OTHER CHRONIC CYSTITIS		5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
595.9	UNSPECIFIED		9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	3	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-
596	OTHER DISORDERS OF BLADDER		21	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	8	1	3	-	-	-
		M	13	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	6	-	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	-	-
596.0	BLADDER-NECK OBSTRUCTION		7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
596.1	INTESTINOVESICAL FISTULA		7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	-	2	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
596.3	DIVERTICULUM OF BLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
596.4	ATONY OF BLADDER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
596.5	OTHER FUNCTIONAL DISORDERS OF BLADDER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
596.6	RUPTURE OF BLADDER, NONTRAUMATIC		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
596.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
597	URETHRITIS, NOT SEXUALLY TRANSMITTED, AND URETHRAL SYNDROME		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
597.0	URETHRAL ABSCESS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
598	URETHRAL STRICTURE		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
598.9	UNSPECIFIED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT		667	-	-	-	-	-	2	1	-	-	1	2	6	12	25	39	45	101	153	151	93	23	12	1
		M	278	-	-	-	-	-	1	1	-	-	-	2	5	6	13	20	15	49	56	65	35	5	4	1
		F	389	-	-	-	-	-	1	-	-	-	1	-	1	6	12	19	30	52	97	86	58	18	8	-
599.0	URINARY TRACT INFECTION, SITE NOT SPECIFIED		634	-	-	-	-	-	1	1	-	-	1	2	5	11	24	37	43	95	148	144	88	21	12	1
		M	254	-	-	-	-	-	-	1	-	-	-	2	5	5	12	18	14	44	53	59	32	4	4	1
		F	380	-	-	-	-	-	1	-	-	-	1	-	-	6	12	19	29	51	95	85	56	17	8	-
599.3	URETHRAL CARUNCLE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
599.6	URINARY OBSTRUCTION, UNSPECIFIED		26	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	2	6	4	5	3	1	-	-
		M	21	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	5	2	5	3	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-
599.7	HAEMATURIA		3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
599.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
599.9	UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
600-608	DISEASES OF MALE GENITAL ORGANS		116	-	-	-	-	-	-	-	-	2	-	-	-	4	6	8	16	17	19	25	11	7	1	-
		M	116	-	-	-	-	-	-	-	-	2	-	-	-	4	6	8	16	17	19	25	11	7	1	-
600	HYPERPLASIA OF PROSTATE		85	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	12	12	14	22	9	7	1	-
		M	85	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	12	12	14	22	9	7	1	-
601	INFLAMMATORY DISEASES OF PROSTATE		8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	2	1	1	-	-	-
		M	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	2	1	1	-	-	-
601.0	ACUTE PROSTATITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
601.1	CHRONIC PROSTATITIS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
601.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-
602	OTHER DISORDERS OF PROSTATE		16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	5	2	1	1	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	5	2	1	1	-	-	-
602.9	UNSPECIFIED		16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	5	2	1	1	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	5	2	1	1	-	-	-
604	ORCHITIS AND EPIDIDYMITIS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
604.9	ORCHITIS, EPIDIDYMITIS AND EPIDIDYMO-ORCHITIS, WITHOUT MENTION OF ABSCESS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
608	OTHER DISORDERS OF MALE GENITAL ORGANS		5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-
608.4	OTHER INFLAMMATORY DISORDERS OF MALE GENITAL ORGANS		4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
608.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
614-616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS		18	-	-	-	-	1	2	-	1	2	1	1	1	1	-	2	-	-	2	3	-	1	-	-
		F	18	-	-	-	-	1	2	-	1	2	1	1	1	1	-	2	-	-	2	3	-	1	-	-
614	INFLAMMATORY DISEASE OF OVARY, FALLOPIAN TUBE, PELVIC CELLULAR TISSUE AND PERITONEUM		13	-	-	-	-	-	2	-	1	2	1	1	-	1	-	2	-	-	1	2	-	-	-	-
		F	13	-	-	-	-	-	2	-	1	2	1	1	-	1	-	2	-	-	1	2	-	-	-	-
614.1	CHRONIC SALPINGITIS AND OOPHORITIS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
614.2	SALPINGITIS AND OOPHORITIS, NOT SPECIFIED AS ACUTE, SUBACUTE OR CHRONIC		5	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
614.4	CHRONIC OR UNSPECIFIED PARAMETRITIS AND PELVIC CELLULITIS		6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	2	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	2	-	-	-	-
614.9	UNSPECIFIED INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS AND TISSUES		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
615	INFLAMMATORY DISEASES OF UTERUS, EXCEPT CERVIX		5	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-
		F	5	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-
615.0	ACUTE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
615.9	UNSPECIFIED		3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
617-629	OTHER DISORDERS OF FEMALE GENITAL TRACT		11	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	2	-	1	1	1	-	-
		F	11	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	2	-	1	1	1	-	-
618	GENITAL PROLAPSE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
618.0	PROLAPSE OF VAGINAL WALLS, WITHOUT MENTION OF UTERINE PROLAPSE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
618.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
619	FISTULAE INVOLVING FEMALE GENITAL TRACT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
619.1	DIGESTIVE - GENITAL TRACT FISTULAE, FEMALE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
620	NONINFLAMMATORY DISORDERS OF OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT		6	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-
		F	6	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-
620.2	OTHER AND UNSPECIFIED OVARIAN CYST		4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-
620.9	UNSPECIFIED		2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
626	DISORDERS OF MENSTRUATION AND OTHER ABNORMAL BLEEDING FROM FEMALE GENITAL TRACT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
626.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
629	OTHER DISORDERS OF FEMALE GENITAL ORGANS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
629.9	UNSPECIFIED		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM		43	-	-	-	-	4	10	12	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	43	-	-	-	-	4	10	12	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639	PREGNANCY WITH ABORTIVE OUTCOME		8	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633	ECTOPIC PREGNANCY		6	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.1	TUBAL PREGNANCY		5	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.9	UNSPECIFIED		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634	SPONTANEOUS ABORTION		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634.3	COMPLICATED BY RENAL FAILURE (ANY CONDITION LISTED IN 639.3)		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
636	ILLEGALLY INDUCED ABORTION		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
636.1	COMPLICATED BY DELAYED OR EXCESSIVE HAEMORRHAGE (ANY CONDITION LISTED IN 639.1)		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-648	COMPLICATIONS MAINLY RELATED TO PREGNANCY		14	-	-	-	-	2	-	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	2	-	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
641	ANTEPARTUM HAEMORRHAGE, ABRUPTIO PLACENTAE, AND PLACENTA PRAEVIA		2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642	HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM		10	-	-	-	-	2	-	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	2	-	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
642.0	BENIGN ESSENTIAL HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM		2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.4	MILD OR UNSPECIFIED PRE-ECLAMPSIA		3	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
642.5	SEVERE PRE-ECLAMPSIA		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.6	ECLAMPSIA		4	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646	OTHER COMPLICATIONS OF PREGNANCY, NOT ELSEWHERE CLASSIFIED		2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646.6	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646.7	LIVER DISORDERS IN PREGNANCY		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-659	NORMAL DELIVERY, AND OTHER INDICATIONS FOR CARE IN PREGNANCY, LABOUR AND DELIVERY		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
658	OTHER PROBLEMS ASSOCIATED WITH AMNIOTIC CAVITY AND MEMBRANES		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-669	COMPLICATIONS OCCURING MAINLY IN THE COURSE OF LABOUR AND DELIVERY		11	-	-	-	-	-	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
665	OTHER OBSTETRICAL TRAUMA		3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
666	POSTPARTUM HAEMORRHAGE		4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
668	COMPLICATIONS OF THE ADMINISTRATION OF ANAESTHETIC OR OTHER SEDATION IN LABOUR AND DELIVERY		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
669	OTHER COMPLICATIONS OF LABOUR AND DELIVERY, NOT ELSEWHERE CLASSIFIED		3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
670-676	COMPLICATIONS OF THE PUERPERIUM		9	-	-	-	-	1	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	1	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
670	MAJOR PUERPERAL INFECTION		2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
673	OBSTETRICAL PULMONARY EMBOLISM		7	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE		204	-	-	-	-	2	2	3	1	1	4	1	4	5	17	18	24	22	30	37	18	14	1	-
		M	81	-	-	-	-	2	-	-	-	-	3	-	1	3	11	9	10	14	12	8	6	2	-	-
		F	123	-	-	-	-	-	2	3	1	1	1	1	3	2	6	9	14	8	18	29	12	12	1	-
680-686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE		56	-	-	-	-	2	-	1	-	-	2	1	2	3	9	8	7	3	2	9	5	2	-	-
		M	21	-	-	-	-	2	-	-	-	-	2	-	-	1	6	4	1	1	-	1	2	1	-	-
		F	35	-	-	-	-	-	-	1	-	-	-	1	2	2	3	4	6	2	2	8	3	1	-	-
680	CARBUNCLE AND FURUNCLE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
680.1	NECK		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
680.6	LEG, EXCEPT FOOT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
682	OTHER CELLULITIS AND ABSCESS		46	-	-	-	-	1	-	-	-	-	2	1	2	3	5	7	6	3	2	7	5	2	-	-
		M	15	-	-	-	-	1	-	-	-	-	2	-	-	1	3	3	1	1	-	-	2	1	-	-
		F	31	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	5	2	2	7	3	1	-	-
682.0	FACE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
682.1	NECK		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
682.2	TRUNK		7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	2	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-
682.3	UPPER ARM AND FOREARM		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
682.6	LEG, EXCEPT FOOT		17	-	-	-	-	-	-	-	-	-	1	-	1	1	1	6	1	2	2	1	-	1	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	1	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	2	1	-	-	-	-
682.7	FOOT, EXCEPT TOES		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
682.9	UNSPECIFIED SITE		15	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	1	-	3	3	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	-	3	2	-	-	-
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE		8	-	-	-	-	1	-	1	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-
		M	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
686.0	PYODERMA		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
686.9	UNSPECIFIED LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE		7	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
690-698	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE		32	-	-	-	-	-	2	-	1	1	1	-	1	-	1	4	6	1	5	6	1	2	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-	-	-
		F	23	-	-	-	-	-	2	-	1	1	1	-	1	-	1	4	5	-	2	3	-	2	-	-
692	CONTACT DERMATITIS AND OTHER ECZEMA		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
692.9	UNSPECIFIED CAUSE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
693	DERMATITIS DUE TO SUBSTANCE TAKEN INTERNALLY		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
693.0	DUE TO DRUGS AND MEDICAMENTS		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
694	BULLOUS DERMATOSES		15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	4	5	-	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	2	2	-	1	-	-
694.4	PEMPHIGUS		8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	1	-	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	1	-	-
694.5	PEMPHIGOID		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
695	ERYTHEMATOUS CONDITIONS		8	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	7	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-
695.1	ERYTHEMA MUITIFORME		3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
695.4	LUPUS ERYTHEMATOSUS		3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
695.8	OTHER ERYTHEMATOSUS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
696	PSORIASIS AND SIMILAR DISORDERS		3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
696.0	PSORIATIC ARTHROPATHY		2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
696.1	OTHER PSORIASIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
698	PRURITUS AND RELATED CONDITIONS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
698.3	LICHENIFICATION AND LICHEN SIMPLEX CHRONICUS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
700-709	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE		116	-	-	-	-	-	-	2	-	-	1	-	1	2	7	6	11	18	23	22	12	10	1	-
		M	51	-	-	-	-	-	-	-	-	-	1	-	1	2	5	5	8	12	9	4	3	1	-	-
		F	65	-	-	-	-	-	-	2	-	-	-	-	-	-	2	1	3	6	14	18	9	9	1	-
706	DISEASES OF SEBACEOUS GLANDS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
706.1	OTHER ACNE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
707	CHRONIC ULCER OF SKIN		114	-	-	-	-	-	-	1	-	-	1	-	1	2	6	6	11	18	23	22	12	10	1	-
		M	50	-	-	-	-	-	-	-	-	-	1	-	1	2	4	5	8	12	9	4	3	1	-	-
		F	64	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	3	6	14	18	9	9	1	-
707.0	DECUBITUS ULCER		100	-	-	-	-	-	-	1	-	-	-	-	-	2	3	6	10	16	21	19	12	9	1	-
		M	43	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	8	11	7	4	3	1	-	-
		F	57	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	5	14	15	9	8	1	-
707.1	ULCER OF LOWER LIMBS, EXCEPT DECUBITUS		8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	2	-	1	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
707.8	CHRONIC ULCER OF OTHER SPECIFIED SITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
707.9	CHRONIC ULCER OF UNSPECIFIED SITE		5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
709	OTHER DISORDERS OF SKIN AND SUBCUTANEOUS TISSUE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
709.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE		573	1	-	-	-	6	12	12	14	19	18	10	35	37	46	74	59	69	63	54	30	14	-	-
		M	137	1	-	-	-	2	-	2	1	3	4	4	10	10	15	21	11	20	15	9	6	3	-	-
		F	436	-	-	-	-	4	12	10	13	16	14	6	25	27	31	53	48	49	48	45	24	11	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
710-719	ARTHROPATHIES AND RELATED DISORDERS		425	-	-	-	-	5	12	11	13	17	15	7	33	31	38	57	46	48	38	31	16	7	-	-
		M	82	-	-	-	-	1	-	1	-	1	2	2	8	6	13	14	8	12	7	3	3	1	-	-
		F	343	-	-	-	-	4	12	10	13	16	13	5	25	25	25	43	38	36	31	28	13	6	-	-
710	DIFFUSE DISEASES OF CONNECTIVE TISSUE		217	-	-	-	-	5	12	11	13	16	13	6	30	23	12	29	14	14	11	7	-	1	-	-
		M	33	-	-	-	-	1	-	1	-	1	1	1	6	4	4	7	2	4	1	-	-	-	-	-
		F	184	-	-	-	-	4	12	10	13	15	12	5	24	19	8	22	12	10	10	7	-	1	-	-
710.0	SYSTEMIC LUPUS ERYTHEMATOSUS		114	-	-	-	-	5	10	7	9	9	9	2	18	14	3	15	4	4	1	4	-	-	-	-
		M	18	-	-	-	-	1	-	-	-	-	1	-	5	2	3	3	1	2	-	-	-	-	-	-
		F	96	-	-	-	-	4	10	7	9	9	8	2	13	12	-	12	3	2	1	4	-	-	-	-
710.1	SYSTEMIC SCLEROSIS		68	-	-	-	-	-	2	2	4	6	4	2	10	4	6	9	7	5	6	-	-	1	-	-
		M	7	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	-	1	-	-	-	-	-	-
		F	61	-	-	-	-	-	2	2	4	5	4	1	9	3	6	7	7	4	6	-	-	1	-	-
710.2	SICCA SYNDROME		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
710.3	DERMATOMYOSITIS		7	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
710.4	POLYMYOSITIS		17	-	-	-	-	-	-	-	-	1	-	2	1	2	-	1	2	3	3	2	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	1	-	2	1	2	-	1	2	2	2	2	-	-	-	-
710.8	OTHER		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
710.9	UNSPECIFIED		8	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	1	-	-	-	-
711	ARTHROPATHY ASSOCIATED WITH INFECTIONS		8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	2	-	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
711.0	PYOGENIC ARTHRITIS		8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	2	-	1	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES		137	-	-	-	-	-	-	-	-	1	1	1	3	6	23	23	25	23	11	16	3	1	-	-
		M	29	-	-	-	-	-	-	-	-	-	-	1	2	-	8	5	5	4	2	2	-	-	-	-
		F	108	-	-	-	-	-	-	-	-	1	1	-	1	6	15	18	20	19	9	14	3	1	-	-
714.0	RHEUMATOID ARTHRITIS		123	-	-	-	-	-	-	-	-	1	1	1	3	5	18	20	23	21	11	15	3	1	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	1	2	-	5	3	4	4	2	1	-	-	-	-
		F	101	-	-	-	-	-	-	-	-	1	1	-	1	5	13	17	19	17	9	14	3	1	-	-
714.1	FELTY'S SYNDROME		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
714.2	OTHER RHEUMATOID ARTHRITIS WITH VISCERAL OR SYSTEMIC INVOLVEMENT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
714.8	OTHER		9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
715	OSTEOARTHROSIS AND ALLIED DISORDERS		40	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	5	10	4	8	3	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	2	-	-	-
		F	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	8	4	6	3	-	-
715.3	LOCALIZED, NOT SPECIFIED WHETHER PRIMARY OR SECONDARY		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
715.9	UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED		35	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	5	4	8	4	8	3	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	2	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	7	4	6	3	-	-
716	OTHER AND UNSPECIFIED ARTHROPATHIES		21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	4	4	2	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	4	1	-	-
716.9	UNSPECIFIED		21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	4	4	2	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	4	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
718	OTHER DERANGEMENT OF JOINT		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
718.2	PATHOLOGICAL DISLOCATION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
718.4	CONTRACTURE OF JOINT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
720-724	DORSOPATHIES		16	-	-	-	-	-	-	-	-	2	-	-	1	1	1	3	2	4	-	1	1	-	-	-
		M	11	-	-	-	-	-	-	-	-	2	-	-	1	1	1	3	1	1	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-
720	ANKYLOSING SPONDYLITIS AND OTHER INFLAMMATORY SPONDYLOPATHIES		6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
720.0	ANKYLOSING SPONDYLITIS		6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	1	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
721	SPONDYLOSIS AND ALLIED DISORDERS		5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
721.0	CERVICAL SPONDYLOSIS WITHOUT MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
721.1	CERVICAL SPONDYLOSIS WITH MYELOPATHY		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
721.9	SPONDYLOSIS OF UNSPECIFIED SITE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
722	INTERVERTEBRAL DISC DISORDERS		4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
722.1	DISPLACEMENT OF THORACIC OR LUMBAR INTERVERTEBRAL DISC WITHOUT MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
722.2	DISPLACEMENT OF INTERVERTEBRAL DISC, SITE UNSPECIFIED, WITHOUT MYELOPATHY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
722.4	DEGENERATION OF CERVICAL INTERVERTEBRAL DISC		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
722.6	DEGENERATION OF INTERVERTEBRAL DISC, SITE UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
724	OTHER AND UNSPECIFIED DISORDERS OF BACK		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
724.0	SPINAL STENOSIS, OTHER THAN CERVICAL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
725-729	RHEUMATISM, EXCLUDING THE BACK		25	1	-	-	-	-	-	-	-	-	2	2	-	2	3	3	3	4	3	1	1	-	-	-
		M	15	1	-	-	-	-	-	-	-	-	1	1	-	2	1	2	1	3	2	1	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	1	1	-	1	-	-	-
725	POLYMYALGIA RHEUMATICA		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
727	OTHER DISORDERS OF SYNOVIUM, TENDON AND BURSA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
727.0	SYNOVITIS AND TENOSYNOVITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
727.3	OTHER BURSITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
728	DISORDERS OF MUSCLE, LIGAMENT AND FASCIA		11	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	-	-	-	-	-
		M	9	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
728.2	MUSCULAR WASTING AND DISUSE ATROPHY, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
728.3	OTHER SPECIFIC MUSCLE DISORDERS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
728.8	OTHER DISORDERS OF MUSCLE, LIGAMENT AND FASCIA		8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	2	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
728.9	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
729	OTHER DISEASES OF SOFT TISSUES		8	-	-	-	-	-	-	-	-	-	2	2	-	-	3	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-
729.3	PANNICULITIS, UNSPECIFIED		2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
729.4	FASCIITIS, UNSPECIFIED		6	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
730-739	OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES		107	-	-	-	-	1	-	1	1	-	1	1	1	3	4	11	8	13	22	21	12	7	-	-
		M	29	-	-	-	-	1	-	1	1	-	1	1	1	1	-	2	1	4	6	4	3	2	-	-
		F	78	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	7	9	16	17	9	5	-	-
730	OSTEOMYELITIS, PERIOSTITIS AND OTHER INFECTIONS INVOLVING BONE		27	-	-	-	-	-	-	1	1	-	1	-	1	-	2	5	1	5	4	3	3	-	-	-
		M	15	-	-	-	-	-	-	1	1	-	1	-	1	-	-	2	-	3	3	2	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	1	2	-	-	-
730.0	ACUTE OSTEOMYELITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
730.1	CHRONIC OSTEOMYELITIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
730.2	UNSPECIFIED OSTEOMYELITIS		25	-	-	-	-	-	-	1	1	-	1	-	1	-	2	4	1	4	4	3	3	-	-	-
		M	14	-	-	-	-	-	-	1	1	-	1	-	1	-	-	2	-	2	3	2	1	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	1	2	-	-	-
731	OSTEITIS DEFORMANS AND OSTEOPATHIES ASSOCIATED WITH OTHER DISORDERS CLASSIFIED ELSEWHERE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-
731.0	OSTEITIS DEFORMANS WITHOUT MENTION OF BONE TUMOUR		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-
732	OSTEOCHONDROPATHIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
732.0	JUVENILE OSTEOCHONDROSIS OF SPINE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
733	OTHER DISORDERS OF BONE AND CARTILAGE		48	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	3	12	15	5	4	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	-	-
		F	40	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	10	13	4	3	-	-
733.0	OSTEOPOROSIS		37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	10	13	4	4	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-
		F	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	8	11	3	3	-	-
733.1	PATHOLOGICAL FRACTURE		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-
733.9	OTHER AND UNSPECIFIED		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
737	CURVATURE OF SPINE		23	-	-	-	-	1	-	-	-	-	-	1	-	3	1	2	1	4	4	2	3	1	-	-
		M	5	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	4	3	2	2	1	-	-
737.1	KYPHOSIS (ACQUIRED)		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-
737.3	KYPHOSCOLIOSIS AND SCOLIOSIS		18	-	-	-	-	1	-	-	-	-	-	1	-	3	1	2	-	3	3	2	1	1	-	-
		M	5	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	2	2	-	1	-	-
738	OTHER ACQUIRED DEFORMITY		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
738.3	ACQUIRED DEFORMITY OF CHEST AND RIB		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES		1,545	1,039	97	34	32	32	37	34	22	22	16	20	22	21	26	18	19	21	13	11	5	1	-	3
		M	818	546	53	17	20	16	22	19	13	12	12	11	11	12	12	11	8	10	6	4	1	-	-	2
		F	727	493	44	17	12	16	15	15	9	10	4	9	11	9	14	7	11	11	7	7	4	1	-	1
740	ANENCEPHALUS AND SIMILAR ANOMALIES		112	110	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	55	54	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	57	56	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740.0	ANENCEPHALUS		112	110	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	55	54	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	57	56	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
741	SPINA BIFIDA		28	22	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
		M	15	11	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	13	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
741.0	WITH HYDROCEPHALUS		21	15	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
		M	13	9	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
741.9	WITHOUT MENTION OF HYDROCEPHALUS		7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM		117	69	10	5	6	4	7	2	2	-	1	-	1	3	2	3	-	-	1	1	-	-	-	-
		M	62	37	3	4	4	2	5	1	1	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-
		F	55	32	7	1	2	2	2	1	1	-	-	-	-	1	2	2	-	-	1	1	-	-	-	-
742.0	ENCEPHALOCELE		12	11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.1	MICROCEPHALUS		7	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.2	REDUCTION DEFORMITIES OF BRAIN		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
742.3	CONGENITAL HYDROCEPHALUS		46	29	4	1	3	1	1	-	1	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-
		M	27	16	2	-	3	1	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
		F	19	13	2	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
742.4	OTHER SPECIFIED ANOMALIES OF BRAIN		9	4	1	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	5	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
742.5	OTHER SPECIFIED ANOMALIES OF SPINAL CORD		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
742.8	OTHER SPECIFIED ANOMALIES OF NERVOUS SYSTEM		6	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
742.9	UNSPECIFIED ANOMALIES OF BRAIN, SPINAL CORD AND NERVOUS SYSTEM		31	14	2	4	2	2	1	2	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
		M	18	8	1	4	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	13	6	1	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
744	CONGENITAL ANOMALIES OF EAR, FACE AND NECK		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
744.9	UNSPECIFIED ANOMALIES OF FACE AND NECK		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE		175	86	27	9	3	4	4	7	3	4	4	2	3	5	4	2	4	2	-	2	-	-	-	-
		M	89	42	16	4	3	4	2	2	2	2	3	1	2	2	-	2	-	1	-	1	-	-	-	-
		F	86	44	11	5	-	-	2	5	1	2	1	1	1	3	4	-	4	1	-	1	-	-	-	-
745.0	COMMON TRUNCUS		14	12	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.1	TRANSPOSITION OF GREAT VESSELS		32	22	5	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	13	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	9	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
745.2	TETRALOGY OF FALLOT		22	8	5	3	-	1	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	5	4	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	3	1	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
745.3	COMMON VENTRICLE		11	6	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.4	VENTRICULAR SEPTAL DEFECT		37	12	6	2	-	1	1	3	1	1	1	-	3	2	1	-	2	1	-	-	-	-	-	-
		M	17	5	3	-	-	1	-	1	1	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-
		F	20	7	3	2	-	-	1	2	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-
745.5	OSTIUM SECUNDUM TYPE ARTRIAL SEPTAL DEFECT		29	6	2	-	1	1	-	1	1	1	3	-	-	3	3	2	2	1	-	2	-	-	-	-
		M	13	3	2	-	1	1	-	-	-	-	2	-	-	1	-	2	-	-	-	1	-	-	-	-
		F	16	3	-	-	-	-	-	1	1	1	1	-	-	2	3	-	2	1	-	1	-	-	-	-
745.6	ENDOCARDIAL CUSHION DEFECTS		29	19	6	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	5	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	19	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745.9	UNSPECIFIED DEFECT OF SEPTAL CLOSURE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746	OTHER CONGENITAL ANOMALIES OF HEART		366	236	24	12	10	16	7	7	7	8	3	3	8	2	2	-	4	10	4	2	-	1	-	-
		M	201	137	14	8	6	4	4	3	2	5	3	2	3	1	1	-	2	4	1	1	-	-	-	-
		F	165	99	10	4	4	12	3	4	5	3	-	1	5	1	1	-	2	6	3	1	-	1	-	-
746.0	ANOMALIES OF PULMONARY VALVE		11	6	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	8	5	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
746.1	TRICUSPID ATRESIA AND STENOSIS, CONGENITAL		5	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.2	EBSTEIN'S ANOMALY		4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.3	CONGENITAL STENOSIS OF AORTIC VALVE		18	6	1	2	1	-	-	1	-	-	-	-	1	-	1	-	1	2	1	1	-	-	-	-
		M	11	3	-	2	1	-	-	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
		F	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
746.4	CONGENITAL INSUFFICIENCY OF AORTIC VALVE		8	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	3	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
746.5	CONGENITAL MITRAL STENOSIS		3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
746.6	CONGENITAL MITRAL INSUFFICIENCY		3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.7	HYPOPLASTIC LEFT HEART SYNDROME		90	87	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	54	53	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	36	34	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746.8	OTHER SPECIFIED ANOMALIES OF HEART		48	17	2	2	1	5	1	1	2	3	3	2	2	2	1	-	2	1	1	-	-	-	-	-
		M	29	12	1	2	1	1	-	-	-	2	3	1	2	1	1	-	1	1	-	-	-	-	-	-
		F	19	5	1	-	-	4	1	1	2	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-
746.9	UNSPECIFIED ANOMALIES OF HEART		176	114	17	5	7	8	5	4	3	5	-	-	4	-	-	-	-	3	-	-	-	1	-	-
		M	90	61	11	4	3	3	3	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	86	53	6	1	4	5	2	3	2	2	-	-	4	-	-	-	-	3	-	-	-	1	-	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM		178	90	9	2	2	4	7	11	6	5	2	8	4	5	4	7	2	6	2	1	1	-	-	-
		M	89	39	5	-	-	2	5	8	6	3	1	5	1	3	3	3	2	3	-	-	-	-	-	-
		F	89	51	4	2	2	2	2	3	-	2	1	3	3	2	1	4	-	3	2	1	1	-	-	-
747.0	PATENT DUCTUS ARTERIOSUS		21	16	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	7	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
747.1	COARCTATION OF AORTA		27	21	1	-	-	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	15	9	1	-	-	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747.2	OTHER ANOMALIES OF AORTA		3	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
747.3	ANOMALIES OF PULMONARY ARTERY		16	10	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747.4	ANOMALIES OF GREAT VEINS		12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747.6	OTHER ANOMALIES OF PERIPHERAL VASCULAR SYSTEM		44	1	2	1	1	-	4	7	2	2	1	1	2	3	3	5	1	5	1	1	1	-	-	-
		M	26	-	1	-	-	-	4	5	2	1	1	-	1	2	2	3	1	3	-	-	-	-	-	-
		F	18	1	1	1	1	-	-	2	-	1	-	1	1	1	1	2	-	2	1	1	1	-	-	-
747.8	OTHER SPECIFIED ANOMALIES OF CIRCULATORY SYSTEM		27	1	-	-	1	2	2	3	4	2	1	5	2	1	-	1	1	-	1	-	-	-	-	-
		M	13	1	-	-	-	-	-	2	4	1	-	4	-	-	-	-	1	-	-	-	-	-	-	-
		F	14	-	-	-	1	2	2	1	-	1	1	1	2	1	-	1	-	-	1	-	-	-	-	-
747.9	UNSPECIFIED ANOMALIES OF CIRCULATORY SYSTEM		28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM		94	90	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
		M	56	54	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
		F	38	36	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.0	CHOANAL ATRESIA		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.3	OTHER ANOMALIES OF LARYNX, TRACHEA AND BRONCHUS		7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.5	AGENESIS, HYPOPLASIA AND DYSPLASIA OF LUNG		77	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	47	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748.6	OTHER ANOMALIES OF LUNG		9	7	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749	CLEFT PALATE AND CLEFT LIP		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749.0	CLEFT PALATE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT		15	10	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-
		M	8	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
750.1	OTHER ANOMALIES OF TONGUE		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750.3	TRACHEO-OESOPHAGEAL FISTULA, OESOPHAGEAL ATRESIA AND STENOSIS		10	8	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750.4	OTHER SPECIFIED ANOMALIES OF OESOPHAGUS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
750.9	UNSPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM		42	22	6	2	-	-	-	1	1	1	-	-	1	-	-	-	2	2	3	1	-	-	-	-
		M	25	14	1	1	-	-	-	-	1	1	-	-	-	-	-	-	1	2	3	1	-	-	-	-
		F	17	8	5	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
751.0	MECKEL'S DIVERTICULUM		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
751.1	ATRESIA AND STENOSIS OF SMALL INTESTINE		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.3	HIRSCHSPRUNG'S DISEASE AND OTHER CONGENITAL FUNCTIONAL DISORDERS OF COLON		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.4	ANOMALIES OF INTESTINAL FIXATION		6	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	5	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
751.5	OTHER ANOMALIES OF INTESTINE		5	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
751.6	ANOMALIES OF GALLBLADDER, BILE DUCTS AND LIVER		23	13	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
		M	11	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
		F	12	7	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.8	OTHER SPECIFIED ANOMALIES OF DIGESTIVE SYSTEM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
751.9	UNSPECIFIED ANOMALIES OF DIGESTIVE SYSTEM		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
752	CONGENITAL ANOMALIES OF GENITAL ORGANS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
752.8	OTHER SPECIFIED ANOMALIES OF GENITAL ORGANS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753	CONGENITAL ANOMALIES OF URINARY SYSTEM		83	42	2	-	-	-	2	-	-	-	1	2	4	4	11	3	5	1	2	2	2	-	-	-
		M	47	25	2	-	-	-	-	-	-	-	1	1	3	3	5	2	2	-	2	-	1	-	-	-
		F	36	17	-	-	-	-	2	-	-	-	-	1	1	1	6	1	3	1	-	2	1	-	-	-
753.0	RENAL AGENESIS AND DYSGENESIS		38	35	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	22	21	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	16	14	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
753.1	CYSTIC KIDNEY DISEASE		39	4	-	-	-	-	-	-	-	-	1	2	3	3	11	3	5	1	2	2	2	-	-	-
		M	21	2	-	-	-	-	-	-	-	-	1	1	2	3	5	2	2	-	2	-	1	-	-	-
		F	18	2	-	-	-	-	-	-	-	-	-	1	1	-	6	1	3	1	-	2	1	-	-	-
753.2	OBSTRUCTIVE DEFECTS OF RENAL PELVIS AND URETER		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.3	OTHER SPECIFIED ANOMALIES OF KIDNEY		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.8	OTHER SPECIFIED ANOMALIES OF BLADDER AND URETHRA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
753.9	UNSPECIFIED ANOMALIES OF URINARY SYSTEM		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
754	CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES		5	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
754.2	OF SPINE		3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
754.8	OTHER SPECIFIED		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
755	OTHER CONGENITAL ANOMALIES OF LIMBS		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
755.8	OTHER SPECIFIED ANOMALIES OF UNSPECIFIED LIMB		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES		81	73	-	-	1	-	1	-	-	1	-	2	-	1	-	1	-	-	-	-	1	-	-	-
		M	45	41	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	36	32	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-
756.0	ANOMALIES OF SKULL AND FACE BONES		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.1	ANOMALIES OF SPINE		5	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
756.3	OTHER ANOMALIES OF RIBS AND STERNUM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.4	CHONDRODYSTROPHY		2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
756.5	OSTEODYSTROPHIES		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.6	ANOMALIES OF DIAPHRAGM		52	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
756.7	ANOMALIES OF ABDOMINAL WALL		7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756.8	OTHER SPECIFIED ANOMALIES OF MUSCLE, TENDON, FASCIA AND CONNECTIVE TISSUE		6	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
756.9	UNSPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
757	CONGENITAL ANOMALIES OF THE INTEGUMENT		3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
757.1	ICHTHYOSIS CONGENITA		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
757.3	OTHER SPECIFIED ANOMALIES OF SKIN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
757.9	UNSPECIFIED ANOMALIES OF THE INTEGUMENT		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
758	CHROMOSOMAL ANOMALIES		126	95	8	1	6	2	3	3	1	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-
		M	62	42	6	-	3	2	3	3	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	64	53	2	1	3	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
758.0	DOWN'S SYNDROME		33	8	5	-	4	2	3	3	1	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-
		M	20	2	4	-	3	2	3	3	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	13	6	1	-	1	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
758.1	PATAU'S SYNDROME		25	23	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.2	EDWARDS'S SYNDROME		50	49	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	29	28	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.5	OTHER CONDITIONS DUE TO AUTOSOMAL ANOMALIES		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
758.9	CONDITIONS DUE TO ANOMALY OF UNSPECIFIED CHROMOSOME		15	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES		115	87	5	3	2	2	4	2	2	-	2	2	-	-	-	1	-	-	1	1	-	-	-	1
		M	58	42	3	-	2	2	1	1	1	-	1	2	-	-	-	1	-	-	-	1	-	-	-	1
		F	57	45	2	3	-	-	3	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
759.0	ANOMALIES OF SPLEEN		2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.1	ANOMALIES OF ADRENAL GLAND		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.2	ANOMALIES OF OTHER ENDOCRINE GLANDS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.3	SITUS INVERSUS		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
759.4	CONJOINED TWINS		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
759.7	MULTIPLE CONGENITAL ANOMALIES, SO DESCRIBED		63	57	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	33	30	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	30	27	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
759.8	OTHER SPECIFIED ANOMALIES		29	13	3	1	-	1	3	1	2	-	1	2	-	-	-	-	-	-	1	1	-	-	-	-
		M	17	7	2	-	-	1	1	1	1	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-
		F	12	6	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
759.9	CONGENITAL ANOMALY, UNSPECIFIED		9	5	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD		1,841	1,835	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1,050	1,046	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	791	789	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY		14	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	12	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.0	MATERNAL HYPERTENSIVE DISORDERS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.2	MATERNAL INFECTIONS		4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.5	MATERNAL INJURY		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.7	NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA OR BREAST MILK		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760.8	OTHER		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY		105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.0	INCOMPETENT CERVIX		20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.1	PREMATURE RUPTURE OF MEMBRANES		30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.3	POLYHYDRAMNIOS		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.5	MULTIPLE PREGNANCY		45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.6	MATERNAL DEATH		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.8	OTHER		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES		85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.0	PLACENTA PRAEVIA		12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.1	OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE		39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.2	OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.4	PROLAPSED CORD		9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.5	OTHER COMPRESSION OF UMBILICAL CORD		6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.7	CHORIOAMNIONITIS		14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY		10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
763.0	BREECH DELIVERY AND EXTRACTION		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.4	CAESAREAN DELIVERY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.8	OTHER COMPLICATIONS OF LABOUR AND DELIVERY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764.9	FETAL GROWTH RETARDATION, UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT		303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765.0	EXTREME IMMATURITY		184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765.1	OTHER PRETERM INFANTS		119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767	BIRTH TRAUMA		68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.0	SUBDURAL AND CEREBRAL HAEMORRHAGE		66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.8	OTHER		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA		142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.4	FETAL DISTRESS, UNSPECIFIED, IN LIVEBORN INFANT		27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.5	SEVERE BIRTH ASPHYXIA		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.9	UNSPECIFIED BIRTH ASPHYXIA AND IN LIVEBORN INFANT		110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769	RESPIRATORY DISTRESS SYNDROME		384	383	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	231	230	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN		321	317	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	187	185	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	134	132	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.0	CONGENITAL PNEUMONIA		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.1	MASSIVE ASPIRATION SYNDROME		41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.2	INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS		24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.3	PULMONARY HAEMORRHAGE		11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.4	PRIMARY ATELECTASIS		43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
770.5	OTHER AND UNSPECIFIED ATELECTASIS		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.7	CHRONIC RESPIRATORY DISEASE ARISING IN THE PERINATAL PERIOD		45	41	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	25	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.8	OTHER RESPIRATORY PROBLEMS AFTER BIRTH		141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD		84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.0	CONGENITAL RUBELLA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.1	CONGENITAL CYTOMEGALOVIRUS INFECTION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.2	OTHER CONGENITAL INFECTIONS		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.4	OMPHALITIS OF NEWBORN		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.7	NEONATAL CANDIDA INFECTION		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.8	OTHER INFECTION SPECIFIC TO THE PERINATAL PERIOD		70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772	FETAL AND NEONATAL HAEMORRHAGE		42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.1	INTRAVENTRICULAR HAEMORRHAGE		34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.2	SUBARACHNOID HAEMORRHAGE		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.3	UMBILICAL HAEMORRHAGE AFTER BIRTH		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.5	ADRENAL HAEMORRHAGE		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.8	OTHER		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773.1	HAEMOLYTIC DISEASE DUE TO ABO ISOIMMUNIZATION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773.4	KERNICTERUS DUE TO ISOIMMUNIZATION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775.0	SYNDROME OF "INFANT OF A DIABETIC MOTHER"		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775.6	NEONATAL HYPOGLYCAEMIA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN		12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.2	DISSEMINATED INTRAVASCULAR COAGULATION IN NEWBORN		11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.5	CONGENITAL ANAEMIA		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM		27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.5	NECROTIZING ENTEROCOLITIS IN FETUS OR NEWBORN		26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.6	PERINATAL INTESTINAL PERFORATION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN		17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.0	HYDROPS FETALIS NOT DUE TO ISOIMMUNIZATION		16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.1	SCLEREMA NEONATORUM		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD		221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.3	FEEDING PROBLEMS IN NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.5	DRUG WITHDRAWL SYNDROME IN NEWBORN		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.6	TERMINATION OF PREGNANCY (FETUS)		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.8	OTHER		212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
779.9	UNSPECIFIED		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS		97	6	1	1	-	4	12	8	10	3	6	1	5	6	7	3	2	5	6	8	3	-	-	-
		M	48	-	-	-	-	2	4	8	7	1	4	1	4	4	4	1	1	4	3	-	-	-	-	-
		F	49	6	1	1	-	2	8	-	3	2	2	-	1	2	3	2	1	1	3	8	3	-	-	-
780-789	SYMPTOMS		95	6	1	1	-	4	12	8	10	3	6	1	5	6	7	3	2	5	6	6	3	-	-	-
		M	48	-	-	-	-	2	4	8	7	1	4	1	4	4	4	1	1	4	3	-	-	-	-	-
		F	47	6	1	1	-	2	8	-	3	2	2	-	1	2	3	2	1	1	3	6	3	-	-	-
780	GENERAL SYMPTOMS AND SPECIAL SENSES		64	2	1	1	-	4	11	7	10	3	6	1	3	5	4	2	-	2	1	1	-	-	-	-
		M	36	-	-	-	-	2	4	7	7	1	4	1	3	4	1	-	-	2	-	-	-	-	-	-
		F	28	2	1	1	-	2	7	-	3	2	2	-	-	1	3	2	-	-	1	1	-	-	-	-
780.0	COMA AND STUPOR		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
780.2	SYNCOPE AND COLLAPSE		2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780.3	CONVULSIONS		59	-	1	1	-	4	10	6	10	3	6	1	3	5	4	2	-	2	1	-	-	-	-	-
		M	35	-	-	-	-	2	4	6	7	1	4	1	3	4	1	-	-	2	-	-	-	-	-	-
		F	24	-	1	1	-	2	6	-	3	2	2	-	-	1	3	2	-	-	1	-	-	-	-	-
780.6	PYREXIA OF UNKNOWN ORIGIN		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
781	SYMPTOMS INVOLVING NERVOUS AND MUSCULOSKELETAL SYSTEMS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
781.9	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
783	SYMPTOMS CONCERNING NUTRITION, METABOLISM AND DEVELOPMENT		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
783.4	LACK OF EXPECTED NORMAL PHYSIOLOGICAL DEVELOPMENT		2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM		21	1	-	-	-	-	1	1	-	-	-	-	1	1	1	-	2	2	4	4	3	-	-	-
		M	7	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-	-
		F	14	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	2	4	3	-	-	-
785.2	FUNCTIONAL AND UNDIAGNOSED CARDIAC MURMURS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785.4	GANGRENE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
785.5	SHOCK WITHOUT MENTION OF TRAUMA		19	1	-	-	-	-	-	1	-	-	-	-	1	1	1	-	2	2	4	3	3	-	-	-
		M	7	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-	-
		F	12	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	3	-	-	-
786	SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS		6	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
786.0	DYSPNOEA AND RESPIRATORY ABNORMALITIES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
786.3	HAEMOPTYSIS		5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
789	OTHER SYMPTOMS INVOLVING ABDOMEN AND PELVIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
789.5	ASCITES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
790-796	NONSPECIFIC ABNORMAL FINDINGS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
790	NONSPECIFIC FINDINGS ON EXAMINATION OF BLOOD		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
790.8	VIRAEMIA, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
793	NONSPECIFIC ABNORMAL FINDINGS ON RADIOLOGICAL AND OTHER EXAMINATION OF BODY STRUCTURE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
793.1	LUNG FIELD		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
797-799	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY		1,039	651	10	-	5	10	28	34	35	33	27	19	16	33	21	21	16	16	18	15	11	4	2	14
		M	625	399	7	-	2	7	15	23	25	24	17	10	10	17	7	8	7	12	10	8	6	1	1	9
		F	414	252	3	-	3	3	13	11	10	9	10	9	6	16	14	13	9	4	8	7	5	3	1	5
797	SENILITY WITHOUT MENTION OF PSYCHOSIS		21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	4	2	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	3	1	-
798	SUDDEN DEATH, CAUSE UNKNOWN		645	636	7	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	398	390	6	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	247	246	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0	SUDDEN INFANT DEATH SYNDROME		637	636	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	391	390	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	246	246	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.1	INSTANTANEOUS DEATH		8	-	6	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	5	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY		373	15	3	-	5	10	28	34	34	33	26	19	16	33	21	21	16	16	15	10	4	-	-	14
		M	220	9	1	-	2	7	15	23	24	24	16	10	10	17	7	8	7	12	8	7	4	-	-	9
		F	153	6	2	-	3	3	13	11	10	9	10	9	6	16	14	13	9	4	7	3	-	-	-	5

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
799.0	ASPHYXIA		2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
799.1	RESPIRATORY FAILURE		35	1	-	-	-	-	3	1	-	-	3	-	1	1	2	3	2	5	8	2	3	-	-	-
		M	22	1	-	-	-	-	2	-	-	-	2	-	1	1	2	-	1	2	5	2	3	-	-	-
		F	13	-	-	-	-	-	1	1	-	-	1	-	-	-	-	3	1	3	3	-	-	-	-	-
799.5	DEBILITY, UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
799.9	OTHER UNKNOWN AND UNSPECIFIED CAUSE		335	14	2	-	5	10	24	33	34	33	23	19	15	32	19	18	14	11	7	7	1	-	-	14
		M	197	8	1	-	2	7	12	23	24	24	14	10	9	16	5	8	6	10	3	5	1	-	-	9
		F	138	6	1	-	3	3	12	10	10	9	9	9	6	16	14	10	8	1	4	2	-	-	-	5
800-999	INJURY AND POISONING (EXTERNAL CAUSE)		16,775	127	409	204	249	1,335	2,346	2,146	1,728	1,273	927	825	799	804	750	589	629	583	456	324	165	49	8	50
		M	12,072	70	241	131	168	1,041	1,907	1,714	1,366	951	678	615	555	530	488	379	395	336	229	150	69	17	1	41
		F	4,703	57	168	73	81	294	439	432	362	322	249	210	244	274	262	210	234	247	227	174	96	32	7	9
800-807	RAILWAY ACCIDENTS		55	-	1	2	1	10	6	4	8	6	2	2	2	3	2	-	2	-	2	1	-	-	-	1
		M	46	-	1	1	1	7	6	3	8	5	1	2	2	3	2	-	2	-	1	-	-	-	-	1
		F	9	-	-	1	-	3	-	1	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
801	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
801.3	PEDAL CYCLIST		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
803	RAILWAY ACCIDENT INVOLVING EXPLOSION, FIRE, OR BURNING		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
803.1	PASSENGER ON RAILWAY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
804	FALL IN, ON, OR FROM RAILWAY TRAIN		5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
804.9	UNSPECIFIED PERSON		5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
805	HIT BY ROLLING STOCK		44	-	1	2	-	9	6	3	7	4	1	2	1	3	1	-	2	-	2	-	-	-	-	-
		M	39	-	1	1	-	7	6	3	7	3	1	2	1	3	1	-	2	-	1	-	-	-	-	-
		F	5	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
805.2	PEDESTRIAN		43	-	1	2	-	8	6	3	7	4	1	2	1	3	1	-	2	-	2	-	-	-	-	-
		M	38	-	1	1	-	6	6	3	7	3	1	2	1	3	1	-	2	-	1	-	-	-	-	-
		F	5	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
805.9	UNSPECIFIED PERSON		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
806	OTHER SPECIFIED RAILWAY ACCIDENT		2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
806.0	RAILWAY EMPLOYEE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
806.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
807	RAILWAY ACCIDENT OF UNSPECIFIED NATURE		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
807.9	UNSPECIFIED PERSON		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS		4,766	18	101	101	103	659	954	570	453	305	220	201	171	163	190	137	147	125	85	38	14	3	-	8
		M	3,460	10	54	60	67	494	769	440	356	223	166	158	120	106	114	87	82	65	53	20	9	1	-	6
		F	1,306	8	47	41	36	165	185	130	97	82	54	43	51	57	76	50	65	60	32	18	5	2	-	2
810	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN		35	1	2	-	2	9	7	5	4	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	30	-	1	-	2	9	7	4	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	5	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
810.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		14	-	-	-	-	1	5	3	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	1	5	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
810.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		13	1	2	-	2	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	1	-	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
810.2	MOTORCYCLIST		2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
810.9	UNSPECIFIED PERSON		6	-	-	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
812	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE		1,803	9	28	22	30	248	381	213	186	103	81	66	74	65	73	59	62	50	32	12	5	1	-	3
		M	1,243	4	13	10	14	183	296	164	139	68	59	50	50	33	38	35	34	24	18	6	3	-	-	2
		F	560	5	15	12	16	65	85	49	47	35	22	16	24	32	35	24	28	26	14	6	2	1	-	1
812.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		781	-	-	-	2	68	153	89	96	55	45	35	45	37	38	34	27	26	21	7	3	-	-	-
		M	558	-	-	-	1	48	113	71	73	34	34	26	31	22	27	23	19	16	12	5	3	-	-	-
		F	223	-	-	-	1	20	40	18	23	21	11	9	14	15	11	11	8	10	9	2	-	-	-	-
812.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		407	9	27	20	23	59	74	36	18	13	13	11	11	13	20	14	18	14	6	2	2	1	-	3
		M	188	4	13	8	12	40	45	19	7	4	6	6	3	2	4	5	1	3	4	-	-	-	-	2
		F	219	5	14	12	11	19	29	17	11	9	7	5	8	11	16	9	17	11	2	2	2	1	-	1
812.2	MOTORCYCLIST		266	-	-	-	1	54	81	47	37	12	9	6	5	5	3	2	3	-	1	-	-	-	-	-
		M	262	-	-	-	1	54	81	47	35	11	9	6	5	4	3	2	3	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
812.3	PASSENGER ON MOTORCYCLE		49	-	-	2	1	18	16	8	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	27	-	-	2	-	10	11	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	22	-	-	-	1	8	5	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
812.7	PEDESTRIAN		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
812.9	UNSPECIFIED PERSON		298	-	1	-	3	48	57	33	34	23	13	13	12	10	12	9	13	10	4	3	-	-	-	-
		M	207	-	-	-	-	31	46	25	24	19	10	11	10	5	4	5	10	5	1	1	-	-	-	-
		F	91	-	1	-	3	17	11	8	10	4	3	2	2	5	8	4	3	5	3	2	-	-	-	-
813	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE		93	-	1	15	18	9	11	8	4	6	4	1	-	4	1	2	3	3	2	-	1	-	-	-
		M	82	-	1	13	16	7	11	7	4	4	4	1	-	2	1	2	3	3	2	-	1	-	-	-
		F	11	-	-	2	2	2	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
813.2	MOTORCYCLIST		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
813.6	PEDAL CYCLIST		91	-	1	15	18	9	11	7	4	6	4	1	-	3	1	2	3	3	2	-	1	-	-	-
		M	80	-	1	13	16	7	11	6	4	4	4	1	-	1	1	2	3	3	2	-	1	-	-	-
		F	11	-	-	2	2	2	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
813.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
814	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN		813	-	54	49	25	49	69	69	49	47	38	51	36	37	57	34	51	45	33	10	4	2	-	4
		M	553	-	34	29	16	32	57	50	36	37	32	38	25	27	35	20	26	23	23	6	2	1	-	4
		F	260	-	20	20	9	17	12	19	13	10	6	13	11	10	22	14	25	22	10	4	2	1	-	-
814.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
814.7	PEDESTRIAN		810	-	54	48	25	48	69	69	49	47	38	51	36	37	56	34	51	45	33	10	4	2	-	4
		M	552	-	34	29	16	31	57	50	36	37	32	38	25	27	35	20	26	23	23	6	2	1	-	4
		F	258	-	20	19	9	17	12	19	13	10	6	13	11	10	21	14	25	22	10	4	2	1	-	-
814.9	UNSPECIFIED PERSON		2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
815	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION ON THE HIGHWAY		766	2	3	1	10	134	192	107	90	56	32	25	21	18	18	16	11	12	11	6	1	-	-	-
		M	615	2	-	1	8	103	171	86	76	44	24	22	14	14	12	11	8	8	6	4	1	-	-	-
		F	151	-	3	-	2	31	21	21	14	12	8	3	7	4	6	5	3	4	5	2	-	-	-	-
815.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		352	-	-	-	1	44	75	54	47	30	21	13	15	9	12	10	7	9	4	1	-	-	-	-
		M	277	-	-	-	1	32	64	42	39	24	15	11	12	6	9	5	5	8	4	-	-	-	-	-
		F	75	-	-	-	-	12	11	12	8	6	6	2	3	3	3	5	2	1	-	1	-	-	-	-
815.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		153	1	2	1	7	43	34	18	8	9	5	2	2	3	2	2	3	2	5	4	-	-	-	-
		M	103	1	-	1	6	28	31	11	4	5	3	2	-	2	1	2	2	-	1	3	-	-	-	-
		F	50	-	2	-	1	15	3	7	4	4	2	-	2	1	1	-	1	2	4	1	-	-	-	-
815.2	MOTORCYCLIST		130	-	-	-	-	24	56	19	14	8	3	2	1	1	1	1	-	-	-	-	-	-	-	-
		M	129	-	-	-	-	24	55	19	14	8	3	2	1	1	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
815.3	PASSENGER ON MOTORCYCLE		12	-	-	-	1	8	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815.8	OTHER SPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
815.9	UNSPECIFIED PERSON		118	1	1	-	1	15	26	15	20	9	3	8	3	5	3	3	1	1	2	1	-	-	-	-
		M	97	1	-	-	1	14	20	13	18	7	3	7	1	5	1	3	1	-	1	1	-	-	-	-
		F	21	-	1	-	-	1	6	2	2	2	-	1	2	-	2	-	-	1	1	-	-	-	-	-
816	MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO		871	4	7	7	11	150	224	118	79	63	44	38	28	30	27	15	11	5	3	4	3	-	-	-
	LOSS OF CONTROL, WITHOUT COLLISION ON	M	674	3	3	5	6	114	174	93	68	51	33	31	23	26	22	10	5	3	1	1	2	-	-	-
	THE HIGHWAY	F	197	1	4	2	5	36	50	25	11	12	11	7	5	4	5	5	6	2	2	3	1	-	-	-
816.0	DRIVER OF MOTOR VEHICLE OTHER THAN		388	-	-	-	2	62	92	54	44	28	23	23	13	15	14	6	5	3	2	-	2	-	-	-
	MOTORCYCLE	M	309	-	-	-	2	46	72	46	40	23	17	18	12	12	11	5	2	1	-	-	2	-	-	-
		F	79	-	-	-	-	16	20	8	4	5	6	5	1	3	3	1	3	2	2	-	-	-	-	-
816.1	PASSENGER IN MOTOR VEHICLE OTHER THAN		184	4	7	7	5	39	44	23	10	10	6	6	7	5	5	1	2	-	-	2	1	-	-	-
	MOTORCYCLE	M	122	3	3	5	2	30	30	15	8	5	3	5	4	4	4	1	-	-	-	-	-	-	-	-
		F	62	1	4	2	3	9	14	8	2	5	3	1	3	1	1	-	2	-	-	2	1	-	-	-
816.2	MOTORCYCLIST		86	-	-	-	1	8	37	10	9	10	4	-	3	1	2	1	-	-	-	-	-	-	-	-
		M	84	-	-	-	-	8	37	10	8	10	4	-	3	1	2	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
816.3	PASSENGER ON MOTORCYCLE		8	-	-	-	-	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
816.9	UNSPECIFIED PERSON		205	-	-	-	3	39	48	30	16	14	10	9	5	9	6	7	4	2	1	2	-	-	-	-
		M	157	-	-	-	2	29	34	22	12	13	9	8	4	9	5	3	3	2	1	1	-	-	-	-
		F	48	-	-	-	1	10	14	8	4	1	1	1	1	-	1	4	1	-	-	1	-	-	-	-
817	NONCOLLISION MOTOR VEHICLE TRAFFIC		4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	ACCIDENT WHILE BOARDING OR ALIGHTING	M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
817.0	DRIVER OF MOTOR VEHICLE OTHER THAN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	MOTORCYCLE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
817.1	PASSENGER IN MOTOR VEHICLE OTHER THAN		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	MOTORCYCLE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
817.7	PEDESTRIAN		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818	OTHER NONCOLLISION MOTOR VEHICLE		91	1	3	4	4	12	14	11	10	7	4	8	3	3	4	1	1	-	-	1	-	-	-	-
	TRAFFIC ACCIDENT	M	55	-	2	2	3	9	8	7	4	4	3	5	3	1	3	1	-	-	-	-	-	-	-	-
		F	36	1	1	2	1	3	6	4	6	3	1	3	-	2	1	-	1	-	-	1	-	-	-	-
818.0	DRIVER OF MOTOR VEHICLE OTHER THAN		10	-	-	-	-	-	-	3	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	MOTORCYCLE	M	8	-	-	-	-	-	-	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.1	PASSENGER IN MOTOR VEHICLE OTHER THAN		46	1	3	4	4	8	7	5	5	3	1	1	1	1	1	-	-	-	-	1	-	-	-	-
	MOTORCYCLE	M	26	-	2	2	3	6	3	4	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	20	1	1	2	1	2	4	1	2	2	1	-	-	1	1	-	-	-	-	1	-	-	-	-
818.2	MOTORCYCLIST		4	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
818.3	PASSENGER ON MOTORCYCLE		3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
818.9	UNSPECIFIED PERSON		28	-	-	-	-	2	6	2	3	2	2	4	1	2	2	1	1	-	-	-	-	-	-	-
		M	16	-	-	-	-	1	4	1	-	2	2	1	1	1	2	1	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	1	2	1	3	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-
819	MOTOR VEHICLE TRAFFIC ACCIDENT OF		290	1	3	3	3	48	56	38	31	20	17	11	8	6	10	10	7	9	4	4	-	-	-	1
	UNSPECIFIED NATURE	M	206	1	-	-	2	37	45	28	25	14	11	10	4	3	3	8	6	3	3	3	-	-	-	-
		F	84	-	3	3	1	11	11	10	6	6	6	1	4	3	7	2	1	6	1	1	-	-	-	1
819.0	DRIVER OF MOTOR VEHICLE OTHER THAN		48	-	-	-	-	4	9	9	8	2	4	3	1	1	1	3	-	2	1	-	-	-	-	-
	MOTORCYCLE	M	36	-	-	-	-	4	7	8	5	-	4	3	1	-	-	3	-	-	1	-	-	-	-	-
		F	12	-	-	-	-	-	2	1	3	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
819.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		37	1	3	1	1	5	12	2	2	-	-	-	1	1	2	1	1	1	1	1	-	-	-	1
		M	16	1	-	-	-	2	7	-	2	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
		F	21	-	3	1	1	3	5	2	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	1
819.2	MOTORCYCLIST		9	-	-	-	-	1	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	1	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
819.3	PASSENGER ON MOTORCYCLE		3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
819.9	UNSPECIFIED PERSON		193	-	-	2	2	36	29	25	21	18	12	8	6	4	7	6	6	6	2	3	-	-	-	-
		M	145	-	-	-	2	30	26	18	18	14	6	7	2	3	3	4	5	3	1	3	-	-	-	-
		F	48	-	-	2	-	6	3	7	3	4	6	1	4	1	4	2	1	3	1	-	-	-	-	-
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS		188	-	28	4	5	22	24	20	17	10	12	5	2	5	5	6	8	7	7	-	1	-	-	-
		M	149	-	16	2	5	20	21	19	17	9	9	5	2	3	4	6	4	3	3	-	1	-	-	-
		F	39	-	12	2	-	2	3	1	-	1	3	-	-	2	1	-	4	4	4	-	-	-	-	-
820	NONTRAFFIC ACCIDENT INVOLVING MOTOR-DRIVEN SNOW VEHICLE		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
820.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821	NONTRAFFIC ACCIDENT INVOLVING OTHER OFF-ROAD MOTOR VEHICLE		40	-	-	2	2	4	5	8	5	3	5	-	-	1	1	1	2	1	-	-	-	-	-	-
		M	37	-	-	2	2	4	5	7	5	3	3	-	-	1	1	1	2	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
821.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		15	-	-	1	-	2	1	3	3	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	14	-	-	1	-	2	1	2	3	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
821.2	MOTOR CYCLIST		11	-	-	1	1	1	3	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	1	1	1	3	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
821.7	PEDESTRIAN		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
821.9	UNSPECIFIED PERSON		10	-	-	-	-	-	1	2	1	1	1	-	-	1	1	-	2	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	1	2	1	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
822	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT		78	-	28	2	1	2	8	3	3	4	-	3	2	2	3	3	4	4	5	-	1	-	-	-
		M	52	-	16	-	1	2	7	3	3	3	-	3	2	-	2	3	2	2	2	-	1	-	-	-
		F	26	-	12	2	-	-	1	-	-	1	-	-	-	2	1	-	2	2	3	-	-	-	-	-
822.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		4	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
822.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
822.2	MOTOR CYCLIST		3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
822.7	PEDESTRIAN		69	-	28	2	-	1	5	2	2	4	-	3	2	2	3	3	3	4	4	-	1	-	-	-
		M	45	-	16	-	-	1	5	2	2	3	-	3	2	-	2	3	1	2	2	-	1	-	-	-
		F	24	-	12	2	-	-	-	-	-	1	-	-	-	2	1	-	2	2	2	-	-	-	-	-
822.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
823	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT		19	-	-	-	1	5	3	-	1	1	1	-	-	-	1	2	1	2	1	-	-	-	-	-
		M	16	-	-	-	1	5	3	-	1	1	1	-	-	-	1	2	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
823.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		7	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	2	1	-	-	-	-	-
		M	4	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
823.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
823.2	MOTOR CYCLIST		4	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
823.9	UNSPECIFIED PERSON		6	-	-	-	-	1	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	1	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
824	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING AND ALIGHTING		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
824.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
825	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT OF OTHER AND UNSPECIFIED NATURE		49	-	-	-	1	11	7	9	8	2	6	2	-	2	-	-	-	-	1	-	-	-	-	-
		M	43	-	-	-	1	9	5	9	8	2	5	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
825.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE		12	-	-	-	-	2	1	2	3	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
		M	9	-	-	-	-	1	-	2	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
825.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE		16	-	-	-	-	7	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	6	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
825.2	MOTOR CYCLIST		4	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
825.3	PASSENGER ON MOTORCYCLE		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
825.7	PEDESTRIAN		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
825.9	UNSPECIFIED PERSON		15	-	-	-	-	2	3	1	1	-	5	2	-	1	-	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	2	2	1	1	-	4	2	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
826-829	OTHER ROAD VEHICLE ACCIDENTS		26	-	-	1	3	2	1	2	4	-	1	3	1	1	1	2	2	2	-	-	-	-	-	-
		M	16	-	-	1	2	1	1	1	2	-	-	3	-	1	1	1	1	1	-	-	-	-	-	-
		F	10	-	-	-	1	1	-	1	2	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-
826	PEDAL CYCLE ACCIDENT		14	-	-	1	2	-	1	1	2	-	-	1	-	1	1	-	2	2	-	-	-	-	-	-
		M	10	-	-	1	2	-	1	1	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
826.0	PEDESTRIAN		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
826.1	PEDAL CYCLIST		12	-	-	1	2	-	1	1	2	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
		M	10	-	-	1	2	-	1	1	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
827	ANIMAL-DRAWN VEHICLE ACCIDENT		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
827.3	OCCUPANT OF ANIMAL-DRAWN VEHICLE		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
828	ACCIDENT INVOLVING ANIMAL BEING RIDDEN		9	-	-	-	1	1	-	1	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	1	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
828.2	RIDER OF ANIMAL		9	-	-	-	1	1	-	1	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	1	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
829	OTHER ROAD VEHICLE ACCIDENTS		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
829.0	PEDESTRIAN		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
830-838	WATER TRANSPORT ACCIDENTS		117	-	-	5	7	4	22	15	12	11	6	5	11	2	4	5	4	4	-	-	-	-	-	-
		M	101	-	-	2	5	3	18	15	11	9	6	5	10	2	4	5	3	3	-	-	-	-	-	-
		F	16	-	-	3	2	1	4	-	1	2	-	-	1	-	-	-	1	1	-	-	-	-	-	-
830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION		48	-	-	2	4	-	7	6	5	6	2	1	6	1	2	3	-	3	-	-	-	-	-	-
		M	43	-	-	-	3	-	7	6	5	4	2	1	6	1	2	3	-	3	-	-	-	-	-	-
		F	5	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
830.0	OCCUPANT OF SMALL BOAT, UNPOWERED		9	-	-	1	2	-	1	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	8	-	-	-	2	-	1	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
830.1	OCCUPANT OF SMALL BOAT, POWERED		8	-	-	1	-	-	-	1	2	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
830.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		5	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
830.9	UNSPECIFIED PERSON		26	-	-	-	2	-	6	5	2	3	-	-	4	-	2	2	-	-	-	-	-	-	-	-
		M	23	-	-	-	1	-	6	5	2	1	-	-	4	-	2	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831	ACCIDENT TO WATERCRAFT CAUSING OTHER INJURY		8	-	-	1	-	-	2	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	1	-	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831.1	OCCUPANT OF SMALL BOAT, POWERED		3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
831.9	UNSPECIFIED PERSON		5	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
832	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT ACCIDENT		46	-	-	1	3	2	9	8	7	3	2	2	1	1	2	2	3	-	-	-	-	-	-	-
		M	40	-	-	1	2	1	6	8	6	3	2	2	1	1	2	2	3	-	-	-	-	-	-	-
		F	6	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
832.0	OCCUPANT OF SMALL BOAT, UNPOWERED		7	-	-	-	1	-	1	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	-	1	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
832.1	OCCUPANT OF SMALL BOAT, POWERED		3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
832.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
832.9	UNSPECIFIED PERSON		35	-	-	1	2	2	7	4	6	2	2	2	-	1	2	2	2	-	-	-	-	-	-	-
		M	29	-	-	1	1	1	4	4	5	2	2	2	-	1	2	2	2	-	-	-	-	-	-	-
		F	6	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
834	OTHER FALL FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT		2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
834.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
835	OTHER AND UNSPECIFIED FALL IN WATER TRANSPORT		2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
835.8	OTHER SPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
835.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
836	MACHINERY ACCIDENT IN WATER TRANSPORT		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
836.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
837	EXPLOSION, FIRE OR BURNING IN WATERCRAFT		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
837.9	UNSPECIFIED PERSON		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
838	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENT		9	-	-	1	-	2	2	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	7	-	-	-	-	2	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
838.1	OCCUPANT OF SMALL BOAT, POWERED		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.2	OCCUPANT OF OTHER WATERCRAFT -- CREW		2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.4	WATER SKIER		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.5	SWIMMER		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
838.9	UNSPECIFIED PERSON		4	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
840-845	AIR AND SPACE TRANSPORT ACCIDENTS		291	-	4	5	7	10	28	30	34	49	27	25	28	28	12	2	1	-	-	-	-	-	-	1
		M	233	-	3	3	4	7	23	27	25	40	23	19	23	22	10	2	1	-	-	-	-	-	-	1
		F	58	-	1	2	3	3	5	3	9	9	4	6	5	6	2	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
840	ACCIDENT TO POWERED AIRCRAFT AT TAKEOFF OR LANDING		6	-	-	-	-	-	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
840.1	OCCUPANT OF MILITARY AIRCRAFT, ANY		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
840.3	OTHER OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
840.5	OCCUPANT OF OTHER POWERED AIRCRAFT		4	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED		266	-	4	5	7	9	25	25	31	45	27	23	26	23	12	2	1	-	-	-	-	-	-	1
		M	209	-	3	3	4	6	20	22	22	36	23	17	21	18	10	2	1	-	-	-	-	-	-	1
		F	57	-	1	2	3	3	5	3	9	9	4	6	5	5	2	-	-	-	-	-	-	-	-	-
841.1	OCCUPANT OF MILITARY AIRCRAFT, ANY		16	-	-	-	-	1	3	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	1	3	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
841.2	CREW OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT		6	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
841.3	OTHER OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT		110	-	3	2	6	2	6	13	12	18	12	9	9	12	2	2	1	-	-	-	-	-	-	1
		M	88	-	2	2	4	2	4	10	8	17	10	6	8	9	2	2	1	-	-	-	-	-	-	1
		F	22	-	1	-	2	-	2	3	4	1	2	3	1	3	-	-	-	-	-	-	-	-	-	-
841.4	OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO AIR TRANSPORT		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
841.5	OCCUPANT OF OTHER POWERED AIRCRAFT		130	-	1	1	1	6	15	8	13	23	13	12	16	11	10	-	-	-	-	-	-	-	-	-
		M	97	-	1	-	-	3	12	8	9	15	11	9	12	9	8	-	-	-	-	-	-	-	-	-
		F	33	-	-	1	1	3	3	-	4	8	2	3	4	2	2	-	-	-	-	-	-	-	-	-
841.8	GROUND CREW, AIRLINE EMPLOYEE		3	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
842	ACCIDENT TO UNPOWERED AIRCRAFT		10	-	-	-	-	-	1	4	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	1	4	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
842.6	OCCUPANT OF UNPOWERED AIRCRAFT, EXCEPT PARACHUTIST		10	-	-	-	-	-	1	4	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	1	4	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
844	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS		9	-	-	-	-	1	1	-	2	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	1	1	-	2	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
844.7	PARACHUTIST (MILITARY) (OTHER)		6	-	-	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
844.9	OTHER PERSON		3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
848	ACCIDENTS INVOLVING OTHER VEHICLES NOT ELSEWHERE CLASSIFIABLE		2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS		889	2	4	-	-	20	106	218	170	106	49	62	36	29	25	13	21	12	7	3	5	-	1	-
		M	611	2	3	-	-	12	81	174	136	77	26	40	16	16	7	5	6	6	1	2	1	-	-	-
		F	278	-	1	-	-	8	25	44	34	29	23	22	20	13	18	8	15	6	6	1	4	-	1	-
850	ACCIDENTAL POISONING BY ANALGESICS, ANTIPYRETICS, ANTIRHEUMATICS		382	-	1	-	-	6	42	103	94	51	20	28	12	8	7	2	3	2	2	-	-	-	1	-
		M	304	-	1	-	-	3	35	88	80	41	14	25	7	5	3	-	1	1	-	-	-	-	-	-
		F	78	-	-	-	-	3	7	15	14	10	6	3	5	3	4	2	2	1	2	-	-	-	1	-
850.0	OPIATES AND RELATED NARCOTICS		310	-	1	-	-	5	36	85	82	45	14	24	9	5	3	-	1	-	-	-	-	-	-	-
		M	263	-	1	-	-	2	30	76	70	38	12	23	6	4	1	-	-	-	-	-	-	-	-	-
		F	47	-	-	-	-	3	6	9	12	7	2	1	3	1	2	-	1	-	-	-	-	-	-	-
850.1	SALICYLATES		11	-	-	-	-	-	-	-	1	-	1	2	-	-	2	1	1	1	1	-	-	-	1	-
		M	6	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	1	-
850.2	AROMATIC ANALGESICS, NOT ELSEWHERE CLASSIFIED		8	-	-	-	-	-	-	2	-	-	1	-	-	2	1	-	-	1	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	2	-	-	1	-	-	2	1	-	-	1	1	-	-	-	-	-
850.3	PYRAZOLE DERIVATIVES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
850.5	OTHER NON-NARCOTIC ANALGESICS		12	-	-	-	-	1	1	3	4	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	1	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
850.8	OTHER		40	-	-	-	-	-	5	13	7	6	3	2	2	1	-	-	1	-	-	-	-	-	-	-
		M	28	-	-	-	-	-	4	11	6	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	1	2	1	3	2	1	1	-	-	-	1	-	-	-	-	-	-	-
851	ACCIDENTAL POISONING BY BARBITURATES		31	-	-	-	-	1	2	9	-	4	-	3	2	2	2	1	3	1	1	-	-	-	-	-
		M	16	-	-	-	-	1	2	7	-	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	2	-	2	-	2	2	-	2	-	3	1	1	-	-	-	-	-
852	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS		9	-	-	-	-	-	1	3	2	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	5	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
852.0	CHLORAL HYDRATE GROUP		2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
852.3	METHAQUALONE COMPOUNDS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
852.4	GLUTETHIMIDE GROUP		2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
852.8	OTHER		4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
853	ACCIDENTAL POISONING BY TRANQUILIZERS		17	-	-	-	-	3	-	3	1	3	-	2	1	2	1	1	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	2	-	2	1	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	1	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
853.0	PHENOTHIAZINE-BASED TRANQUILIZERS		6	-	-	-	-	1	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
853.2	BENZODIAZEPINE BASED		8	-	-	-	-	1	-	1	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
853.8	OTHER		3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
854	ACCIDENTAL POISONING BY OTHER PSYCHOTROPIC AGENTS		52	2	-	-	-	-	4	9	4	4	8	7	4	3	2	3	1	1	-	-	-	-	-	-
		M	26	2	-	-	-	-	2	7	3	3	2	1	1	2	1	1	-	1	-	-	-	-	-	-
		F	26	-	-	-	-	-	2	2	1	1	6	6	3	1	1	2	1	-	-	-	-	-	-	-
854.0	ANTIDEPRESSANTS		44	1	-	-	-	-	3	6	2	4	7	7	4	3	2	3	1	1	-	-	-	-	-	-
		M	20	1	-	-	-	-	2	4	2	3	1	1	1	2	1	1	-	1	-	-	-	-	-	-
		F	24	-	-	-	-	-	1	2	-	1	6	6	3	1	1	2	1	-	-	-	-	-	-	-
854.2	PSYCHOSTIMULANTS		8	1	-	-	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
855	ACCIDENTAL POISONING BY OTHER DRUGS ACTING ON CENTRAL AND AUTONOMIC NERVOUS SYSTEMS		83	-	-	-	-	3	20	19	19	8	3	2	3	1	1	1	3	-	-	-	-	-	-	-
		M	60	-	-	-	-	1	14	15	13	5	3	2	3	1	1	1	1	-	-	-	-	-	-	-
		F	23	-	-	-	-	2	6	4	6	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-
855.0	ANTICONVULSANT AND ANTI-PARKINSONISM DRUGS		7	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
855.1	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS		7	-	-	-	-	1	1	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	1	1	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
855.2	LOCAL ANAESTHETICS		69	-	-	-	-	2	18	19	15	8	3	-	1	-	1	1	1	-	-	-	-	-	-	-
		M	49	-	-	-	-	-	13	15	10	5	3	-	1	-	1	1	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	2	5	4	5	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
856	ACCIDENTAL POISONING BY ANTIBIOTICS		6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
857	ACCIDENTAL POISONING BY ANTI-INFECTIVES		3	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
858	ACCIDENTAL POISONING BY OTHER DRUGS		306	-	3	-	-	7	37	70	50	36	16	20	13	12	12	3	9	8	3	2	5	-	-	-
		M	185	-	2	-	-	5	27	54	38	24	7	9	4	4	2	1	2	4	-	1	1	-	-	-
		F	121	-	1	-	-	2	10	16	12	12	9	11	9	8	10	2	7	4	3	1	4	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
858.0	HORMONES AND SYNTHETIC SUBSTITUTES		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
858.1	PRIMARILY SYSTEMIC AGENTS		3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
858.2	AGENTS PRIMARILY AFFECTING BLOOD CONSTITUENTS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
858.3	AGENTS PRIMARILY AFFECTING CARDIOVASCULAR SYSTEM		22	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	6	3	1	1	5	-	-	-
		M	7	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	1	1	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	5	2	1	-	4	-	-	-
858.4	AGENTS PRIMARILY AFFECTING GASTROINTESTINAL SYSTEM		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.5	WATER, MINERAL AND URIC ACID METABOLISM DRUGS		3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
858.6	AGENTS PRIMARILY ACTING ON THE SMOOTH AND SKELETAL MUSCLES AND RESPIRATORY SYSTEM		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.7	AGENTS PRIMARILY AFFECTING SKIN AND MUCOUS MEMBRANE, OPHTHALMOLOGICAL, OTORHINOLARYNGOLOGICAL & DENTAL DRUGS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
858.8	OTHER		159	-	-	-	-	4	23	40	35	19	7	11	7	5	4	-	2	1	-	1	-	-	-	-
		M	107	-	-	-	-	3	16	31	27	14	4	6	3	2	-	-	1	-	-	-	-	-	-	-
		F	52	-	-	-	-	1	7	9	8	5	3	5	4	3	4	-	1	1	-	1	-	-	-	-
858.9	UNSPECIFIED		113	-	-	-	-	3	14	28	15	17	8	8	4	3	7	3	-	2	1	-	-	-	-	-
		M	66	-	-	-	-	2	11	22	11	10	3	2	-	1	2	1	-	1	-	-	-	-	-	-
		F	47	-	-	-	-	1	3	6	4	7	5	6	4	2	5	2	-	1	1	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS		126	-	10	-	1	5	18	14	13	13	6	11	5	10	7	2	3	6	1	1	-	-	-	-
		M	95	-	8	-	1	4	11	12	12	11	5	8	4	6	5	2	2	3	-	1	-	-	-	-
		F	31	-	2	-	-	1	7	2	1	2	1	3	1	4	2	-	1	3	1	-	-	-	-	-
860	ACCIDENTAL POISONING BY ALCOHOL, NOT ELSEWHERE CLASSIFIED		35	-	-	-	-	1	1	5	7	2	2	4	3	6	2	-	1	1	-	-	-	-	-	-
		M	27	-	-	-	-	1	1	4	6	1	2	3	2	3	2	-	1	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	1	1	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-
860.1	OTHER AND UNSPECIFIED ETHYL ALCOHOL AND ITS PRODUCTS		21	-	-	-	-	1	1	4	4	1	2	2	1	3	1	-	1	-	-	-	-	-	-	-
		M	19	-	-	-	-	1	1	3	4	1	2	2	-	3	1	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
860.2	METHYL ALCOHOL		4	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
860.3	ISOPROPYL ALCOHOL		3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
860.9	UNSPECIFIED		7	-	-	-	-	-	-	1	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
861	ACCIDENTAL POISONING BY CLEANSING AND POLISHING AGENTS, DISINFECTANTS, PAINTS AND VARNISHES		3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
861.2	POLISHES		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
861.3	OTHER CLEANSING AND POLISHING AGENTS		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
861.4	DISINFECTANTS		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
862	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS, OTHER SOLVENTS AND THEIR VAPOURS, NOT ELSEWHERE CLASSIFIED		9	-	1	-	-	2	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	7	-	1	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
862.1	PETROLEUM FUELS AND CLEANERS		4	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
862.4	OTHER SOLVENTS		5	-	-	-	-	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
863	ACCIDENAL POISONING BY AGRICULTURAL AND HORTICULTURAL CHEM. & PHARM. PREPARATION OTHER THAN PLANT FOOD/FERTILIZER		5	-	2	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		M	5	-	2	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
863.1	INSECTICIDES OF ORGANOPHOSPHORUS COMPOUNDS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
863.5	HERBICIDES		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
863.8	FUMIGANTS		2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
863.9	OTHER AND UNSPECIFIED		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
864	ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS, NOT ELSEWHERE CLASSIFIED		4	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
864.1	ACIDS		2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
864.2	CAUSTIC ALKALIS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
864.4	UNSPECIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
865	ACCIDENTAL POISONING FROM FOODSTUFFS AND POISONOUS PLANTS		2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
865.5	MUSHROOMS AND OTHER FUNGI		2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
866	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES		3	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
866.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
866.9	UNSPECIFIED		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
867	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE		14	-	3	-	-	-	5	1	1	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	10	-	2	-	-	-	3	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	4	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
868	ACCIDENTAL POISONING BY OTHER UTILITY GAS AND OTHER CARBON MONOXIDE		41	-	1	-	-	1	9	4	3	7	-	4	1	3	2	1	2	3	-	-	-	-	-	-
		M	28	-	-	-	-	-	4	4	3	6	-	3	1	3	1	1	1	1	-	-	-	-	-	-
		F	13	-	1	-	-	1	5	-	-	1	-	1	-	-	1	-	1	2	-	-	-	-	-	-
868.0	LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
868.1	OTHER AND UNSPECIFIED UTILITY GAS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
868.2	MOTOR VEHICLE EXHAUST GAS		13	-	1	-	-	-	2	-	1	6	-	1	1	-	-	-	-	1	-	-	-	-	-	-
		M	10	-	-	-	-	-	2	-	1	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
868.3	CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF OTHER DOMESTIC FUELS		14	-	-	-	-	-	5	2	-	-	-	3	-	2	1	-	-	1	-	-	-	-	-	-
		M	8	-	-	-	-	-	1	2	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-
		F	6	-	-	-	-	-	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
868.8	CARBON MONOXIDE FROM OTHER SOURCES		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
868.9	UNSPECIFIED CARBON MONOXIDE		9	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	7	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
869	ACCIDENTAL POISONING BY OTHER GASES AND VAPOURS		10	-	-	-	1	-	1	2	-	1	2	1	-	-	-	-	-	1	-	1	-	-	-	-
		M	9	-	-	-	1	-	1	2	-	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
869.2	FREON		2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
869.8	OTHER SPECIFIED GASES AND VAPOURS		4	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
		M	4	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
869.9	UNSPECIFIED GASES AND VAPOURS		4	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE		85	5	1	1	-	1	1	2	2	2	2	3	3	10	12	11	8	9	7	3	1	1	-	-
		M	36	4	1	-	-	-	-	2	1	-	-	1	2	5	4	5	6	3	1	1	-	-	-	-
		F	49	1	-	1	-	1	1	-	1	2	2	2	1	5	8	6	2	6	6	2	1	1	-	-
870	ACCIDENTAL CUT, PUNCTURE, PERFORATION OR HAEMORRHAGE DURING MEDICAL CARE		68	4	1	-	-	1	1	1	1	2	1	1	1	8	11	9	8	8	7	2	1	-	-	-
		M	27	4	1	-	-	-	-	1	-	-	-	-	-	4	3	4	6	3	1	-	-	-	-	-
		F	41	-	-	-	-	1	1	-	1	2	1	1	1	4	8	5	2	5	6	2	1	-	-	-
870.0	SURGICAL OPERATION		28	1	1	-	-	-	-	1	-	-	1	1	1	3	1	6	6	3	1	1	1	-	-	-
		M	13	1	1	-	-	-	-	1	-	-	-	-	-	2	-	2	5	1	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	1	2	1	1	1	-	-	-
870.1	INFUSION OR TRANSFUSION		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
870.2	KIDNEY DIALYSIS OR OTHER PERFUSION		3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
870.4	ENDOSCOPIC EXAMINATION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
870.5	ASPIRATION OF FLUID OR TISSUE, PUNCTURE AND CATHETERIZATION (ANY, EXCEPT HEART CATHETERIZATION)		16	2	-	-	-	1	1	-	-	1	-	-	-	3	2	1	1	-	4	-	-	-	-	-
		M	7	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-
		F	9	-	-	-	-	1	1	-	-	1	-	-	-	1	2	-	-	-	3	-	-	-	-	-
870.6	HEART CATHETERIZATION		7	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	1	-	-	-	-
870.7	ADMINISTRATION OF ENEMA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
870.8	OTHER		9	1	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	1	1	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	-	1	-	-	-	-	-
873	FAILURE IN DOSAGE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
873.2	OVERDOSE OF RADIATION IN THERAPY		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
874	MECHANICAL FAILURE OF INSTRUMENT OR APPARATUS DURING PROCEDURE		4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
874.1	INFUSION AND TRANSFUSION		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
874.2	KIDNEY DIALYSIS AND OTHER PERFUSION		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
874.8	OTHER		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
876	OTHER AND UNSPECIFIED MISADVENTURES DURING MEDICAL CARE		12	1	-	-	-	-	-	1	1	-	1	2	2	1	1	-	-	-	-	1	-	1	-	-
		M	7	-	-	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-
		F	5	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-
876.3	ENDOTRACHEAL TUBE WRONGLY PLACED DURING ANAESTHETIC PROCEDURE		2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
876.4	FAILURE TO INTRODUCE OR TO REMOVE OTHER TUBE OR INSTRUMENT		3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
876.8	OTHER SPECIFIED MISADVENTURES		6	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-
		M	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
876.9	UNSPECIFIED MISADVENTURE		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
878-879	SURG. & MEDICAL PROCEDURES CAUSING ABNORMAL PATIENT REACTION OR LATER COMPLICATION W/O MENTION OF MISADV. AT TIME PROC		177	4	3	-	1	1	2	1	-	6	6	3	18	11	16	17	18	26	16	17	8	3	-	-
		M	83	2	-	-	1	-	2	-	-	4	2	3	11	5	10	7	11	11	2	5	5	2	-	-
		F	94	2	3	-	-	1	-	1	-	2	4	-	7	6	6	10	7	15	14	12	3	1	-	-
878	SURGICAL PROCEDURE AS CAUSE OF ABNORMAL REACTION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF OPERATION		153	4	2	-	1	-	2	-	-	5	5	3	17	9	15	15	16	24	9	16	7	3	-	-
		M	76	2	-	-	1	-	2	-	-	3	2	3	10	5	9	7	9	10	2	4	5	2	-	-
		F	77	2	2	-	-	-	-	-	-	2	3	-	7	4	6	8	7	14	7	12	2	1	-	-
878.0	SURGICAL OPERATION WITH TRANSPLANT OF WHOLE ORGAN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
878.1	SURGICAL OPERATION WITH IMPLANT OF ARTIFICIAL INTERNAL DEVICE		15	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	6	1	2	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	1	-	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	2	-	-	-	-
878.2	SURGICAL OPERATION WITH ANASTOMOSIS, BYPASS OR GRAFT, WITH NATURAL OR ARTIFICIAL TISSUES USED AS IMPLANT		7	1	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
878.3	SURGICAL OPERATION WITH FORMATION OF EXTERNAL STOMA		17	-	1	-	-	-	1	-	-	1	1	1	1	-	-	-	2	5	1	-	2	1	-	-
		M	9	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	2	-	-	2	-	-	-
		F	8	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	1	-	-	1	-	-
878.4	OTHER RESTORATIVE SURGERY		10	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	2	2	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1	-	-	-	-	-	-
878.5	AMPUTATION OF LIMB(S)		12	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	4	1	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	1	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-
878.6	REMOVAL OF OTHER ORGAN (PARTIAL) (TOTAL)		6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	1	-	-	-
878.8	OTHER		69	3	1	-	1	-	1	-	-	3	1	1	11	6	7	10	7	8	5	3	1	-	-	-
		M	36	1	-	-	1	-	1	-	-	2	-	1	8	5	4	4	4	3	1	-	1	-	-	-
		F	33	2	1	-	-	-	-	-	-	1	1	-	3	1	3	6	3	5	4	3	-	-	-	-
878.9	UNSPECIFIED		16	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	1	6	1	1	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	2	-	1	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	4	1	-	-	-
879	OTHER PROCEDURES, W/O MENTION OF MISADV AT TIME OF PROCEDURE, CAUSING ABNORMAL PATIENT REACTION, OR LATER COMPLICATION		24	-	1	-	-	1	-	1	-	1	1	-	1	2	1	2	2	2	7	1	1	-	-	-
		M	7	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	1	-	1	-	-	-	-
		F	17	-	1	-	-	1	-	1	-	-	1	-	-	2	-	2	-	1	7	-	1	-	-	-
879.1	KIDNEY DIALYSIS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
879.2	RADIOLOGICAL PROCEDURE AND RADIOTHERAPY		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
879.4	ASPIRATION OF FLUID		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
879.6	URINARY CATHETERIZATION		8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	-	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	-	1	-	-	-
879.8	OTHER		12	-	1	-	-	1	-	-	-	1	1	-	1	1	-	2	2	1	-	1	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	-	1	-	-	-	-
		F	6	-	1	-	-	1	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
880-888	ACCIDENTAL FALLS		1,014	2	14	2	11	16	30	30	33	32	19	28	41	58	54	67	83	111	140	128	86	24	5	-
		M	565	-	5	-	7	13	26	24	29	27	17	20	30	37	37	47	47	57	62	45	28	7	-	-
		F	449	2	9	2	4	3	4	6	4	5	2	8	11	21	17	20	36	54	78	83	58	17	5	-
880	FALL ON OR FROM STAIRS OR STEPS		73	-	2	-	-	-	3	-	3	2	-	3	3	5	4	9	8	7	15	5	2	2	-	-
		M	45	-	-	-	-	-	2	-	2	1	-	1	1	4	4	9	7	4	6	1	2	1	-	-
		F	28	-	2	-	-	-	1	-	1	1	-	2	2	1	-	-	1	3	9	4	-	1	-	-
880.0	ESCALATOR		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
880.9	OTHER STAIRS OR STEPS		72	-	2	-	-	-	3	-	3	2	-	3	3	5	4	9	8	6	15	5	2	2	-	-
		M	44	-	-	-	-	-	2	-	2	1	-	1	1	4	4	9	7	3	6	1	2	1	-	-
		F	28	-	2	-	-	-	1	-	1	1	-	2	2	1	-	-	1	3	9	4	-	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
881	FALL ON OR FROM LADDERS OR SCAFFOLDING		31	-	-	-	-	-	1	2	-	2	2	1	3	5	3	2	3	2	3	1	1	-	-	-
		M	27	-	-	-	-	-	1	1	-	2	2	1	2	4	3	2	3	2	2	1	1	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
881.0	FALL FROM LADDER		24	-	-	-	-	-	-	2	-	-	1	1	1	4	3	2	3	2	3	1	1	-	-	-
		M	20	-	-	-	-	-	-	1	-	-	1	1	-	3	3	2	3	2	2	1	1	-	-	-
		F	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
881.1	FALL FROM SCAFFOLDING		7	-	-	-	-	-	1	-	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	1	-	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE		72	-	3	1	2	5	8	10	6	6	7	-	3	3	7	5	2	3	1	-	-	-	-	-
		M	57	-	1	-	1	4	8	8	5	4	7	-	3	2	7	3	2	1	1	-	-	-	-	-
		F	15	-	2	1	1	1	-	2	1	2	-	-	-	1	-	2	-	2	-	-	-	-	-	-
883	FALL INTO HOLE OR OTHER OPENING IN SURFACE		6	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
883.0	ACCIDENT FROM DIVING OR JUMPING INTO WATER (SWIMMING POOL)		4	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
883.1	ACCIDENTAL FALL INTO WELL		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
883.9	FALL INTO OTHER HOLE OR OTHER OPENING IN SURFACE		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
884	OTHER FALL FROM ONE LEVEL TO ANOTHER		127	2	4	1	6	10	13	5	5	5	-	4	4	4	6	4	6	13	11	14	8	1	1	-
		M	73	-	1	-	4	8	11	5	4	5	-	4	4	2	5	3	5	5	3	2	1	1	-	-
		F	54	2	3	1	2	2	2	-	1	-	-	-	-	2	1	1	1	8	8	12	7	-	1	-
884.0	FALL FROM PLAYGROUND EQUIPMENT		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
884.1	FALL FROM CLIFF		29	-	-	-	2	6	10	4	1	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-
		M	24	-	-	-	1	4	8	4	1	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
884.2	FALL FROM CHAIR OR BED		64	2	2	-	-	-	-	-	-	1	-	1	2	2	3	2	2	13	11	13	8	1	1	-
		M	21	-	-	-	-	-	-	-	-	1	-	1	2	-	2	2	1	5	3	2	1	1	-	-
		F	43	2	2	-	-	-	-	-	-	-	-	-	-	2	1	-	1	8	8	11	7	-	1	-
884.9	OTHER FALL FROM ONE LEVEL TO ANOTHER		33	-	1	1	4	4	3	1	4	2	-	2	-	2	2	2	4	-	-	1	-	-	-	-
		M	28	-	1	-	3	4	3	1	3	2	-	2	-	2	2	1	4	-	-	-	-	-	-	-
		F	5	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
885	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING OR STUMBLING		43	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	4	2	8	12	8	3	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	3	3	2	1	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	5	9	6	2	-	-
886	FALL ON SAME LEVEL FROM COLLISION, PUSHING OR SHOVING, BY OR WITH OTHER PERSON		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
886.0	IN SPORTS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
887	FRACTURE, CAUSE UNSPECIFIED		97	-	-	-	-	-	-	-	-	1	-	1	-	-	2	3	4	16	17	21	25	7	-	-
		M	39	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	3	9	6	9	7	1	-	-
		F	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	11	12	18	6	-	-
888	OTHER AND UNSPECIFIED FALL		564	-	5	-	3	1	4	12	15	15	10	17	28	40	31	42	56	68	85	75	42	11	4	-
		M	302	-	3	-	2	1	3	9	14	13	8	12	20	24	17	29	24	35	41	29	15	3	-	-
		F	262	-	2	-	1	-	1	3	1	2	2	5	8	16	14	13	32	33	44	46	27	8	4	-
890-899	ACCIDENTS CAUSED BY FIRE AND FLAMES		387	8	30	26	5	10	17	21	11	17	15	21	19	28	31	30	23	26	23	14	4	5	-	3
		M	228	4	17	17	4	8	12	15	9	11	8	16	12	17	19	12	11	16	10	6	2	-	-	2
		F	159	4	13	9	1	2	5	6	2	6	7	5	7	11	12	18	12	10	13	8	2	5	-	1
890	CONFLAGRATION IN PRIVATE DWELLING		296	8	29	23	4	9	13	19	7	10	13	15	12	22	25	21	15	19	14	11	1	3	-	3
		M	169	4	17	14	3	7	9	13	5	8	7	10	7	13	14	7	6	12	5	5	1	-	-	2
		F	127	4	12	9	1	2	4	6	2	2	6	5	5	9	11	14	9	7	9	6	-	3	-	1
890.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION		171	6	20	10	2	6	7	13	4	8	7	7	8	16	14	8	8	11	5	5	1	2	-	3
		M	102	3	11	6	2	5	4	9	3	6	3	6	5	7	8	4	4	8	2	3	1	-	-	2
		F	69	3	9	4	-	1	3	4	1	2	4	1	3	9	6	4	4	3	3	2	-	2	-	1
890.3	BURNING CAUSED BY CONFLAGRATION		121	2	9	12	2	2	6	5	3	2	6	7	4	6	11	13	7	8	9	6	-	1	-	-
		M	64	1	6	7	1	1	5	3	2	2	4	4	2	6	6	3	2	4	3	2	-	-	-	-
		F	57	1	3	5	1	1	1	2	1	-	2	3	2	-	5	10	5	4	6	4	-	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
890.8	OTHER ACCIDENT RESULTING FROM CONFLAGRATION		2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
890.9	UNSPECIFIED		2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
891	CONFLAGRATION IN OTHER AND UNSPECIFIED BUILDING OR STRUCTURE		8	-	-	-	-	-	1	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	1	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
891.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION		4	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
891.3	BURNING CAUSED BY CONFLAGRATION		4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
892	CONFLAGRATION NOT IN BUILDING OR STRUCTURE		8	-	1	1	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	1	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
893	ACCIDENT CAUSED BY IGNITION OF CLOTHING		26	-	-	-	-	-	-	-	1	1	-	-	1	2	-	4	4	3	3	3	3	1	-	-
		M	12	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	2	2	2	1	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	1	2	2	1	-	-
893.0	FROM CONTROLLED FIRE IN PRIVATE DWELLING		10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	3	1	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	-	-
893.1	FROM CONTROLLED FIRE IN OTHER BUILDING OR STRUCTURE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
893.2	FROM CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
893.8	FROM OTHER SOURCES		6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
893.9	UNSPECIFIED		7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
894	IGNITION OF HIGHLY INFLAMMABLE MATERIAL		13	-	-	-	1	1	1	-	-	-	-	3	1	1	1	2	1	1	-	-	-	-	-	-
		M	12	-	-	-	1	1	1	-	-	-	-	3	1	1	1	2	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
897	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE		3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
898	ACCIDENT CAUSED BY OTHER SPECIFIED FIRE AND FLAMES		29	-	-	2	-	-	1	-	1	5	1	2	2	1	3	1	2	3	4	-	-	1	-	-
		M	15	-	-	2	-	-	-	-	1	2	-	2	-	-	2	1	1	2	2	-	-	-	-	-
		F	14	-	-	-	-	-	1	-	-	3	1	-	2	1	1	-	1	1	2	-	-	1	-	-
898.0	BURNING BEDCLOTHES		4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
898.1	OTHER		25	-	-	1	-	-	-	-	1	5	1	2	2	1	3	1	2	2	3	-	-	1	-	-
		M	13	-	-	1	-	-	-	-	1	2	-	2	-	-	2	1	1	1	2	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	3	1	-	2	1	1	-	1	1	1	-	-	1	-	-
899	ACCIDENT CAUSED BY UNSPECIFIED FIRE		4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
900-909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS		100	3	1	1	3	2	8	3	6	7	5	11	8	7	11	6	5	3	4	1	3	2	-	-
		M	69	2	-	1	1	2	8	3	3	6	1	8	4	6	6	6	5	2	2	-	2	1	-	-
		F	31	1	1	-	2	-	-	-	3	1	4	3	4	1	5	-	-	1	2	1	1	1	-	-
900	EXCESSIVE HEAT		23	1	-	-	-	-	2	-	-	-	1	5	1	3	2	2	1	1	2	-	2	-	-	-
		M	14	1	-	-	-	-	2	-	-	-	-	3	1	2	-	2	1	-	1	-	1	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	1	1	-	1	-	-	-
900.0	DUE TO WEATHER CONDITIONS		16	-	-	-	-	-	2	-	-	-	-	5	1	1	1	2	1	1	-	-	2	-	-	-
		M	11	-	-	-	-	-	2	-	-	-	-	3	1	1	-	2	1	-	-	-	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	1	-	-	-
900.1	OF MANMADE ORIGIN		3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
900.9	OF UNSPECIFIED ORIGIN		4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
901	EXCESSIVE COLD		22	-	-	-	-	2	1	-	1	2	1	1	1	1	4	2	2	1	-	-	1	2	-	-
		M	20	-	-	-	-	2	1	-	1	2	1	1	1	1	3	2	2	1	-	-	1	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
901.0	DUE TO WEATHER CONDITIONS		17	-	-	-	-	1	1	-	1	2	1	1	1	1	2	1	2	1	-	-	1	1	-	-
		M	16	-	-	-	-	1	1	-	1	2	1	1	1	1	2	1	2	1	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
901.9	OF UNSPECIFIED ORIGIN		5	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-
		M	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
904	HUNGER, THIRST, EXPOSURE, NEGLECT		10	1	-	-	-	-	2	-	-	-	-	-	1	1	1	-	1	1	1	1	-	-	-	-
		M	7	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
904.0	ABANDONMENT OR NEGLECT OF INFANTS AND HELPLESS PERSONS		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
904.1	LACK OF FOOD		3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
904.3	EXPOSURE (TO WEATHER CONDITIONS) NOT ELSEWHERE CLASSIFIABLE		6	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
905	VENOMOUS ANIMALS AND PLANTS AS THE CAUSE OF POISONING AND TOXIC REACTIONS		4	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
905.0	VENOMOUS SNAKES AND LIZARDS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
905.3	HORNETS, WASPS AND BEES		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
906	OTHER INJURY CAUSED BY ANIMALS		10	1	-	-	-	-	-	-	-	-	1	1	3	1	2	1	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
906.0	DOG BITE		3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
906.4	BITE OF NONVENOMOUS ARTHROPOD		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
906.8	OTHER SPECIFIED INJURY CAUSED BY ANIMAL		6	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
907	LIGHTNING		2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
908	CATACLYSMIC STORMS, AND FLOODS RESULTING FROM STORMS		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
909	CATACLYSMIC EARTH SURFACE MOVEMENTS AND ERUPTIONS		28	-	1	1	3	-	3	3	4	3	2	4	1	1	-	-	1	-	1	-	-	-	-	-
		M	17	-	-	1	1	-	3	3	1	2	-	3	-	1	-	-	1	-	1	-	-	-	-	-
		F	11	-	1	-	2	-	-	-	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
910-915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION AND FOREIGN BODIES		1,042	35	143	29	28	67	88	94	62	49	42	33	43	44	42	46	49	47	40	30	11	8	-	12
		M	741	21	94	26	23	56	77	80	52	36	33	26	29	27	25	34	31	26	12	13	4	4	-	12
		F	301	14	49	3	5	11	11	14	10	13	9	7	14	17	17	12	18	21	28	17	7	4	-	-
910	ACCIDENTAL DROWNING AND SUBMERSION		634	14	118	24	19	56	76	75	45	31	30	17	22	12	18	13	17	13	10	5	4	3	-	12
		M	485	7	79	23	14	46	66	65	40	23	23	13	14	5	12	11	12	9	5	2	2	2	-	12
		F	149	7	39	1	5	10	10	10	5	8	7	4	8	7	6	2	5	4	5	3	2	1	-	-
910.0	WHILE WATER SKIING		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
910.1	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITH DIVING EQUIPMENT		10	-	-	-	-	-	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
910.2	WHILE ENGAGED IN OTHER SPORT OR		158	-	1	4	7	28	28	28	14	10	8	5	8	4	7	1	2	3	-	-	-	-	-	-
	RECREATIONAL ACTIVITY WITHOUT DIVING	M	139	-	1	4	6	25	26	24	14	9	8	4	6	2	5	1	2	2	-	-	-	-	-	-
	EQUIPMENT	F	19	-	-	-	1	3	2	4	-	1	-	1	2	2	2	-	-	1	-	-	-	-	-	-
910.3	WHILE SWIMMING OR DIVING FOR PURPOSES		6	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	OTHER THAN RECREATION OR SPORT	M	6	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
910.4	IN BATHTUB		68	7	17	1	1	3	3	7	1	2	2	3	3	2	3	3	2	1	3	2	1	1	-	-
		M	33	2	9	1	1	2	1	5	1	1	-	1	-	1	2	1	1	-	2	1	1	-	-	-
		F	35	5	8	-	-	1	2	2	-	1	2	2	3	1	1	2	1	1	1	1	-	1	-	-
910.8	OTHER		278	4	66	14	7	19	29	27	23	13	13	7	7	4	5	3	10	6	4	1	2	2	-	12
		M	217	2	46	13	4	13	26	25	20	8	10	7	6	2	2	3	6	6	3	-	1	2	-	12
		F	61	2	20	1	3	6	3	2	3	5	3	-	1	2	3	-	4	-	1	1	1	-	-	-
910.9	UNSPECIFIED		113	3	34	5	3	5	13	9	4	4	4	2	4	2	3	6	3	3	3	2	1	-	-	-
		M	80	3	23	5	2	5	10	8	2	3	2	1	2	-	3	6	3	1	-	1	-	-	-	-
		F	33	-	11	-	1	-	3	1	2	1	2	1	2	2	-	-	-	2	3	1	1	-	-	-
911	INHALATION AND INGESTION OF FOOD		252	7	13	3	1	5	3	7	9	11	8	8	15	20	22	24	23	24	21	19	4	5	-	-
	CAUSING OBSTRUCTION OF RESPIRATORY	M	148	3	7	2	1	5	2	4	5	7	6	7	10	14	12	16	17	14	4	8	2	2	-	-
	TRACT OR SUFFOCATION	F	104	4	6	1	-	-	1	3	4	4	2	1	5	6	10	8	6	10	17	11	2	3	-	-
912	INHALATION AND INGESTION OF OTHER		47	3	1	-	-	1	-	1	2	1	2	2	3	4	1	2	5	5	7	5	2	-	-	-
	OBJECT CAUSING OBSTRUCTION OF	M	29	3	1	-	-	1	-	1	2	-	2	2	2	3	1	2	2	2	3	2	-	-	-	-
	RESPIRATORY TRACT OR SUFFOCATION	F	18	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3	3	4	3	2	-	-	-
913	ACCIDENTAL MECHANICAL SUFFOCATION		103	11	11	2	8	5	9	11	5	6	2	4	3	7	1	6	4	4	2	1	1	-	-	-
		M	75	8	7	1	8	4	9	10	4	6	2	3	3	4	-	4	-	1	-	1	-	-	-	-
		F	28	3	4	1	-	1	-	1	1	-	-	1	-	3	1	2	4	3	2	-	1	-	-	-
913.0	IN BED OR CRADLE		26	9	4	-	-	-	2	-	-	1	-	1	-	2	-	3	1	2	1	-	-	-	-	-
		M	16	6	3	-	-	-	2	-	-	1	-	-	-	1	-	2	-	1	-	-	-	-	-	-
		F	10	3	1	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	-	-	-	-
913.1	BY PLASTIC BAG		5	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.2	DUE TO LACK OF AIR (IN CLOSED PLACE)		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913.3	BY FALLING EARTH OR OTHER SUBSTANCE		9	-	-	-	1	1	-	2	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	1	1	-	2	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
913.8	OTHER SPECIFIED MEANS		41	1	4	1	6	1	6	6	3	2	-	1	-	3	-	2	1	1	1	1	1	-	-	-
		M	33	1	4	-	6	1	6	5	2	2	-	1	-	2	-	2	-	-	-	1	-	-	-	-
		F	8	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-
913.9	UNSPECIFIED		21	-	1	-	1	1	1	3	2	2	2	-	2	1	1	1	2	1	-	-	-	-	-	-
		M	13	-	-	-	1	-	1	3	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	1	-	-	1	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-
914	FOREIGN BODY ACCIDENTALLY ENTERING EYE		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	AND ADNEXA	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
915	FOREIGN BODY ACCIDENTALLY ENTERING		5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-	-
	OTHER ORIFICE	M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
916-928	OTHER ACCIDENTS		444	3	15	5	19	47	55	40	49	32	25	17	22	30	24	11	15	18	9	3	2	2	1	-
		M	380	2	9	5	15	47	52	38	44	31	23	17	19	24	16	6	12	9	7	2	1	1	-	-
		F	64	1	6	-	4	-	3	2	5	1	2	-	3	6	8	5	3	9	2	1	1	1	1	-
916	STRUCK ACCIDENTALLY BY FALLING OBJECT		53	-	3	1	4	4	4	7	6	6	4	3	3	3	3	1	1	-	-	-	-	-	-	-
		M	47	-	1	1	3	4	3	7	5	6	4	3	3	3	2	1	1	-	-	-	-	-	-	-
		F	6	-	2	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
917	STRIKING AGAINST OR STRUCK ACCIDENTALLY		26	-	-	1	1	2	2	-	2	-	2	1	1	2	2	2	1	5	2	-	-	-	-	-
	BY OBJECTS OR PERSONS	M	19	-	-	1	1	2	2	-	2	-	2	1	1	-	1	1	1	2	2	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	-	-	-	-	-	-
917.0	IN SPORTS		4	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	4	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
917.2	IN RUNNING WATER		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
917.9	OTHER		21	-	-	1	-	-	2	-	2	-	1	1	1	2	2	2	1	4	2	-	-	-	-	-
		M	14	-	-	1	-	-	2	-	2	-	1	1	1	-	1	1	1	1	2	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
918	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS		2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
919	ACCIDENTS CAUSED BY MACHINERY		72	-	3	1	3	6	10	4	9	3	4	4	6	10	5	-	2	1	-	-	1	-	-	-
		M	69	-	2	1	2	6	10	4	9	3	4	4	6	10	4	-	2	1	-	-	1	-	-	-
		F	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
919.0	AGRICULTURAL MACHINES		30	-	2	1	3	2	4	1	1	-	-	3	4	5	2	-	1	1	-	-	-	-	-	-
		M	28	-	1	1	2	2	4	1	1	-	-	3	4	5	2	-	1	1	-	-	-	-	-	-
		F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919.1	MINING AND EARTH-DRILLING MACHINERY		2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
919.2	LIFTING MACHINES AND APPLIANCES		20	-	-	-	-	2	2	1	4	2	3	-	1	1	3	-	1	-	-	-	-	-	-	-
		M	19	-	-	-	-	2	2	1	4	2	3	-	1	1	2	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
919.7	EARTH MOVING, SCRAPING AND OTHER EXCAVATING MACHINES		9	-	-	-	-	-	1	1	3	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	1	1	3	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
919.8	OTHER		9	-	-	-	-	2	1	1	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-
		M	9	-	-	-	-	2	1	1	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-
919.9	UNSPECIFIED		2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
920	ACCIDENTS CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS		13	-	-	-	-	1	3	-	1	2	-	1	1	-	2	-	1	1	-	-	-	-	-	-
		M	12	-	-	-	-	1	3	-	1	2	-	1	-	-	2	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
920.1	OTHER POWERED HAND TOOLS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
920.3	KNIVES, SWORDS AND DAGGERS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
920.8	OTHER		9	-	-	-	-	1	2	-	1	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	1	2	-	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
920.9	UNSPECIFIED		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
921	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL		4	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
921.0	BOILERS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
921.1	GAS CYLINDERS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
921.8	OTHER		2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
922	ACCIDENT CAUSED BY FIREARM MISSILE		79	-	3	1	8	20	15	13	9	2	3	2	3	-	-	-	-	-	-	-	-	-	-	-
		M	73	-	3	1	7	20	14	12	9	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	1	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
922.0	HAND GUN		15	-	1	-	1	5	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	1	-	1	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.1	SHOTGUN (AUTOMATIC)		6	-	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.2	HUNTING RIFLE		14	-	-	-	1	4	2	1	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	4	1	1	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.8	OTHER		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.9	UNSPECIFIED		43	-	2	1	6	7	9	7	3	2	2	1	3	-	-	-	-	-	-	-	-	-	-	-
		M	40	-	2	1	6	7	9	7	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
923	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL		27	-	-	-	-	-	3	6	6	4	1	1	-	2	-	3	-	-	-	-	1	-	-	-
		M	23	-	-	-	-	-	3	6	5	4	1	1	-	2	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
923.1	BLASTING MATERIALS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
923.2	EXPLOSIVE GASES		15	-	-	-	-	-	1	2	3	4	-	-	-	1	-	3	-	-	-	-	1	-	-	-
		M	11	-	-	-	-	-	1	2	2	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
923.8	OTHER		10	-	-	-	-	-	1	4	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	1	4	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
923.9	UNSPECIFIED		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
924	ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL AND STEAM		16	-	3	-	-	-	2	-	-	-	1	-	-	2	2	1	2	1	1	-	-	1	-	-
		M	9	-	1	-	-	-	1	-	-	-	1	-	-	2	-	1	1	-	1	-	-	1	-	-
		F	7	-	2	-	-	-	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
924.0	HOT LIQUIDS AND VAPOURS, INCLUDING STEAM		14	-	3	-	-	-	2	-	-	-	1	-	-	2	2	1	1	1	-	-	-	1	-	-
		M	8	-	1	-	-	-	1	-	-	-	1	-	-	2	-	1	1	-	-	-	-	1	-	-
		F	6	-	2	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
924.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
925	ACCIDENT CAUSED BY ELECTRIC CURRENT		58	-	1	1	1	12	12	5	5	10	4	-	1	1	1	1	2	1	-	-	-	-	-	-
		M	55	-	1	1	1	12	12	5	3	10	3	-	1	1	1	1	2	1	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
925.0	DOMESTIC WIRING AND APPLIANCES		10	-	-	-	-	3	-	1	1	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-
		M	8	-	-	-	-	3	-	1	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
925.1	ELECTRIC POWER GENERATING PLANTS, DISTRIBUTION STATIONS, TRANSMISSION LINES		25	-	-	1	1	6	5	2	2	4	2	-	-	-	-	1	-	1	-	-	-	-	-	-
		M	25	-	-	1	1	6	5	2	2	4	2	-	-	-	-	1	-	1	-	-	-	-	-	-
925.2	INDUSTRIAL WIRING, APPLIANCES AND ELECTRICAL MACHINERY		5	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
925.8	OTHER		14	-	-	-	-	2	6	1	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	2	6	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
925.9	UNSPECIFIED		4	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
927	OVEREXERTION AND STRENUOUS MOVEMENTS		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSES		93	3	2	-	2	2	3	4	10	5	6	3	6	10	8	3	6	9	6	3	-	1	1	-
		M	66	2	1	-	1	2	3	3	9	5	5	3	6	6	5	1	4	4	4	2	-	-	-	-
		F	27	1	1	-	1	-	-	1	1	-	1	-	-	4	3	2	2	5	2	1	-	1	1	-
928.9	UNSPECIFIED ACCIDENTS		93	3	2	-	2	2	3	4	10	5	6	3	6	10	8	3	6	9	6	3	-	1	1	-
		M	66	2	1	-	1	2	3	3	9	5	5	3	6	6	5	1	4	4	4	2	-	-	-	-
		F	27	1	1	-	1	-	-	1	1	-	1	-	-	4	3	2	2	5	2	1	-	1	1	-
929	LATE EFFECTS OF ACCIDENTAL INJURY		110	-	2	1	2	2	10	9	8	7	8	7	11	3	4	6	5	6	8	7	3	1	-	-
		M	74	-	1	1	1	1	9	9	8	2	6	5	8	3	-	3	2	5	4	4	1	1	-	-
		F	36	-	1	-	1	1	1	-	-	5	2	2	3	-	4	3	3	1	4	3	2	-	-	-
929.0	LATE EFFECTS OF MOTOR VEHICLE ACCIDENT		51	-	-	1	1	2	8	7	5	1	6	4	6	2	2	-	2	-	2	2	-	-	-	-
		M	40	-	-	1	1	1	8	7	5	-	5	4	3	2	-	-	1	-	1	1	-	-	-	-
		F	11	-	-	-	-	1	-	-	-	1	1	-	3	-	2	-	1	-	1	1	-	-	-	-
929.1	LATE EFFECTS OF OTHER TRANSPORT ACCIDENT		3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
929.2	LATE EFFECTS OF ACCIDENTAL POISONING		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.3	LATE EFFECTS OF ACCIDENTAL FALL		29	-	-	-	-	-	-	1	-	3	1	-	2	-	2	3	1	6	3	3	3	1	-	-
		M	16	-	-	-	-	-	-	1	-	1	1	-	2	-	-	2	-	5	1	1	1	1	-	-
		F	13	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	1	1	2	2	2	-	-	-
929.4	LATE EFFECTS OF ACCIDENT CAUSED BY FIRE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
929.5	LATE EFFECTS OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
929.8	LATE EFFECTS OF OTHER ACCIDENTS		8	-	2	-	-	-	-	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
929.9	LATE EFFECTS OF UNSPECIFIED ACCIDENT		15	-	-	-	1	-	2	-	1	2	1	1	2	-	-	-	1	-	2	2	-	-	-	-
		M	8	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	1	2	-	-	-	-
		F	7	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE		17	-	-	-	1	-	2	1	1	-	1	2	1	-	1	-	4	1	-	-	2	-	-	-
		M	8	-	-	-	1	-	2	1	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	2	1	-	-	2	-	-	-
930	ANTIBIOTICS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
930.0	PENICILLINS		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
933	PRIMARILY SYSTEMIC AGENTS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
933.0	ANTIALLERGIC AND ANTIEMETIC DRUGS		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
934	AGENTS PRIMARILY AFFECTING BLOOD CONSTITUENTS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
934.2	ANTICOAGULANTS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
938	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS		6	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
938.1	HALOTHANE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
938.7	SPINAL ANAESTHETICS		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
938.9	OTHER AND UNSPECIFIED LOCAL ANAESTHETICS		4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
944	WATER, MINERAL AND URIC ACID METABOLISM DRUGS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
944.4	OTHER DIURETICS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
947	OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS		7	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	2	-	-	-
		M	4	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-
947.8	OTHER DRUGS AND MEDICAMENTS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
947.9	UNSPECIFIED DRUG OR MEDICAMENT		5	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
		M	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
950-959	SUICIDE AND SELFINFLICTED INJURY		3,752	-	-	-	16	165	414	523	435	330	260	238	230	262	219	159	185	143	86	61	21	-	1	3
		M	2,704	-	-	-	12	130	329	401	317	235	175	153	153	164	160	107	139	105	62	44	14	-	1	3
		F	1,048	-	-	-	4	36	85	122	118	95	85	85	77	98	59	52	46	38	24	17	7	-	-	-
950	SUICIDE AND SELFINFLICTED POISONING BY SOLID OR LIQUID SUBSTANCES		702	-	-	-	-	8	45	72	98	77	54	51	62	64	40	29	32	35	18	11	6	-	-	-
		M	267	-	-	-	-	3	23	35	50	30	22	13	21	17	12	8	10	11	6	4	2	-	-	-
		F	435	-	-	-	-	5	22	37	48	47	32	38	41	47	28	21	22	24	12	7	4	-	-	-
950.0	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS		75	-	-	-	-	1	3	10	8	7	10	4	7	8	6	2	3	1	1	3	1	-	-	-
		M	23	-	-	-	-	1	1	3	5	1	3	-	3	2	1	1	-	1	-	1	-	-	-	-
		F	52	-	-	-	-	-	2	7	3	6	7	4	4	6	5	1	3	-	1	2	1	-	-	-
950.1	BARBITURATES		138	-	-	-	-	2	6	7	11	8	5	11	12	9	10	7	13	20	9	5	3	-	-	-
		M	58	-	-	-	-	1	2	5	5	5	4	6	7	2	2	2	6	5	4	1	1	-	-	-
		F	80	-	-	-	-	1	4	2	6	3	1	5	5	7	8	5	7	15	5	4	2	-	-	-
950.2	OTHER SEDATIVES AND HYPNOTICS		21	-	-	-	-	-	1	2	7	3	2	-	3	3	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	1	2	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	1	1	5	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-
950.3	TRANQUILIZERS AND OTHER PSYCHOTROPIC AGENTS		154	-	-	-	-	2	14	20	21	19	11	11	17	16	9	5	4	2	1	1	1	-	-	-
		M	46	-	-	-	-	-	6	10	10	6	4	2	-	1	2	-	2	1	-	1	1	-	-	-
		F	108	-	-	-	-	2	8	10	11	13	7	9	17	15	7	5	2	1	1	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
950.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS		155	-	-	-	-	2	15	15	23	19	11	11	12	14	7	6	4	9	4	2	1	-	-	-
		M	59	-	-	-	-	-	10	3	12	9	2	1	5	7	2	2	-	4	1	1	-	-	-	-
		F	96	-	-	-	-	2	5	12	11	10	9	10	7	7	5	4	4	5	3	1	1	-	-	-
950.5	UNSPECIFIED DRUG OR MEDICAMENT		110	-	-	-	-	1	5	12	15	17	12	9	6	10	6	6	6	3	2	-	-	-	-	-
		M	40	-	-	-	-	1	4	8	7	4	5	1	1	2	3	1	2	-	1	-	-	-	-	-
		F	70	-	-	-	-	-	1	4	8	13	7	8	5	8	3	5	4	3	1	-	-	-	-	-
950.6	AGRICULTURAL AND HORTICULTURAL CHEM. AND PHARMACEUTICAL PREPARATIONS OTHER THAN PLANT FOODS AND FERTILIZERS		8	-	-	-	-	-	1	-	2	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
950.7	CORROSIVE AND CAUSTIC SUBSTANCES		5	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
950.9	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES		36	-	-	-	-	-	-	5	10	3	3	2	5	1	2	2	2	-	1	-	-	-	-	-
		M	25	-	-	-	-	-	-	4	7	3	3	1	3	-	2	2	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	1	3	-	-	1	2	1	-	-	2	-	1	-	-	-	-	-
951	SUICIDE AND SELFINFLICTED POISONING BY GASES IN DOMESTIC USE		5	-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
951.0	GAS DISTRIBUTED BY PIPELINE		4	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
951.1	LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
952	SUICIDE AND SELFINFLICTED POISONING BY OTHER GASES AND VAPOURS		197	-	-	-	-	7	14	30	26	22	17	18	13	23	9	2	5	8	2	-	1	-	-	-
		M	155	-	-	-	-	4	13	27	22	18	12	14	10	17	6	2	3	5	1	-	1	-	-	-
		F	42	-	-	-	-	3	1	3	4	4	5	4	3	6	3	-	2	3	1	-	-	-	-	-
952.0	MOTOR VEHICLE EXHAUST GAS		184	-	-	-	-	6	14	27	25	21	15	14	13	22	9	2	5	8	2	-	1	-	-	-
		M	143	-	-	-	-	3	13	24	21	17	10	10	10	17	6	2	3	5	1	-	1	-	-	-
		F	41	-	-	-	-	3	1	3	4	4	5	4	3	5	3	-	2	3	1	-	-	-	-	-
952.1	OTHER CARBON MONOXIDE		11	-	-	-	-	1	-	2	-	1	2	4	-	1	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	1	-	2	-	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
952.8	OTHER SPECIFIED GASES AND VAPOURS		2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
953	SUICIDE AND SELFINFLICTED INJURY BY HANGING, STRANGULATION AND SUFFOCATION		570	-	-	-	7	41	75	87	77	46	38	37	18	31	25	20	17	18	19	9	3	-	-	2
		M	443	-	-	-	6	37	65	69	62	38	29	30	13	20	15	12	11	12	15	4	3	-	-	2
		F	127	-	-	-	1	4	10	18	15	8	9	7	5	11	10	8	6	6	4	5	-	-	-	-
953.0	HANGING		529	-	-	-	7	36	68	82	76	44	38	35	17	29	21	18	16	16	15	6	3	-	-	2
		M	420	-	-	-	6	33	60	64	61	37	29	28	13	20	13	11	11	12	14	3	3	-	-	2
		F	109	-	-	-	1	3	8	18	15	7	9	7	4	9	8	7	5	4	1	3	-	-	-	-
953.1	SUFFOCATION BY PLASTIC BAG		37	-	-	-	-	5	5	4	1	2	-	2	1	2	3	2	1	2	4	3	-	-	-	-
		M	20	-	-	-	-	4	4	4	1	1	-	2	-	-	1	1	-	-	1	1	-	-	-	-
		F	17	-	-	-	-	1	1	-	-	1	-	-	1	2	2	1	1	2	3	2	-	-	-	-
953.8	OTHER SPECIFIED MEANS		4	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
954	SUICIDE AND SELFINFLICTED INJURY BY SUBMERSION (DROWNING)		53	-	-	-	-	1	1	5	2	4	6	4	1	5	2	4	7	3	4	1	3	-	-	-
		M	27	-	-	-	-	-	1	4	1	3	2	1	1	3	1	2	3	2	-	1	2	-	-	-
		F	26	-	-	-	-	1	-	1	1	1	4	3	-	2	1	2	4	1	4	-	1	-	-	-
955	SUICIDE AND SELFINFLICTED INJURY BY FIREARMS AND EXPLOSIVES		1,896	-	-	-	9	97	226	288	188	150	116	106	116	120	125	91	117	69	38	33	6	-	1	-
		M	1,573	-	-	-	6	77	185	237	150	122	93	79	96	96	110	75	106	68	36	30	6	-	1	-
		F	323	-	-	-	3	20	41	51	38	28	23	27	20	24	15	16	11	1	2	3	-	-	-	-
955.0	HAND GUN		456	-	-	-	1	19	33	57	40	32	34	26	35	35	33	28	35	21	12	13	1	-	1	-
		M	360	-	-	-	-	17	27	41	30	22	27	14	28	27	29	24	30	20	11	11	1	-	1	-
		F	96	-	-	-	1	2	6	16	10	10	7	12	7	8	4	4	5	1	1	2	-	-	-	-
955.1	SHOT GUN		235	-	-	-	2	24	31	40	28	18	13	13	15	13	8	9	11	7	2	1	-	-	-	-
		M	206	-	-	-	1	19	25	33	25	17	11	13	14	11	8	8	11	7	2	1	-	-	-	-
		F	29	-	-	-	1	5	6	7	3	1	2	-	1	2	-	1	-	-	-	-	-	-	-	-
955.2	HUNTING RIFLE		150	-	-	-	1	6	25	23	20	19	12	9	5	7	3	5	6	4	3	1	1	-	-	-
		M	135	-	-	-	1	4	24	23	15	18	10	7	5	6	3	4	6	4	3	1	1	-	-	-
		F	15	-	-	-	-	2	1	-	5	1	2	2	-	1	-	1	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
955.3	MILITARY FIREARMS		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
955.4	OTHER AND UNSPECIFIED FIREARM		1,052	-	-	-	5	48	137	167	99	81	57	58	61	65	81	49	64	37	21	18	4	-	-	-
		M	869	-	-	-	4	37	109	139	79	65	45	45	49	52	70	39	58	37	20	17	4	-	-	-
		F	183	-	-	-	1	11	28	28	20	16	12	13	12	13	11	10	6	-	1	1	-	-	-	-
955.5	EXPLOSIVES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
955.9	UNSPECIFIED		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
956	SUICIDE AND SELFINFLICTED INJURY BY		88	-	-	-	-	2	9	9	10	6	10	6	3	5	8	6	4	4	1	4	1	-	-	-
	CUTTING AND PIERCING INSTRUMENTS	M	67	-	-	-	-	2	6	8	8	4	7	3	2	3	7	5	4	4	1	3	-	-	-	-
		F	21	-	-	-	-	-	3	1	2	2	3	3	1	2	1	1	-	-	-	1	1	-	-	-
957	SUICIDE AND SELFINFLICTED INJURY BY		156	-	-	-	-	7	27	19	23	14	13	7	8	10	7	5	2	6	4	2	1	-	-	1
	JUMPING FROM HIGH PLACE	M	111	-	-	-	-	5	26	11	16	10	7	5	6	7	6	2	2	3	3	1	-	-	-	1
		F	45	-	-	-	-	2	1	8	7	4	6	2	2	3	1	3	-	3	1	1	1	-	-	-
957.0	RESIDENTIAL PREMISES		41	-	-	-	-	-	5	4	5	3	1	2	3	2	3	1	1	4	3	2	1	-	-	1
		M	27	-	-	-	-	-	5	1	4	2	1	1	2	2	3	-	1	1	2	1	-	-	-	1
		F	14	-	-	-	-	-	-	3	1	1	-	1	1	-	-	1	-	3	1	1	1	-	-	-
957.1	OTHER MANMADE STRUCTURES		88	-	-	-	-	4	19	13	12	10	11	2	3	5	4	3	-	1	1	-	-	-	-	-
		M	66	-	-	-	-	2	18	9	10	7	5	2	3	3	3	2	-	1	1	-	-	-	-	-
		F	22	-	-	-	-	2	1	4	2	3	6	-	-	2	1	1	-	-	-	-	-	-	-	-
957.2	NATURAL SITES		4	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
957.9	UNSPECIFIED		23	-	-	-	-	2	3	2	4	1	1	2	2	3	-	1	1	1	-	-	-	-	-	-
		M	16	-	-	-	-	2	3	1	2	1	1	1	1	2	-	-	1	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	1	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
958	SUICIDE AND SELFINFLICTED INJURY BY		81	-	-	-	-	3	16	10	11	10	6	9	8	2	2	2	1	-	-	1	-	-	-	-
	OTHER AND UNSPECIFIED MEANS	M	56	-	-	-	-	2	9	8	8	9	3	8	4	1	2	1	-	-	-	1	-	-	-	-
		F	25	-	-	-	-	1	7	2	3	1	3	1	4	1	-	1	1	-	-	-	-	-	-	-
958.0	JUMPING OR LYING BEFORE MOVING OBJECT		30	-	-	-	-	2	6	3	2	3	3	5	1	1	1	1	1	-	-	1	-	-	-	-
		M	21	-	-	-	-	1	3	3	1	3	2	4	1	-	1	1	-	-	-	1	-	-	-	-
		F	9	-	-	-	-	1	3	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
958.1	BURNS, FIRE		22	-	-	-	-	-	4	3	5	3	1	2	4	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	2	2	4	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	2	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
958.4	ELECTROCUTION		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
958.5	CRASHING OF MOTOR VEHICLE		14	-	-	-	-	-	4	2	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	-	4	2	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
958.8	OTHER SPECIFIED MEANS		4	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
958.9	UNSPECIFIED MEANS		9	-	-	-	-	-	-	2	2	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
959	LATE EFFECTS OF SELFINFLICTED INJURY		4	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
960-969	HOMICIDE AND INJURY PURPOSELY INFLICTED		2,864	40	43	21	33	275	524	494	374	253	200	133	127	90	74	58	38	32	19	13	3	-	-	20
	BY OTHER PERSONS	M	2,245	22	23	12	16	223	435	401	308	199	162	114	99	70	54	37	22	19	9	5	1	-	-	14
		F	619	18	20	9	17	52	89	93	66	54	38	19	28	20	20	21	16	13	10	8	2	-	-	6
960	FIGHT, BRAWL, RAPE		3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
960.0	UNARMED FIGHT OR BRAWL		3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
962	ASSAULT BY POISONING		7	-	1	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	4	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
962.0	DRUGS AND MEDICAMENTS		5	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962.2	OTHER GASES AND VAPOURS		2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
963	ASSAULT BY HANGING AND STRANGULATION		164	6	3	6	6	13	17	26	7	11	6	7	9	7	10	5	4	8	7	2	1	-	-	3
		M	61	2	1	3	1	3	5	6	2	4	3	5	7	3	7	1	1	3	3	-	-	-	-	1
		F	103	4	2	3	5	10	12	20	5	7	3	2	2	4	3	4	3	5	4	2	1	-	-	2
964	ASSAULT BY SUBMERSION (DROWNING)		10	1	1	1	2	-	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	4	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	1	-	-	2	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
965	ASSAULT BY FIREARMS AND EXPLOSIVES		1,677	2	6	7	16	184	342	320	251	153	128	80	58	39	29	22	16	10	4	2	-	-	-	8
		M	1,409	1	4	3	10	159	288	282	213	129	107	69	44	33	21	18	10	8	3	1	-	-	-	6
		F	268	1	2	4	6	25	54	38	38	24	21	11	14	6	8	4	6	2	1	1	-	-	-	2
965.0	HANDGUN		121	-	-	2	-	9	19	19	18	16	11	9	6	3	3	2	2	-	1	-	-	-	-	1
		M	96	-	-	1	-	8	15	16	16	12	9	7	5	2	2	2	-	-	-	-	-	-	-	1
		F	25	-	-	1	-	1	4	3	2	4	2	2	1	1	1	-	2	-	1	-	-	-	-	-
965.1	SHOTGUN		161	-	-	-	2	18	30	35	26	15	13	9	6	2	2	1	1	-	-	-	-	-	-	1
		M	128	-	-	-	1	16	25	28	20	11	12	6	4	1	2	1	-	-	-	-	-	-	-	1
		F	33	-	-	-	1	2	5	7	6	4	1	3	2	1	-	-	1	-	-	-	-	-	-	-
965.2	HUNTING RIFLE		23	-	-	-	-	3	5	1	3	1	2	-	-	2	1	2	2	1	-	-	-	-	-	-
		M	17	-	-	-	-	2	4	1	2	1	2	-	-	1	-	1	2	1	-	-	-	-	-	-
		F	6	-	-	-	-	1	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
965.4	OTHER AND UNSPECIFIED FIREARM		1,370	2	6	5	14	154	287	264	204	121	102	62	46	32	23	17	11	9	3	2	-	-	-	6
		M	1,167	1	4	2	9	133	244	236	175	105	84	56	35	29	17	14	8	7	3	1	-	-	-	4
		F	203	1	2	3	5	21	43	28	29	16	18	6	11	3	6	3	3	2	-	1	-	-	-	2
965.8	OTHER SPECIFIED EXPLOSIVE		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
965.9	UNSPECIFIED EXPLOSIVE		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT		648	1	4	1	6	62	134	116	87	54	35	28	31	26	20	17	9	8	2	2	1	-	-	4
		M	512	1	3	1	3	48	117	92	71	43	25	25	21	19	17	10	5	6	-	-	1	-	-	4
		F	136	-	1	-	3	14	17	24	16	11	10	3	10	7	3	7	4	2	2	2	-	-	-	-
967	CHILD BATTERING AND OTHER MALTREATMENT		17	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
967.0	BY PARENT		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
967.9	BY UNSPECIFIED PERSON		16	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS		327	19	22	4	2	14	29	28	26	31	29	16	29	18	14	13	9	6	5	7	1	-	-	5
		M	238	11	11	3	2	12	24	18	19	22	26	13	27	15	9	8	6	2	3	4	-	-	-	3
		F	89	8	11	1	-	2	5	10	7	9	3	3	2	3	5	5	3	4	2	3	1	-	-	2
968.0	FIRE		27	1	-	-	1	3	1	6	1	2	2	1	3	3	2	-	-	-	1	-	-	-	-	-
		M	21	1	-	-	1	3	1	2	1	1	2	1	3	2	2	-	-	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
968.1	PUSHING FROM HIGH PLACE		4	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.2	STRIKING BY BLUNT OR THROWN OBJECT		51	-	1	-	1	1	7	3	1	10	6	3	6	4	3	1	2	-	1	-	-	-	-	1
		M	41	-	-	-	1	1	7	1	1	9	5	3	5	3	1	1	1	-	1	-	-	-	-	1
		F	10	-	1	-	-	-	-	2	-	1	1	-	1	1	2	-	1	-	-	-	-	-	-	-
968.3	HOT LIQUID		1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
968.4	CRIMINAL NEGLECT		11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		M	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
968.8	OTHER SPECIFIED MEANS		74	1	8	3	-	3	10	6	5	6	3	-	8	-	5	4	6	2	1	2	-	-	-	1
		M	62	1	6	3	-	3	8	5	4	5	2	-	8	-	4	3	5	2	1	2	-	-	-	-
		F	12	-	2	-	-	-	2	1	1	1	1	-	-	-	1	1	1	-	-	-	-	-	-	1
968.9	UNSPECIFIED MEANS		159	9	10	1	-	7	11	13	19	12	17	12	11	11	4	8	1	4	2	5	1	-	-	1
		M	105	5	3	-	-	5	8	10	13	7	16	9	10	10	2	4	-	-	-	2	-	-	-	1
		F	54	4	7	1	-	2	3	3	6	5	1	3	1	1	2	4	1	4	2	3	1	-	-	-
969	LATE EFFECTS OF INJURY PURPOSELY		11	-	1	-	1	1	-	2	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	INFLICTED BY OTHER PERSON	M	6	-	-	-	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	1	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
970-978	LEGAL INTERVENTION		37	-	-	-	-	3	8	10	6	3	4	-	1	-	1	1	-	-	-	-	-	-	-	-
		M	36	-	-	-	-	3	8	9	6	3	4	-	1	-	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
970	INJURY DUE TO LEGAL INTERVENTION BY		34	-	-	-	-	3	7	10	5	2	4	-	1	-	1	1	-	-	-	-	-	-	-	-
	FIREARMS	M	33	-	-	-	-	3	7	9	5	2	4	-	1	-	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
975	INJURY DUE TO LEGAL INTERVENTION BY		3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	OTHER SPECIFIED MEANS	M	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY		285	7	9	-	3	12	27	45	30	35	17	15	19	20	15	9	8	5	2	4	1	-	-	2
	OR PURPOSELY INFLICTED	M	190	1	6	-	2	9	17	40	22	23	11	11	10	13	8	5	6	2	-	2	-	-	-	2
		F	95	6	3	-	1	3	10	5	8	12	6	4	9	7	7	4	2	3	2	2	1	-	-	-
980	POISONING BY SOLID OR LIQUID		93	-	-	-	-	3	6	18	11	12	5	5	9	8	5	3	2	2	2	1	1	-	-	-
	SUBSTANCES, UNDETERMINED WHETHER	M	47	-	-	-	-	1	2	15	9	5	2	2	3	3	1	1	-	2	-	1	-	-	-	-
	ACCIDENTLY OR PURPOSELY INFLICTED	F	46	-	-	-	-	2	4	3	2	7	3	3	6	5	4	2	2	-	2	-	1	-	-	-
980.0	ANALGESICS, ANTIPYRETICS AND		12	-	-	-	-	-	1	3	1	-	1	1	-	1	2	-	-	-	1	-	1	-	-	-
	ANTIRHEUMATICS	M	6	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	1	-	-	-
980.1	BARBITURATES		6	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
980.2	OTHER SEDATIVES AND HYPNOTICS		3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
980.3	TRANQUILIZERS AND OTHER PSYCHOTROPIC		22	-	-	-	-	1	-	4	2	3	1	1	1	3	2	2	-	2	-	-	-	-	-	-
	AGENTS	M	10	-	-	-	-	-	-	3	2	1	-	-	-	1	1	-	-	2	-	-	-	-	-	-
		F	12	-	-	-	-	1	-	1	-	2	1	1	1	2	1	2	-	-	-	-	-	-	-	-
980.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS		21	-	-	-	-	-	3	3	4	4	-	1	1	2	-	-	1	-	1	1	-	-	-	-
		M	11	-	-	-	-	-	-	1	3	4	-	1	-	1	-	-	-	-	-	1	-	-	-	-
		F	10	-	-	-	-	-	3	2	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
980.5	UNSPECIFIED DRUG OR MEDICAMENT		26	-	-	-	-	-	1	7	3	4	3	1	4	1	1	1	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	-	1	7	2	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	1	4	2	-	2	1	1	-	-	-	-	-	-	-	-	-
980.7	AGRICULTURAL AND HORTICULTURAL CHEM-		1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ICAL AND PHARMACEUTICAL PREPARATIONS	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	OTHER THAN PLANT FOODS & FERTILIZERS																									
980.9	OTHER AND UNSPECIFIED SOLID AND LIQUID		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	SUBSTANCES	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
982	POISONING BY OTHER GASES, UNDETERMINED		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	WHETHER ACCIDENTALLY OR PURPOSELY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	INFLICTED																									
982.0	MOTOR VEHICLE EXHAUST GAS		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
983	HANGING, STRANGULATION OR SUFFOCATION,		11	1	-	-	2	-	1	2	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	UNDETERMINED WHETHER ACCIDENTALLY OR	M	9	-	-	-	2	-	1	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	PURPOSELY INFLICTED	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
983.0	HANGING		8	-	-	-	2	-	1	-	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	7	-	-	-	2	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
983.1	SUFFOCATION BY PLASTIC BAG		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
983.8	OTHER SPECIFIED MEANS		2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
984	SUBMERSION (DROWNING), UNDETERMINED		19	2	-	-	-	-	-	2	5	2	2	-	3	1	1	-	-	-	-	-	-	-	-	1
	WHETHER ACCIDENTALLY OR PURPOSELY	M	12	1	-	-	-	-	-	1	3	2	1	-	2	1	-	-	-	-	-	-	-	-	-	1
	INFLICTED	F	7	1	-	-	-	-	-	1	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
985	INJURY BY FIREARMS AND EXPLOSIVES,		56	-	-	-	1	5	13	12	3	8	3	3	3	1	2	-	2	-	-	-	-	-	-	-
	UNDETERMINED WHETHER ACCIDENTALLY OR	M	48	-	-	-	-	5	10	11	3	6	3	3	2	1	2	-	2	-	-	-	-	-	-	-
	PURPOSELY INFLICTED	F	8	-	-	-	1	-	3	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
985.0	HAND GUN		18	-	-	-	-	-	5	5	-	1	1	2	3	-	1	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	-	4	5	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
985.1	SHOT GUN		5	-	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
985.2	HUNTING RIFLE		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
985.4	OTHER AND UNSPECIFIED FIREARM		30	-	-	-	1	5	6	7	3	4	1	1	-	-	1	-	1	-	-	-	-	-	-	-
		M	25	-	-	-	-	5	4	6	3	3	1	1	-	-	1	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.5	EXPLOSIVES		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
986	INJURY BY CUTTING AND PIERCING		4	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	INSTRUMENTS, UNDETERMINED WHETHER	M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	ACCIDENTALLY OR PURPOSELY INFLICTED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
987	FALLING FROM HIGH PLACE, UNDETERMINED		15	-	1	-	-	2	2	5	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	WHETHER ACCIDENTALLY OR PURPOSELY	M	11	-	1	-	-	1	1	5	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	INFLICTED	F	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
987.0	RESIDENTIAL PREMISES		2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
987.1	OTHER MAN-MADE STRUCTURES		8	-	-	-	-	2	1	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
987.2	NATURAL SITES		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
987.9	UNSPECIFIED		3	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
988	INJURY BY OTHER AND UNSPECIFIED MEANS,		79	4	8	-	-	2	5	6	8	8	5	4	3	7	6	2	4	3	-	3	-	-	-	1
	UNDETERMINED WHETHER ACCIDENTALLY OR	M	53	-	5	-	-	2	3	6	4	6	3	4	2	6	4	2	4	-	-	1	-	-	-	1
	PURPOSELY INFLICTED	F	26	4	3	-	-	-	2	-	4	2	2	-	1	1	2	-	-	3	-	2	-	-	-	-
988.0	JUMPING OR LYING BEFORE MOVING OBJECT		3	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
988.1	BURNS, FIRE		7	-	-	-	-	-	1	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	1	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
988.3	EXTREMES OF COLD		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988.4	ELECTROCUTION		1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988.5	CRASHING OF MOTOR VEHICLE		2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988.8	OTHER SPECIFIED MEANS		10	-	2	-	-	-	-	-	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
		M	8	-	2	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988.9	UNSPECIFIED MEANS		55	4	6	-	-	1	3	2	4	5	2	3	2	6	5	1	4	3	-	3	-	-	-	1
		M	33	-	3	-	-	1	2	2	2	3	1	3	1	5	3	1	4	-	-	1	-	-	-	1
		F	22	4	3	-	-	-	1	-	2	2	1	-	1	1	2	-	-	3	-	2	-	-	-	-
989	LATE EFFECTS OF INJURY, UNDETERMINED		7	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHETHER ACCIDENTALLY OR PURPOSELY	M	6	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	INFLICTED	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10 -14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
999	LATE EFFECTS OF INJURY DUE TO WAR OPERATIONS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS

TABLE LIVE BIRTHS BY RACE OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(BY PLACE OF RESIDENCE)

	ALL RACES			WHITE			BLACK			MEXICAN-AMERICAN			AMERICAN-INDIAN		
COUNTY	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	429631	219867	209764	209441	107576	101865	41246	21073	20173	134969	68642	66327	4224	2153	2071
ALAMEDA	18220	9364	8856	8189	4235	3954	4313	2204	2109	2950	1533	1417	121	63	58
ALPINE	20	12	8	13	8	5	0	0	0	0	0	0	7	4	3
AMADOR	246	125	121	203	101	102	1	0	1	20	10	10	18	12	6
BUTTE	2205	1159	1046	1776	927	849	35	22	13	269	138	131	45	31	14
CALAVERAS	286	151	135	238	129	109	3	1	2	28	14	14	11	5	6
COLUSA	262	135	127	137	70	67	0	0	0	111	56	55	6	4	2
CONTRA COSTA	9972	5113	4859	6354	3277	3077	1312	642	670	1264	626	638	65	33	32
DEL NORTE	336	153	183	233	109	124	1	1	0	46	16	30	53	27	26
EL DORADO	1323	651	672	1186	583	603	4	2	2	91	48	43	11	4	7
FRESNO	10888	5581	5307	4361	2261	2100	730	360	370	5079	2587	2492	79	40	39
GLENN	385	188	197	271	134	137	2	1	1	101	47	54	8	5	3
HUMBOLDT	1749	906	843	1466	765	701	18	9	9	91	48	43	138	68	70
IMPERIAL	2167	1133	1034	474	249	225	42	16	26	1600	844	756	25	12	13
INYO	274	148	126	189	100	89	0	0	0	34	21	13	49	27	22
KERN	9461	4790	4671	5179	2576	2603	557	295	262	3367	1743	1624	136	75	61
KINGS	1830	937	893	894	461	433	114	60	54	735	377	358	18	6	12
LAKE	510	258	252	399	194	205	3	2	1	79	50	29	20	12	8
LASSEN	386	203	183	320	164	156	10	5	5	33	20	13	14	9	5
LOS ANGELES	139600	71286	68314	48857	25129	23728	19319	9907	9412	58325	29582	28743	590	288	302
MADERA	1366	691	675	644	320	324	53	30	23	635	320	315	20	11	9
MARIN	2419	1285	1134	2015	1064	951	112	59	53	120	63	57	7	3	4
MARIPOSA	150	80	70	136	73	63	0	0	0	9	5	4	5	2	3
MENDOCINO	1169	573	596	935	458	477	6	3	3	152	72	80	55	30	25
MERCED	3226	1608	1618	1511	763	748	195	100	95	1216	594	622	20	7	13
MODOC	153	83	70	118	62	56	1	0	1	19	12	7	13	8	5
MONO	159	91	68	134	79	55	0	0	0	10	5	5	12	6	6
MONTEREY	6436	3362	3074	2498	1288	1210	611	314	297	2575	1362	1213	47	21	26
NAPA	1342	703	639	968	507	461	11	8	3	307	159	148	18	6	12
NEVADA	862	428	434	778	389	389	4	1	3	60	32	28	6	3	3
ORANGE	33989	17374	16615	20169	10244	9925	864	454	410	9584	4898	4686	161	87	74
PLACER	1800	903	897	1498	756	742	10	5	5	213	104	109	35	12	23
PLUMAS	264	147	117	238	131	107	6	4	2	11	8	3	4	2	2
RIVERSIDE	12958	6506	6452	7293	3652	3641	784	401	383	4325	2191	2134	158	76	82
SACRAMENTO	14255	7325	6930	9028	4665	4363	1709	855	854	2099	1089	1010	179	99	80
SAN BENITO	496	253	243	147	80	67	1	1	0	338	165	173	2	1	1
SAN BERNARDINO	18720	9570	9150	10674	5505	5169	1546	777	769	5152	2580	2572	219	119	100
SAN DIEGO	33795	17281	16514	18027	9284	8743	2928	1479	1449	8904	4501	4403	673	332	341
SAN FRANCISCO	8991	4538	4453	3251	1622	1629	1671	827	844	1070	545	525	35	14	21
SAN JOAQUIN	7090	3637	3453	3504	1808	1696	564	298	266	2012	1023	989	110	53	57
SAN LUIS OBISPO	2341	1188	1153	1776	934	842	42	12	30	377	172	205	62	31	31
SAN MATEO	8715	4487	4228	4603	2375	2228	696	359	337	1657	817	840	41	25	16
SANTA BARBARA	4817	2476	2341	2578	1353	1225	216	121	95	1719	844	875	42	16	26
SANTA CLARA	22538	11556	10982	11002	5630	5372	1240	639	601	6685	3434	3251	193	104	89

TABLE LIVE BIRTHS BY RACE OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(BY PLACE OF RESIDENCE)

	ALL RACES			WHITE			BLACK			MEXICAN-AMERICAN			AMERICAN-INDIAN		
COUNTY	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
SANTA CRUZ	3329	1730	1599	1759	902	857	49	25	24	1123	585	538	24	15	9
SHASTA	1919	939	980	1656	800	856	21	9	12	128	69	59	87	45	42
SIERRA	59	31	28	55	28	27	0	0	0	4	3	1	0	0	0
SISKIYOU	691	360	331	552	288	264	8	5	3	76	36	40	46	27	19
SOLANO	4783	2485	2298	2900	1505	1395	687	348	339	574	307	267	75	42	33
SONOMA	4818	2539	2279	3723	1978	1745	93	52	41	693	352	341	67	33	34
STANISLAUS	5258	2680	2578	3439	1759	1680	105	59	46	1425	719	706	62	32	30
SUTTER	973	447	526	565	259	306	21	14	7	200	85	115	51	24	27
TEHAMA	572	309	263	464	259	205	1	1	0	82	37	45	20	9	11
TRINITY	184	96	88	147	77	70	0	0	0	14	8	6	20	10	10
TULARE	5621	2957	2664	2500	1346	1154	95	49	46	2896	1495	1401	23	16	7
TUOLUMNE	484	256	228	421	223	198	2	2	0	37	20	17	14	6	8
VENTURA	9879	5099	4780	5196	2702	2494	310	170	140	3549	1809	1740	100	44	56
YOLO	1817	918	899	1089	544	545	49	25	24	572	299	273	14	7	7
YUBA	1073	583	490	711	392	319	71	40	31	124	63	61	90	50	40

TABLE LIVE BIRTHS BY RACE OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(BY PLACE OF RESIDENCE)

	CHINESE			JAPANESE			FILIPINO			OTHER			UNKNOWN		
COUNTY	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	7017	3598	3419	3667	1877	1790	9657	4985	4672	16018	8229	7789	3392	1734	1658
ALAMEDA	594	284	310	150	77	73	636	317	319	859	440	419	408	211	197
ALPINE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AMADOR	0	0	0	1	1	0	1	1	0	0	0	0	2	0	2
BUTTE	9	4	5	8	3	5	3	0	3	13	7	6	47	27	20
CALAVERAS	1	0	1	2	1	1	1	1	0	1	0	1	1	0	1
COLUSA	0	0	0	0	0	0	0	0	0	6	4	2	2	1	1
CONTRA COSTA	268	141	127	114	68	46	237	135	102	289	152	137	69	39	30
DEL NORTE	0	0	0	1	0	1	0	0	0	2	0	2	0	0	0
EL DORADO	0	0	0	8	2	6	17	10	7	6	2	4	0	0	0
FRESNO	48	31	17	71	31	40	71	40	31	449	231	218	0	0	0
GLENN	1	0	1	0	0	0	0	0	0	1	0	1	1	1	0
HUMBOLDT	2	0	2	6	5	1	9	3	6	16	7	9	3	1	2
IMPERIAL	9	3	6	2	1	1	4	3	1	10	5	5	1	0	1
INYO	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0
KERN	21	10	11	25	9	16	106	48	58	66	33	33	4	1	3
KINGS	7	4	3	4	2	2	48	22	26	10	5	5	0	0	0
LAKE	1	0	1	2	0	2	2	0	2	1	0	1	3	0	3
LASSEN	0	0	0	1	1	0	2	1	1	6	3	3	0	0	0
LOS ANGELES	2288	1175	1113	1366	683	683	2761	1439	1322	5113	2607	2506	981	476	505
MADERA	3	3	0	1	1	0	3	3	0	4	2	2	3	1	2
MARIN	25	13	12	27	17	10	21	11	10	62	37	25	30	18	12
MARIPOSA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENDOCINO	2	1	1	3	1	2	2	1	1	4	2	2	10	5	5
MERCED	9	5	4	8	4	4	13	8	5	253	126	127	1	1	0
MODOC	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0
MONO	0	0	0	2	1	1	0	0	0	1	0	1	0	0	0
MONTEREY	29	14	15	49	29	20	180	91	89	323	176	147	124	67	57
NAPA	2	1	1	6	5	1	15	8	7	11	6	5	4	3	1
NEVADA	4	0	4	2	1	1	0	0	0	2	2	0	6	0	6
ORANGE	405	212	193	363	181	182	317	171	146	2092	1109	983	34	18	16
PLACER	8	6	2	15	8	7	6	4	2	11	5	6	4	3	1
PLUMAS	0	0	0	1	1	0	0	0	0	4	1	3	0	0	0
RIVERSIDE	37	22	15	45	19	26	85	47	38	194	84	110	37	14	23
SACRAMENTO	426	208	218	145	72	73	207	99	108	442	229	213	20	9	11
SAN BENITO	0	0	0	0	0	0	2	1	1	0	0	0	6	5	1
SAN BERNARDINO	67	38	29	80	42	38	145	76	69	303	157	146	534	276	258
SAN DIEGO	222	112	110	258	140	118	1455	724	731	1310	696	614	18	13	5
SAN FRANCISCO	1154	606	548	128	75	53	845	432	413	750	370	380	87	47	40
SAN JOAQUIN	49	31	18	36	16	20	164	76	88	647	329	318	4	3	1
SAN LUIS OBISPO	14	6	8	14	8	6	30	12	18	21	11	10	5	2	3
SAN MATEO	397	211	186	135	70	65	675	361	314	439	235	204	72	34	38
SANTA BARBARA	30	15	15	42	21	21	68	36	32	101	54	47	21	16	5
SANTA CLARA	660	335	325	318	160	158	878	467	411	1429	711	718	133	76	57

TABLE LIVE BIRTHS BY RACE OF CHILD AND SEX
CALIFORNIA COUNTIES, 1982
(BY PLACE OF RESIDENCE)

	CHINESE			JAPANESE			FILIPINO			OTHER			UNKNOWN		
COUNTY	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
SANTA CRUZ	10	5	5	24	13	11	26	13	13	27	16	11	287	156	131
SHASTA	4	2	2	11	6	5	2	2	0	7	3	4	3	3	0
SIERRA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SISKIYOU	2	1	1	1	0	1	1	1	0	5	2	3	0	0	0
SOLANO	48	24	24	45	24	21	327	170	157	118	59	59	9	6	3
SONOMA	23	14	9	32	18	14	29	17	12	99	45	54	59	30	29
STANISLAUS	33	14	19	10	7	3	22	8	14	153	81	72	9	1	8
SUTTER	2	0	2	10	7	3	2	1	1	105	49	56	17	8	9
TEHAMA	1	0	1	1	1	0	1	1	0	0	0	0	2	1	1
TRINITY	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2
TULARE	13	5	8	10	3	7	54	26	28	26	15	11	4	2	2
TUOLUMNE	2	1	1	1	1	0	0	0	0	7	3	4	0	0	0
VENTURA	66	34	32	60	33	27	152	87	65	148	79	69	298	141	157
YOLO	18	5	13	15	7	8	14	6	8	31	16	15	15	9	6
YUBA	3	2	1	6	1	5	18	5	13	40	23	17	10	7	3

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

									AGE						
COUNTY RACE1 PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TOTAL	429631	851	2379	5620	9875	15035	20261	136388	134830	76090	24205	3734	209	11	143

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

ALAMEDA

COUNTY	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	AGE 25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
01			18220	32	100	235	391	512	726	5326	5774	3696	1201	195	11	0	21
01	WHITE		8189	5	14	44	100	152	242	2200	2856	1822	665	80	3	0	6
01	WHITE	NONE	3929	5	13	41	91	135	193	1329	1274	661	168	17	0	0	2
01	WHITE	ONE	2745	0	1	2	8	15	42	668	1063	682	237	25	0	0	2
01	WHITE	TWO	992	0	0	0	1	1	5	167	370	287	145	15	0	0	1
01	WHITE	THREE	288	0	0	0	0	1	0	20	93	105	56	10	2	0	1
01	WHITE	4 OR MORE	177	0	0	0	0	0	0	5	39	68	51	13	1	0	0
01	WHITE	NOT STATED	58	0	0	1	0	0	2	11	17	19	8	0	0	0	0
01	BLACK		4313	23	51	117	159	207	249	1409	1236	656	169	31	3	0	3
01	BLACK	NONE	1936	23	49	111	131	158	178	700	398	143	40	3	1	0	1
01	BLACK	ONE	1261	0	2	6	23	41	56	460	442	192	37	1	0	0	1
01	BLACK	TWO	642	0	0	0	3	5	9	169	256	158	34	7	0	0	1
01	BLACK	THREE	259	0	0	0	0	1	2	50	87	90	23	6	0	0	0
01	BLACK	4 OR MORE	183	0	0	0	0	0	0	17	45	71	34	14	2	0	0
01	BLACK	NOT STATED	32	0	0	0	2	2	4	13	8	2	1	0	0	0	0
01	MEX-AMER		2950	4	28	60	102	109	164	1100	780	417	133	44	2	0	7
01	MEX-AMER	NONE	1280	4	27	56	88	84	115	539	266	79	12	6	0	0	4
01	MEX-AMER	ONE	899	0	1	4	12	22	43	398	245	129	36	7	0	0	2
01	MEX-AMER	TWO	399	0	0	0	2	3	4	112	148	96	27	5	1	0	1
01	MEX-AMER	THREE	222	0	0	0	0	0	1	38	82	70	25	5	1	0	0
01	MEX-AMER	4 OR MORE	137	0	0	0	0	0	1	4	38	40	33	21	0	0	0
01	MEX-AMER	NOT STATED	13	0	0	0	0	0	0	9	1	3	0	0	0	0	0
01	OTHER		2360	0	4	10	22	30	59	509	786	700	196	37	3	0	4
01	OTHER	NONE	1031	0	4	10	21	26	44	282	377	228	30	6	1	0	2
01	OTHER	ONE	731	0	0	0	1	4	15	143	236	260	64	7	0	0	1
01	OTHER	TWO	353	0	0	0	0	0	0	56	113	124	55	4	0	0	1
01	OTHER	THREE	127	0	0	0	0	0	0	18	32	48	19	10	0	0	0
01	OTHER	4 OR MORE	85	0	0	0	0	0	0	2	14	32	25	10	2	0	0
01	OTHER	NOT STATED	33	0	0	0	0	0	0	8	14	8	3	0	0	0	0
01	UNKNOWN		408	0	3	4	8	14	12	108	116	101	38	3	0	0	1
01	UNKNOWN	NONE	186	0	3	3	6	10	10	47	50	41	14	2	0	0	0
01	UNKNOWN	ONE	130	0	0	1	2	4	2	43	36	33	9	0	0	0	0
01	UNKNOWN	TWO	47	0	0	0	0	0	0	12	14	15	6	0	0	0	0
01	UNKNOWN	THREE	15	0	0	0	0	0	0	3	6	2	4	0	0	0	0
01	UNKNOWN	4 OR MORE	16	0	0	0	0	0	0	2	3	7	3	1	0	0	0
01	UNKNOWN	NOT STATED	14	0	0	0	0	0	0	1	7	3	2	0	0	0	1

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

ALPINE

COUNTY	RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
02			20	0	0	0	0	0	0	3	10	6	1	0	0	0	0
02	WHITE		13	0	0	0	0	0	0	1	7	4	1	0	0	0	0
02	WHITE	NONE	7	0	0	0	0	0	0	1	5	1	0	0	0	0	0
02	WHITE	ONE	4	0	0	0	0	0	0	0	1	2	1	0	0	0	0
02	WHITE	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	WHITE	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	WHITE	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	WHITE	NOT STATED	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
02	BLACK		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	MEX-AMER		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	MEX-AMER	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	MEX-AMER	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	MEX-AMER	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	MEX-AMER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	OTHER		7	0	0	0	0	0	0	2	3	2	0	0	0	0	0
02	OTHER	NONE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
02	OTHER	ONE	3	0	0	0	0	0	0	0	2	1	0	0	0	0	0
02	OTHER	TWO	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
02	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	OTHER	4 OR MORE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
02	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

7

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

AMADOR

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
03		246	0	1	3	3	5	7	77	90	43	16	1	0	0	0
03 WHITE		203	0	1	1	3	5	6	62	76	37	11	1	0	0	0
03 WHITE	NONE	82	0	1	1	3	3	5	29	33	4	3	0	0	0	0
03 WHITE	ONE	74	0	0	0	0	2	1	27	27	15	2	0	0	0	0
03 WHITE	TWO	32	0	0	0	0	0	0	5	12	11	3	1	0	0	0
03 WHITE	THREE	8	0	0	0	0	0	0	0	3	5	0	0	0	0	0
03 WHITE	4 OR MORE	5	0	0	0	0	0	0	0	0	2	3	0	0	0	0
03 WHITE	NOT STATED	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
03 BLACK		1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
03 BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 BLACK	ONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
03 BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 MEX-AMER		20	0	0	0	0	0	0	9	7	3	1	0	0	0	0
03 MEX-AMER	NONE	7	0	0	0	0	0	0	3	3	1	0	0	0	0	0
03 MEX-AMER	ONE	5	0	0	0	0	0	0	4	0	1	0	0	0	0	0
03 MEX-AMER	TWO	7	0	0	0	0	0	0	2	4	0	1	0	0	0	0
03 MEX-AMER	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
03 MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 OTHER		20	0	0	2	0	0	1	5	6	2	4	0	0	0	0
03 OTHER	NONE	8	0	0	2	0	0	1	2	2	0	1	0	0	0	0
03 OTHER	ONE	5	0	0	0	0	0	0	2	2	1	0	0	0	0	0
03 OTHER	TWO	3	0	0	0	0	0	0	0	1	0	2	0	0	0	0
03 OTHER	THREE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
03 OTHER	4 OR MORE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0
03 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 UNKNOWN		2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
03 UNKNOWN	NONE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
03 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

BUTTE

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
04			2205	3	8	25	42	76	120	707	730	394	89	11	0	0	0
04	WHITE		1776	0	5	17	23	55	90	561	620	333	67	5	0	0	0
04	WHITE	NONE	783	0	5	16	20	40	65	296	243	87	11	0	0	0	0
04	WHITE	ONE	626	0	0	0	3	15	18	201	244	121	24	0	0	0	0
04	WHITE	TWO	240	0	0	1	0	0	6	48	99	72	14	0	0	0	0
04	WHITE	THREE	80	0	0	0	0	0	1	15	27	25	9	3	0	0	0
04	WHITE	4 OR MORE	44	0	0	0	0	0	0	0	7	26	9	2	0	0	0
04	WHITE	NOT STATED	3	0	0	0	0	0	0	1	0	2	0	0	0	0	0
04	BLACK		35	0	0	0	1	3	2	15	12	1	1	0	0	0	0
04	BLACK	NONE	11	0	0	0	1	2	1	4	3	0	0	0	0	0	0
04	BLACK	ONE	15	0	0	0	0	1	1	7	5	1	0	0	0	0	0
04	BLACK	TWO	6	0	0	0	0	0	0	3	3	0	0	0	0	0	0
04	BLACK	THREE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
04	BLACK	4 OR MORE	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0
04	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04	MEX-AMER		269	2	3	8	13	14	20	91	62	38	13	5	0	0	0
04	MEX-AMER	NONE	104	1	2	7	12	9	14	36	17	4	1	1	0	0	0
04	MEX-AMER	ONE	79	1	1	1	0	4	5	35	18	13	1	0	0	0	0
04	MEX-AMER	TWO	39	0	0	0	1	1	1	13	13	7	2	1	0	0	0
04	MEX-AMER	THREE	30	0	0	0	0	0	0	4	12	11	3	0	0	0	0
04	MEX-AMER	4 OR MORE	17	0	0	0	0	0	0	3	2	3	6	3	0	0	0
04	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04	OTHER		78	0	0	0	2	3	5	29	20	14	4	1	0	0	0
04	OTHER	NONE	35	0	0	0	2	3	4	15	6	5	0	0	0	0	0
04	OTHER	ONE	26	0	0	0	0	0	1	8	11	3	3	0	0	0	0
04	OTHER	TWO	10	0	0	0	0	0	0	4	2	3	1	0	0	0	0
04	OTHER	THREE	4	0	0	0	0	0	0	1	1	2	0	0	0	0	0
04	OTHER	4 OR MORE	3	0	0	0	0	0	0	1	0	1	0	1	0	0	0
04	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04	UNKNOWN		47	1	0	0	3	1	3	11	16	8	4	0	0	0	0
04	UNKNOWN	NONE	16	1	0	0	2	1	3	6	3	0	0	0	0	0	0
04	UNKNOWN	ONE	13	0	0	0	1	0	0	5	5	1	1	0	0	0	0
04	UNKNOWN	TWO	5	0	0	0	0	0	0	0	4	1	0	0	0	0	0
04	UNKNOWN	THREE	4	0	0	0	0	0	0	0	2	1	1	0	0	0	0
04	UNKNOWN	4 OR MORE	9	0	0	0	0	0	0	0	2	5	2	0	0	0	0
04	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

CALAVERAS

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
05		286	0	0	0	1	7	17	83	97	56	22	3	0	0	0
05 WHITE		238	0	0	0	1	6	15	69	78	51	17	1	0	0	0
05 WHITE	NONE	102	0	0	0	1	6	11	36	26	18	3	1	0	0	0
05 WHITE	ONE	80	0	0	0	0	0	4	26	32	17	1	0	0	0	0
05 WHITE	TWO	39	0	0	0	0	0	0	7	14	12	6	0	0	0	0
05 WHITE	THREE	13	0	0	0	0	0	0	0	4	3	6	0	0	0	0
05 WHITE	4 OR MORE	4	0	0	0	0	0	0	0	2	1	1	0	0	0	0
05 WHITE	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 BLACK		3	0	0	0	0	0	0	0	2	0	0	1	0	0	0
05 BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 BLACK	ONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
05 BLACK	TWO	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0
05 BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 MEX-AMER		28	0	0	0	0	1	1	9	12	1	3	1	0	0	0
05 MEX-AMER	NONE	12	0	0	0	0	1	1	5	3	1	0	1	0	0	0
05 MEX-AMER	ONE	11	0	0	0	0	0	0	4	6	0	1	0	0	0	0
05 MEX-AMER	TWO	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0
05 MEX-AMER	THREE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
05 MEX-AMER	4 OR MORE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
05 MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 OTHER		16	0	0	0	0	0	1	5	5	4	1	0	0	0	0
05 OTHER	NONE	5	0	0	0	0	0	1	2	0	2	0	0	0	0	0
05 OTHER	ONE	7	0	0	0	0	0	0	3	3	1	0	0	0	0	0
05 OTHER	TWO	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
05 OTHER	THREE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
05 OTHER	4 OR MORE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
05 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 UNKNOWN		1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
05 UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 UNKNOWN	THREE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
05 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

COLUSA

COUNTY				AGE													
	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
06			262	0	0	2	4	8	19	92	83	41	11	2	0	0	0
06	WHITE		137	0	0	0	3	4	7	43	50	21	9	0	0	0	0
06	WHITE	NONE	54	0	0	0	3	2	2	23	17	6	1	0	0	0	0
06	WHITE	ONE	49	0	0	0	0	2	5	14	24	3	1	0	0	0	0
06	WHITE	TWO	17	0	0	0	0	0	0	3	6	7	1	0	0	0	0
06	WHITE	THREE	8	0	0	0	0	0	0	2	2	3	1	0	0	0	0
06	WHITE	4 OR MORE	9	0	0	0	0	0	0	1	1	2	5	0	0	0	0
06	WHITE	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	BLACK		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	MEX-AMER		111	0	0	2	1	4	12	44	27	19	0	2	0	0	0
06	MEX-AMER	NONE	44	0	0	2	1	4	9	22	4	2	0	0	0	0	0
06	MEX-AMER	ONE	30	0	0	0	0	0	3	16	8	3	0	0	0	0	0
06	MEX-AMER	TWO	16	0	0	0	0	0	0	4	7	5	0	0	0	0	0
06	MEX-AMER	THREE	9	0	0	0	0	0	0	2	4	3	0	0	0	0	0
06	MEX-AMER	4 OR MORE	12	0	0	0	0	0	0	0	4	6	0	2	0	0	0
06	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	OTHER		12	0	0	0	0	0	0	5	4	1	2	0	0	0	0
06	OTHER	NONE	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
06	OTHER	ONE	3	0	0	0	0	0	0	1	1	0	1	0	0	0	0
06	OTHER	TWO	6	0	0	0	0	0	0	2	2	1	1	0	0	0	0
06	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	OTHER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	UNKNOWN		2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
06	UNKNOWN	NONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
06	UNKNOWN	ONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
06	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

CONTRA COSTA

COUNTY	RACE1	PLB	TOTAL	UNDER 15	AGE 15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
07			9972	12	47	107	177	269	368	2704	3351	2179	679	75	2	1	1
07	WHITE		6354	2	14	34	73	125	196	1638	2309	1455	461	45	1	0	1
07	WHITE	NONE	2969	2	14	31	66	110	157	977	1033	468	107	4	0	0	0
07	WHITE	ONE	2153	0	0	2	5	14	36	518	839	573	152	13	0	0	1
07	WHITE	TWO	838	0	0	0	1	1	3	121	311	279	114	8	0	0	0
07	WHITE	THREE	233	0	0	0	0	0	0	11	82	84	47	9	0	0	0
07	WHITE	4 OR MORE	125	0	0	0	0	0	0	5	30	43	36	10	1	0	0
07	WHITE	NOT STATED	36	0	0	1	1	0	0	6	14	8	5	1	0	0	0
07	BLACK		1312	7	25	47	58	79	69	441	354	172	52	8	0	0	0
07	BLACK	NONE	541	7	25	42	51	55	44	190	97	21	9	0	0	0	0
07	BLACK	ONE	398	0	0	4	6	21	19	155	114	63	14	2	0	0	0
07	BLACK	TWO	201	0	0	1	1	3	4	64	79	40	8	1	0	0	0
07	BLACK	THREE	96	0	0	0	0	0	2	23	34	23	13	1	0	0	0
07	BLACK	4 OR MORE	71	0	0	0	0	0	0	7	28	24	8	4	0	0	0
07	BLACK	NOT STATED	5	0	0	0	0	0	0	2	2	1	0	0	0	0	0
07	MEX-AMER		1264	2	6	24	38	54	76	447	354	203	53	7	0	0	0
07	MEX-AMER	NONE	544	2	6	24	35	43	54	230	109	33	8	0	0	0	0
07	MEX-AMER	ONE	355	0	0	0	3	9	16	144	121	54	6	2	0	0	0
07	MEX-AMER	TWO	229	0	0	0	0	2	4	54	83	67	17	2	0	0	0
07	MEX-AMER	THREE	74	0	0	0	0	0	2	15	26	22	8	1	0	0	0
07	MEX-AMER	4 OR MORE	59	0	0	0	0	0	0	2	14	27	14	2	0	0	0
07	MEX-AMER	NOT STATED	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
07	OTHER		973	1	2	2	8	11	26	164	315	324	103	15	1	1	0
07	OTHER	NONE	392	1	2	2	6	6	18	91	141	105	18	2	0	0	0
07	OTHER	ONE	352	0	0	0	2	4	6	49	106	142	40	2	1	0	0
07	OTHER	TWO	135	0	0	0	0	1	1	14	40	51	23	5	0	0	0
07	OTHER	THREE	48	0	0	0	0	0	1	7	11	14	15	0	0	0	0
07	OTHER	4 OR MORE	39	0	0	0	0	0	0	1	16	9	7	5	0	1	0
07	OTHER	NOT STATED	7	0	0	0	0	0	0	2	1	3	0	1	0	0	0
07	UNKNOWN		69	0	0	0	0	0	1	14	19	25	10	0	0	0	0
07	UNKNOWN	NONE	25	0	0	0	0	0	0	8	7	8	2	0	0	0	0
07	UNKNOWN	ONE	29	0	0	0	0	0	1	4	9	12	3	0	0	0	0
07	UNKNOWN	TWO	9	0	0	0	0	0	0	0	1	3	5	0	0	0	0
07	UNKNOWN	THREE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
07	UNKNOWN	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
07	UNKNOWN	NOT STATED	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

DEL NORTE

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
08		336	0	3	7	10	16	22	124	104	31	18	1	0	0	0
08 WHITE		233	0	3	3	5	13	15	85	75	23	10	1	0	0	0
08 WHITE	NONE	83	0	3	3	4	10	8	31	18	5	1	0	0	0	0
08 WHITE	ONE	90	0	0	0	0	3	5	38	33	9	2	0	0	0	0
08 WHITE	TWO	42	0	0	0	0	0	2	13	18	5	4	0	0	0	0
08 WHITE	THREE	6	0	0	0	0	0	0	0	2	2	2	0	0	0	0
08 WHITE	4 OR MORE	8	0	0	0	0	0	0	2	3	2	0	1	0	0	0
08 WHITE	NOT STATED	4	0	0	0	1	0	0	1	1	0	1	0	0	0	0
08 BLACK		1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
08 BLACK	NONE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
08 BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 MEX-AMER		46	0	0	2	3	1	4	15	15	2	4	0	0	0	0
08 MEX-AMER	NONE	16	0	0	2	3	0	2	6	3	0	0	0	0	0	0
08 MEX-AMER	ONE	7	0	0	0	0	0	2	4	1	0	0	0	0	0	0
08 MEX-AMER	TWO	8	0	0	0	0	1	0	0	6	1	0	0	0	0	0
08 MEX-AMER	THREE	7	0	0	0	0	0	0	4	3	0	0	0	0	0	0
08 MEX-AMER	4 OR MORE	7	0	0	0	0	0	0	1	1	1	4	0	0	0	0
08 MEX-AMER	NOT STATED	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
08 OTHER		56	0	0	2	2	2	3	23	14	6	4	0	0	0	0
08 OTHER	NONE	16	0	0	2	1	2	1	8	2	0	0	0	0	0	0
08 OTHER	ONE	15	0	0	0	0	0	2	7	5	0	1	0	0	0	0
08 OTHER	TWO	11	0	0	0	1	0	0	6	1	3	0	0	0	0	0
08 OTHER	THREE	8	0	0	0	0	0	0	2	4	1	1	0	0	0	0
08 OTHER	4 OR MORE	6	0	0	0	0	0	0	0	2	2	2	0	0	0	0
08 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

EL DORADO

COUNTY				AGE														
	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
09			1323	3	2	10	22	38	52	392	469	266	61	7	0	0	1
09	WHITE		1186	1	1	8	20	33	45	341	431	246	53	6	0	0	1
09	WHITE	NONE	528	1	1	8	19	30	36	199	164	60	8	1	0	0	1
09	WHITE	ONE	395	0	0	0	1	3	5	115	162	94	14	1	0	0	0
09	WHITE	TWO	170	0	0	0	0	0	3	21	79	53	12	2	0	0	0
09	WHITE	THREE	52	0	0	0	0	0	0	3	15	23	10	1	0	0	0
09	WHITE	4 OR MORE	31	0	0	0	0	0	0	2	9	11	8	1	0	0	0
09	WHITE	NOT STATED	10	0	0	0	0	0	1	1	2	5	1	0	0	0	0
09	BLACK		4	0	0	0	0	0	0	2	1	1	0	0	0	0	0
09	BLACK	NONE	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
09	BLACK	ONE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
09	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	MEX-AMER		91	2	0	2	2	5	5	36	22	13	4	0	0	0	0
09	MEX-AMER	NONE	41	2	0	2	2	3	2	17	9	3	1	0	0	0	0
09	MEX-AMER	ONE	26	0	0	0	0	1	3	11	7	4	0	0	0	0	0
09	MEX-AMER	TWO	14	0	0	0	0	1	0	6	5	2	0	0	0	0	0
09	MEX-AMER	THREE	4	0	0	0	0	0	0	0	0	3	1	0	0	0	0
09	MEX-AMER	4 OR MORE	4	0	0	0	0	0	0	2	0	0	2	0	0	0	0
09	MEX-AMER	NOT STATED	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
09	OTHER		42	0	1	0	0	0	2	13	15	6	4	1	0	0	0
09	OTHER	NONE	19	0	1	0	0	0	1	8	5	3	1	0	0	0	0
09	OTHER	ONE	15	0	0	0	0	0	1	4	5	3	2	0	0	0	0
09	OTHER	TWO	5	0	0	0	0	0	0	1	3	0	1	0	0	0	0
09	OTHER	THREE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
09	OTHER	4 OR MORE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
09	OTHER	NOT STATED	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
09	UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

FRESNO

COUNTY	RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
10			10888	39	111	216	349	508	639	3620	3153	1644	479	115	8	1	6
10	WHITE		4361	8	15	39	82	123	219	1390	1475	786	192	30	0	0	2
10	WHITE	NONE	1915	8	15	37	66	102	168	732	572	184	29	1	0	0	1
10	WHITE	ONE	1535	0	0	2	15	19	45	502	585	312	50	4	0	0	1
10	WHITE	TWO	609	0	0	0	1	0	6	132	234	181	46	9	0	0	0
10	WHITE	THREE	196	0	0	0	0	2	0	20	69	64	36	5	0	0	0
10	WHITE	4 OR MORE	99	0	0	0	0	0	0	4	12	42	30	11	0	0	0
10	WHITE	NOT STATED	7	0	0	0	0	0	0	0	3	3	1	0	0	0	0
10	BLACK		730	3	16	32	46	48	66	256	155	87	17	4	0	0	0
10	BLACK	NONE	306	3	13	28	36	39	37	103	32	13	2	0	0	0	0
10	BLACK	ONE	196	0	3	4	9	6	25	87	40	16	5	1	0	0	0
10	BLACK	TWO	124	0	0	0	1	3	4	40	51	20	5	0	0	0	0
10	BLACK	THREE	58	0	0	0	0	0	0	21	20	17	0	0	0	0	0
10	BLACK	4 OR MORE	46	0	0	0	0	0	0	5	12	21	5	3	0	0	0
10	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	MEX-AMER		5079	26	76	132	211	319	325	1767	1311	624	221	63	2	0	2
10	MEX-AMER	NONE	1648	26	70	117	149	205	178	621	210	56	14	2	0	0	0
10	MEX-AMER	ONE	1479	0	6	14	55	98	119	683	345	132	23	2	0	0	2
10	MEX-AMER	TWO	924	0	0	1	3	16	21	312	372	158	36	5	0	0	0
10	MEX-AMER	THREE	484	0	0	0	2	0	6	102	207	112	45	9	1	0	0
10	MEX-AMER	4 OR MORE	536	0	0	0	0	0	1	48	173	165	103	45	1	0	0
10	MEX-AMER	NOT STATED	8	0	0	0	2	0	0	1	4	1	0	0	0	0	0
10	OTHER		718	2	4	13	10	18	29	207	212	147	49	18	6	1	2
10	OTHER	NONE	219	2	4	11	7	9	17	76	64	27	2	0	0	0	0
10	OTHER	ONE	184	0	0	2	1	7	7	63	48	45	9	0	1	0	1
10	OTHER	TWO	106	0	0	0	2	2	4	39	30	17	10	2	0	0	0
10	OTHER	THREE	76	0	0	0	0	0	1	24	26	18	5	1	0	0	1
10	OTHER	4 OR MORE	133	0	0	0	0	0	0	5	44	40	23	15	5	1	0
10	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

GLENN

COUNTY	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
11			385	0	3	4	10	9	16	150	117	52	21	3	0	0	0
11	WHITE		271	0	2	1	1	4	13	110	87	38	13	2	0	0	0
11	WHITE	NONE	93	0	2	0	1	1	11	50	21	5	2	0	0	0	0
11	WHITE	ONE	83	0	0	1	0	2	1	42	26	9	1	1	0	0	0
11	WHITE	TWO	66	0	0	0	0	1	1	17	28	13	6	0	0	0	0
11	WHITE	THREE	17	0	0	0	0	0	0	1	9	6	1	0	0	0	0
11	WHITE	4 OR MORE	12	0	0	0	0	0	0	0	3	5	3	1	0	0	0
11	WHITE	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	BLACK		2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
11	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	BLACK	TWO	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
11	BLACK	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
11	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	MEX-AMER		101	0	1	3	8	4	3	37	25	12	7	1	0	0	0
11	MEX-AMER	NONE	38	0	1	3	6	4	2	17	5	0	0	0	0	0	0
11	MEX-AMER	ONE	28	0	0	0	2	0	1	13	10	2	0	0	0	0	0
11	MEX-AMER	TWO	17	0	0	0	0	0	0	5	7	4	1	0	0	0	0
11	MEX-AMER	THREE	9	0	0	0	0	0	0	1	2	4	2	0	0	0	0
11	MEX-AMER	4 OR MORE	9	0	0	0	0	0	0	1	1	2	4	1	0	0	0
11	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	OTHER		10	0	0	0	1	1	0	2	4	1	1	0	0	0	0
11	OTHER	NONE	4	0	0	0	1	1	0	1	1	0	0	0	0	0	0
11	OTHER	ONE	3	0	0	0	0	0	0	0	3	0	0	0	0	0	0
11	OTHER	TWO	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
11	OTHER	THREE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
11	OTHER	4 OR MORE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
11	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	UNKNOWN		1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
11	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	UNKNOWN	ONE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
11	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER CALIFORNIA, 1982 (BY PLACE OF RESIDENCE)

HUMBOLDT

COUNTY	RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
12			1749	2	8	17	41	52	77	560	600	301	76	9	2	0	4
12	WHITE		1466	2	6	10	29	37	58	462	513	269	68	6	2	0	4
12	WHITE	NONE	695	2	6	9	25	35	42	255	222	82	13	1	1	0	2
12	WHITE	ONE	475	0	0	1	2	2	14	154	183	95	23	0	0	0	1
12	WHITE	TWO	191	0	0	0	2	0	2	40	71	60	15	0	0	0	1
12	WHITE	THREE	55	0	0	0	0	0	0	6	24	17	7	1	0	0	0
12	WHITE	4 OR MORE	39	0	0	0	0	0	0	4	10	11	9	4	1	0	0
12	WHITE	NOT STATED	11	0	0	0	0	0	0	3	3	4	1	0	0	0	0
12	BLACK		18	0	0	0	1	0	1	5	10	1	0	0	0	0	0
12	BLACK	NONE	6	0	0	0	1	0	1	2	2	0	0	0	0	0	0
12	BLACK	ONE	8	0	0	0	0	0	0	2	6	0	0	0	0	0	0
12	BLACK	TWO	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
12	BLACK	THREE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
12	BLACK	4 OR MORE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
12	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	MEX-AMER		91	0	0	3	3	2	4	28	23	22	5	1	0	0	0
12	MEX-AMER	NONE	38	0	0	2	2	2	3	11	10	6	2	0	0	0	0
12	MEX-AMER	ONE	27	0	0	1	1	0	0	13	7	5	0	0	0	0	0
12	MEX-AMER	TWO	19	0	0	0	0	0	1	3	6	8	0	1	0	0	0
12	MEX-AMER	THREE	3	0	0	0	0	0	0	1	0	2	0	0	0	0	0
12	MEX-AMER	4 OR MORE	4	0	0	0	0	0	0	0	0	1	3	0	0	0	0
12	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	OTHER		171	0	2	4	8	13	14	64	53	8	3	2	0	0	0
12	OTHER	NONE	73	0	2	4	6	8	8	25	18	2	0	0	0	0	0
12	OTHER	ONE	55	0	0	0	2	5	5	21	17	3	2	0	0	0	0
12	OTHER	TWO	26	0	0	0	0	0	1	15	8	1	1	0	0	0	0
12	OTHER	THREE	11	0	0	0	0	0	0	1	8	2	0	0	0	0	0
12	OTHER	4 OR MORE	5	0	0	0	0	0	0	1	2	0	0	2	0	0	0
12	OTHER	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
12	UNKNOWN		3	0	0	0	0	0	0	1	1	1	0	0	0	0	0
12	UNKNOWN	NONE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
12	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	UNKNOWN	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

IMPERIAL

COUNTY RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
13		2167	9	19	47	58	91	130	747	591	352	100	18	3	0	2
13 WHITE		474	0	1	5	14	15	20	179	146	81	12	0	0	0	1
13 WHITE	NONE	189	0	1	4	14	14	15	88	39	12	1	0	0	0	1
13 WHITE	ONE	155	0	0	1	0	1	3	64	64	18	4	0	0	0	0
13 WHITE	TWO	86	0	0	0	0	0	1	25	28	29	3	0	0	0	0
13 WHITE	THREE	32	0	0	0	0	0	0	1	13	16	2	0	0	0	0
13 WHITE	4 OR MORE	11	0	0	0	0	0	0	1	2	6	2	0	0	0	0
13 WHITE	NOT STATED	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
13 BLACK		42	0	0	1	2	0	2	17	15	4	1	0	0	0	0
13 BLACK	NONE	15	0	0	1	1	0	1	7	4	1	0	0	0	0	0
13 BLACK	ONE	13	0	0	0	1	0	1	7	4	0	0	0	0	0	0
13 BLACK	TWO	8	0	0	0	0	0	0	3	3	2	0	0	0	0	0
13 BLACK	THREE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
13 BLACK	4 OR MORE	4	0	0	0	0	0	0	0	2	1	1	0	0	0	0
13 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13 MEX-AMER		1600	9	18	39	42	74	105	530	421	257	83	18	3	0	1
13 MEX-AMER	NONE	593	9	17	34	37	56	68	249	85	28	5	4	0	0	1
13 MEX-AMER	ONE	449	0	1	5	3	16	35	184	153	41	10	0	1	0	0
13 MEX-AMER	TWO	274	0	0	0	2	2	2	71	107	70	16	4	0	0	0
13 MEX-AMER	THREE	149	0	0	0	0	0	0	24	51	59	14	1	0	0	0
13 MEX-AMER	4 OR MORE	134	0	0	0	0	0	0	2	25	58	38	9	2	0	0
13 MEX-AMER	NOT STATED	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
13 OTHER		50	0	0	2	0	1	3	21	9	10	4	0	0	0	0
13 OTHER	NONE	19	0	0	2	0	1	2	9	4	1	0	0	0	0	0
13 OTHER	ONE	14	0	0	0	0	0	0	7	3	3	1	0	0	0	0
13 OTHER	TWO	11	0	0	0	0	0	1	5	0	4	1	0	0	0	0
13 OTHER	THREE	4	0	0	0	0	0	0	0	2	1	1	0	0	0	0
13 OTHER	4 OR MORE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0
13 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13 UNKNOWN		1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
13 UNKNOWN	NONE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
13 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

INYO

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
14		274	0	0	2	6	15	11	92	89	47	11	1	0	0	0
14 WHITE		189	0	0	2	3	7	6	64	59	39	8	1	0	0	0
14 WHITE	NONE	89	0	0	1	3	3	4	36	29	10	3	0	0	0	0
14 WHITE	ONE	60	0	0	0	0	4	2	18	20	12	4	0	0	0	0
14 WHITE	TWO	24	0	0	0	0	0	0	7	8	9	0	0	0	0	0
14 WHITE	THREE	10	0	0	0	0	0	0	1	1	6	1	1	0	0	0
14 WHITE	4 OR MORE	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0
14 WHITE	NOT STATED	3	0	0	1	0	0	0	2	0	0	0	0	0	0	0
14 BLACK		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 MEX-AMER		34	0	0	0	1	2	5	12	10	4	0	0	0	0	0
14 MEX-AMER	NONE	15	0	0	0	1	2	4	4	4	0	0	0	0	0	0
14 MEX-AMER	ONE	12	0	0	0	0	0	1	6	4	1	0	0	0	0	0
14 MEX-AMER	TWO	6	0	0	0	0	0	0	2	1	3	0	0	0	0	0
14 MEX-AMER	THREE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
14 MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 OTHER		51	0	0	0	2	6	0	16	20	4	3	0	0	0	0
14 OTHER	NONE	21	0	0	0	1	5	0	9	6	0	0	0	0	0	0
14 OTHER	ONE	19	0	0	0	1	0	0	6	10	2	0	0	0	0	0
14 OTHER	TWO	6	0	0	0	0	0	0	1	2	2	1	0	0	0	0
14 OTHER	THREE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
14 OTHER	4 OR MORE	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0
14 OTHER	NOT STATED	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
14 UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

KERN

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
15		9461	43	82	195	332	474	603	3535	2635	1177	337	44	2	0	2
15 WHITE		5179	11	29	80	152	217	308	2001	1540	654	168	18	1	0	0
15 WHITE	NONE	2176	11	28	71	129	162	217	937	475	120	22	4	0	0	0
15 WHITE	ONE	1776	0	1	9	22	49	76	744	591	240	42	2	0	0	0
15 WHITE	TWO	807	0	0	0	1	6	13	255	329	160	41	2	0	0	0
15 WHITE	THREE	268	0	0	0	0	0	1	51	111	78	27	0	0	0	0
15 WHITE	4 OR MORE	143	0	0	0	0	0	1	11	31	54	35	10	1	0	0
15 WHITE	NOT STATED	9	0	0	0	0	0	0	3	3	2	1	0	0	0	0
15 BLACK		557	9	9	17	36	33	36	218	132	49	16	2	0	0	0
15 BLACK	NONE	208	9	9	16	26	22	21	78	19	7	1	0	0	0	0
15 BLACK	ONE	164	0	0	1	9	5	11	87	39	10	2	0	0	0	0
15 BLACK	TWO	105	0	0	0	1	4	4	37	42	14	3	0	0	0	0
15 BLACK	THREE	45	0	0	0	0	2	0	11	19	10	2	1	0	0	0
15 BLACK	4 OR MORE	34	0	0	0	0	0	0	5	12	8	8	1	0	0	0
15 BLACK	NOT STATED	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
15 MEX-AMER		3367	22	43	97	142	213	248	1211	834	402	132	21	0	0	2
15 MEX-AMER	NONE	1174	21	38	83	107	141	150	442	141	39	9	1	0	0	2
15 MEX-AMER	ONE	986	1	5	14	30	64	77	458	254	76	5	2	0	0	0
15 MEX-AMER	TWO	615	0	0	0	4	7	15	211	247	99	30	2	0	0	0
15 MEX-AMER	THREE	300	0	0	0	0	1	5	73	114	81	26	0	0	0	0
15 MEX-AMER	4 OR MORE	289	0	0	0	0	0	1	27	77	106	62	16	0	0	0
15 MEX-AMER	NOT STATED	3	0	0	0	1	0	0	0	1	1	0	0	0	0	0
15 OTHER		354	1	1	1	2	10	11	104	128	71	21	3	1	0	0
15 OTHER	NONE	130	0	1	1	1	5	8	50	42	18	4	0	0	0	0
15 OTHER	ONE	118	0	0	0	1	5	3	36	47	23	3	0	0	0	0
15 OTHER	TWO	73	0	0	0	0	0	0	16	30	21	6	0	0	0	0
15 OTHER	THREE	19	0	0	0	0	0	0	2	8	4	3	2	0	0	0
15 OTHER	4 OR MORE	13	0	0	0	0	0	0	0	1	5	5	1	1	0	0
15 OTHER	NOT STATED	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
15 UNKNOWN		4	0	0	0	0	1	0	1	1	1	0	0	0	0	0
15 UNKNOWN	NONE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0
15 UNKNOWN	ONE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
15 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

KINGS

COUNTY RACE1	PLB	TOTAL	UNDER 15	AGE 15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
16		1830	9	22	46	60	95	118	686	497	221	65	7	4	0	0
16 WHITE		894	1	5	13	19	37	55	354	269	114	26	1	0	0	0
16 WHITE	NONE	396	1	5	13	15	35	38	182	82	21	4	0	0	0	0
16 WHITE	ONE	294	0	0	0	4	2	12	127	101	40	8	0	0	0	0
16 WHITE	TWO	146	0	0	0	0	0	4	38	63	37	4	0	0	0	0
16 WHITE	THREE	38	0	0	0	0	0	1	6	15	9	7	0	0	0	0
16 WHITE	4 OR MORE	20	0	0	0	0	0	0	1	8	7	3	1	0	0	0
16 WHITE	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 BLACK		114	1	5	7	6	6	5	45	26	11	2	0	0	0	0
16 BLACK	NONE	42	1	5	7	3	4	2	15	3	2	0	0	0	0	0
16 BLACK	ONE	38	0	0	0	3	1	1	20	11	2	0	0	0	0	0
16 BLACK	TWO	18	0	0	0	0	1	1	8	5	1	2	0	0	0	0
16 BLACK	THREE	10	0	0	0	0	0	0	1	6	3	0	0	0	0	0
16 BLACK	4 OR MORE	6	0	0	0	0	0	1	1	1	3	0	0	0	0	0
16 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 MEX-AMER		735	7	12	24	32	50	56	261	175	77	32	5	4	0	0
16 MEX-AMER	NONE	254	5	11	23	29	33	33	89	24	7	0	0	0	0	0
16 MEX-AMER	ONE	190	2	1	1	3	15	19	92	46	9	2	0	0	0	0
16 MEX-AMER	TWO	120	0	0	0	0	2	3	52	42	16	4	1	0	0	0
16 MEX-AMER	THREE	79	0	0	0	0	0	1	17	42	13	6	0	0	0	0
16 MEX-AMER	4 OR MORE	91	0	0	0	0	0	0	10	21	32	20	4	4	0	0
16 MEX-AMER	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
16 OTHER		87	0	0	2	3	2	2	26	27	19	5	1	0	0	0
16 OTHER	NONE	31	0	0	2	2	1	1	10	11	3	0	1	0	0	0
16 OTHER	ONE	34	0	0	0	1	1	1	12	12	6	1	0	0	0	0
16 OTHER	TWO	15	0	0	0	0	0	0	2	3	7	3	0	0	0	0
16 OTHER	THREE	7	0	0	0	0	0	0	2	1	3	1	0	0	0	0
16 OTHER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

LAKE

COUNTY	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
17			510	1	1	14	14	23	27	170	152	86	21	1	0	0	0
17	WHITE		399	1	0	8	9	19	23	130	124	71	14	0	0	0	0
17	WHITE	NONE	167	1	0	7	7	18	17	60	36	20	1	0	0	0	0
17	WHITE	ONE	131	0	0	1	1	0	5	50	51	21	2	0	0	0	0
17	WHITE	TWO	69	0	0	0	1	1	1	12	28	20	6	0	0	0	0
17	WHITE	THREE	20	0	0	0	0	0	0	6	6	6	2	0	0	0	0
17	WHITE	4 OR MORE	11	0	0	0	0	0	0	1	3	4	3	0	0	0	0
17	WHITE	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
17	BLACK		3	0	0	1	0	0	0	2	0	0	0	0	0	0	0
17	BLACK	NONE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
17	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	BLACK	TWO	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
17	BLACK	THREE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
17	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	MEX-AMER		79	0	0	3	4	2	3	32	21	8	5	1	0	0	0
17	MEX-AMER	NONE	20	0	0	3	3	1	1	8	1	2	1	0	0	0	0
17	MEX-AMER	ONE	24	0	0	0	1	0	1	14	7	1	0	0	0	0	0
17	MEX-AMER	TWO	20	0	0	0	0	1	1	6	8	4	0	0	0	0	0
17	MEX-AMER	THREE	4	0	0	0	0	0	0	2	2	0	0	0	0	0	0
17	MEX-AMER	4 OR MORE	10	0	0	0	0	0	0	2	3	1	3	1	0	0	0
17	MEX-AMER	NOT STATED	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
17	OTHER		26	0	1	2	1	2	1	6	6	6	1	0	0	0	0
17	OTHER	NONE	9	0	1	2	0	1	0	1	3	1	0	0	0	0	0
17	OTHER	ONE	8	0	0	0	1	1	1	3	0	2	0	0	0	0	0
17	OTHER	TWO	5	0	0	0	0	0	0	1	2	2	0	0	0	0	0
17	OTHER	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
17	OTHER	4 OR MORE	3	0	0	0	0	0	0	1	1	0	1	0	0	0	0
17	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	UNKNOWN		3	0	0	0	0	0	0	0	1	1	1	0	0	0	0
17	UNKNOWN	NONE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
17	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	UNKNOWN	TWO	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
17	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

LASSEN

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	AGE 25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
18		386	0	2	7	11	23	16	128	121	60	16	1	0	0	1
18 WHITE		320	0	2	7	9	20	13	100	97	56	14	1	0	0	1
18 WHITE	NONE	122	0	2	5	7	18	12	45	20	9	3	0	0	0	1
18 WHITE	ONE	110	0	0	2	1	2	1	37	39	26	2	0	0	0	0
18 WHITE	TWO	47	0	0	0	1	0	0	14	21	7	3	1	0	0	0
18 WHITE	THREE	26	0	0	0	0	0	0	1	14	7	4	0	0	0	0
18 WHITE	4 OR MORE	8	0	0	0	0	0	0	0	1	5	2	0	0	0	0
18 WHITE	NOT STATED	7	0	0	0	0	0	0	3	2	2	0	0	0	0	0
18 BLACK		10	0	0	0	0	0	1	2	4	2	1	0	0	0	0
18 BLACK	NONE	5	0	0	0	0	0	0	2	2	1	0	0	0	0	0
18 BLACK	ONE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
18 BLACK	TWO	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
18 BLACK	THREE	2	0	0	0	0	0	1	0	0	0	1	0	0	0	0
18 BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 MEX-AMER		33	0	0	0	1	2	2	15	12	0	1	0	0	0	0
18 MEX-AMER	NONE	8	0	0	0	1	0	0	6	1	0	0	0	0	0	0
18 MEX-AMER	ONE	17	0	0	0	0	2	1	7	6	0	1	0	0	0	0
18 MEX-AMER	TWO	5	0	0	0	0	0	0	1	4	0	0	0	0	0	0
18 MEX-AMER	THREE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
18 MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 MEX-AMER	NOT STATED	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
18 OTHER		23	0	0	0	1	1	0	11	8	2	0	0	0	0	0
18 OTHER	NONE	9	0	0	0	0	0	0	6	3	0	0	0	0	0	0
18 OTHER	ONE	8	0	0	0	1	1	0	3	1	2	0	0	0	0	0
18 OTHER	TWO	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
18 OTHER	THREE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
18 OTHER	4 OR MORE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
18 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

LOS ANGELES

COUNTY	RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
19			139600	335	863	1928	3367	5173	6569	43054	42940	25094	8727	1441	72	4	33
19	WHITE		48857	52	136	347	683	1230	1672	13971	16747	10257	3337	401	16	1	7
19	WHITE	NONE	23389	51	133	328	606	1025	1312	8246	7364	3375	871	75	1	0	2
19	WHITE	ONE	15525	1	3	19	70	188	302	4272	5963	3613	1013	80	1	0	0
19	WHITE	TWO	6378	0	0	0	6	14	49	1122	2391	1969	721	99	5	1	1
19	WHITE	THREE	2205	0	0	0	0	1	5	236	724	803	368	67	1	0	0
19	WHITE	4 OR MORE	1178	0	0	0	0	0	1	45	252	456	337	79	8	0	0
19	WHITE	NOT STATED	182	0	0	0	1	2	3	50	53	41	27	1	0	0	4
19	BLACK		19319	108	244	467	787	1072	1262	6719	5094	2626	796	134	9	0	1
19	BLACK	NONE	8317	107	231	428	656	849	881	3087	1409	523	124	19	3	0	0
19	BLACK	ONE	5617	1	9	39	114	197	294	2257	1749	765	169	22	1	0	0
19	BLACK	TWO	2946	0	2	0	15	25	72	995	1087	568	159	22	1	0	0
19	BLACK	THREE	1325	0	0	0	0	1	13	266	510	375	144	15	1	0	0
19	BLACK	4 OR MORE	1049	0	0	0	0	0	2	102	309	381	196	55	3	0	1
19	BLACK	NOT STATED	65	0	2	0	2	0	0	12	30	14	4	1	0	0	0
19	MEX-AMER		58325	169	467	1076	1817	2730	3430	19911	16090	8535	3343	712	31	3	11
19	MEX-AMER	NONE	20812	162	437	962	1508	2033	2273	8516	3541	1066	259	51	0	0	4
19	MEX-AMER	ONE	16763	7	30	107	281	615	917	7299	5175	1825	446	57	2	0	2
19	MEX-AMER	TWO	10281	0	0	3	24	76	198	2926	4084	2215	654	92	7	0	2
19	MEX-AMER	THREE	5077	0	0	1	1	2	34	875	1929	1511	619	99	5	1	0
19	MEX-AMER	4 OR MORE	5278	0	0	0	0	0	3	257	1334	1895	1358	411	17	2	1
19	MEX-AMER	NOT STATED	114	0	0	3	3	4	5	38	27	23	7	2	0	0	2
19	OTHER		12118	2	13	31	68	118	184	2211	4639	3469	1183	183	16	0	1
19	OTHER	NONE	5613	2	12	30	58	94	139	1320	2448	1184	285	39	2	0	0
19	OTHER	ONE	3948	0	1	1	9	20	34	634	1443	1355	402	46	2	0	1
19	OTHER	TWO	1601	0	0	0	1	4	8	193	492	587	275	40	1	0	0
19	OTHER	THREE	522	0	0	0	0	0	2	34	168	193	105	18	2	0	0
19	OTHER	4 OR MORE	404	0	0	0	0	0	0	20	80	142	114	39	9	0	0
19	OTHER	NOT STATED	30	0	0	0	0	0	1	10	8	8	2	1	0	0	0
19	UNKNOWN		981	4	3	7	12	23	21	242	370	207	68	11	0	0	13
19	UNKNOWN	NONE	504	4	3	7	11	18	15	153	180	89	18	3	0	0	3
19	UNKNOWN	ONE	285	0	0	0	0	5	4	64	118	70	23	1	0	0	0
19	UNKNOWN	TWO	115	0	0	0	0	0	2	21	43	30	17	2	0	0	0
19	UNKNOWN	THREE	38	0	0	0	0	0	0	1	18	10	5	4	0	0	0
19	UNKNOWN	4 OR MORE	15	0	0	0	0	0	0	0	6	4	4	1	0	0	0
19	UNKNOWN	NOT STATED	24	0	0	0	1	0	0	3	5	6	1	0	0	0	10

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

MADERA

COUNTY	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
										AGE							
20			1366	2	15	21	59	74	83	463	374	205	62	7	0	0	1
20	WHITE		644	0	1	8	18	37	39	205	201	107	25	3	0	0	0
20	WHITE	NONE	265	0	1	7	16	27	29	94	67	21	3	0	0	0	0
20	WHITE	ONE	231	0	0	1	2	7	10	79	83	42	5	2	0	0	0
20	WHITE	TWO	88	0	0	0	0	3	0	22	30	24	9	0	0	0	0
20	WHITE	THREE	29	0	0	0	0	0	0	5	13	10	1	0	0	0	0
20	WHITE	4 OR MORE	28	0	0	0	0	0	0	4	7	9	7	1	0	0	0
20	WHITE	NOT STATED	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0
20	BLACK		53	0	3	2	5	3	6	24	4	5	1	0	0	0	0
20	BLACK	NONE	22	0	3	2	4	2	4	6	1	0	0	0	0	0	0
20	BLACK	ONE	15	0	0	0	1	1	1	10	1	1	0	0	0	0	0
20	BLACK	TWO	10	0	0	0	0	0	1	6	0	2	1	0	0	0	0
20	BLACK	THREE	5	0	0	0	0	0	0	2	1	2	0	0	0	0	0
20	BLACK	4 OR MORE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
20	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	MEX-AMER		635	2	11	11	36	34	35	223	160	84	34	4	0	0	1
20	MEX-AMER	NONE	200	2	10	11	25	23	18	70	30	7	4	0	0	0	0
20	MEX-AMER	ONE	165	0	1	0	9	10	13	80	33	11	7	1	0	0	0
20	MEX-AMER	TWO	127	0	0	0	2	1	3	52	41	24	3	0	0	0	1
20	MEX-AMER	THREE	59	0	0	0	0	0	1	13	24	14	6	1	0	0	0
20	MEX-AMER	4 OR MORE	84	0	0	0	0	0	0	8	32	28	14	2	0	0	0
20	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	OTHER		31	0	0	0	0	0	3	10	9	7	2	0	0	0	0
20	OTHER	NONE	10	0	0	0	0	0	1	5	3	1	0	0	0	0	0
20	OTHER	ONE	11	0	0	0	0	0	1	2	5	3	0	0	0	0	0
20	OTHER	TWO	5	0	0	0	0	0	0	1	1	2	1	0	0	0	0
20	OTHER	THREE	3	0	0	0	0	0	1	2	0	0	0	0	0	0	0
20	OTHER	4 OR MORE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0
20	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	UNKNOWN		3	0	0	0	0	0	0	1	0	2	0	0	0	0	0
20	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	UNKNOWN	TWO	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
20	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	UNKNOWN	NOT STATED	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

MARIN

COUNTY				AGE													
	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
21			2419	1	1	13	13	22	52	432	728	751	370	32	1	0	3
21	WHITE		2015	0	1	12	7	16	34	328	597	647	341	29	1	0	2
21	WHITE	NONE	1074	0	1	12	6	16	32	226	347	314	113	6	0	0	1
21	WHITE	ONE	641	0	0	0	1	0	2	82	188	229	134	4	0	0	1
21	WHITE	TWO	195	0	0	0	0	0	0	15	51	69	55	5	0	0	0
21	WHITE	THREE	45	0	0	0	0	0	0	0	4	17	16	8	0	0	0
21	WHITE	4 OR MORE	38	0	0	0	0	0	0	0	4	7	21	5	1	0	0
21	WHITE	NOT STATED	22	0	0	0	0	0	0	5	3	11	2	1	0	0	0
21	BLACK		112	1	0	1	4	3	4	40	36	16	7	0	0	0	0
21	BLACK	NONE	52	1	0	1	4	1	2	20	13	5	5	0	0	0	0
21	BLACK	ONE	35	0	0	0	0	1	1	17	11	4	1	0	0	0	0
21	BLACK	TWO	17	0	0	0	0	0	1	3	8	4	1	0	0	0	0
21	BLACK	THREE	5	0	0	0	0	0	0	0	4	1	0	0	0	0	0
21	BLACK	4 OR MORE	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
21	BLACK	NOT STATED	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
21	MEX-AMER		120	0	0	0	2	3	8	34	33	34	5	0	0	0	1
21	MEX-AMER	NONE	57	0	0	0	2	2	6	19	16	11	1	0	0	0	0
21	MEX-AMER	ONE	39	0	0	0	0	0	2	10	12	14	1	0	0	0	0
21	MEX-AMER	TWO	15	0	0	0	0	0	0	3	4	6	2	0	0	0	0
21	MEX-AMER	THREE	4	0	0	0	0	0	0	1	1	1	1	0	0	0	0
21	MEX-AMER	4 OR MORE	3	0	0	0	0	0	0	0	0	2	0	0	0	0	1
21	MEX-AMER	NOT STATED	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0
21	OTHER		142	0	0	0	0	0	5	23	50	45	16	3	0	0	0
21	OTHER	NONE	79	0	0	0	0	0	5	14	30	22	7	1	0	0	0
21	OTHER	ONE	41	0	0	0	0	0	0	8	11	18	3	1	0	0	0
21	OTHER	TWO	13	0	0	0	0	0	0	1	8	3	1	0	0	0	0
21	OTHER	THREE	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0
21	OTHER	4 OR MORE	7	0	0	0	0	0	0	0	1	2	3	1	0	0	0
21	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	UNKNOWN		30	0	0	0	0	0	1	7	12	9	1	0	0	0	0
21	UNKNOWN	NONE	14	0	0	0	0	0	1	5	6	2	0	0	0	0	0
21	UNKNOWN	ONE	10	0	0	0	0	0	0	2	5	3	0	0	0	0	0
21	UNKNOWN	TWO	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0
21	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	UNKNOWN	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
21	UNKNOWN	NOT STATED	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

MARIPOSA

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
22			150	0	0	0	5	3	9	50	44	25	13	0	0	0	1
22	WHITE		136	0	0	0	3	2	7	45	42	24	12	0	0	0	1
22	WHITE	NONE	57	0	0	0	2	2	6	27	17	3	0	0	0	0	0
22	WHITE	ONE	41	0	0	0	1	0	1	9	15	11	4	0	0	0	0
22	WHITE	TWO	20	0	0	0	0	0	0	5	6	6	2	0	0	0	1
22	WHITE	THREE	12	0	0	0	0	0	0	2	2	4	4	0	0	0	0
22	WHITE	4 OR MORE	3	0	0	0	0	0	0	0	1	0	2	0	0	0	0
22	WHITE	NOT STATED	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
22	BLACK		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	MEX-AMER		9	0	0	0	1	1	0	4	1	1	1	0	0	0	0
22	MEX-AMER	NONE	5	0	0	0	1	1	0	2	1	0	0	0	0	0	0
22	MEX-AMER	ONE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
22	MEX-AMER	TWO	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
22	MEX-AMER	THREE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0
22	MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	OTHER		5	0	0	0	1	0	2	1	1	0	0	0	0	0	0
22	OTHER	NONE	3	0	0	0	1	0	2	0	0	0	0	0	0	0	0
22	OTHER	ONE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
22	OTHER	TWO	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
22	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	OTHER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

MENDOCINO

COUNTY RACE1	PLB	TOTAL	AGE													
			UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
23		1169	3	4	12	27	48	56	348	346	232	84	8	1	0	0
23 WHITE		935	1	2	7	17	24	42	273	295	196	71	6	1	0	0
23 WHITE	NONE	420	1	2	7	14	20	37	150	109	59	20	1	0	0	0
23 WHITE	ONE	316	0	0	0	3	3	5	92	128	69	15	1	0	0	0
23 WHITE	TWO	110	0	0	0	0	1	0	21	35	38	15	0	0	0	0
23 WHITE	THREE	51	0	0	0	0	0	0	8	17	20	4	2	0	0	0
23 WHITE	4 OR MORE	29	0	0	0	0	0	0	2	2	7	15	2	1	0	0
23 WHITE	NOT STATED	9	0	0	0	0	0	0	0	4	3	2	0	0	0	0
23 BLACK		6	0	0	0	0	0	0	2	0	3	1	0	0	0	0
23 BLACK	NONE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
23 BLACK	ONE	3	0	0	0	0	0	0	2	0	1	0	0	0	0	0
23 BLACK	TWO	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
23 BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23 BLACK	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
23 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23 MEX-AMER		152	2	0	1	9	17	11	45	32	25	9	1	0	0	0
23 MEX-AMER	NONE	53	1	0	1	7	14	7	15	4	4	0	0	0	0	0
23 MEX-AMER	ONE	43	0	0	0	2	3	3	16	13	5	1	0	0	0	0
23 MEX-AMER	TWO	26	0	0	0	0	0	1	11	7	4	2	1	0	0	0
23 MEX-AMER	THREE	9	0	0	0	0	0	0	1	5	3	0	0	0	0	0
23 MEX-AMER	4 OR MORE	20	0	0	0	0	0	0	2	3	9	6	0	0	0	0
23 MEX-AMER	NOT STATED	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
23 OTHER		66	0	2	4	1	7	3	27	15	5	2	0	0	0	0
23 OTHER	NONE	26	0	2	3	1	6	1	9	4	0	0	0	0	0	0
23 OTHER	ONE	23	0	0	1	0	0	2	10	7	2	1	0	0	0	0
23 OTHER	TWO	9	0	0	0	0	1	0	4	1	2	1	0	0	0	0
23 OTHER	THREE	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0
23 OTHER	4 OR MORE	4	0	0	0	0	0	0	2	2	0	0	0	0	0	0
23 OTHER	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
23 UNKNOWN		10	0	0	0	0	0	0	1	4	3	1	1	0	0	0
23 UNKNOWN	NONE	3	0	0	0	0	0	0	0	1	1	0	1	0	0	0
23 UNKNOWN	ONE	3	0	0	0	0	0	0	0	1	1	1	0	0	0	0
23 UNKNOWN	TWO	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
23 UNKNOWN	THREE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
23 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23 UNKNOWN	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

MERCED

COUNTY RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
24		3226	7	24	56	123	142	188	1201	896	426	120	31	5	3	4
24 WHITE		1511	2	6	18	44	57	84	594	433	219	44	10	0	0	0
24 WHITE	NONE	631	1	5	17	38	45	62	277	146	37	2	1	0	0	0
24 WHITE	ONE	518	1	1	1	6	12	20	236	165	66	8	2	0	0	0
24 WHITE	TWO	224	0	0	0	0	0	1	66	82	65	8	2	0	0	0
24 WHITE	THREE	86	0	0	0	0	0	1	10	28	36	9	2	0	0	0
24 WHITE	4 OR MORE	49	0	0	0	0	0	0	4	10	15	17	3	0	0	0
24 WHITE	NOT STATED	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0
24 BLACK		195	1	1	4	12	11	14	75	61	15	0	1	0	0	0
24 BLACK	NONE	76	1	1	3	10	7	9	27	15	3	0	0	0	0	0
24 BLACK	ONE	59	0	0	1	0	3	5	29	17	4	0	0	0	0	0
24 BLACK	TWO	34	0	0	0	2	1	0	13	15	3	0	0	0	0	0
24 BLACK	THREE	15	0	0	0	0	0	0	6	5	4	0	0	0	0	0
24 BLACK	4 OR MORE	10	0	0	0	0	0	0	0	8	1	0	1	0	0	0
24 BLACK	NOT STATED	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
24 MEX-AMER		1216	4	17	29	63	61	77	435	315	142	55	14	0	1	3
24 MEX-AMER	NONE	424	4	16	26	46	44	44	171	61	9	2	0	0	0	1
24 MEX-AMER	ONE	327	0	0	3	15	15	26	154	94	19	1	0	0	0	0
24 MEX-AMER	TWO	208	0	1	0	2	2	7	72	76	40	6	1	0	0	1
24 MEX-AMER	THREE	114	0	0	0	0	0	0	24	48	27	11	3	0	0	1
24 MEX-AMER	4 OR MORE	139	0	0	0	0	0	0	12	34	47	35	10	0	1	0
24 MEX-AMER	NOT STATED	4	0	0	0	0	0	0	2	2	0	0	0	0	0	0
24 OTHER		303	0	0	5	4	13	12	97	87	50	21	6	5	2	1
24 OTHER	NONE	66	0	0	4	2	8	6	26	15	3	2	0	0	0	0
24 OTHER	ONE	65	0	0	0	1	4	4	27	18	9	2	0	0	0	0
24 OTHER	TWO	64	0	0	1	1	1	2	28	19	10	2	0	0	0	0
24 OTHER	THREE	35	0	0	0	0	0	0	14	11	9	1	0	0	0	0
24 OTHER	4 OR MORE	68	0	0	0	0	0	0	1	20	19	14	6	5	2	1
24 OTHER	NOT STATED	5	0	0	0	0	0	0	1	4	0	0	0	0	0	0
24 UNKNOWN		1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
24 UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24 UNKNOWN	TWO	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
24 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

MODOC

COUNTY RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
25		153	0	0	3	2	6	6	65	46	19	5	1	0	0	0
25 WHITE		118	0	0	2	0	4	6	51	33	16	5	1	0	0	0
25 WHITE	NONE	45	0	0	2	0	3	6	22	8	4	0	0	0	0	0
25 WHITE	ONE	48	0	0	0	0	1	0	24	14	6	2	1	0	0	0
25 WHITE	TWO	14	0	0	0	0	0	0	4	5	3	2	0	0	0	0
25 WHITE	THREE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
25 WHITE	4 OR MORE	6	0	0	0	0	0	0	0	3	3	0	0	0	0	0
25 WHITE	NOT STATED	3	0	0	0	0	0	0	0	2	0	1	0	0	0	0
25 BLACK		1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
25 BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 BLACK	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
25 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 MEX-AMER		19	0	0	1	2	0	0	9	6	1	0	0	0	0	0
25 MEX-AMER	NONE	4	0	0	1	2	0	0	1	0	0	0	0	0	0	0
25 MEX-AMER	ONE	4	0	0	0	0	0	0	4	0	0	0	0	0	0	0
25 MEX-AMER	TWO	8	0	0	0	0	0	0	4	4	0	0	0	0	0	0
25 MEX-AMER	THREE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
25 MEX-AMER	4 OR MORE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
25 MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 OTHER		14	0	0	0	0	2	0	5	6	1	0	0	0	0	0
25 OTHER	NONE	3	0	0	0	0	1	0	1	0	1	0	0	0	0	0
25 OTHER	ONE	6	0	0	0	0	1	0	2	3	0	0	0	0	0	0
25 OTHER	TWO	5	0	0	0	0	0	0	2	3	0	0	0	0	0	0
25 OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 OTHER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 UNKNOWN		1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
25 UNKNOWN	NONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
25 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

MONO

AGE

COUNTY	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
26			159	0	1	1	2	3	3	46	64	34	5	0	0	0	0
26	WHITE		134	0	0	0	1	3	3	38	57	28	4	0	0	0	0
26	WHITE	NONE	70	0	0	0	1	2	2	20	34	10	1	0	0	0	0
26	WHITE	ONE	35	0	0	0	0	0	0	11	13	9	2	0	0	0	0
26	WHITE	TWO	20	0	0	0	0	0	1	5	9	5	0	0	0	0	0
26	WHITE	THREE	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
26	WHITE	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
26	WHITE	NOT STATED	6	0	0	0	0	1	0	2	1	1	1	0	0	0	0
26	BLACK		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	MEX-AMER		10	0	1	0	0	0	0	4	2	3	0	0	0	0	0
26	MEX-AMER	NONE	5	0	1	0	0	0	0	3	1	0	0	0	0	0	0
26	MEX-AMER	ONE	4	0	0	0	0	0	0	0	1	3	0	0	0	0	0
26	MEX-AMER	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	MEX-AMER	THREE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
26	MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	OTHER		15	0	0	1	1	0	0	4	5	3	1	0	0	0	0
26	OTHER	NONE	5	0	0	1	0	0	0	2	2	0	0	0	0	0	0
26	OTHER	ONE	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0
26	OTHER	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	OTHER	4 OR MORE	3	0	0	0	0	0	0	0	2	0	1	0	0	0	0
26	OTHER	NOT STATED	4	0	0	0	1	0	0	2	0	1	0	0	0	0	0
26	UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

MONTEREY

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
27			6436	18	46	73	142	228	350	2264	1927	984	350	49	3	1	1
27	WHITE		2498	2	9	14	26	66	110	867	788	457	145	12	1	0	1
27	WHITE	NONE	1192	2	9	12	25	52	87	505	326	134	38	2	0	0	0
27	WHITE	ONE	806	0	0	2	1	12	21	259	295	173	42	1	0	0	0
27	WHITE	TWO	322	0	0	0	0	1	1	89	115	87	28	1	0	0	0
27	WHITE	THREE	121	0	0	0	0	0	0	10	44	38	24	4	1	0	0
27	WHITE	4 OR MORE	45	0	0	0	0	0	0	1	5	24	11	4	0	0	0
27	WHITE	NOT STATED	12	0	0	0	0	1	1	3	3	1	2	0	0	0	1
27	BLACK		611	2	4	9	23	18	47	295	155	41	16	1	0	0	0
27	BLACK	NONE	293	2	4	9	16	10	35	158	47	12	0	0	0	0	0
27	BLACK	ONE	190	0	0	0	7	7	10	87	64	10	5	0	0	0	0
27	BLACK	TWO	88	0	0	0	0	0	2	37	32	13	4	0	0	0	0
27	BLACK	THREE	24	0	0	0	0	0	0	10	7	4	2	1	0	0	0
27	BLACK	4 OR MORE	14	0	0	0	0	0	0	2	5	2	5	0	0	0	0
27	BLACK	NOT STATED	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0
27	MEX-AMER		2575	12	31	46	81	124	167	861	720	347	154	30	2	0	0
27	MEX-AMER	NONE	845	11	27	38	65	91	99	353	117	31	12	1	0	0	0
27	MEX-AMER	ONE	750	1	4	7	15	29	53	320	229	72	16	4	0	0	0
27	MEX-AMER	TWO	466	0	0	1	1	4	12	142	203	76	24	3	0	0	0
27	MEX-AMER	THREE	238	0	0	0	0	0	2	32	104	73	22	5	0	0	0
27	MEX-AMER	4 OR MORE	269	0	0	0	0	0	0	11	66	93	80	17	2	0	0
27	MEX-AMER	NOT STATED	7	0	0	0	0	0	1	3	1	2	0	0	0	0	0
27	OTHER		628	2	2	4	7	16	23	204	223	112	28	6	0	1	0
27	OTHER	NONE	282	2	1	4	6	14	18	109	82	37	7	1	0	1	0
27	OTHER	ONE	208	0	1	0	1	2	4	61	94	38	5	2	0	0	0
27	OTHER	TWO	83	0	0	0	0	0	1	30	27	21	4	0	0	0	0
27	OTHER	THREE	31	0	0	0	0	0	0	3	13	8	7	0	0	0	0
27	OTHER	4 OR MORE	22	0	0	0	0	0	0	1	6	8	4	3	0	0	0
27	OTHER	NOT STATED	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0
27	UNKNOWN		124	0	0	0	5	4	3	37	41	27	7	0	0	0	0
27	UNKNOWN	NONE	58	0	0	0	5	4	2	25	13	9	0	0	0	0	0
27	UNKNOWN	ONE	41	0	0	0	0	0	1	9	18	8	5	0	0	0	0
27	UNKNOWN	TWO	17	0	0	0	0	0	0	2	7	8	0	0	0	0	0
27	UNKNOWN	THREE	4	0	0	0	0	0	0	0	1	2	1	0	0	0	0
27	UNKNOWN	4 OR MORE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
27	UNKNOWN	NOT STATED	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

NAPA

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	AGE 25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
28		1342	2	5	22	11	26	43	424	477	246	82	4	0	0	0
28 WHITE		968	0	2	16	8	17	29	289	355	194	57	1	0	0	0
28 WHITE	NONE	447	0	2	15	8	15	24	168	152	52	11	0	0	0	0
28 WHITE	ONE	345	0	0	1	0	1	4	97	135	84	23	0	0	0	0
28 WHITE	TWO	113	0	0	0	0	0	1	21	48	33	10	0	0	0	0
28 WHITE	THREE	40	0	0	0	0	0	0	3	14	18	5	0	0	0	0
28 WHITE	4 OR MORE	20	0	0	0	0	0	0	0	6	6	8	0	0	0	0
28 WHITE	NOT STATED	3	0	0	0	0	1	0	0	0	1	0	1	0	0	0
28 BLACK		11	0	0	0	0	1	0	3	5	0	2	0	0	0	0
28 BLACK	NONE	6	0	0	0	0	1	0	3	1	0	1	0	0	0	0
28 BLACK	ONE	4	0	0	0	0	0	0	0	3	0	1	0	0	0	0
28 BLACK	TWO	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
28 BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28 BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28 MEX-AMER		307	2	3	6	3	8	13	111	100	40	18	3	0	0	0
28 MEX-AMER	NONE	119	2	3	6	3	7	6	51	31	7	3	0	0	0	0
28 MEX-AMER	ONE	96	0	0	0	0	1	7	40	36	11	1	0	0	0	0
28 MEX-AMER	TWO	40	0	0	0	0	0	0	11	16	8	5	0	0	0	0
28 MEX-AMER	THREE	28	0	0	0	0	0	0	7	10	7	4	0	0	0	0
28 MEX-AMER	4 OR MORE	23	0	0	0	0	0	0	2	7	6	5	3	0	0	0
28 MEX-AMER	NOT STATED	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
28 OTHER		52	0	0	0	0	0	1	17	17	12	5	0	0	0	0
28 OTHER	NONE	24	0	0	0	0	0	1	11	8	3	1	0	0	0	0
28 OTHER	ONE	15	0	0	0	0	0	0	6	5	4	0	0	0	0	0
28 OTHER	TWO	6	0	0	0	0	0	0	0	2	2	2	0	0	0	0
28 OTHER	THREE	4	0	0	0	0	0	0	0	1	1	2	0	0	0	0
28 OTHER	4 OR MORE	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0
28 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28 UNKNOWN		4	0	0	0	0	0	0	4	0	0	0	0	0	0	0
28 UNKNOWN	NONE	3	0	0	0	0	0	0	3	0	0	0	0	0	0	0
28 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28 UNKNOWN	TWO	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
28 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

NEVADA

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
29		862	0	1	4	13	15	23	252	312	184	52	5	0	0	1
29 WHITE		778	0	1	3	10	12	19	226	291	165	46	5	0	0	0
29 WHITE	NONE	347	0	1	3	9	9	16	130	127	39	13	0	0	0	0
29 WHITE	ONE	255	0	0	0	1	3	2	76	97	64	12	0	0	0	0
29 WHITE	TWO	105	0	0	0	0	0	1	13	42	37	10	2	0	0	0
29 WHITE	THREE	42	0	0	0	0	0	0	3	17	17	5	0	0	0	0
29 WHITE	4 OR MORE	24	0	0	0	0	0	0	0	7	8	6	3	0	0	0
29 WHITE	NOT STATED	5	0	0	0	0	0	0	4	1	0	0	0	0	0	0
29 BLACK		4	0	0	0	0	0	0	2	1	1	0	0	0	0	0
29 BLACK	NONE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
29 BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29 BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29 BLACK	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
29 BLACK	4 OR MORE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
29 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29 MEX-AMER		60	0	0	1	2	3	3	19	17	10	5	0	0	0	0
29 MEX-AMER	NONE	22	0	0	1	1	2	2	10	5	1	0	0	0	0	0
29 MEX-AMER	ONE	20	0	0	0	1	0	1	6	10	2	0	0	0	0	0
29 MEX-AMER	TWO	14	0	0	0	0	1	0	3	1	6	3	0	0	0	0
29 MEX-AMER	THREE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0
29 MEX-AMER	4 OR MORE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0
29 MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29 OTHER		14	0	0	0	0	0	1	4	3	5	1	0	0	0	0
29 OTHER	NONE	7	0	0	0	0	0	1	4	1	1	0	0	0	0	0
29 OTHER	ONE	4	0	0	0	0	0	0	0	1	2	1	0	0	0	0
29 OTHER	TWO	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
29 OTHER	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
29 OTHER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29 UNKNOWN		6	0	0	0	1	0	0	1	0	3	0	0	0	0	1
29 UNKNOWN	NONE	2	0	0	0	1	0	0	0	0	1	0	0	0	0	0
29 UNKNOWN	ONE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
29 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29 UNKNOWN	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
29 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29 UNKNOWN	NOT STATED	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

ORANGE

COUNTY	RACE1	PLB	TOTAL	AGE														
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
30			33989	37	106	303	582	898	1400	10871	11276	6261	1941	284	19	1	10
30	WHITE		20169	12	40	120	221	406	710	6187	7119	4045	1160	138	7	0	4
30	WHITE	NONE	9754	12	40	113	203	355	587	3796	3216	1174	230	26	0	0	2
30	WHITE	ONE	6495	0	0	6	15	48	105	1869	2569	1539	324	19	1	0	0
30	WHITE	TWO	2609	0	0	0	2	2	13	419	999	853	296	24	1	0	0
30	WHITE	THREE	791	0	0	0	0	1	1	75	220	301	165	27	0	0	1
30	WHITE	4 OR MORE	458	0	0	0	0	0	0	8	92	170	143	40	5	0	0
30	WHITE	NOT STATED	62	0	0	1	1	0	4	20	23	8	2	2	0	0	1
30	BLACK		864	2	2	5	15	32	47	357	256	109	32	7	0	0	0
30	BLACK	NONE	412	2	2	5	12	27	33	185	114	30	2	0	0	0	0
30	BLACK	ONE	256	0	0	0	2	4	12	121	78	28	8	3	0	0	0
30	BLACK	TWO	126	0	0	0	1	0	1	38	46	29	9	2	0	0	0
30	BLACK	THREE	40	0	0	0	0	0	1	6	13	17	3	0	0	0	0
30	BLACK	4 OR MORE	27	0	0	0	0	1	0	5	4	5	10	2	0	0	0
30	BLACK	NOT STATED	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
30	MEX-AMER		9584	21	61	162	319	417	568	3549	2656	1240	476	105	6	0	4
30	MEX-AMER	NONE	3699	19	60	144	274	306	374	1609	684	188	31	10	0	0	0
30	MEX-AMER	ONE	2799	2	1	17	38	100	168	1246	882	261	70	11	1	0	2
30	MEX-AMER	TWO	1530	0	0	0	5	8	22	484	603	314	86	8	0	0	0
30	MEX-AMER	THREE	732	0	0	0	0	1	3	154	277	204	78	14	0	0	1
30	MEX-AMER	4 OR MORE	785	0	0	0	0	0	0	38	199	272	208	62	5	0	1
30	MEX-AMER	NOT STATED	39	0	0	1	2	2	1	18	11	1	3	0	0	0	0
30	OTHER		3338	2	3	15	26	43	70	772	1236	858	272	33	6	1	1
30	OTHER	NONE	1374	2	2	14	19	31	50	434	540	228	46	5	2	0	1
30	OTHER	ONE	1050	0	1	0	5	9	17	215	419	303	76	4	1	0	0
30	OTHER	TWO	487	0	0	1	2	3	2	86	137	180	69	7	0	0	0
30	OTHER	THREE	197	0	0	0	0	0	1	27	74	60	32	3	0	0	0
30	OTHER	4 OR MORE	218	0	0	0	0	0	0	7	62	84	47	14	3	1	0
30	OTHER	NOT STATED	12	0	0	0	0	0	0	3	4	3	2	0	0	0	0
30	UNKNOWN		34	0	0	1	1	0	5	6	9	9	1	1	0	0	1
30	UNKNOWN	NONE	20	0	0	1	1	0	5	5	4	4	0	0	0	0	0
30	UNKNOWN	ONE	5	0	0	0	0	0	0	0	1	3	1	0	0	0	0
30	UNKNOWN	TWO	5	0	0	0	0	0	0	1	3	0	0	1	0	0	0
30	UNKNOWN	THREE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
30	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	UNKNOWN	NOT STATED	3	0	0	0	0	0	0	0	0	2	0	0	0	0	1

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

PLACER

COUNTY	RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
31			1800	0	4	18	38	60	77	538	585	349	126	4	1	0	0
31	WHITE		1498	0	3	11	29	50	61	437	494	302	106	4	1	0	0
31	WHITE	NONE	650	0	3	11	29	41	52	226	192	72	23	1	0	0	0
31	WHITE	ONE	502	0	0	0	0	7	9	157	192	116	21	0	0	0	0
31	WHITE	TWO	195	0	0	0	0	1	0	44	63	61	25	1	0	0	0
31	WHITE	THREE	86	0	0	0	0	0	0	8	34	30	13	1	0	0	0
31	WHITE	4 OR MORE	57	0	0	0	0	0	0	0	10	21	24	1	1	0	0
31	WHITE	NOT STATED	8	0	0	0	0	1	0	2	3	2	0	0	0	0	0
31	BLACK		10	0	0	0	0	0	0	3	4	2	1	0	0	0	0
31	BLACK	NONE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
31	BLACK	ONE	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
31	BLACK	TWO	3	0	0	0	0	0	0	0	1	1	1	0	0	0	0
31	BLACK	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
31	BLACK	4 OR MORE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
31	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	MEX-AMER		213	0	1	6	7	7	16	80	56	29	11	0	0	0	0
31	MEX-AMER	NONE	95	0	1	6	7	7	12	38	18	4	2	0	0	0	0
31	MEX-AMER	ONE	64	0	0	0	0	0	4	23	27	8	2	0	0	0	0
31	MEX-AMER	TWO	39	0	0	0	0	0	0	17	7	10	5	0	0	0	0
31	MEX-AMER	THREE	8	0	0	0	0	0	0	2	2	4	0	0	0	0	0
31	MEX-AMER	4 OR MORE	6	0	0	0	0	0	0	0	1	3	2	0	0	0	0
31	MEX-AMER	NOT STATED	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
31	OTHER		75	0	0	1	2	3	0	18	30	14	7	0	0	0	0
31	OTHER	NONE	31	0	0	1	2	3	0	8	11	4	2	0	0	0	0
31	OTHER	ONE	26	0	0	0	0	0	0	6	9	8	3	0	0	0	0
31	OTHER	TWO	17	0	0	0	0	0	0	3	10	2	2	0	0	0	0
31	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	OTHER	4 OR MORE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
31	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	UNKNOWN		4	0	0	0	0	0	0	0	1	2	1	0	0	0	0
31	UNKNOWN	NONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
31	UNKNOWN	ONE	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
31	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	UNKNOWN	THREE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
31	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

PLUMAS

COUNTY				AGE													
	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
32			264	0	0	2	5	6	11	84	93	51	11	1	0	0	0
32	WHITE		238	0	0	1	3	5	10	72	88	48	11	0	0	0	0
32	WHITE	NONE	98	0	0	1	3	4	8	39	27	14	2	0	0	0	0
32	WHITE	ONE	87	0	0	0	0	1	1	28	35	20	2	0	0	0	0
32	WHITE	TWO	34	0	0	0	0	0	0	4	18	9	3	0	0	0	0
32	WHITE	THREE	14	0	0	0	0	0	0	1	6	5	2	0	0	0	0
32	WHITE	4 OR MORE	4	0	0	0	0	0	0	0	2	0	2	0	0	0	0
32	WHITE	NOT STATED	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
32	BLACK		6	0	0	1	0	0	0	4	1	0	0	0	0	0	0
32	BLACK	NONE	4	0	0	1	0	0	0	3	0	0	0	0	0	0	0
32	BLACK	ONE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
32	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	MEX-AMER		11	0	0	0	1	1	0	5	2	2	0	0	0	0	0
32	MEX-AMER	NONE	5	0	0	0	1	1	0	2	1	0	0	0	0	0	0
32	MEX-AMER	ONE	5	0	0	0	0	0	0	3	1	1	0	0	0	0	0
32	MEX-AMER	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	MEX-AMER	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
32	MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	OTHER		9	0	0	0	1	0	1	3	2	1	0	1	0	0	0
32	OTHER	NONE	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0
32	OTHER	ONE	3	0	0	0	0	0	1	1	0	1	0	0	0	0	0
32	OTHER	TWO	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0
32	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	OTHER	4 OR MORE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
32	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

RIVERSIDE

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	AGE 25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
33		12958	18	87	217	380	566	710	4615	3899	1869	500	89	5	0	3
33 WHITE		7293	7	30	78	146	250	343	2550	2409	1165	269	43	2	0	1
33 WHITE	NONE	3064	7	30	75	126	203	254	1273	780	265	45	5	0	0	1
33 WHITE	ONE	2449	0	0	3	19	43	75	944	935	366	57	7	0	0	0
33 WHITE	TWO	1098	0	0	0	1	3	13	265	468	290	55	3	0	0	0
33 WHITE	THREE	413	0	0	0	0	0	1	49	160	143	50	10	0	0	0
33 WHITE	4 OR MORE	255	0	0	0	0	0	0	11	63	100	61	18	2	0	0
33 WHITE	NOT STATED	14	0	0	0	0	1	0	8	3	1	1	0	0	0	0
33 BLACK		784	1	15	23	35	55	65	286	186	85	29	4	0	0	0
33 BLACK	NONE	315	1	14	21	31	41	48	107	40	9	3	0	0	0	0
33 BLACK	ONE	228	0	1	2	4	11	14	108	54	29	4	1	0	0	0
33 BLACK	TWO	128	0	0	0	0	2	2	48	58	12	5	1	0	0	0
33 BLACK	THREE	53	0	0	0	0	1	1	16	18	11	6	0	0	0	0
33 BLACK	4 OR MORE	60	0	0	0	0	0	0	7	16	24	11	2.	0	0	0
33 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33 MEX-AMER		4325	9	39	108	182	241	274	1617	1130	510	176	34	3	0	2
33 MEX-AMER	NONE	1533	9	37	97	145	178	172	607	210	63	14	0	1	0	0
33 MEX-AMER	ONE	1245	0	2	11	32	53	79	605	344	97	19	2	0	0	1
33 MEX-AMER	TWO	775	0	0	0	4	7	18	290	294	125	33	4	0	0	0
33 MEX-AMER	THREE	413	0	0	0	0	1	4	85	179	111	28	5	0	0	0
33 MEX-AMER	4 OR MORE	350	0	0	0	0	1	0	26	101	114	82	23	2	0	1
33 MEX-AMER	NOT STATED	9	0	0	0	1	1	1	4	2	0	0	0	0	0	0
33 OTHER		519	1	2	7	16	17	27	147	166	102	26	8	0	0	0
33 OTHER	NONE	194	1	1	5	11	10	19	65	61	14	5	2	0	0	0
33 OTHER	ONE	160	0	1	1	5	6	7	40	58	33	8	1	0	0	0
33 OTHER	TWO	81	0	0	0	0	1	1	28	23	23	4	1	0	0	0
33 OTHER	THREE	41	0	0	0	0	0	0	10	13	12	4	2	0	0	0
33 OTHER	4 OR MORE	41	0	0	0	0	0	0	3	11	20	5	2	0	0	0
33 OTHER	NOT STATED	2	0	0	1	0	0	0	1	0	0	0	0	0	0	0
33 UNKNOWN		37	0	1	1	1	3	1	15	8	7	0	0	0	0	0
33 UNKNOWN	NONE	15	0	1	1	1	3	0	6	2	1	0	0	0	0	0
33 UNKNOWN	ONE	10	0	0	0	0	0	1	6	2	1	0	0	0	0	0
33 UNKNOWN	TWO	6	0	0	0	0	0	0	2	1	3	0	0	0	0	0
33 UNKNOWN	THREE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
33 UNKNOWN	4 OR MORE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
33 UNKNOWN	NOT STATED	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SACRAMENTO

COUNTY	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
34			14255	22	86	177	339	481	699	4810	4611	2325	626	73	5	0	1
34	WHITE		9028	8	31	83	160	266	388	3040	3004	1582	433	32	0	0	1
34	WHITE	NONE	4107	8	30	79	134	209	283	1671	1180	417	91	5	0	0	0
34	WHITE	ONE	3033	0	1	3	26	56	89	1030	1099	602	121	5	0	0	1
34	WHITE	TWO	1257	0	0	0	0	1	15	271	507	343	115	5	0	0	0
34	WHITE	THREE	397	0	0	0	0	0	1	45	157	135	51	8	0	0	0
34	WHITE	4 OR MORE	216	0	0	0	0	0	0	14	54	84	55	9	0	0	0
34	WHITE	NOT STATED	18	0	0	1	0	0	0	9	7	1	0	0	0	0	0
34	BLACK		1709	9	23	30	61	92	130	663	478	181	35	6	1	0	0
34	BLACK	NONE	662	9	22	25	55	67	74	268	106	29	5	2	0	0	0
34	BLACK	ONE	547	0	1	4	6	20	47	240	170	53	5	1	0	0	0
34	BLACK	TWO	278	0	0	1	0	4	6	100	113	46	8	0	0	0	0
34	BLACK	THREE	136	0	0	0	0	0	3	38	56	33	5	1	0	0	0
34	BLACK	4 OR MORE	82	0	0	0	0	0	0	14	33	20	12	2	1	0	0
34	BLACK	NOT STATED	4	0	0	0	0	1	0	3	0	0	0	0	0	0	0
34	MEX-AMER		2099	5	28	53	102	108	132	721	605	260	66	18	1	0	0
34	MEX-AMER	NONE	858	5	27	49	84	77	82	301	177	44	10	2	0	0	0
34	MEX-AMER	ONE	648	0	1	3	17	31	39	268	205	73	11	0	0	0	0
34	MEX-AMER	TWO	331	0	0	1	1	0	11	111	129	61	13	4	0	0	0
34	MEX-AMER	THREE	162	0	0	0	0	0	0	31	66	47	13	5	0	0	0
34	MEX-AMER	4 OR MORE	95	0	0	0	0	0	0	5	28	35	19	7	1	0	0
34	MEX-AMER	NOT STATED	5	0	0	0	0	0	0	5	0	0	0	0	0	0	0
34	OTHER		1399	0	4	11	14	14	49	378	517	301	91	17	3	0	0
34	OTHER	NONE	508	0	3	11	12	10	40	171	169	76	13	2	1	0	0
34	OTHER	ONE	405	0	1	0	1	4	9	119	149	101	17	3	1	0	0
34	OTHER	TWO	237	0	0	0	0	0	0	63	101	56	16	1	0	0	0
34	OTHER	THREE	130	0	0	0	0	0	0	19	65	30	15	1	0	0	0
34	OTHER	4 OR MORE	117	0	0	0	0	0	0	5	33	38	30	10	1	0	0
34	OTHER	NOT STATED	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0
34	UNKNOWN		20	0	0	0	2	1	0	8	7	1	1	0	0	0	0
34	UNKNOWN	NONE	11	0	0	0	2	1	0	4	4	0	0	0	0	0	0
34	UNKNOWN	ONE	6	0	0	0	0	0	0	2	3	0	1	0	0	0	0
34	UNKNOWN	TWO	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
34	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
34	UNKNOWN	4 OR MORE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
34	UNKNOWN	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SAN BENITO

COUNTY	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	AGE 25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
35			496	1	3	7	18	26	29	164	159	62	20	7	0	0	0
35	WHITE		147	0	0	0	1	3	4	38	70	25	5	1	0	0	0
35	WHITE	NONE	51	0	0	0	1	2	4	17	21	6	0	0	0	0	0
35	WHITE	ONE	62	0	0	0	0	1	0	17	30	10	4	0	0	0	0
35	WHITE	TWO	21	0	0	0	0	0	0	4	15	2	0	0	0	0	0
35	WHITE	THREE	7	0	0	0	0	0	0	0	2	4	0	1	0	0	0
35	WHITE	4 OR MORE	6	0	0	0	0	0	0	0	2	3	1	0	0	0	0
35	WHITE	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	BLACK		1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
35	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	BLACK	ONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
35	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	MEX-AMER		338	1	3	7	17	22	24	122	86	35	15	6	0	0	0
35	MEX-AMER	NONE	116	1	3	7	15	13	15	45	13	2	2	0	0	0	0
35	MEX-AMER	ONE	105	0	0	0	2	9	7	45	29	11	1	1	0	0	0
35	MEX-AMER	TWO	56	0	0	0	0	0	1	21	24	7	2	1	0	0	0
35	MEX-AMER	THREE	29	0	0	0	0	0	1	7	13	6	2	0	0	0	0
35	MEX-AMER	4 OR MORE	32	0	0	0	0	0	0	4	7	9	8	4	0	0	0
35	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	OTHER		4	0	0	0	0	1	0	1	1	1	0	0	0	0	0
35	OTHER	NONE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0
35	OTHER	ONE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
35	OTHER	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	OTHER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	UNKNOWN		6	0	0	0	0	0	1	3	1	1	0	0	0	0	0
35	UNKNOWN	NONE	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
35	UNKNOWN	ONE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0
35	UNKNOWN	TWO	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
35	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SAN BERNARDINO

COUNTY											AGE						
	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
36			18720	30	115	263	498	780	1047	6659	5865	2697	648	115	2	0	1
36	WHITE		10674	6	35	105	222	384	522	3858	3593	1566	333	50	0	0	0
36	WHITE	NONE	4535	6	33	93	183	308	388	1953	1176	335	52	8	0	0	0
36	WHITE	ONE	3664	0	2	10	37	66	112	1397	1427	540	69	4	0	0	0
36	WHITE	TWO	1610	0	0	0	1	10	17	401	698	379	94	10	0	0	0
36	WHITE	THREE	540	0	0	0	0	0	3	80	207	190	53	7	0	0	0
36	WHITE	4 OR MORE	296	0	0	0	0	0	0	13	79	119	65	20	0	0	0
36	WHITE	NOT STATED	29	0	0	2	1	0	2	14	6	3	0	1	0	0	0
36	BLACK		1546	8	25	34	51	84	116	564	412	202	47	2	0	0	1
36	BLACK	NONE	585	8	23	28	38	58	73	228	93	27	9	0	0	0	0
36	BLACK	ONE	472	0	2	5	9	21	34	201	137	56	7	0	0	0	0
36	BLACK	TWO	290	0	0	0	3	4	9	95	110	59	9	0	0	0	1
36	BLACK	THREE	125	0	0	1	1	1	0	31	47	34	9	1	0	0	0
36	BLACK	4 OR MORE	70	0	0	0	0	0	0	7	23	26	13	1	0	0	0
36	BLACK	NOT STATED	4	0	0	0	0	0	0	2	2	0	0	0	0	0	0
36	MEX-AMER		5152	16	51	112	207	269	350	1856	1414	658	169	48	2	0	0
36	MEX-AMER	NONE	1857	16	48	100	160	191	229	717	305	74	16	1	0	0	0
36	MEX-AMER	ONE	1534	0	3	11	44	70	88	691	460	146	17	4	0	0	0
36	MEX-AMER	TWO	1000	0	0	1	3	6	30	348	381	191	32	8	0	0	0
36	MEX-AMER	THREE	422	0	0	0	0	1	1	79	174	124	36	7	0	0	0
36	MEX-AMER	4 OR MORE	332	0	0	0	0	0	0	19	93	122	68	28	2	0	0
36	MEX-AMER	NOT STATED	7	0	0	0	0	1	2	2	1	1	0	0	0	0	0
36	OTHER		814	0	3	2	12	25	29	197	285	179	72	10	0	0	0
36	OTHER	NONE	309	0	3	2	10	17	20	112	95	42	7	1	0	0	0
36	OTHER	ONE	284	0	0	0	1	7	8	66	101	74	25	2	0	0	0
36	OTHER	TWO	118	0	0	0	1	1	1	14	52	31	13	5	0	0	0
36	OTHER	THREE	56	0	0	0	0	0	0	3	24	16	12	1	0	0	0
36	OTHER	4 OR MORE	44	0	0	0	0	0	0	0	12	16	15	1	0	0	0
36	OTHER	NOT STATED	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
36	UNKNOWN		534	0	1	10	6	18	30	184	161	92	27	5	0	0	0
36	UNKNOWN	NONE	216	0	1	10	6	14	24	100	39	18	3	1	0	0	0
36	UNKNOWN	ONE	185	0	0	0	0	4	5	64	79	29	3	1	0	0	0
36	UNKNOWN	TWO	84	0	0	0	0	0	0	17	34	28	5	0	0	0	0
36	UNKNOWN	THREE	27	0	0	0	0	0	1	2	7	12	5	0	0	0	0
36	UNKNOWN	4 OR MORE	18	0	0	0	0	0	0	0	1	4	10	3	0	0	0
36	UNKNOWN	NOT STATED	4	0	0	0	0	0	0	1	1	1	1	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SAN DIEGO

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
37			33795	47	142	348	614	1150	1592	11387	10754	5841	1663	236	16	0	5
37	WHITE		18027	8	34	99	212	467	737	5812	6114	3465	969	105	3	0	2
37	WHITE	NONE	8695	8	32	93	185	383	581	3480	2605	1116	199	13	0	0	0
37	WHITE	ONE	5897	0	2	6	25	75	136	1790	2291	1259	299	13	0	0	1
37	WHITE	TWO	2253	0	0	0	2	6	18	427	860	686	230	23	1	0	0
37	WHITE	THREE	688	0	0	0	0	1	0	69	227	241	128	22	0	0	0
37	WHITE	4 OR MORE	413	0	0	0	0	0	0	21	102	144	111	33	2	0	0
37	WHITE	NOT STATED	81	0	0	0	0	2	2	25	29	19	2	1	0	0	1
37	BLACK		2928	14	34	70	85	167	201	1175	790	328	52	11	0	0	1
37	BLACK	NONE	1305	14	30	67	66	122	137	581	224	57	7	0	0	0	0
37	BLACK	ONE	876	0	3	3	16	37	48	374	278	108	8	1	0	0	0
37	BLACK	TWO	441	0	0	0	2	7	13	165	167	74	13	0	0	0	0
37	BLACK	THREE	185	0	0	0	0	0	1	45	74	49	12	4	0	0	0
37	BLACK	4 OR MORE	104	0	0	0	0	0	0	7	41	39	12	5	0	0	0
37	BLACK	NOT STATED	17	0	1	0	1	1	2	3	6	1	0	1	0	0	1
37	MEX-AMER		8904	20	61	163	262	422	504	3279	2509	1195	403	79	7	0	0
37	MEX-AMER	NONE	3546	19	58	150	215	314	343	1506	708	187	39	7	0	0	0
37	MEX-AMER	ONE	2695	1	3	11	44	85	134	1199	837	322	51	8	0	0	0
37	MEX-AMER	TWO	1442	0	0	1	3	19	26	420	588	295	77	13	0	0	0
37	MEX-AMER	THREE	621	0	0	0	0	2	1	126	227	177	77	9	2	0	0
37	MEX-AMER	4 OR MORE	576	0	0	0	0	0	0	22	141	211	155	42	5	0	0
37	MEX-AMER	NOT STATED	24	0	0	1	0	2	0	6	8	3	4	0	0	0	0
37	OTHER		3918	5	13	16	55	94	150	1117	1334	849	237	41	6	0	1
37	OTHER	NONE	1487	5	13	15	42	75	110	535	456	190	41	5	0	0	0
37	OTHER	ONE	1306	0	0	1	12	16	33	402	498	285	54	5	0	0	0
37	OTHER	TWO	621	0	0	0	1	2	6	129	232	194	53	4	0	0	0
37	OTHER	THREE	280	0	0	0	0	1	0	38	102	90	40	8	1	0	0
37	OTHER	4 OR MORE	201	0	0	0	0	0	0	7	37	85	47	19	5	0	1
37	OTHER	NOT STATED	23	0	0	0	0	0	1	6	9	5	2	0	0	0	0
37	UNKNOWN		18	0	0	0	0	0	0	4	7	4	2	0	0	0	1
37	UNKNOWN	NONE	6	0	0	0	0	0	0	2	3	1	0	0	0	0	0
37	UNKNOWN	ONE	6	0	0	0	0	0	0	2	3	0	1	0	0	0	0
37	UNKNOWN	TWO	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
37	UNKNOWN	THREE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
37	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
37	UNKNOWN	NOT STATED	3	0	0	0	0	0	0	0	1	1	0	0	0	0	1

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SAN FRANCISCO

COUNTY	RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
38			8991	16	37	82	155	223	266	2141	2923	2238	772	121	11	0	6
38	WHITE		3251	1	6	16	27	43	58	627	1050	963	395	60	3	0	2
38	WHITE	NONE	1791	1	6	16	26	36	41	394	607	480	164	19	0	0	1
38	WHITE	ONE	955	0	0	0	1	6	13	177	289	315	133	19	1	0	1
38	WHITE	TWO	315	0	0	0	0	1	4	43	110	100	49	8	0	0	0
38	WHITE	THREE	103	0	0	0	0	0	0	3	27	43	22	7	1	0	0
38	WHITE	4 OR MORE	72	0	0	0	0	0	0	7	10	23	24	7	1	0	0
38	WHITE	NOT STATED	15	0	0	0	0	0	0	3	7	2	3	0	0	0	0
38	BLACK		1671	7	22	40	57	104	96	539	473	253	62	16	1	0	1
38	BLACK	NONE	727	6	21	36	49	86	77	255	137	54	5	1	0	0	0
38	BLACK	ONE	484	1	1	4	6	14	17	180	166	76	17	1	0	0	1
38	BLACK	TWO	267	0	0	0	2	3	2	79	99	62	16	4	0	0	0
38	BLACK	THREE	115	0	0	0	0	0	0	22	44	36	9	4	0	0	0
38	BLACK	4 OR MORE	76	0	0	0	0	0	0	2	27	25	15	6	1	0	0
38	BLACK	NOT STATED	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0
38	MEX-AMER		1070	5	7	21	43	38	55	356	314	159	62	9	1	0	0
38	MEX-AMER	NONE	488	5	7	21	37	35	43	182	115	32	9	2	0	0	0
38	MEX-AMER	ONE	305	0	0	0	6	3	10	115	107	47	16	1	0	0	0
38	MEX-AMER	TWO	160	0	0	0	0	0	2	45	57	40	13	3	0	0	0
38	MEX-AMER	THREE	63	0	0	0	0	0	0	11	26	21	5	0	0	0	0
38	MEX-AMER	4 OR MORE	52	0	0	0	0	0	0	2	9	19	18	3	1	0	0
38	MEX-AMER	NOT STATED	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0
38	OTHER		2912	3	2	5	27	36	54	592	1064	839	245	36	6	0	3
38	OTHER	NONE	1394	3	2	5	25	30	41	354	532	321	71	8	0	0	2
38	OTHER	ONE	886	0	0	0	2	6	11	164	336	285	75	4	2	0	1
38	OTHER	TWO	382	0	0	0	0	0	1	54	128	140	49	9	1	0	0
38	OTHER	THREE	138	0	0	0	0	0	0	15	47	50	22	3	1	0	0
38	OTHER	4 OR MORE	102	0	0	0	0	0	0	3	17	41	27	12	2	0	0
38	OTHER	NOT STATED	10	0	0	0	0	0	1	2	4	2	1	0	0	0	0
38	UNKNOWN		87	0	0	0	1	2	3	27	22	24	8	0	0	0	0
38	UNKNOWN	NONE	41	0	0	0	0	1	2	15	9	9	5	0	0	0	0
38	UNKNOWN	ONE	30	0	0	0	1	0	1	9	9	8	2	0	0	0	0
38	UNKNOWN	TWO	11	0	0	0	0	1	0	3	3	3	1	0	0	0	0
38	UNKNOWN	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
38	UNKNOWN	4 OR MORE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
38	UNKNOWN	NOT STATED	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SAN JOAQUIN

COUNTY	RACE1	PLB	TOTAL	AGE												
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
39			7090	22	47	150	218	291	437	2530	2093	940	285	73	1	0	3
39	WHITE		3504	7	15	49	91	104	170	1248	1142	524	133	18	0	0	3
39	WHITE	NONE	1530	7	15	46	77	82	119	667	388	111	16	2	0	0	0
39	WHITE	ONE	1212	0	0	3	14	16	46	444	450	192	42	5	0	0	0
39	WHITE	TWO	468	0	0	0	0	5	5	100	215	114	26	2	0	0	1
39	WHITE	THREE	177	0	0	0	0	1	0	26	64	60	21	5	0	0	0
39	WHITE	4 OR MORE	105	0	0	0	0	0	0	5	22	46	28	4	0	0	0
39	WHITE	NOT STATED	12	0	0	0	0	0	0	6	3	1	0	0	0	0	2
39	BLACK		564	5	15	24	29	32	44	224	134	46	11	0	0	0	0
39	BLACK	NONE	186	5	14	17	22	19	20	63	20	5	1	0	0	0	0
39	BLACK	ONE	178	0	1	6	6	11	17	84	40	11	2	0	0	0	0
39	BLACK	TWO	123	0	0	1	1	2	7	59	40	11	2	0	0	0	0
39	BLACK	THREE	41	0	0	0	0	0	0	13	18	8	2	0	0	0	0
39	BLACK	4 OR MORE	36	0	0	0	0	0	0	5	16	11	4	0	0	0	0
39	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39	MEX-AMER		2012	8	16	66	79	116	163	720	520	223	74	27	0	0	0
39	MEX-AMER	NONE	726	8	15	63	68	84	91	277	90	25	5	0	0	0	0
39	MEX-AMER	ONE	557	0	1	2	8	29	47	258	158	44	9	1	0	0	0
39	MEX-AMER	TWO	397	0	0	1	3	3	21	133	160	61	13	2	0	0	0
39	MEX-AMER	THREE	167	0	0	0	0	0	3	37	61	49	15	2	0	0	0
39	MEX-AMER	4 OR MORE	164	0	0	0	0	0	1	14	51	44	32	22	0	0	0
39	MEX-AMER	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
39	OTHER		1006	2	1	11	19	38	60	337	296	146	67	28	1	0	0
39	OTHER	NONE	298	2	1	10	14	28	43	109	66	18	5	2	0	0	0
39	OTHER	ONE	273	0	0	1	4	6	12	124	74	41	10	1	0	0	0
39	OTHER	TWO	185	0	0	0	1	4	5	67	67	30	6	5	0	0	0
39	OTHER	THREE	99	0	0	0	0	0	0	26	49	9	10	5	0	0	0
39	OTHER	4 OR MORE	147	0	0	0	0	0	0	8	39	48	36	15	1	0	0
39	OTHER	NOT STATED	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0
39	UNKNOWN		4	0	0	0	0	1	0	1	1	1	0	0	0	0	0
39	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39	UNKNOWN	ONE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0
39	UNKNOWN	TWO	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
39	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SAN LUIS OBISPO

COUNTY	RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
40			2341	2	10	22	37	49	98	750	822	409	125	16	1	0	0
40	WHITE		1776	1	4	13	17	27	59	557	656	331	101	9	1	0	0
40	WHITE	NONE	813	1	4	13	17	20	46	330	271	90	18	3	0	0	0
40	WHITE	ONE	599	0	0	0	0	5	11	176	261	126	19	1	0	0	0
40	WHITE	TWO	238	0	0	0	0	2	0	44	82	72	36	2	0	0	0
40	WHITE	THREE	73	0	0	0	0	0	0	5	26	25	14	2	1	0	0
40	WHITE	4 OR MORE	47	0	0	0	0	0	0	1	14	17	14	1	0	0	0
40	WHITE	NOT STATED	6	0	0	0	0	0	2	1	2	1	0	0	0	0	0
40	BLACK		42	0	1	0	3	0	5	14	8	9	2	0	0	0	0
40	BLACK	NONE	27	0	1	0	3	0	5	11	5	1	1	0	0	0	0
40	BLACK	ONE	8	0	0	0	0	0	0	3	2	2	1	0	0	0	0
40	BLACK	TWO	4	0	0	0	0	0	0	0	1	3	0	0	0	0	0
40	BLACK	THREE	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
40	BLACK	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
40	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40	MEX-AMER		377	1	4	9	11	17	26	136	108	44	15	6	0	0	0
40	MEX-AMER	NONE	144	1	4	9	9	13	13	61	29	4	1	0	0	0	0
40	MEX-AMER	ONE	116	0	0	0	2	3	10	43	42	11	4	1	0	0	0
40	MEX-AMER	TWO	65	0	0	0	0	0	1	26	19	14	4	1	0	0	0
40	MEX-AMER	THREE	23	0	0	0	0	0	2	5	8	7	1	0	0	0	0
40	MEX-AMER	4 OR MORE	25	0	0	0	0	0	0	0	9	7	5	4	0	0	0
40	MEX-AMER	NOT STATED	4	0	0	0	0	1	0	1	1	1	0	0	0	0	0
40	OTHER		141	0	1	0	5	5	8	40	49	25	7	1	0	0	0
40	OTHER	NONE	73	0	1	0	5	3	7	28	20	8	1	0	0	0	0
40	OTHER	ONE	43	0	0	0	0	2	1	7	19	11	3	0	0	0	0
40	OTHER	TWO	13	0	0	0	0	0	0	3	4	6	0	0	0	0	0
40	OTHER	THREE	9	0	0	0	0	0	0	2	5	0	2	0	0	0	0
40	OTHER	4 OR MORE	3	0	0	0	0	0	0	0	1	0	1	1	0	0	0
40	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40	UNKNOWN		5	0	0	0	1	0	0	3	1	0	0	0	0	0	0
40	UNKNOWN	NONE	3	0	0	0	1	0	0	2	0	0	0	0	0	0	0
40	UNKNOWN	ONE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
40	UNKNOWN	TWO	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
40	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER

CALIFORNIA, 1982

(BY PLACE OF RESIDENCE)

SAN MATEO

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
41			8715	9	30	78	138	182	263	2136	2948	2112	691	121	2	0	5
41	WHITE		4603	4	3	15	36	61	105	999	1645	1243	429	62	0	0	1
41	WHITE	NONE	2335	4	3	14	34	54	84	669	839	501	127	6	0	0	0
41	WHITE	ONE	1523	0	0	1	1	6	16	253	575	471	172	27	0	0	1
41	WHITE	TWO	530	0	0	0	0	1	3	65	175	195	78	13	0	0	0
41	WHITE	THREE	137	0	0	0	0	0	1	4	34	53	33	12	0	0	0
41	WHITE	4 OR MORE	55	0	0	0	0	0	0	3	10	19	19	4	0	0	0
41	WHITE	NOT STATED	23	0	0	0	1	0	1	5	12	4	0	0	0	0	0
41	BLACK		696	2	9	22	35	34	38	244	186	96	26	3	0	0	1
41	BLACK	NONE	330	1	9	22	31	28	28	112	68	23	8	0	0	0	0
41	BLACK	ONE	211	1	0	0	4	6	8	94	66	28	4	0	0	0	0
41	BLACK	TWO	95	0	0	0	0	0	2	29	33	23	7	1	0	0	0
41	BLACK	THREE	37	0	0	0	0	0	0	8	9	14	5	1	0	0	0
41	BLACK	4 OR MORE	22	0	0	0	0	0	0	1	9	8	2	1	0	0	1
41	BLACK	NOT STATED	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
41	MEX-AMER		1657	3	16	36	48	70	86	566	504	236	73	17	1	0	1
41	MEX-AMER	NONE	713	3	14	32	40	49	59	288	168	44	14	2	0	0	0
41	MEX-AMER	ONE	534	0	1	4	7	18	21	193	184	87	18	1	0	0	0
41	MEX-AMER	TWO	224	0	1	0	1	2	4	60	87	48	17	4	0	0	0
41	MEX-AMER	THREE	97	0	0	0	0	1	2	16	42	24	8	4	0	0	0
41	MEX-AMER	4 OR MORE	85	0	0	0	0	0	0	7	23	32	16	6	1	0	0
41	MEX-AMER	NOT STATED	4	0	0	0	0	0	0	2	0	1	0	0	0	0	1
41	OTHER		1687	0	1	5	18	17	31	312	583	522	158	37	1	0	2
41	OTHER	NONE	760	0	1	4	17	16	20	197	281	177	39	7	0	0	1
41	OTHER	ONE	554	0	0	1	1	1	9	83	199	196	56	8	0	0	0
41	OTHER	TWO	243	0	0	0	0	0	1	24	70	101	36	10	0	0	1
41	OTHER	THREE	78	0	0	0	0	0	1	3	22	34	11	7	0	0	0
41	OTHER	4 OR MORE	45	0	0	0	0	0	0	4	8	13	14	5	1	0	0
41	OTHER	NOT STATED	7	0	0	0	0	0	0	1	3	1	2	0	0	0	0
41	UNKNOWN		72	0	1	0	1	0	3	15	30	15	5	2	0	0	0
41	UNKNOWN	NONE	39	0	1	0	1	0	2	8	17	6	4	0	0	0	0
41	UNKNOWN	ONE	19	0	0	0	0	0	0	5	9	3	1	1	0	0	0
41	UNKNOWN	TWO	5	0	0	0	0	0	0	1	2	2	0	0	0	0	0
41	UNKNOWN	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
41	UNKNOWN	4 OR MORE	4	0	0	0	0	0	0	0	2	1	0	1	0	0	0
41	UNKNOWN	NOT STATED	4	0	0	0	0	0	1	1	0	2	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SANTA BARBARA

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
42		4817	11	26	65	100	160	210	1505	1595	839	265	39	2	0	0
42 WHITE		2578	1	7	12	32	53	77	735	934	554	160	13	0	0	0
42 WHITE	NONE	1248	1	7	11	30	47	62	473	401	183	32	1	0	0	0
42 WHITE	ONE	805	0	0	1	2	6	13	206	341	182	52	2	0	0	0
42 WHITE	TWO	353	0	0	0	0	0	2	46	149	123	32	1	0	0	0
42 WHITE	THREE	108	0	0	0	0	0	0	6	33	42	21	6	0	0	0
42 WHITE	4 OR MORE	58	0	0	0	0	0	0	1	8	24	22	3	0	0	0
42 WHITE	NOT STATED	6	0	0	0	0	0	0	3	2	0	1	0	0	0	0
42 BLACK		216	0	0	3	8	7	13	98	61	18	8	0	0	0	0
42 BLACK	NONE	92	0	0	1	7	5	9	43	21	6	0	0	0	0	0
42 BLACK	ONE	75	0	0	2	1	2	3	38	22	5	2	0	0	0	0
42 BLACK	TWO	29	0	0	0	0	0	1	9	12	4	3	0	0	0	0
42 BLACK	THREE	14	0	0	0	0	0	0	5	4	2	3	0	0	0	0
42 BLACK	4 OR MORE	6	0	0	0	0	0	0	3	2	1	0	0	0	0	0
42 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42 MEX-AMER		1719	9	19	48	57	98	108	590	482	206	78	22	2	0	0
42 MEX-AMER	NONE	708	9	16	44	51	72	77	262	141	33	3	0	0	0	0
42 MEX-AMER	ONE	510	0	3	4	5	22	21	214	174	58	9	0	0	0	0
42 MEX-AMER	TWO	279	0	0	0	1	4	9	82	104	50	21	8	0	0	0
42 MEX-AMER	THREE	113	0	0	0	0	0	1	23	44	31	11	3	0	0	0
42 MEX-AMER	4 OR MORE	109	0	0	0	0	0	0	9	19	34	34	11	2	0	0
42 MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42 OTHER		283	1	0	2	3	1	12	77	110	55	18	4	0	0	0
42 OTHER	NONE	107	1	0	2	2	1	6	32	49	11	1	2	0	0	0
42 OTHER	ONE	84	0	0	0	1	0	4	25	31	17	5	1	0	0	0
42 OTHER	TWO	46	0	0	0	0	0	2	11	17	13	3	0	0	0	0
42 OTHER	THREE	21	0	0	0	0	0	0	7	6	5	3	0	0	0	0
42 OTHER	4 OR MORE	24	0	0	0	0	0	0	2	7	8	6	1	0	0	0
42 OTHER	NOT STATED	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
42 UNKNOWN		21	0	0	0	0	1	0	5	8	6	1	0	0	0	0
42 UNKNOWN	NONE	11	0	0	0	0	1	0	3	5	2	0	0	0	0	0
42 UNKNOWN	ONE	6	0	0	0	0	0	0	2	3	1	0	0	0	0	0
42 UNKNOWN	TWO	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0
42 UNKNOWN	THREE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
42 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SANTA CLARA

COUNTY				AGE													
	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
43			22538	38	107	291	453	648	896	6652	7429	4442	1379	190	9	0	4
43	WHITE		11002	7	25	77	142	205	318	2998	3932	2427	774	94	3	0	0
43	WHITE	NONE	5262	6	24	72	130	180	259	1828	1808	764	176	14	1	0	0
43	WHITE	ONE	3695	0	0	4	10	23	52	932	1435	971	249	19	0	0	0
43	WHITE	TWO	1379	0	0	0	0	2	4	194	515	452	194	18	0	0	0
43	WHITE	THREE	411	0	0	0	0	0	2	36	121	151	88	12	1	0	0
43	WHITE	4 OR MORE	228	0	0	0	0	0	0	3	40	86	67	31	1	0	0
43	WHITE	NOT STATED	27	1	1	1	2	0	1	5	13	3	0	0	0	0	0
43	BLACK		1240	3	10	22	41	59	77	433	391	144	55	5	0	0	0
43	BLACK	NONE	591	2	10	22	34	49	60	229	141	32	12	0	0	0	0
43	BLACK	ONE	374	1	0	0	7	9	14	141	132	55	15	0	0	0	0
43	BLACK	TWO	166	0	0	0	0	0	3	47	68	33	15	0	0	0	0
43	BLACK	THREE	62	0	0	0	0	0	0	13	31	11	4	3	0	0	0
43	BLACK	4 OR MORE	41	0	0	0	0	0	0	2	17	11	9	2	0	0	0
43	BLACK	NOT STATED	6	0	0	0	0	1	0	1	2	2	0	0	0	0	0
43	MEX-AMER		6685	27	67	173	246	338	419	2444	1811	855	248	50	5	0	2
43	MEX-AMER	NONE	2666	25	60	152	202	246	264	1081	494	107	30	3	0	0	2
43	MEX-AMER	ONE	1962	2	7	20	40	67	130	847	585	222	39	2	1	0	0
43	MEX-AMER	TWO	1097	0	0	1	3	18	23	341	419	238	47	6	1	0	0
43	MEX-AMER	THREE	509	0	0	0	0	2	1	120	200	130	46	10	0	0	0
43	MEX-AMER	4 OR MORE	426	0	0	0	0	1	0	47	111	151	84	29	3	0	0
43	MEX-AMER	NOT STATED	25	0	0	0	1	4	1	8	2	7	2	0	0	0	0
43	OTHER		3478	1	5	17	23	44	80	740	1254	984	291	37	1	0	1
43	OTHER	NONE	1635	1	5	17	20	38	64	464	649	319	56	2	0	0	0
43	OTHER	ONE	1121	0	0	0	3	5	15	200	402	386	100	10	0	0	0
43	OTHER	TWO	468	0	0	0	0	1	1	55	148	180	73	10	0	0	0
43	OTHER	THREE	154	0	0	0	0	0	0	17	34	58	42	3	0	0	0
43	OTHER	4 OR MORE	94	0	0	0	0	0	0	4	17	39	20	12	1	0	1
43	OTHER	NOT STATED	6	0	0	0	0	0	0	0	4	2	0	0	0	0	0
43	UNKNOWN		133	0	0	2	1	2	2	37	41	32	11	4	0	0	1
43	UNKNOWN	NONE	74	0	0	2	1	2	2	30	20	9	7	0	0	0	1
43	UNKNOWN	ONE	36	0	0	0	0	0	0	5	15	13	2	1	0	0	0
43	UNKNOWN	TWO	15	0	0	0	0	0	0	2	5	6	2	0	0	0	0
43	UNKNOWN	THREE	5	0	0	0	0	0	0	0	1	2	0	2	0	0	0
43	UNKNOWN	4 OR MORE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
43	UNKNOWN	NOT STATED	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SANTA CRUZ

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	AGE 25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
44		3329	5	11	25	69	88	128	922	1111	721	215	30	3	0	1
44 WHITE		1759	0	3	3	18	24	43	451	629	452	118	16	1	0	1
44 WHITE	NONE	868	0	3	3	17	22	35	278	319	163	25	3	0	0	0
44 WHITE	ONE	580	0	0	0	1	1	8	143	208	180	37	2	0	0	0
44 WHITE	TWO	197	0	0	0	0	1	0	19	69	78	27	3	0	0	0
44 WHITE	THREE	65	0	0	0	0	0	0	7	25	13	14	6	0	0	0
44 WHITE	4 OR MORE	32	0	0	0	0	0	0	0	3	11	15	1	1	0	1
44 WHITE	NOT STATED	17	0	0	0	0	0	0	4	5	7	0	1	0	0	0
44 BLACK		49	0	0	3	1	3	2	16	15	5	3	1	0	0	0
44 BLACK	NONE	25	0	0	3	1	3	2	9	5	1	1	0	0	0	0
44 BLACK	ONE	17	0	0	0	0	0	0	6	7	3	0	1	0	0	0
44 BLACK	TWO	5	0	0	0	0	0	0	0	3	1	1	0	0	0	0
44 BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
44 BLACK	4 OR MORE	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0
44 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
44 MEX-AMER		1123	4	8	16	41	50	65	355	337	173	61	11	2	0	0
44 MEX-AMER	NONE	404	3	7	10	32	36	46	163	79	22	6	0	0	0	0
44 MEX-AMER	ONE	317	1	1	4	7	10	14	132	102	41	5	0	0	0	0
44 MEX-AMER	TWO	188	0	0	2	2	4	3	41	88	42	5	1	0	0	0
44 MEX-AMER	THREE	88	0	0	0	0	0	2	12	31	32	7	4	0	0	0
44 MEX-AMER	4 OR MORE	118	0	0	0	0	0	0	5	31	36	38	6	2	0	0
44 MEX-AMER	NOT STATED	8	0	0	0	0	0	0	2	6	0	0	0	0	0	0
44 OTHER		111	0	0	3	1	1	5	24	39	28	10	0	0	0	0
44 OTHER	NONE	63	0	0	3	1	0	5	16	26	9	3	0	0	0	0
44 OTHER	ONE	27	0	0	0	0	1	0	5	7	12	2	0	0	0	0
44 OTHER	TWO	11	0	0	0	0	0	0	2	3	4	2	0	0	0	0
44 OTHER	THREE	5	0	0	0	0	0	0	0	2	2	1	0	0	0	0
44 OTHER	4 OR MORE	4	0	0	0	0	0	0	0	1	1	2	0	0	0	0
44 OTHER	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
44 UNKNOWN		287	1	0	0	8	10	13	76	91	63	23	2	0	0	0
44 UNKNOWN	NONE	122	1	0	0	6	9	11	43	37	14	1	0	0	0	0
44 UNKNOWN	ONE	90	0	0	0	2	0	2	23	31	25	7	0	0	0	0
44 UNKNOWN	TWO	35	0	0	0	0	1	0	5	15	8	5	1	0	0	0
44 UNKNOWN	THREE	20	0	0	0	0	0	0	3	2	12	3	0	0	0	0
44 UNKNOWN	4 OR MORE	15	0	0	0	0	0	0	0	4	3	7	1	0	0	0
44 UNKNOWN	NOT STATED	5	0	0	0	0	0	0	2	2	1	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

TULARE

COUNTY	RACE1	PLB	TOTAL								AGE						
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
54			5621	20	46	102	224	295	382	2021	1522	725	229	52	2	0	1
54	WHITE		2500	7	4	39	85	100	151	935	756	318	94	11	0	0	0
54	WHITE	NONE	1055	7	4	37	68	71	113	459	224	59	12	1	0	0	0
54	WHITE	ONE	872	0	0	2	14	25	32	350	313	113	23	0	0	0	0
54	WHITE	TWO	374	0	0	0	2	4	6	96	153	90	21	2	0	0	0
54	WHITE	THREE	127	0	0	0	1	0	0	23	44	36	20	3	0	0	0
54	WHITE	4 OR MORE	71	0	0	0	0	0	0	7	21	20	18	5	0	0	0
54	WHITE	NOT STATED	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
54	BLACK		95	0	2	4	6	3	7	39	22	10	1	1	0	0	0
54	BLACK	NONE	31	0	2	4	5	2	4	10	2	2	0	0	0	0	0
54	BLACK	ONE	27	0	0	0	1	0	2	16	7	0	0	1	0	0	0
54	BLACK	TWO	22	0	0	0	0	1	1	9	8	3	0	0	0	0	0
54	BLACK	THREE	8	0	0	0	0	0	0	3	4	1	0	0	0	0	0
54	BLACK	4 OR MORE	7	0	0	0	0	0	0	1	1	4	1	0	0	0	0
54	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	MEX-AMER		2896	13	38	58	130	190	217	1008	710	368	124	37	2	0	1
54	MEX-AMER	NONE	866	12	31	48	101	114	104	310	108	30	7	1	0	0	0
54	MEX-AMER	ONE	804	1	7	9	26	58	85	341	218	50	8	0	1	0	0
54	MEX-AMER	TWO	560	0	0	1	3	15	26	235	172	84	18	6	0	0	0
54	MEX-AMER	THREE	299	0	0	0	0	3	0	96	102	83	14	1	0	0	0
54	MEX-AMER	4 OR MORE	366	0	0	0	0	0	2	26	110	121	76	29	1	0	1
54	MEX-AMER	NOT STATED	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
54	OTHER		126	0	2	1	3	2	7	38	33	29	8	3	0	0	0
54	OTHER	NONE	52	0	2	1	2	2	4	17	16	6	2	0	0	0	0
54	OTHER	ONE	30	0	0	0	0	0	2	12	6	7	2	1	0	0	0
54	OTHER	TWO	22	0	0	0	0	0	0	6	3	10	2	1	0	0	0
54	OTHER	THREE	16	0	0	0	1	0	1	3	6	4	1	0	0	0	0
54	OTHER	4 OR MORE	6	0	0	0	0	0	0	0	2	2	1	1	0	0	0
54	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	UNKNOWN		4	0	0	0	0	0	0	1	1	0	2	0	0	0	0
54	UNKNOWN	NONE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0
54	UNKNOWN	ONE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
54	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	UNKNOWN	4 OR MORE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
54	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

TRINITY

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
53			184	0	1	2	3	10	14	56	60	31	5	2	0	0	0
53	WHITE		147	0	0	2	3	4	11	42	51	27	5	2	0	0	0
53	WHITE	NONE	60	0	0	2	2	3	10	20	18	4	1	0	0	0	0
53	WHITE	ONE	46	0	0	0	1	1	0	12	17	14	1	0	0	0	0
53	WHITE	TWO	22	0	0	0	0	0	0	9	11	2	0	0	0	0	0
53	WHITE	THREE	6	0	0	0	0	0	0	0	2	3	0	1	0	0	0
53	WHITE	4 OR MORE	11	0	0	0	0	0	0	0	3	4	3	1	0	0	0
53	WHITE	NOT STATED	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0
53	BLACK		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	MEX-AMER		14	0	0	0	0	1	0	6	5	2	0	0	0	0	0
53	MEX-AMER	NONE	4	0	0	0	0	0	0	2	1	1	0	0	0	0	0
53	MEX-AMER	ONE	6	0	0	0	0	1	0	2	2	1	0	0	0	0	0
53	MEX-AMER	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	MEX-AMER	THREE	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0
53	MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	MEX-AMER	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
53	OTHER		20	0	1	0	0	5	3	8	1	2	0	0	0	0	0
53	OTHER	NONE	8	0	1	0	0	4	1	2	0	0	0	0	0	0	0
53	OTHER	ONE	7	0	0	0	0	1	2	4	0	0	0	0	0	0	0
53	OTHER	TWO	4	0	0	0	0	0	0	2	1	1	0	0	0	0	0
53	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	OTHER	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
53	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	UNKNOWN		3	0	0	0	0	0	0	0	3	0	0	0	0	0	0
53	UNKNOWN	NONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
53	UNKNOWN	ONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
53	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	UNKNOWN	4 OR MORE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
53	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

TEHAMA

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
52			572	2	4	9	12	24	30	225	169	76	17	4	0	0	0
52	WHITE		464	2	2	4	10	18	22	186	136	66	14	4	0	0	0
52	WHITE	NONE	167	2	2	4	9	15	15	83	27	9	1	0	0	0	0
52	WHITE	ONE	166	0	0	0	1	2	7	80	49	24	3	0	0	0	0
52	WHITE	TWO	84	0	0	0	0	0	0	20	42	21	1	0	0	0	0
52	WHITE	THREE	33	0	0	0	0	1	0	3	13	9	4	3	0	0	0
52	WHITE	4 OR MORE	12	0	0	0	0	0	0	0	3	3	5	1	0	0	0
52	WHITE	NOT STATED	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
52	BLACK		1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
52	BLACK	NONE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
52	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	MEX-AMER		82	0	2	2	2	5	5	32	23	8	3	0	0	0	0
52	MEX-AMER	NONE	27	0	2	1	2	3	5	9	5	0	0	0	0	0	0
52	MEX-AMER	ONE	22	0	0	1	0	1	0	11	7	2	0	0	0	0	0
52	MEX-AMER	TWO	11	0	0	0	0	1	0	6	3	0	1	0	0	0	0
52	MEX-AMER	THREE	10	0	0	0	0	0	0	2	5	3	0	0	0	0	0
52	MEX-AMER	4 OR MORE	10	0	0	0	0	0	0	2	3	3	2	0	0	0	0
52	MEX-AMER	NOT STATED	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0
52	OTHER		23	0	0	3	0	1	2	7	9	1	0	0	0	0	0
52	OTHER	NONE	8	0	0	3	0	1	1	1	2	0	0	0	0	0	0
52	OTHER	ONE	8	0	0	0	0	0	1	5	2	0	0	0	0	0	0
52	OTHER	TWO	5	0	0	0	0	0	0	1	3	1	0	0	0	0	0
52	OTHER	THREE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
52	OTHER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	UNKNOWN		2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
52	UNKNOWN	NONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
52	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	UNKNOWN	TWO	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
52	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

52

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SUTTER

COUNTY RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
51		973	2	4	20	28	38	55	353	310	121	37	4	1	0	0
51 WHITE		565	1	1	12	21	16	26	199	192	75	20	2	0	0	0
51 WHITE	NONE	266	1	1	11	20	12	21	111	69	16	4	0	0	0	0
51 WHITE	ONE	180	0	0	1	1	4	5	67	72	25	4	1	0	0	0
51 WHITE	TWO	68	0	0	0	0	0	0	15	31	19	3	0	0	0	0
51 WHITE	THREE	33	0	0	0	0	0	0	3	15	12	3	0	0	0	0
51 WHITE	4 OR MORE	18	0	0	0	0	0	0	3	5	3	6	1	0	0	0
51 WHITE	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
51 BLACK		21	0	0	0	0	0	1	10	9	0	1	0	0	0	0
51 BLACK	NONE	11	0	0	0	0	0	1	4	5	0	1	0	0	0	0
51 BLACK	ONE	6	0	0	0	0	0	0	4	2	0	0	0	0	0	0
51 BLACK	TWO	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
51 BLACK	THREE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
51 BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
51 BLACK	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
51 MEX-AMER		200	1	2	4	6	14	19	65	55	20	12	1	1	0	0
51 MEX-AMER	NONE	78	1	2	3	4	14	10	31	10	3	0	0	0	0	0
51 MEX-AMER	ONE	58	0	0	1	2	0	7	21	16	6	5	0	0	0	0
51 MEX-AMER	TWO	31	0	0	0	0	0	2	11	14	3	1	0	0	0	0
51 MEX-AMER	THREE	18	0	0	0	0	0	0	2	9	4	2	1	0	0	0
51 MEX-AMER	4 OR MORE	15	0	0	0	0	0	0	0	6	4	4	0	1	0	0
51 MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
51 OTHER		170	0	1	2	1	8	9	74	47	23	4	1	0	0	0
51 OTHER	NONE	79	0	1	2	1	8	8	42	14	3	0	0	0	0	0
51 OTHER	ONE	54	0	0	0	0	0	1	25	18	9	0	1	0	0	0
51 OTHER	TWO	21	0	0	0	0	0	0	6	10	5	0	0	0	0	0
51 OTHER	THREE	7	0	0	0	0	0	0	0	2	4	1	0	0	0	0
51 OTHER	4 OR MORE	8	0	0	0	0	0	0	0	3	2	3	0	0	0	0
51 OTHER	NOT STATED	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
51 UNKNOWN		17	0	0	2	0	0	0	5	7	3	0	0	0	0	0
51 UNKNOWN	NONE	5	0	0	2	0	0	0	3	0	0	0	0	0	0	0
51 UNKNOWN	ONE	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0
51 UNKNOWN	TWO	6	0	0	0	0	0	0	0	5	1	0	0	0	0	0
51 UNKNOWN	THREE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
51 UNKNOWN	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
51 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

STANISLAUS

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
50			5258	9	34	75	133	253	315	1921	1591	694	196	32	4	0	1
50	WHITE		3439	4	13	41	78	148	207	1258	1083	471	120	13	2	0	1
50	WHITE	NONE	1409	4	13	36	59	108	142	617	331	87	11	1	0	0	0
50	WHITE	ONE	1219	0	0	4	17	35	53	469	426	183	31	1	0	0	0
50	WHITE	TWO	560	0	0	1	2	5	10	133	246	117	42	4	0	0	0
50	WHITE	THREE	150	0	0	0	0	0	1	31	55	45	15	3	0	0	0
50	WHITE	4 OR MORE	98	0	0	0	0	0	0	8	25	39	20	4	2	0	0
50	WHITE	NOT STATED	3	0	0	0	0	0	1	0	0	0	1	0	0	0	1
50	BLACK		105	1	1	1	8	5	9	44	28	5	2	1	0	0	0
50	BLACK	NONE	41	1	1	1	7	4	5	15	7	0	0	0	0	0	0
50	BLACK	ONE	34	0	0	0	1	1	3	18	9	2	0	0	0	0	0
50	BLACK	TWO	14	0	0	0	0	0	1	7	5	1	0	0	0	0	0
50	BLACK	THREE	9	0	0	0	0	0	0	3	3	2	0	1	0	0	0
50	BLACK	4 OR MORE	6	0	0	0	0	0	0	1	4	0	1	0	0	0	0
50	BLACK	NOT STATED	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
50	MEX-AMER		1425	4	18	30	43	95	87	509	393	164	64	16	2	0	0
50	MEX-AMER	NONE	471	4	18	24	34	54	58	186	75	12	6	0	0	0	0
50	MEX-AMER	ONE	431	0	0	6	6	31	21	193	128	39	7	0	0	0	0
50	MEX-AMER	TWO	280	0	0	0	3	9	7	98	106	42	11	4	0	0	0
50	MEX-AMER	THREE	118	0	0	0	0	1	1	25	49	31	11	0	0	0	0
50	MEX-AMER	4 OR MORE	123	0	0	0	0	0	0	7	34	39	29	12	2	0	0
50	MEX-AMER	NOT STATED	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
50	OTHER		280	0	2	3	4	5	12	107	83	52	10	2	0	0	0
50	OTHER	NONE	98	0	1	1	3	3	9	42	23	12	4	0	0	0	0
50	OTHER	ONE	96	0	1	1	0	2	3	38	29	18	2	2	0	0	0
50	OTHER	TWO	54	0	0	0	0	0	0	24	18	12	0	0	0	0	0
50	OTHER	THREE	15	0	0	0	0	0	0	0	8	7	0	0	0	0	0
50	OTHER	4 OR MORE	14	0	0	0	0	0	0	2	5	3	4	0	0	0	0
50	OTHER	NOT STATED	3	0	0	1	1	0	0	1	0	0	0	0	0	0	0
50	UNKNOWN		9	0	0	0	0	0	0	3	4	2	0	0	0	0	0
50	UNKNOWN	NONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
50	UNKNOWN	ONE	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0
50	UNKNOWN	TWO	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
50	UNKNOWN	THREE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
50	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50	UNKNOWN	NOT STATED	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SONOMA

COUNTY	RACE1	PLB	TOTAL	AGE													
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
49			4818	4	16	37	79	111	199	1380	1639	984	331	34	2	0	2
49	WHITE		3723	0	6	24	45	73	131	1009	1299	817	290	26	1	0	2
49	WHITE	NONE	1704	0	6	23	40	56	100	571	557	276	71	3	0	0	1
49	WHITE	ONE	1232	0	0	1	5	15	29	338	458	290	84	10	1	0	1
49	WHITE	TWO	530	0	0	0	0	0	2	79	209	166	70	4	0	0	0
49	WHITE	THREE	167	0	0	0	0	0	0	12	58	54	41	2	0	0	0
49	WHITE	4 OR MORE	68	0	0	0	0	0	0	1	10	27	23	7	0	0	0
49	WHITE	NOT STATED	22	0	0	0	0	2	0	8	7	4	1	0	0	0	0
49	BLACK		93	0	1	1	2	3	7	29	33	13	4	0	0	0	0
49	BLACK	NONE	36	0	1	1	1	3	5	13	9	3	0	0	0	0	0
49	BLACK	ONE	35	0	0	0	1	0	2	11	15	5	1	0	0	0	0
49	BLACK	TWO	15	0	0	0	0	0	0	5	7	2	1	0	0	0	0
49	BLACK	THREE	4	0	0	0	0	0	0	0	1	1	2	0	0	0	0
49	BLACK	4 OR MORE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
49	BLACK	NOT STATED	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
49	MEX-AMER		693	4	8	10	31	31	47	252	206	75	22	6	1	0	0
49	MEX-AMER	NONE	283	4	8	10	22	21	31	111	54	20	2	0	0	0	0
49	MEX-AMER	ONE	199	0	0	0	9	8	12	85	63	19	3	0	0	0	0
49	MEX-AMER	TWO	109	0	0	0	0	2	3	35	48	15	5	1	0	0	0
49	MEX-AMER	THREE	44	0	0	0	0	0	0	13	18	6	6	1	0	0	0
49	MEX-AMER	4 OR MORE	51	0	0	0	0	0	0	6	20	14	6	4	1	0	0
49	MEX-AMER	NOT STATED	7	0	0	0	0	0	1	2	3	1	0	0	0	0	0
49	OTHER		250	0	1	2	1	4	14	81	81	51	13	2	0	0	0
49	OTHER	NONE	91	0	1	2	1	3	10	35	23	15	0	1	0	0	0
49	OTHER	ONE	90	0	0	0	0	1	4	30	31	20	4	0	0	0	0
49	OTHER	TWO	38	0	0	0	0	0	0	12	14	10	2	0	0	0	0
49	OTHER	THREE	16	0	0	0	0	0	0	3	8	2	3	0	0	0	0
49	OTHER	4 OR MORE	12	0	0	0	0	0	0	0	4	4	3	1	0	0	0
49	OTHER	NOT STATED	3	0	0	0	0	0	0	1	1	0	1	0	0	0	0
49	UNKNOWN		59	0	0	0	0	0	0	9	20	28	2	0	0	0	0
49	UNKNOWN	NONE	20	0	0	0	0	0	0	5	7	8	0	0	0	0	0
49	UNKNOWN	ONE	24	0	0	0	0	0	0	4	10	9	1	0	0	0	0
49	UNKNOWN	TWO	6	0	0	0	0	0	0	0	2	4	0	0	0	0	0
49	UNKNOWN	THREE	4	0	0	0	0	0	0	0	1	3	0	0	0	0	0
49	UNKNOWN	4 OR MORE	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0
49	UNKNOWN	NOT STATED	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SOLANO

COUNTY RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	AGE 20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
48		4783	7	28	48	95	163	278	1640	1576	728	195	22	3	0	0
48 WHITE		2900	2	8	27	48	89	165	1013	985	427	120	15	1	0	0
48 WHITE	NONE	1333	2	8	25	44	78	119	551	367	113	23	3	0	0	0
48 WHITE	ONE	990	0	0	2	4	10	41	360	389	153	29	2	0	0	0
48 WHITE	TWO	386	0	0	0	0	1	5	87	167	87	38	0	1	0	0
48 WHITE	THREE	121	0	0	0	0	0	0	12	44	49	12	4	0	0	0
48 WHITE	4 OR MORE	64	0	0	0	0	0	0	1	15	24	18	6	0	0	0
48 WHITE	NOT STATED	6	0	0	0	0	0	0	2	3	1	0	0	0	0	0
48 BLACK		687	4	9	10	21	34	49	260	198	82	20	0	0	0	0
48 BLACK	NONE	289	4	8	10	20	28	34	117	46	18	4	0	0	0	0
48 BLACK	ONE	228	0	1	0	1	4	14	100	75	31	2	0	0	0	0
48 BLACK	TWO	100	0	0	0	0	2	1	30	44	16	7	0	0	0	0
48 BLACK	THREE	46	0	0	0	0	0	0	9	24	11	2	0	0	0	0
48 BLACK	4 OR MORE	22	0	0	0	0	0	0	4	7	6	5	0	0	0	0
48 BLACK	NOT STATED	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
48 MEX-AMER		574	0	6	8	18	24	37	219	173	72	14	2	1	0	0
48 MEX-AMER	NONE	232	0	5	8	17	19	22	107	41	11	2	0	0	0	0
48 MEX-AMER	ONE	182	0	1	0	1	5	14	78	64	16	1	1	1	0	0
48 MEX-AMER	TWO	92	0	0	0	0	0	1	23	39	25	4	0	0	0	0
48 MEX-AMER	THREE	44	0	0	0	0	0	0	9	21	12	2	0	0	0	0
48 MEX-AMER	4 OR MORE	21	0	0	0	0	0	0	0	7	8	5	1	0	0	0
48 MEX-AMER	NOT STATED	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0
48 OTHER		613	1	5	3	8	16	26	147	215	145	41	5	1	0	0
48 OTHER	NONE	231	1	5	3	7	11	20	75	79	24	4	2	0	0	0
48 OTHER	ONE	224	0	0	0	1	4	6	57	80	62	13	1	0	0	0
48 OTHER	TWO	113	0	0	0	0	0	0	15	43	41	14	0	0	0	0
48 OTHER	THREE	29	0	0	0	0	0	0	0	11	10	6	2	0	0	0
48 OTHER	4 OR MORE	14	0	0	0	0	0	0	0	2	7	4	0	1	0	0
48 OTHER	NOT STATED	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0
48 UNKNOWN		9	0	0	0	0	0	1	1	5	2	0	0	0	0	0
48 UNKNOWN	NONE	3	0	0	0	0	0	1	0	2	0	0	0	0	0	0
48 UNKNOWN	ONE	4	0	0	0	0	0	0	1	3	0	0	0	0	0	0
48 UNKNOWN	TWO	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
48 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
48 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
48 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SISKIYOU

COUNTY RACE1	PLB	TOTAL	AGE													
			UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
47		691	1	1	6	15	32	34	226	216	119	35	5	0	0	1
47 WHITE		552	0	1	3	9	22	23	177	179	104	29	4	0	0	1
47 WHITE	NONE	168	0	1	3	6	14	12	62	44	23	3	0	0	0	0
47 WHITE	ONE	204	0	0	0	1	4	8	69	79	37	6	0	0	0	0
47 WHITE	TWO	99	0	0	0	0	3	1	28	36	21	9	1	0	0	0
47 WHITE	THREE	34	0	0	0	0	0	1	4	13	11	4	1	0	0	0
47 WHITE	4 OR MORE	23	0	0	0	0	0	0	2	3	11	5	2	0	0	0
47 WHITE	NOT STATED	24	0	0	0	2	1	1	12	4	1	2	0	0	0	1
47 BLACK		8	0	0	0	0	1	1	2	2	2	0	0	0	0	0
47 BLACK	NONE	3	0	0	0	0	1	0	1	0	1	0	0	0	0	0
47 BLACK	ONE	3	0	0	0	0	0	1	1	1	0	0	0	0	0	0
47 BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 BLACK	THREE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0
47 BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 MEX-AMER		76	1	0	2	3	4	6	29	21	8	2	0	0	0	0
47 MEX-AMER	NONE	22	0	0	1	0	1	5	8	6	1	0	0	0	0	0
47 MEX-AMER	ONE	20	0	0	0	1	1	1	9	5	2	1	0	0	0	0
47 MEX-AMER	TWO	17	0	0	0	0	1	0	6	7	3	0	0	0	0	0
47 MEX-AMER	THREE	5	0	0	0	0	0	0	3	1	0	1	0	0	0	0
47 MEX-AMER	4 OR MORE	3	0	0	0	0	0	0	1	0	2	0	0	0	0	0
47 MEX-AMER	NOT STATED	9	1	0	1	2	1	0	2	2	0	0	0	0	0	0
47 OTHER		55	0	0	1	3	5	4	18	14	5	4	1	0	0	0
47 OTHER	NONE	17	0	0	1	3	4	1	6	1	0	1	0	0	0	0
47 OTHER	ONE	16	0	0	0	0	1	1	5	4	2	2	1	0	0	0
47 OTHER	TWO	14	0	0	0	0	0	1	4	7	2	0	0	0	0	0
47 OTHER	THREE	5	0	0	0	0	0	0	2	2	0	1	0	0	0	0
47 OTHER	4 OR MORE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
47 OTHER	NOT STATED	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
47 UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SIERRA

COUNTY	RACE1	PLB	TOTAL	UNDER 15	AGE 15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
46			59	0	0	1	1	1	2	22	17	11	3	1	0	0	0
46	WHITE		55	0	0	1	1	1	2	20	17	9	3	1	0	0	0
46	WHITE	NONE	26	0	0	1	1	1	1	11	8	3	0	0	0	0	0
46	WHITE	ONE	21	0	0	0	0	0	0	6	9	3	3	0	0	0	0
46	WHITE	TWO	4	0	0	0	0	0	1	2	0	0	0	1	0	0	0
46	WHITE	THREE	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
46	WHITE	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	WHITE	NOT STATED	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
46	BLACK		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	BLACK	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	BLACK	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	MEX-AMER		4	0	0	0	0	0	0	2	0	2	0	0	0	0	0
46	MEX-AMER	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	MEX-AMER	ONE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
46	MEX-AMER	TWO	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0
46	MEX-AMER	THREE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
46	MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	OTHER		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	OTHER	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	OTHER	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	OTHER	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	OTHER	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	OTHER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

SHASTA

COUNTY RACE1	PLB	TOTAL	AGE													
			UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
45		1919	4	14	20	35	78	106	691	579	297	84	11	0	0	0
45 WHITE		1656	2	8	17	29	60	87	603	505	264	71	10	0	0	0
45 WHITE	NONE	658	2	7	17	25	53	62	283	153	51	5	0	0	0	0
45 WHITE	ONE	591	0	1	0	4	6	20	218	221	95	23	3	0	0	0
45 WHITE	TWO	254	0	0	0	0	0	2	81	87	65	18	1	0	0	0
45 WHITE	THREE	89	0	0	0	0	0	3	14	31	31	10	0	0	0	0
45 WHITE	4 OR MORE	56	0	0	0	0	0	0	3	11	21	15	6	0	0	0
45 WHITE	NOT STATED	8	0	0	0	0	1	0	4	2	1	0	0	0	0	0
45 BLACK		21	1	2	0	0	1	2	5	7	2	1	0	0	0	0
45 BLACK	NONE	8	1	2	0	0	1	1	1	2	0	0	0	0	0	0
45 BLACK	ONE	7	0	0	0	0	0	1	3	2	1	0	0	0	0	0
45 BLACK	TWO	4	0	0	0	0	0	0	1	2	0	1	0	0	0	0
45 BLACK	THREE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
45 BLACK	4 OR MORE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
45 BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 MEX-AMER		128	0	1	2	3	10	5	43	40	18	5	1	0	0	0
45 MEX-AMER	NONE	51	0	1	2	2	7	3	21	11	4	0	0	0	0	0
45 MEX-AMER	ONE	42	0	0	0	1	2	2	14	18	3	1	1	0	0	0
45 MEX-AMER	TWO	20	0	0	0	0	1	0	7	5	6	1	0	0	0	0
45 MEX-AMER	THREE	6	0	0	0	0	0	0	0	6	0	0	0	0	0	0
45 MEX-AMER	4 OR MORE	8	0	0	0	0	0	0	1	0	5	2	0	0	0	0
45 MEX-AMER	NOT STATED	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
45 OTHER		111	1	3	1	3	7	12	38	27	12	7	0	0	0	0
45 OTHER	NONE	47	1	2	1	0	5	7	16	10	2	3	0	0	0	0
45 OTHER	ONE	33	0	1	0	1	1	4	16	6	3	1	0	0	0	0
45 OTHER	TWO	17	0	0	0	2	1	0	6	4	3	1	0	0	0	0
45 OTHER	THREE	11	0	0	0	0	0	1	0	5	4	1	0	0	0	0
45 OTHER	4 OR MORE	3	0	0	0	0	0	0	0	2	0	1	0	0	0	0
45 OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 UNKNOWN		3	0	0	0	0	0	0	2	0	1	0	0	0	0	0
45 UNKNOWN	NONE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0
45 UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 UNKNOWN	TWO	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
45 UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

TUOLUMNE

COUNTY	RACE1	PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
55			484	0	2	1	6	17	19	138	180	85	33	2	0	0	1
55	WHITE		421	0	1	1	5	13	15	126	158	70	29	2	0	0	1
55	WHITE	NONE	170	0	1	1	5	11	12	63	58	15	3	0	0	0	1
55	WHITE	ONE	156	0	0	0	0	2	2	50	63	29	9	1	0	0	0
55	WHITE	TWO	66	0	0	0	0	0	0	10	29	20	7	0	0	0	0
55	WHITE	THREE	19	0	0	0	0	0	0	2	6	2	8	1	0	0	0
55	WHITE	4 OR MORE	8	0	0	0	0	0	0	1	2	3	2	0	0	0	0
55	WHITE	NOT STATED	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0
55	BLACK		2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
55	BLACK	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	BLACK	ONE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
55	BLACK	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	BLACK	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	BLACK	4 OR MORE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
55	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	MEX-AMER		37	0	1	0	1	3	3	6	13	8	2	0	0	0	0
55	MEX-AMER	NONE	17	0	1	0	1	2	3	3	4	3	0	0	0	0	0
55	MEX-AMER	ONE	13	0	0	0	0	1	0	1	6	4	1	0	0	0	0
55	MEX-AMER	TWO	5	0	0	0	0	0	0	2	2	1	0	0	0	0	0
55	MEX-AMER	THREE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0
55	MEX-AMER	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	OTHER		24	0	0	0	0	1	1	6	7	7	2	0	0	0	0
55	OTHER	NONE	6	0	0	0	0	1	1	2	2	0	0	0	0	0	0
55	OTHER	ONE	5	0	0	0	0	0	0	1	2	1	1	0	0	0	0
55	OTHER	TWO	8	0	0	0	0	0	0	1	3	3	1	0	0	0	0
55	OTHER	THREE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0
55	OTHER	4 OR MORE	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0
55	OTHER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	UNKNOWN		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	UNKNOWN	NONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	UNKNOWN	ONE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	UNKNOWN	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

VENTURA

COUNTY											AGE						
	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
56			9879	19	36	130	229	327	461	3153	3138	1717	564	83	6	0	16
56	WHITE		5196	2	9	39	86	115	191	1595	1821	1019	282	33	4	0	0
56	WHITE	NONE	2295	2	9	39	77	100	142	923	695	261	41	5	1	0	0
56	WHITE	ONE	1694	0	0	0	9	11	37	490	678	376	87	5	1	0	0
56	WHITE	TWO	696	0	0	0	0	0	7	123	294	203	63	6	0	0	0
56	WHITE	THREE	252	0	0	0	0	0	0	23	80	107	39	3	0	0	0
56	WHITE	4 OR MORE	135	0	0	0	0	0	0	3	27	42	47	14	2	0	0
56	WHITE	NOT STATED	124	0	0	0	0	4	5	33	47	30	5	0	0	0	0
56	BLACK		310	1	4	6	8	18	26	108	82	39	16	2	0	0	0
56	BLACK	NONE	128	1	4	6	8	15	19	47	22	4	1	1	0	0	0
56	BLACK	ONE	84	0	0	0	0	3	6	35	26	11	3	0	0	0	0
56	BLACK	TWO	59	0	0	0	0	0	1	21	21	13	3	0	0	0	0
56	BLACK	THREE	17	0	0	0	0	0	0	1	6	5	4	1	0	0	0
56	BLACK	4 OR MORE	14	0	0	0	0	0	0	0	4	5	5	0	0	0	0
56	BLACK	NOT STATED	8	0	0	0	0	0	0	4	3	1	0	0	0	0	0
56	MEX-AMER		3549	14	19	80	122	172	218	1245	941	482	203	40	2	0	11
56	MEX-AMER	NONE	1304	14	16	74	106	126	143	548	197	56	17	2	0	0	5
56	MEX-AMER	ONE	978	0	2	5	16	41	58	421	301	101	29	3	0	0	1
56	MEX-AMER	TWO	567	0	0	1	0	3	6	165	234	113	37	8	0	0	0
56	MEX-AMER	THREE	297	0	0	0	0	1	2	55	115	89	31	3	0	0	1
56	MEX-AMER	4 OR MORE	290	0	0	0	0	0	0	18	55	111	83	21	2	0	0
56	MEX-AMER	NOT STATED	113	0	1	0	0	1	9	38	39	12	6	3	0	0	4
56	OTHER		526	1	1	0	8	18	16	128	186	119	42	7	0	0	0
56	OTHER	NONE	213	1	1	0	7	13	13	72	73	21	11	1	0	0	0
56	OTHER	ONE	184	0	0	0	1	5	3	38	77	47	11	2	0	0	0
56	OTHER	TWO	73	0	0	0	0	0	0	9	23	28	12	1	0	0	0
56	OTHER	THREE	33	0	0	0	0	0	0	4	9	12	7	1	0	0	0
56	OTHER	4 OR MORE	10	0	0	0	0	0	0	0	2	5	1	2	0	0	0
56	OTHER	NOT STATED	13	0	0	0	0	0	0	5	2	6	0	0	0	0	0
56	UNKNOWN		298	1	3	5	5	4	10	77	108	58	21	1	0	0	5
56	UNKNOWN	NONE	133	1	2	4	4	4	8	40	45	19	5	0	0	0	1
56	UNKNOWN	ONE	80	0	0	0	0	0	0	22	33	20	4	1	0	0	0
56	UNKNOWN	TWO	38	0	0	0	0	0	0	6	14	10	8	0	0	0	0
56	UNKNOWN	THREE	9	0	0	0	0	0	0	0	2	5	1	0	0	0	1
56	UNKNOWN	4 OR MORE	3	0	0	0	0	0	0	0	1	0	2	0	0	0	0
56	UNKNOWN	NOT STATED	35	0	1	1	1	0	2	9	13	4	1	0	0	0	3

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

YOLO

COUNTY	RACE1	PLB	TOTAL								AGE						
				UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
57			1817	3	6	31	49	61	84	542	576	363	94	8	0	0	0
57	WHITE		1089	1	4	16	20	24	36	310	357	264	54	3	0	0	0
57	WHITE	NONE	483	1	4	14	18	18	29	170	140	78	11	0	0	0	0
57	WHITE	ONE	366	0	0	2	2	5	6	102	134	97	16	2	0	0	0
57	WHITE	TWO	162	0	0	0	0	1	1	29	63	51	17	0	0	0	0
57	WHITE	THREE	50	0	0	0	0	0	0	8	12	25	5	0	0	0	0
57	WHITE	4 OR MORE	25	0	0	0	0	0	0	0	6	13	5	1	0	0	0
57	WHITE	NOT STATED	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0
57	BLACK		49	0	0	0	1	5	3	13	21	5	1	0	0	0	0
57	BLACK	NONE	20	0	0	0	0	2	2	6	9	1	0	0	0	0	0
57	BLACK	ONE	14	0	0	0	1	2	1	4	5	1	0	0	0	0	0
57	BLACK	TWO	9	0	0	0	0	1	0	2	3	3	0	0	0	0	0
57	BLACK	THREE	4	0	0	0	0	0	0	0	3	0	1	0	0	0	0
57	BLACK	4 OR MORE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0
57	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
57	MEX-AMER		572	1	2	15	25	30	42	194	156	69	33	5	0	0	0
57	MEX-AMER	NONE	190	1	2	13	18	22	27	70	27	6	4	0	0	0	0
57	MEX-AMER	ONE	198	0	0	2	7	8	11	86	63	15	6	0	0	0	0
57	MEX-AMER	TWO	92	0	0	0	0	0	3	31	33	22	3	0	0	0	0
57	MEX-AMER	THREE	49	0	0	0	0	0	1	4	18	16	9	1	0	0	0
57	MEX-AMER	4 OR MORE	39	0	0	0	0	0	0	2	12	10	11	4	0	0	0
57	MEX-AMER	NOT STATED	4	0	0	0	0	0	0	1	3	0	0	0	0	0	0
57	OTHER		92	1	0	0	3	2	3	21	35	22	5	0	0	0	0
57	OTHER	NONE	53	1	0	0	3	2	2	15	19	9	2	0	0	0	0
57	OTHER	ONE	22	0	0	0	0	0	1	4	8	8	1	0	0	0	0
57	OTHER	TWO	12	0	0	0	0	0	0	2	4	5	1	0	0	0	0
57	OTHER	THREE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0
57	OTHER	4 OR MORE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0
57	OTHER	NOT STATED	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
57	UNKNOWN		15	0	0	0	0	0	0	4	7	3	1	0	0	0	0
57	UNKNOWN	NONE	4	0	0	0	0	0	0	1	2	1	0	0	0	0	0
57	UNKNOWN	ONE	5	0	0	0	0	0	0	3	1	1	0	0	0	0	0
57	UNKNOWN	TWO	5	0	0	0	0	0	0	0	4	1	0	0	0	0	0
57	UNKNOWN	THREE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
57	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
57	UNKNOWN	NOT STATED	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

YUBA

COUNTY	RACE1	PLB	TOTAL	UNDER 15	15	16	17	18	19	20-24	AGE 25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
58			1073	1	7	20	27	56	69	461	277	131	21	3	0	0	0
58	WHITE		711	1	6	15	19	41	52	316	167	79	14	1	0	0	0
58	WHITE	NONE	315	1	6	14	16	30	37	140	50	17	3	1	0	0	0
58	WHITE	ONE	257	0	0	1	2	11	15	139	67	21	1	0	0	0	0
58	WHITE	TWO	89	0	0	0	1	0	0	29	38	17	4	0	0	0	0
58	WHITE	THREE	29	0	0	0	0	0	0	5	10	12	2	0	0	0	0
58	WHITE	4 OR MORE	17	0	0	0	0	0	0	1	0	12	4	0	0	0	0
58	WHITE	NOT STATED	4	0	0	0	0	0	0	2	2	0	0	0	0	0	0
58	BLACK		71	0	0	1	1	2	3	33	22	8	1	0	0	0	0
58	BLACK	NONE	26	0	0	1	1	2	2	15	2	3	0	0	0	0	0
58	BLACK	ONE	27	0	0	0	0	0	1	11	12	3	0	0	0	0	0
58	BLACK	TWO	7	0	0	0	0	0	0	5	1	1	0	0	0	0	0
58	BLACK	THREE	8	0	0	0	0	0	0	2	5	0	1	0	0	0	0
58	BLACK	4 OR MORE	3	0	0	0	0	0	0	0	2	1	0	0	0	0	0
58	BLACK	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	MEX-AMER		124	0	1	1	5	5	6	50	34	16	4	2	0	0	0
58	MEX-AMER	NONE	44	0	1	1	5	4	4	21	6	2	0	0	0	0	0
58	MEX-AMER	ONE	35	0	0	0	0	1	1	21	8	3	0	1	0	0	0
58	MEX-AMER	TWO	24	0	0	0	0	0	1	6	9	5	3	0	0	0	0
58	MEX-AMER	THREE	12	0	0	0	0	0	0	2	7	2	0	1	0	0	0
58	MEX-AMER	4 OR MORE	9	0	0	0	0	0	0	0	4	4	1	0	0	0	0
58	MEX-AMER	NOT STATED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	OTHER		157	0	0	2	1	8	8	58	52	26	2	0	0	0	0
58	OTHER	NONE	64	0	0	2	1	6	6	28	15	6	0	0	0	0	0
58	OTHER	ONE	54	0	0	0	0	2	2	24	18	8	0	0	0	0	0
58	OTHER	TWO	27	0	0	0	0	0	0	4	16	6	1	0	0	0	0
58	OTHER	THREE	8	0	0	0	0	0	0	2	2	4	0	0	0	0	0
58	OTHER	4 OR MORE	3	0	0	0	0	0	0	0	1	1	1	0	0	0	0
58	OTHER	NOT STATED	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
58	UNKNOWN		10	0	0	1	1	0	0	4	2	2	0	0	0	0	0
58	UNKNOWN	NONE	4	0	0	1	1	0	0	1	0	1	0	0	0	0	0
58	UNKNOWN	ONE	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0
58	UNKNOWN	TWO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	UNKNOWN	THREE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
58	UNKNOWN	4 OR MORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	UNKNOWN	NOT STATED	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0

SOURCE: STATE OF CALIFORNIA, DEPT OF HEALTH SERVICES BIRTH RECORDS.

```
SYNTAX/ENDING/970/TABLE   ////2621 WRITTEN
SYNTAX/ENDING/990///430905 READ
SYNTAX/ENDING/991///429631 SELECTED
SYNTAX/ENDING/997/////2621 WRITTEN
SYNTAX/ENDING/999
```

TABLE LIVE BIRTHS BY RACE OF CHILD, PREVIOUS LIVE BIRTHS
AND AGE OF MOTHER
CALIFORNIA, 1982
(BY PLACE OF RESIDENCE)

COUNTY RACE1 PLB	TOTAL	AGE UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TOTAL	429631	851	2379	5620	9875	15035	20261	136388	134830	76090	24205	3734	209	11	143